

# Andrés Díaz-López

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5984647/publications.pdf>

Version: 2024-02-01

42  
papers

1,966  
citations

279487

23  
h-index

288905

40  
g-index

42  
all docs

42  
docs citations

42  
times ranked

3454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Supplementation of Infant Formula and Neurodevelopmental Outcomes: a Systematic Review. <i>Current Nutrition Reports</i> , 2022, 11, 283-300.	2.1	4
2	Prospective associations between a priori dietary patterns adherence and kidney function in an elderly Mediterranean population at high cardiovascular risk. <i>European Journal of Nutrition</i> , 2022, 61, 3095-3108.	1.8	3
3	Mediterranean Diet and Physical Activity Decrease the Initiation of Cardiovascular Drug Use in High Cardiovascular Risk Individuals: A Cohort Study. <i>Antioxidants</i> , 2021, 10, 397.	2.2	1
4	Variety in fruits and vegetables, diet quality and lifestyle in an older adult mediterranean population. <i>Clinical Nutrition</i> , 2021, 40, 1510-1518.	2.3	27
5	High and Low Haemoglobin Levels in Early Pregnancy Are Associated to a Higher Risk of Miscarriage: A Population-Based Cohort Study. <i>Nutrients</i> , 2021, 13, 1578.	1.7	9
6	Mediterranean Diet and White Blood Cell Count—A Randomized Controlled Trial. <i>Foods</i> , 2021, 10, 1268.	1.9	5
7	Validity of the energy-restricted Mediterranean Diet Adherence Screener. <i>Clinical Nutrition</i> , 2021, 40, 4971-4979.	2.3	57
8	Prevalence and Risk Factors of Food Insecurity among Mexican University Students' Households. <i>Nutrients</i> , 2021, 13, 3426.	1.7	2
9	Simple sugar intake and cancer incidence, cancer mortality and all-cause mortality: A cohort study from the PREDIMED trial. <i>Clinical Nutrition</i> , 2021, 40, 5269-5277.	2.3	14
10	Diet quality and nutrient density in subjects with metabolic syndrome: Influence of socioeconomic status and lifestyle factors. A cross-sectional assessment in the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2020, 39, 1161-1173.	2.3	28
11	Fluid and total water intake in a senior mediterranean population at high cardiovascular risk: demographic and lifestyle determinants in the PREDIMED-Plus study. <i>European Journal of Nutrition</i> , 2020, 59, 1595-1606.	1.8	4
12	Cross-sectional association between non-soy legume consumption, serum uric acid and hyperuricemia: the PREDIMED-Plus study. <i>European Journal of Nutrition</i> , 2020, 59, 2195-2206.	1.8	8
13	Association between dairy product consumption and hyperuricemia in an elderly population with metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 214-222.	1.1	14
14	Urinary Resveratrol Metabolites Output: Differential Associations with Cardiometabolic Markers and Liver Enzymes in House-Dwelling Subjects Featuring Metabolic Syndrome. <i>Molecules</i> , 2020, 25, 4340.	1.7	6
15	Prevalence and risk factors of hypovitaminosis D in pregnant Spanish women. <i>Scientific Reports</i> , 2020, 10, 15757.	1.6	7
16	Association between Iron Status and Incident Type 2 Diabetes: A Population-Based Cohort Study. <i>Nutrients</i> , 2020, 12, 3249.	1.7	17
17	Physical fitness and physical activity association with cognitive function and quality of life: baseline cross-sectional analysis of the PREDIMED-Plus trial. <i>Scientific Reports</i> , 2020, 10, 3472.	1.6	47
18	Effect of a Lifestyle Intervention Program With Energy-Restricted Mediterranean Diet and Exercise on Weight Loss and Cardiovascular Risk Factors: One-Year Results of the PREDIMED-Plus Trial. <i>Diabetes Care</i> , 2019, 42, 777-788.	4.3	239

#	ARTICLE	IF	CITATIONS
19	Leisure-time physical activity at moderate and high intensity is associated with parameters of body composition, muscle strength and sarcopenia in aged adults with obesity and metabolic syndrome from the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2019, 38, 1324-1331.	2.3	46
20	Body adiposity indicators and cardiometabolic risk: Cross-sectional analysis in participants from the PREDIMED-Plus trial. <i>Clinical Nutrition</i> , 2019, 38, 1883-1891.	2.3	34
21	Effect of a Nutritional and Behavioral Intervention on Energy-Reduced Mediterranean Diet Adherence Among Patients With Metabolic Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1486.	3.8	100
22	Dietary Diversity and Nutritional Adequacy among an Older Spanish Population with Metabolic Syndrome in the PREDIMED-Plus Study: A Cross-Sectional Analysis. <i>Nutrients</i> , 2019, 11, 958.	1.7	35
23	Sleep Duration is Inversely Associated with Serum Uric Acid Concentrations and Uric Acid to Creatinine Ratio in an Elderly Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019, 11, 761.	1.7	14
24	Adherence to an Energy-restricted Mediterranean Diet Score and Prevalence of Cardiovascular Risk Factors in the PREDIMED-Plus: A Cross-sectional Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2019, 72, 925-934.	0.4	26
25	Multiple approaches to associations of physical activity and adherence to the Mediterranean diet with all-cause mortality in older adults: the PREvención con Dieta MEDiterránea study. <i>European Journal of Nutrition</i> , 2019, 58, 1569-1578.	1.8	16
26	Legume consumption is inversely associated with type 2 diabetes incidence in adults: A prospective assessment from the PREDIMED study. <i>Clinical Nutrition</i> , 2018, 37, 906-913.	2.3	108
27	Dietary Intake in Population with Metabolic Syndrome: Is the Prevalence of Inadequate Intake Influenced by Geographical Area? Cross-Sectional Analysis from PREDIMED-Plus Study. <i>Nutrients</i> , 2018, 10, 1661.	1.7	9
28	Seafood Consumption, Omega-3 Fatty Acids Intake, and Life-Time Prevalence of Depression in the PREDIMED-Plus Trial. <i>Nutrients</i> , 2018, 10, 2000.	1.7	43
29	Mediterranean diet and quality of life: Baseline cross-sectional analysis of the PREDIMED-PLUS trial. <i>PLoS ONE</i> , 2018, 13, e0198974.	1.1	100
30	Yogurt and Diabetes: Overview of Recent Observational Studies. <i>Journal of Nutrition</i> , 2017, 147, 1452S-1461S.	1.3	59
31	Leisure-time physical activity, sedentary behaviors, sleep, and cardiometabolic risk factors at baseline in the PREDIMED-PLUS intervention trial: A cross-sectional analysis. <i>PLoS ONE</i> , 2017, 12, e0172253.	1.1	48
32	In reply to letter to the editor from Dr. Kawada regarding the publication "Dairy product consumption and risk of type 2 diabetes in an elderly Spanish Mediterranean population at high cardiovascular risk". <i>European Journal of Nutrition</i> , 2016, 55, 2337-2338.	1.8	0
33	Dietary Marine $\omega$ -3 Fatty Acids and Incident Sight-Threatening Retinopathy in Middle-Aged and Older Individuals With Type 2 Diabetes. <i>JAMA Ophthalmology</i> , 2016, 134, 1142.	1.4	92
34	Dairy product consumption and risk of type 2 diabetes in an elderly Spanish Mediterranean population at high cardiovascular risk. <i>European Journal of Nutrition</i> , 2016, 55, 349-360.	1.8	122
35	Mediterranean Diet, Retinopathy, Nephropathy, and Microvascular Diabetes Complications: A Post Hoc Analysis of a Randomized Trial. <i>Diabetes Care</i> , 2015, 38, 2134-2141.	4.3	104
36	Consumption of Yogurt, Low-Fat Milk, and Other Low-Fat Dairy Products Is Associated with Lower Risk of Metabolic Syndrome Incidence in an Elderly Mediterranean Population. <i>Journal of Nutrition</i> , 2015, 145, 2308-2316.	1.3	127

#	ARTICLE	IF	CITATIONS
37	Increased Serum Calcium Levels and Risk of Type 2 Diabetes in Individuals at High Cardiovascular Risk. <i>Diabetes Care</i> , 2014, 37, 3084-3091.	4.3	67
38	Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 27-35.	2.2	129
39	Serum sTWEAK Concentrations and Risk of Developing Type 2 Diabetes in a High Cardiovascular Risk Population: A Nested Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3482-3490.	1.8	20
40	Reduced Serum Concentrations of Carboxylated and Undercarboxylated Osteocalcin Are Associated With Risk of Developing Type 2 Diabetes Mellitus in a High Cardiovascular Risk Population: A Nested Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4524-4531.	1.8	83
41	Cross-sectional associations between macronutrient intake and chronic kidney disease in a population at high cardiovascular risk. <i>Clinical Nutrition</i> , 2013, 32, 606-612.	2.3	33
42	Effects of Mediterranean Diets on Kidney Function: A Report From the PREDIMED Trial. <i>American Journal of Kidney Diseases</i> , 2012, 60, 380-389.	2.1	59