## Brezo MartÃ-nez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5985217/publications.pdf

Version: 2024-02-01

44 papers 2,035 citations

236925 25 h-index 243625 44 g-index

45 all docs

45 docs citations

45 times ranked

2456 citing authors

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 1  | Half a century of thermal tolerance studies in springtails (Collembola): A review of metrics, spatial and temporal trends. Current Research in Insect Science, 2022, 2, 100023.  | 1.7  | 7         |
| 2  | The evolution of critical thermal limits of life on Earth. Nature Communications, 2021, 12, 1198.  | 12.8 | 149       |
| 3  | Future range dynamics of the red alga Capreolia implexa in native and invaded regions: contrasting predictions from species distribution models versus physiological knowledge. Biological Invasions, 2020, 22, 1339-1352. | 2.4  | 11        |
| 4  | Environmental factors driving the distribution of the tropical coral <i>Pavona varians</i> Predictions under a climate change scenario. Marine Ecology, 2020, 41, 1-12.  | 1.1  | 13        |
| 5  | A regime shift in intertidal assemblages triggered by loss of algal canopies: A multidecadal survey.<br>Marine Environmental Research, 2020, 160, 104981.  | 2.5  | 15        |
| 6  | Atlantic corals under climate change: modelling distribution shifts to predict richness, phylogenetic structure and trait-diversity changes. Biodiversity and Conservation, 2019, 28, 3873-3890.                           | 2.6  | 8         |
| 7  | Ecophysiological responses of a threatened red alga to increased irradiance in an in situ transplant experiment. Marine Environmental Research, 2019, 144, 166-177.  | 2.5  | 16        |
| 8  | Kongsfjorden as Harbinger of the Future Arctic: Knowns, Unknowns and Research Priorities. Advances in Polar Ecology, 2019, , 537-562.  | 1.3  | 15        |
| 9  | Yield losses and electron transport rate as indicators of thermal stress in Fucus serratus (Ochrophyta). Algal Research, 2019, 41, 101560.   | 4.6  | 27        |
| 10 | Genetic relationships of the hydrocoral Millepora alcicornis and its symbionts within and between locations across the Atlantic. Coral Reefs, 2019, 38, 255-268.   | 2.2  | 16        |
| 11 | Distributional shifts of canopy-forming seaweeds from the Atlantic coast of Southern Europe. Biodiversity and Conservation, 2019, 28, 1151-1172.   | 2.6  | 73        |
| 12 | Integration of physiological knowledge into hybrid species distribution modelling to improve forecast of distributional shifts of tropical corals. Diversity and Distributions, 2019, 25, 715-728.                         | 4.1  | 29        |
| 13 | GlobTherm, a global database on thermal tolerances for aquatic and terrestrial organisms. Scientific Data, 2018, 5, 180022.  | 5.3  | 164       |
| 14 | The â€~golden kelp' <i>Laminaria ochroleuca</i> under global change: Integrating multiple ecoâ€physiological responses with species distribution models. Journal of Ecology, 2018, 106, 47-58.                             | 4.0  | 78        |
| 15 | Distribution models predict large contractions of habitatâ€forming seaweeds in response to ocean warming. Diversity and Distributions, 2018, 24, 1350-1366.  | 4.1  | 129       |
| 16 | Physiological responses to variations in grazing and light conditions in native and invasive fucoids. Marine Environmental Research, 2018, 139, 151-161.   | 2.5  | 8         |
| 17 | Ecophysiological responses to elevated CO2 and temperature in Cystoseira tamariscifolia (Phaeophyceae). Climatic Change, 2017, 142, 67-81.   | 3.6  | 29        |
| 18 | Modulation of different kelp life stages by herbivory: compensatory growth versus population decimation. Marine Biology, 2017, 164, 1.   | 1.5  | 12        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Photoprotective responses in a brown macroalgae Cystoseira tamariscifolia to increases in CO2 and temperature. Marine Environmental Research, 2017, 130, 157-165.                        | 2.5 | 25        |
| 20 | Mariculture of the Asian kelp Undaria pinnatifida and the native kelp Saccharina latissima along the Atlantic coast of Southern Europe: An overview. Algal Research, 2016, 15, 9-23.     | 4.6 | 87        |
| 21 | Combining physiological threshold knowledge to species distribution models is key to improving forecasts of the future niche for macroalgae. Global Change Biology, 2015, 21, 1422-1433. | 9.5 | 93        |
| 22 | Additive effects of emersion stressors on the ecophysiological performance of two intertidal seaweeds. Marine Ecology - Progress Series, 2015, 536, 135-147.                             | 1.9 | 14        |
| 23 | Short-term ecophysiological and biochemical responses of Cystoseira tamariscifolia and Ellisolandia elongata to environmental changes. Aquatic Biology, 2014, 22, 227-243.               | 1.4 | 44        |
| 24 | Open-sea cultivation by transplanting young fronds of the kelp Saccharina latissima. Journal of Applied Phycology, 2014, 26, 519-528.  | 2.8 | 48        |
| 25 | Physiological response of fucoid algae to environmental stress: comparing range centre and southern populations. New Phytologist, 2014, 202, 1157-1172.                                  | 7.3 | 46        |
| 26 | Neighbourhood competition in coexisting species: The native Cystoseira humilis vs the invasive Sargassum muticum. Journal of Experimental Marine Biology and Ecology, 2014, 454, 32-41.  | 1.5 | 23        |
| 27 | A novel in situ system to evaluate the effect of high CO2 on photosynthesis and biochemistry of seaweeds. Aquatic Biology, 2014, 22, 245-259.  | 1.4 | 22        |
| 28 | Recent and historical range shifts of two canopy-forming seaweeds in North Spain and the link with trends in sea surface temperature. Acta Oecologica, 2013, 51, 1-10.                   | 1.1 | 69        |
| 29 | Physical factors driving intertidal macroalgae distribution: physiological stress of a dominant fucoid at its southern limit. Oecologia, 2012, 170, 341-353.                             | 2.0 | 79        |
| 30 | Nutrient uptake and growth responses of three intertidal macroalgae with perennial, opportunistic and summer-annual strategies. Aquatic Botany, 2012, 96, 14-22.                         | 1.6 | 47        |
| 31 | Habitat distribution models for intertidal seaweeds: responses to climatic and nonâ€elimatic drivers.<br>Journal of Biogeography, 2012, 39, 1877-1890.                                   | 3.0 | 64        |
| 32 | Reproductive patterns in central and marginal populations of a large brown seaweed: drastic changes at the southern range limit. Ecography, 2011, 34, 75-84.                             | 4.5 | 71        |
| 33 | Effect of nutrient supply on photosynthesis and pigmentation to short-term stress (UV radiation) in Gracilaria conferta (Rhodophyta). Marine Pollution Bulletin, 2010, 60, 1768-1778.    | 5.0 | 48        |
| 34 | Environmental control of the annual erect phase of <i>Nemalion helminthoides</i> (Rhodophyta) in the field. Scientia Marina, 2010, 75, 263-271.  | 0.6 | 3         |
| 35 | Carotenoid composition in Rhodophyta: insights into xanthophyll regulation in <i>Corallina elongata</i> . European Journal of Phycology, 2009, 44, 221-230.                              | 2.0 | 48        |
| 36 | Effects of nutrient supply on photosynthesis and pigmentation in Ulva lactuca (Chlorophyta): responses to short-term stress. Aquatic Biology, 2009, 7, 173-183.                          | 1.4 | 45        |

| #  | Article  | IF  | CITATION |
|----|--|-----|----------|
| 37 | Acclimation of Red Sea macroalgae to solar radiation: photosynthesis and thallus absorptance. Aquatic Biology, 2009, 7, 159-172.   | 1.4 | 33       |
| 38 | CHANGES IN NUTRIENT CONTENT OF <i>PALMARIA PALMATA</i> IN RESPONSE TO VARIABLE LIGHT AND UPWELLING IN NORTHERN SPAIN <a href="sup">sup</a> 1 Journal of Phycology, 2008, 44, 50-59.  | 2.3 | 16       |
| 39 | Open sea cultivation of Palmaria palmata (Rhodophyta) on the northern Spanish coast. Aquaculture, 2006, 254, 376-387.  | 3.5 | 21       |
| 40 | INORGANIC NITROGEN AND PHOSPHORUS UPTAKE KINETICS IN PALMARIA PALMATA (RHODOPHYTA)1. Journal of Phycology, 2004, 40, 642-650.  | 2.3 | 32       |
| 41 | Spatial variation in the recruitment of the intertidal barnacles Chthamalus montagui Southward and Chthamalus stellatus (Poli) (Crustacea: Cirripedia) over an European scale. Journal of Experimental Marine Biology and Ecology, 2004, 304, 243-264. | 1.5 | 59       |
| 42 | Effect of grazing by limpets on mid-shore species assemblages in northern Spain. Marine Ecology - Progress Series, 2004, 277, 117-133.   | 1.9 | 29       |
| 43 | SEASONAL VARIATION OF P CONTENT AND MAJOR N POOLS INPALMARIA PALMATA(RHODOPHYTA)1. Journal of Phycology, 2002, 38, 1082-1089.  | 2.3 | 69       |
| 44 | European-scale analysis of seasonal variability in limpet grazing activity and microalgal abundance.<br>Marine Ecology - Progress Series, 2001, 211, 193-203.  | 1.9 | 101      |