

Dusan Popadic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5985411/dusan-popadic-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

847
citations

19
h-index

28
g-index

42
ext. papers

917
ext. citations

4.6
avg, IF

3.37
L-index

#	Paper	IF	Citations
41	Testing for SARS-CoV-2. <i>Medicinski Podmladak</i> , 2021 , 72, 12-19	0	2
40	Childhood maltreatment correlates with higher concentration of transforming growth factor beta (TGF- β) in adult patients with major depressive disorder. <i>Psychiatry Research</i> , 2021 , 301, 113987	9.9	1
39	Altered cytokine expression in Helicobacter pylori infected patients with bleeding duodenal ulcer. <i>BMC Research Notes</i> , 2019 , 12, 278	2.3	2
38	Downregulation of autophagy gene expression in endometria from women with polycystic ovary syndrome. <i>Molecular and Cellular Endocrinology</i> , 2017 , 440, 116-124	4.4	22
37	Pemphigus vulgaris and pemphigus foliaceus determined by CD86 and CTLA4 polymorphisms. <i>Clinics in Dermatology</i> , 2017 , 35, 236-241	3	10
36	N-Acetyl-l-cysteine enhances ex-vivo amplification of deciduous teeth dental pulp stem cells. <i>Archives of Oral Biology</i> , 2016 , 70, 32-38	2.8	9
35	Higher expression of IL-12R β 2 is associated with lower risk of relapse in relapsing-remitting multiple sclerosis patients on interferon- β therapy during 3-year follow-up. <i>Journal of Neuroimmunology</i> , 2015 , 287, 64-70	3.5	3
34	TNF, IL12B, and IFNG Gene Polymorphisms in Serbian Patients with Psoriasis. <i>Annals of Dermatology</i> , 2015 , 27, 128-32	0.4	11
33	HLA-A, -B, -C, -DRB1 and -DQB1 allele and haplotype frequencies in the Serbian population. <i>Human Immunology</i> , 2014 , 75, 218-26	2.3	8
32	Evaluation of T and B lymphocyte function in clinical practice using a flow cytometry based proliferation assay. <i>Clinical Immunology</i> , 2014 , 153, 332-42	9	32
31	High Risk First Degree Relatives of Type 1 Diabetics: An Association with Increases in CXCR3(+) T Memory Cells Reflecting an Enhanced Activity of Th1 Autoimmune Response. <i>International Journal of Endocrinology</i> , 2014 , 2014, 589360	2.7	1
30	Flow Cytometric Assay of Respiratory Burst Capacity in Peripheral Blood Monocytes of Gaucher Type 1 Patients. <i>Journal of Medical Biochemistry</i> , 2014 , 33, 265-270	1.9	
29	Polymorphism rs11465553 in the Interleukin-17F Gene in Serbian Patients with Psoriasis and Healthy Controls. <i>Serbian Journal of Dermatology and Venereology</i> , 2014 , 6, 161-166	0.1	1
28	Multiple sclerosis: individualized disease susceptibility and therapy response. <i>Biomarkers in Medicine</i> , 2013 , 7, 59-71	2.3	6
27	Immunomodulatory actions of central ghrelin in diet-induced energy imbalance. <i>Brain, Behavior, and Immunity</i> , 2012 , 26, 150-8	16.6	22
26	Single nucleotide polymorphisms in multiple sclerosis: disease susceptibility and treatment response biomarkers. <i>Immunologic Research</i> , 2012 , 52, 42-52	4.3	16
25	Distinctive frequencies of +874T/A IFN- γ gene polymorphism in a healthy Serbian population. <i>Clinical and Translational Science</i> , 2012 , 5, 461-3	4.9	7

24	Aloe-emodin inhibits proliferation of adult human keratinocytes in vitro. <i>Journal of Cosmetic Science</i> , 2012 , 63, 297-302	0.7	10
23	The preoperative activity of Th1 and Th17 cytokine axes in prediction of sepsis after radical cystectomy. <i>European Cytokine Network</i> , 2011 , 22, 169-74	3.3	3
22	Synthesis and in vitro anticancer activity of octahedral platinum(IV) complexes with cyclohexyl-functionalized ethylenediamine-N,NSDiacetate-type ligands. <i>ChemMedChem</i> , 2010 , 5, 881-9	3.7	43
21	Expression of Th1 and Th17 cytokines and transcription factors in multiple sclerosis patients: does baseline T-bet mRNA predict the response to interferon-beta treatment?. <i>Journal of Neuroimmunology</i> , 2009 , 215, 90-5	3.5	33
20	Increased atherosclerotic lesions and Th17 in interleukin-18 deficient apolipoprotein E-knockout mice fed high-fat diet. <i>Molecular Immunology</i> , 2009 , 47, 37-45	4.3	50
19	Strain difference in susceptibility to experimental autoimmune encephalomyelitis in rats correlates with T(H)1 and T(H)17-inducing cytokine profiles. <i>Molecular Immunology</i> , 2009 , 47, 141-6	4.3	20
18	Antiproliferative effect of docosahexaenoic acid on adult human keratinocytes in vitro / Antiproliferativni efekat dokosaheksanoične kiseline na adultne humane keratinocite in vitro. <i>Serbian Journal of Dermatology and Venereology</i> , 2009 , 1, 61-67	0.1	
17	Methylprednisolone inhibits interleukin-17 and interferon-gamma expression by both naive and primed T cells. <i>BMC Immunology</i> , 2008 , 9, 47	3.7	19
16	Kinetics of IFN-gamma and IL-17 expression and production in active experimental autoimmune encephalomyelitis in Dark Agouti rats. <i>Neuroscience Letters</i> , 2008 , 447, 148-52	3.3	27
15	Antiproliferative effect of vitamin A and D analogues on adult human keratinocytes in vitro. <i>Skin Pharmacology and Physiology</i> , 2008 , 21, 227-34	3	22
14	Macrophage migration inhibitory factor (MIF) is necessary for progression of autoimmune diabetes mellitus. <i>Journal of Cellular Physiology</i> , 2008 , 215, 665-75	7	67
13	Absence of KCNQ1-dependent K ⁺ fluxes in proximal tubular cells of frog kidney. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007 , 148, 635-44	2.6	2
12	Aloe emodin inhibits the cytotoxic action of tumor necrosis factor. <i>European Journal of Pharmacology</i> , 2007 , 568, 248-59	5.3	32
11	A potent immunomodulatory compound, (S,R)-3-Phenyl-4,5-dihydro-5-isoxazole acetic acid, prevents spontaneous and accelerated forms of autoimmune diabetes in NOD mice and inhibits the immunoinflammatory diabetes induced by multiple low doses of streptozotocin in CBA/H mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 320, 1038-43	4.7	30
10	Acidosis affects tumor cell survival through modulation of nitric oxide release. <i>Free Radical Biology and Medicine</i> , 2006 , 40, 226-35	7.8	13
9	Strain difference in susceptibility to experimental autoimmune encephalomyelitis between Albino Oxford and Dark Agouti rats correlates with disparity in production of IL-17, but not nitric oxide. <i>Journal of Neuroscience Research</i> , 2006 , 84, 379-88	4.4	46
8	Uneven distribution of nucleoside transporters and intracellular enzymatic degradation prevent transport of intact [¹⁴ C] adenosine across the sheep choroid plexus epithelium as a monolayer in primary culture. <i>Cerebrospinal Fluid Research</i> , 2006 , 3, 4		9
7	Atherosclerotic abdominal aortic aneurysm and the interaction between autologous human plaque-derived vascular smooth muscle cells, type 1 NKT, and helper T cells. <i>Circulation Research</i> , 2005 , 96, 675-83	15.7	68

6	Astrocyte-induced regulatory T cells mitigate CNS autoimmunity. <i>Glia</i> , 2004 , 47, 168-79	9	70
5	Decreased frequency of the tumor necrosis factor alpha -308 allele in Serbian patients with multiple sclerosis. <i>European Neurology</i> , 2003 , 50, 25-9	2.1	25
4	Pentoxifylline inhibits the synthesis and IFN-gamma-inducing activity of IL-18. <i>Clinical and Experimental Immunology</i> , 2001 , 124, 274-81	6.2	12
3	Amphotericin B potentiates the activation of inducible nitric oxide synthase and causes nitric oxide-dependent mitochondrial dysfunction in cytokine-treated rodent astrocytes. <i>Glia</i> , 2001 , 35, 180-8	9	18
2	Leflunomide inhibits activation of inducible nitric oxide synthase in rat astrocytes. <i>Brain Research</i> , 2001 , 889, 331-8	3.7	32
1	Cell-specific inhibition of inducible nitric oxide synthase activation by leflunomide. <i>Cellular Immunology</i> , 2000 , 199, 73-80	4.4	31