

Peter Boyle

List of Publications by Citations

Source: <https://exaly.com/author-pdf/598670/peter-boyle-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

375
papers

37,014
citations

92
h-index

183
g-index

400
ext. papers

40,661
ext. citations

8.8
avg. IF

6.97
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 375 | Breast cancer and hormone replacement therapy: collaborative reanalysis of data from 51 epidemiological studies of 52 705 women with breast cancer and 108 411 women without breast cancer. <i>Lancet, The</i> , 1997 , 350, 1047-1059 | 40 | 1994 |
| 374 | Estimates of the cancer incidence and mortality in Europe in 2006. <i>Annals of Oncology</i> , 2007 , 18, 581-92 | 10.3 | 1788 |
| 373 | Human papillomavirus types in head and neck squamous cell carcinomas worldwide: a systematic review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 467-75 | 4 | 1544 |
| 372 | Pancreatitis and the risk of pancreatic cancer. International Pancreatitis Study Group. <i>New England Journal of Medicine</i> , 1993 , 328, 1433-7 | 59.2 | 1378 |
| 371 | Cancer incidence and mortality in Europe, 2004. <i>Annals of Oncology</i> , 2005 , 16, 481-8 | 10.3 | 909 |
| 370 | Meta-analysis of risk factors for cutaneous melanoma: II. Sun exposure. <i>European Journal of Cancer</i> , 2005 , 41, 45-60 | 7.5 | 848 |
| 369 | Lower urinary tract symptoms and male sexual dysfunction: the multinational survey of the aging male (MSAM-7). <i>European Urology</i> , 2003 , 44, 637-49 | 10.2 | 838 |
| 368 | Overview of the main outcomes in breast-cancer prevention trials. <i>Lancet, The</i> , 2003 , 361, 296-300 | 40 | 815 |
| 367 | Cancer in patients on dialysis for end-stage renal disease: an international collaborative study. <i>Lancet, The</i> , 1999 , 354, 93-9 | 40 | 658 |
| 366 | Development and validation of a food frequency questionnaire in Spain. <i>International Journal of Epidemiology</i> , 1993 , 22, 512-9 | 7.8 | 579 |
| 365 | Efficacy and safety of a dual inhibitor of 5-alpha-reductase types 1 and 2 (dutasteride) in men with benign prostatic hyperplasia. <i>Urology</i> , 2002 , 60, 434-41 | 1.6 | 578 |
| 364 | Meta-analysis of risk factors for cutaneous melanoma: I. Common and atypical naevi. <i>European Journal of Cancer</i> , 2005 , 41, 28-44 | 7.5 | 566 |
| 363 | Tobacco smoking and cancer: a meta-analysis. <i>International Journal of Cancer</i> , 2008 , 122, 155-64 | 7.5 | 563 |
| 362 | Prediction of all-cause and cardiovascular mortality in elderly people from one low serum thyrotropin result: a 10-year cohort study. <i>Lancet, The</i> , 2001 , 358, 861-5 | 40 | 531 |
| 361 | Meta-analysis of risk factors for cutaneous melanoma: III. Family history, actinic damage and phenotypic factors. <i>European Journal of Cancer</i> , 2005 , 41, 2040-59 | 7.5 | 510 |
| 360 | Prevention of breast cancer with tamoxifen: preliminary findings from the Italian randomised trial among hysterectomised women. Italian Tamoxifen Prevention Study. <i>Lancet, The</i> , 1998 , 352, 93-7 | 40 | 486 |
| 359 | Delivering affordable cancer care in high-income countries. <i>Lancet Oncology, The</i> , 2011 , 12, 933-80 | 21.7 | 476 |

| | | | |
|-----|---|------|-----|
| 358 | Cutaneous melanoma attributable to sunbed use: systematic review and meta-analysis. <i>BMJ, The</i> , 2012 , 345, e4757 | 5.9 | 422 |
| 357 | The association of use of sunbeds with cutaneous malignant melanoma and other skin cancers: A systematic review. <i>International Journal of Cancer</i> , 2007 , 120, 1116-22 | 7.5 | 379 |
| 356 | Early lung-cancer detection with spiral CT and positron emission tomography in heavy smokers: 2-year results. <i>Lancet, The</i> , 2003 , 362, 593-7 | 4.0 | 376 |
| 355 | Prostate volume predicts outcome of treatment of benign prostatic hyperplasia with finasteride: meta-analysis of randomized clinical trials. <i>Urology</i> , 1996 , 48, 398-405 | 1.6 | 376 |
| 354 | Breast cancer. <i>Lancet, The</i> , 2005 , 365, 1727-41 | 4.0 | 346 |
| 353 | ABC of colorectal cancer: Epidemiology. <i>BMJ: British Medical Journal</i> , 2000 , 321, 805-8 | | 338 |
| 352 | Triple-negative breast cancer: epidemiological considerations and recommendations. <i>Annals of Oncology</i> , 2012 , 23 Suppl 6, vi7-12 | 10.3 | 324 |
| 351 | The risk of cancer among patients with cystic fibrosis. Cystic Fibrosis and Cancer Study Group. <i>New England Journal of Medicine</i> , 1995 , 332, 494-9 | 59.2 | 308 |
| 350 | Meta-analysis of studies on breast cancer risk and diet: the role of fruit and vegetable consumption and the intake of associated micronutrients. <i>European Journal of Cancer</i> , 2000 , 36, 636-46 | 7.5 | 300 |
| 349 | Efficacy and tolerability of doxazosin and finasteride, alone or in combination, in treatment of symptomatic benign prostatic hyperplasia: the Prospective European Doxazosin and Combination Therapy (PREDICT) trial. <i>Urology</i> , 2003 , 61, 119-26 | 1.6 | 291 |
| 348 | Cancer mortality in Europe, 2000-2004, and an overview of trends since 1975. <i>Annals of Oncology</i> , 2010 , 21, 1323-1360 | 10.3 | 286 |
| 347 | Serum prostate-specific antigen as a predictor of prostate volume in men with benign prostatic hyperplasia. <i>Urology</i> , 1999 , 53, 581-9 | 1.6 | 279 |
| 346 | Dietary fat, olive oil intake and breast cancer risk. <i>International Journal of Cancer</i> , 1994 , 58, 774-80 | 7.5 | 241 |
| 345 | Mortality after the treatment of hyperthyroidism with radioactive iodine. <i>New England Journal of Medicine</i> , 1998 , 338, 712-8 | 59.2 | 235 |
| 344 | Cancers of the kidney and urinary tract in patients on dialysis for end-stage renal disease: analysis of data from the United States, Europe, and Australia and New Zealand. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 197-207 | 12.7 | 222 |
| 343 | The prevalence of lower urinary tract symptoms in men and women in four centres. The UrEpik study. <i>BJU International</i> , 2003 , 92, 409-14 | 5.6 | 217 |
| 342 | Prostate cancer mortality after introduction of prostate-specific antigen mass screening in the Federal State of Tyrol, Austria. <i>Urology</i> , 2001 , 58, 417-24 | 1.6 | 214 |
| 341 | Distribution of primary renal diseases leading to end-stage renal failure in the United States, Europe, and Australia/New Zealand: results from an international comparative study. <i>American Journal of Kidney Diseases</i> , 2000 , 35, 157-65 | 7.4 | 212 |

| | | | |
|-----|---|------|-----|
| 340 | European Code Against Cancer and scientific justification: third version (2003). <i>Annals of Oncology</i> , 2003 , 14, 973-1005 | 10.3 | 197 |
| 339 | Diabetes and breast cancer risk: a meta-analysis. <i>British Journal of Cancer</i> , 2012 , 107, 1608-17 | 8.7 | 193 |
| 338 | Prognosis of papillary serous, clear cell, and grade 3 stage I carcinoma of the endometrium. <i>Gynecologic Oncology</i> , 2004 , 95, 593-6 | 4.9 | 193 |
| 337 | Health-related quality of life associated with lower urinary tract symptoms in four countries. <i>Urology</i> , 1998 , 51, 428-36 | 1.6 | 192 |
| 336 | Cancer incidence and mortality after radioiodine treatment for hyperthyroidism: a population-based cohort study. <i>Lancet, The</i> , 1999 , 353, 2111-5 | 4.0 | 188 |
| 335 | Tamoxifen for the prevention of breast cancer: late results of the Italian Randomized Tamoxifen Prevention Trial among women with hysterectomy. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 727-37 | 9.7 | 187 |
| 334 | Serum prostate-specific antigen and prostate volume predict long-term changes in symptoms and flow rate: results of a four-year, randomized trial comparing finasteride versus placebo. PLESS Study Group. <i>Urology</i> , 1999 , 54, 662-9 | 1.6 | 182 |
| 333 | . <i>IEEE Micro</i> , 2012 , 32, 48-60 | 1.8 | 174 |
| 332 | A case-control study of diet and cancer of the pancreas. <i>American Journal of Epidemiology</i> , 1991 , 134, 167-79 | 3.8 | 163 |
| 331 | Cytokine polymorphisms in the Th1/Th2 pathway and susceptibility to non-Hodgkin lymphoma. <i>Blood</i> , 2006 , 107, 4101-8 | 2.2 | 162 |
| 330 | Epidemiology of colorectal cancer. <i>British Medical Bulletin</i> , 2002 , 64, 1-25 | 5.4 | 159 |
| 329 | Dentition, oral hygiene, and risk of oral cancer: a case-control study in Beijing, People's Republic of China. <i>Cancer Causes and Control</i> , 1990 , 1, 235-41 | 2.8 | 159 |
| 328 | Dietary glycemic load and colorectal cancer risk. <i>Annals of Oncology</i> , 2001 , 12, 173-8 | 10.3 | 151 |
| 327 | Population attributable risk for breast cancer: diet, nutrition, and physical exercise. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 389-94 | 9.7 | 151 |
| 326 | Circulating steroid hormones and the risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 86-91 | 4 | 145 |
| 325 | Cancer mortality in Europe, 1995-1999, and an overview of trends since 1960. <i>International Journal of Cancer</i> , 2004 , 110, 155-69 | 7.5 | 145 |
| 324 | Androgenetic alopecia in men aged 40-69 years: prevalence and risk factors. <i>British Journal of Dermatology</i> , 2003 , 149, 1207-13 | 4 | 145 |
| 323 | The changing pattern of kidney cancer incidence and mortality in Europe. <i>BJU International</i> , 2008 , 101, 949-58 | 5.6 | 141 |

| | | | |
|-----|---|------|-----|
| 322 | Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010 , 42, 661-4 | 36.3 | 137 |
| 321 | Pooled analysis of 3 European case-control studies: I. Reproductive factors and risk of epithelial ovarian cancer. <i>International Journal of Cancer</i> , 1991 , 49, 50-6 | 7.5 | 135 |
| 320 | Clinical validation of an autoantibody test for lung cancer. <i>Annals of Oncology</i> , 2011 , 22, 383-9 | 10.3 | 131 |
| 319 | Cancer, cigarette smoking and premature death in Europe: a review including the Recommendations of European Cancer Experts Consensus Meeting, Helsinki, October 1996. <i>Lung Cancer</i> , 1997 , 17, 1-60 | 5.9 | 129 |
| 318 | EarlyCDT α -Lung test: improved clinical utility through additional autoantibody assays. <i>Tumor Biology</i> , 2012 , 33, 1319-26 | 2.9 | 128 |
| 317 | Alcohol, tobacco, diet and the risk of oral cancer: a pooled analysis of three case-control studies. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995 , 31B, 181-7 | | 127 |
| 316 | Prior medical conditions and medication use and risk of non-Hodgkin lymphoma in Connecticut United States women. <i>Cancer Causes and Control</i> , 2004 , 15, 419-28 | 2.8 | 125 |
| 315 | Trends of cancer mortality in Europe, 1955-1989: I, Digestive sites. <i>European Journal of Cancer</i> , 1992 , 28, 132-235 | 7.5 | 125 |
| 314 | Italian randomized trial among women with hysterectomy: tamoxifen and hormone-dependent breast cancer in high-risk women. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 160-5 | 9.7 | 122 |
| 313 | Rising trends of oral cancer mortality among males worldwide: the return of an old public health problem. <i>Cancer Causes and Control</i> , 1994 , 5, 259-65 | 2.8 | 121 |
| 312 | Tea consumption and cancer risk. <i>Nutrition and Cancer</i> , 1992 , 17, 27-31 | 2.8 | 121 |
| 311 | The association between lower urinary tract symptoms and erectile dysfunction in four centres: the UrEpik study. <i>BJU International</i> , 2003 , 92, 719-25 | 5.6 | 120 |
| 310 | Cancer mortality in Europe, 1990-1994, and an overview of trends from 1955 to 1994. <i>European Journal of Cancer</i> , 1999 , 35, 1477-516 | 7.5 | 120 |
| 309 | Finasteride significantly reduces acute urinary retention and need for surgery in patients with symptomatic benign prostatic hyperplasia. <i>Urology</i> , 1997 , 49, 839-45 | 1.6 | 119 |
| 308 | The update of the Italian Food Composition Database. <i>Journal of Food Composition and Analysis</i> , 2004 , 17, 509-522 | 4.1 | 119 |
| 307 | Tamoxifen for breast cancer among hysterectomised women. <i>Lancet, The</i> , 2002 , 359, 1122-4 | 40 | 119 |
| 306 | The impact of lower urinary tract symptoms and comorbidities on quality of life: the BACH and UREPIK studies. <i>BJU International</i> , 2007 , 99, 347-54 | 5.6 | 116 |
| 305 | A collaborative case-control study of nutrient intake and pancreatic cancer within the search programme. <i>International Journal of Cancer</i> , 1992 , 51, 365-72 | 7.5 | 114 |

| | | | |
|-----|---|------|-----|
| 304 | Effect of tamoxifen on venous thromboembolic events in a breast cancer prevention trial. <i>Circulation</i> , 2005 , 111, 650-6 | 16.7 | 113 |
| 303 | EarlyCDT-Lung: an immunobiomarker test as an aid to early detection of lung cancer. <i>Cancer Prevention Research</i> , 2011 , 4, 1126-34 | 3.2 | 108 |
| 302 | Guidelines for the diagnosis and treatment of benign prostatic hyperplasia: a comparative, international overview. <i>Urology</i> , 2001 , 58, 642-50 | 1.6 | 108 |
| 301 | Tyrol Prostate Cancer Demonstration Project: early detection, treatment, outcome, incidence and mortality. <i>BJU International</i> , 2008 , 101, 809-16 | 5.6 | 107 |
| 300 | Comparison of a Phytotherapeutic Agent (Permixon) with an α -Blocker (Tamsulosin) in the Treatment of Benign Prostatic Hyperplasia: A 1-Year Randomized International Study. <i>European Urology</i> , 2002 , 41, 497-507 | 10.2 | 107 |
| 299 | The relationship between sexual life and urinary condition in the French community. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 1171-6 | 5.7 | 105 |
| 298 | The State of Lung Cancer Research: A Global Analysis. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1040-50 | 8.9 | 105 |
| 297 | Updated meta-analysis of clinical trials of <i>Serenoa repens</i> extract in the treatment of symptomatic benign prostatic hyperplasia. <i>BJU International</i> , 2004 , 93, 751-6 | 5.6 | 102 |
| 296 | Impact of Symptoms of Prostatism on Level of Bother and Quality of Life of Men in the French Community. <i>Journal of Urology</i> , 1995 , 153, 669-673 | 2.5 | 102 |
| 295 | Medical history, diet and pancreatic cancer. <i>Oncology</i> , 1990 , 47, 463-6 | 3.6 | 102 |
| 294 | Epidemiology of non-Hodgkin lymphoma in Connecticut. 1935-1988. <i>Cancer</i> , 1992 , 70, 840-9 | 6.4 | 99 |
| 293 | Cancer mortality in Europe: effects of age, cohort of birth and period of death. <i>European Journal of Cancer</i> , 1998 , 34, 118-41 | 7.5 | 98 |
| 292 | Diet and nutrient intakes and risk of non-Hodgkin lymphoma in Connecticut women. <i>American Journal of Epidemiology</i> , 2004 , 159, 454-66 | 3.8 | 98 |
| 291 | Alcohol poisoning is a main determinant of recent mortality trends in Russia: evidence from a detailed analysis of mortality statistics and autopsies. <i>International Journal of Epidemiology</i> , 2009 , 38, 143-53 | 7.8 | 96 |
| 290 | Foods, nutrients and prostate cancer. <i>Cancer Causes and Control</i> , 2004 , 15, 11-20 | 2.8 | 96 |
| 289 | Epidemiology of laryngeal cancer. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1996 , 32B, 293-305 | | 96 |
| 288 | Age-period-cohort models: a comparative study of available methodologies. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 569-83 | 5.7 | 95 |
| 287 | Cigarette smoking and pancreas cancer: a case control study of the search programme of the IARC. <i>International Journal of Cancer</i> , 1996 , 67, 63-71 | 7.5 | 95 |

| | | | |
|-----|---|------|----|
| 286 | Age-period-cohort analysis of chronic disease rates. I: Modelling approach. <i>Statistics in Medicine</i> , 1998 , 17, 1305-23 | 2.3 | 94 |
| 285 | Estimates of the cancer burden in Europe from radioactive fallout from the Chernobyl accident. <i>International Journal of Cancer</i> , 2006 , 119, 1224-35 | 7.5 | 93 |
| 284 | Meta-analysis of clinical trials of permixon in the treatment of symptomatic benign prostatic hyperplasia. <i>Urology</i> , 2000 , 55, 533-9 | 1.6 | 93 |
| 283 | Active and passive smoking and risk of breast cancer: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 213-24 | 4.4 | 92 |
| 282 | Biologic activity of tamoxifen at low doses in healthy women. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 1461-7 | 9.7 | 92 |
| 281 | Nutritional factors and pancreatic cancer in the francophone community in Montréal, Canada. <i>International Journal of Cancer</i> , 1991 , 47, 1-6 | 7.5 | 92 |
| 280 | Ala394Thr polymorphism in the clock gene NPAS2: a circadian modifier for the risk of non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2007 , 120, 432-5 | 7.5 | 89 |
| 279 | Risk factors for gallbladder cancer: a Polish case-control study. <i>International Journal of Cancer</i> , 1992 , 51, 707-11 | 7.5 | 89 |
| 278 | Effects of Environmental Exposures on Fetal and Childhood Growth Trajectories. <i>Annals of Global Health</i> , 2016 , 82, 41-99 | 3.3 | 88 |
| 277 | Dietary indicators of oral and pharyngeal cancer. <i>International Journal of Epidemiology</i> , 1991 , 20, 39-44 | 7.8 | 87 |
| 276 | Physical activity, hormone replacement therapy and breast cancer risk: A meta-analysis of prospective studies. <i>European Journal of Cancer</i> , 2016 , 52, 138-54 | 7.5 | 84 |
| 275 | GWAS of follicular lymphoma reveals allelic heterogeneity at 6p21.32 and suggests shared genetic susceptibility with diffuse large B-cell lymphoma. <i>PLoS Genetics</i> , 2011 , 7, e1001378 | 6 | 84 |
| 274 | A case-control study of oral cancer in Beijing, People's Republic of China. Associations with nutrient intakes, foods and food groups. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1993 , 29B, 45-55 | | 84 |
| 273 | The continuing increase in adenocarcinoma of the uterine cervix: a birth cohort phenomenon. <i>International Journal of Epidemiology</i> , 1996 , 25, 252-8 | 7.8 | 83 |
| 272 | The epidemiology of prostate cancer. <i>Urologic Clinics of North America</i> , 2003 , 30, 209-17 | 2.9 | 82 |
| 271 | Measuring progress against cancer in Europe: has the 15% decline targeted for 2000 come about?. <i>Annals of Oncology</i> , 2003 , 14, 1312-25 | 10.3 | 82 |
| 270 | International comparison of the community prevalence of symptoms of prostatism in four countries. <i>European Urology</i> , 1996 , 29, 15-20 | 10.2 | 80 |
| 269 | Time trend and the age-period-cohort effect on the incidence of histologic types of lung cancer in Connecticut, 1960-1989. <i>Cancer</i> , 1994 , 74, 1556-67 | 6.4 | 80 |

| | | | |
|-----|---|------|----|
| 268 | Endogenous and exogenous testosterone and the risk of prostate cancer and increased prostate-specific antigen (PSA) level: a meta-analysis. <i>BJU International</i> , 2016 , 118, 731-741 | 5.6 | 80 |
| 267 | International trends in prostatic cancer. <i>International Journal of Cancer</i> , 1984 , 33, 223-30 | 7.5 | 79 |
| 266 | Hair-coloring product use and risk of non-Hodgkin's lymphoma: a population-based case-control study in Connecticut. <i>American Journal of Epidemiology</i> , 2004 , 159, 148-54 | 3.8 | 78 |
| 265 | Continuing increase in incidence of germ-cell testis cancer in young adults: experience from Connecticut, USA, 1935-1992. <i>International Journal of Cancer</i> , 1996 , 65, 723-9 | 7.5 | 78 |
| 264 | Antenatal risk factors for malignant brain tumours in New South Wales children. <i>International Journal of Cancer</i> , 1994 , 56, 6-10 | 7.5 | 77 |
| 263 | Tobacco smoking, alcohol consumption, and risk of oral cancer: a case-control study in Beijing, People's Republic of China. <i>Cancer Causes and Control</i> , 1990 , 1, 173-9 | 2.8 | 77 |
| 262 | Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma among women in Connecticut. <i>Human Genetics</i> , 2006 , 119, 659-68 | 6.3 | 76 |
| 261 | Serum polychlorinated biphenyls, cytochrome P-450 1A1 polymorphisms, and risk of breast cancer in Connecticut women. <i>American Journal of Epidemiology</i> , 2004 , 160, 1177-83 | 3.8 | 74 |
| 260 | Pancreatitis and the risk of pancreatic cancer. <i>Pancreas</i> , 1995 , 11, 185-9 | 2.6 | 74 |
| 259 | Measures of familial aggregation depend on definition of family history: meta-analysis for colorectal cancer. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 114-24 | 5.7 | 72 |
| 258 | Nutrition and oral cancer. <i>Cancer Causes and Control</i> , 1996 , 7, 101-11 | 2.8 | 70 |
| 257 | Hormone replacement therapy. <i>Lancet, The</i> , 1999 , 354, 152-155 | 4.0 | 69 |
| 256 | The time trend and age-period-cohort effects on incidence of adenocarcinoma of the stomach in Connecticut from 1955-1989. <i>Cancer</i> , 1993 , 72, 330-40 | 6.4 | 69 |
| 255 | The causes of cancer in France. <i>Annals of Oncology</i> , 2009 , 20, 550-5 | 10.3 | 68 |
| 254 | Early growth, adult body size and prostate cancer risk. <i>International Journal of Cancer</i> , 2003 , 103, 241-5 | 7.5 | 68 |
| 253 | Geographical and temporal patterns of incidence and mortality from prostate cancer. <i>Urology</i> , 1995 , 46, 47-55 | 1.6 | 68 |
| 252 | Age, period and cohort models: the use of individual records. <i>Statistics in Medicine</i> , 1986 , 5, 527-38 | 2.3 | 68 |
| 251 | Breast cancer risk associated with congeners of polychlorinated biphenyls. <i>American Journal of Epidemiology</i> , 2000 , 152, 50-8 | 3.8 | 67 |

| | | | |
|-----|---|------|----|
| 250 | Exposure to acrylamide and human cancer--a review and meta-analysis of epidemiologic studies. <i>Annals of Oncology</i> , 2011 , 22, 1487-1499 | 10.3 | 66 |
| 249 | Perinatal and early postnatal risk factors for malignant brain tumours in New South Wales children. <i>International Journal of Cancer</i> , 1994 , 56, 11-5 | 7.5 | 66 |
| 248 | Time trend and age-period-cohort effect on incidence of thyroid cancer in Connecticut, 1935-1992. <i>International Journal of Cancer</i> , 1996 , 67, 504-9 | 7.5 | 66 |
| 247 | Changes in testicular cancer in Scotland. <i>European Journal of Cancer & Clinical Oncology</i> , 1987 , 23, 827-30 | | 65 |
| 246 | Cancer mortality trends in the EU and acceding countries up to 2015. <i>Annals of Oncology</i> , 2003 , 14, 1148-53 | 15.3 | 64 |
| 245 | Improvements in benign prostatic hyperplasia-specific quality of life with dutasteride, the novel dual 5alpha-reductase inhibitor. <i>BJU International</i> , 2003 , 92, 262-6 | 5.6 | 64 |
| 244 | Toward a comprehensive long term nicotine policy. <i>Tobacco Control</i> , 2005 , 14, 161-5 | 5.3 | 64 |
| 243 | Declining mortality from bladder cancer in Europe. <i>BJU International</i> , 2008 , 101, 11-9 | 5.6 | 63 |
| 242 | Sexual factors and prostate cancer. <i>BJU International</i> , 2003 , 92, 211-6 | 5.6 | 63 |
| 241 | Genetic polymorphism of N-acetyltransferases, glutathione S-transferase M1 and NAD(P)H:quinone oxidoreductase in relation to malignant and benign pancreatic disease risk. The International Pancreatic Disease Study Group. <i>European Journal of Cancer Prevention</i> , 1998 , 7, 215-23 | 2 | 63 |
| 240 | The consumption of tobacco, alcohol and the risk of adenocarcinoma in Barrett's oesophagus. <i>International Journal of Cancer</i> , 1990 , 45, 852-4 | 7.5 | 63 |
| 239 | Genetic polymorphisms in the oxidative stress pathway and susceptibility to non-Hodgkin lymphoma. <i>Human Genetics</i> , 2007 , 121, 161-8 | 6.3 | 62 |
| 238 | Do Polybrominated Diphenyl Ethers (PBDEs) Increase the Risk of Thyroid Cancer?. <i>Bioscience Hypotheses</i> , 2008 , 1, 195-199 | | 61 |
| 237 | Worldwide patterns of prevalence and mortality from benign prostatic hyperplasia. <i>Urology</i> , 1995 , 46, 41-6 | 1.6 | 60 |
| 236 | Analysis of quantitative data by quantiles in epidemiologic studies: classification according to cases, noncases, or all subjects?. <i>Epidemiology</i> , 1991 , 2, 137-40 | 3.1 | 60 |
| 235 | Chemoprevention of oral leukoplakia and chronic esophagitis in an area of high incidence of oral and esophageal cancer. <i>Annals of Epidemiology</i> , 1993 , 3, 225-34 | 6.4 | 59 |
| 234 | Past medical history and pancreatic cancer risk: Results from a multicenter case-control study. <i>Annals of Epidemiology</i> , 2010 , 20, 92-8 | 6.4 | 58 |
| 233 | Trends of cancer mortality in Europe, 1955-1989: III, Breast and genital sites. <i>European Journal of Cancer</i> , 1992 , 28A, 927-98 | 7.5 | 58 |

| | | | |
|-----|---|------|----|
| 232 | Is the increased incidence of primary malignant brain tumors in the elderly real?. <i>Journal of the National Cancer Institute</i> , 1990 , 82, 1594-6 | 9.7 | 58 |
| 231 | Joint effects of nine polychlorinated biphenyl (PCB) congeners on breast cancer risk. <i>International Journal of Epidemiology</i> , 2000 , 29, 975-82 | 7.8 | 57 |
| 230 | Circulating insulin-like growth factor-I and binding protein-3 and risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1137-41 | 4 | 56 |
| 229 | International patterns in the occurrence of Hodgkin's disease in children and young adult males. <i>International Journal of Cancer</i> , 1995 , 61, 165-9 | 7.5 | 56 |
| 228 | Nutritional factors and colon carcinoma: a case-control study involving French Canadians in Montréal, Quebec, Canada. <i>Cancer</i> , 1997 , 80, 858-64 | 6.4 | 55 |
| 227 | Background, rationale and protocol for a case-control-family study of breast cancer. <i>Breast</i> , 1994 , 3, 79-86 | 6.6 | 54 |
| 226 | The prevalence of male urinary incontinence in four centres: the UREPIK study. <i>BJU International</i> , 2003 , 92, 943-7 | 5.6 | 53 |
| 225 | Dairy products and the risk of prostatic cancer. <i>Oncology</i> , 1991 , 48, 406-10 | 3.6 | 53 |
| 224 | Epidemiology of head and neck squamous cell carcinoma not related to tobacco or alcohol. <i>Current Opinion in Oncology</i> , 2013 , 25, 229-34 | 4.2 | 52 |
| 223 | Genetic variants in caspase genes and susceptibility to non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2007 , 28, 823-7 | 4.6 | 52 |
| 222 | An estimate of cancers attributable to occupational exposures in France. <i>Journal of Occupational and Environmental Medicine</i> , 2010 , 52, 399-406 | 2 | 51 |
| 221 | Breast cancer risk and history of selected medical conditions linked with female hormones. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 781-5 | | 51 |
| 220 | Evaluation of the clinical benefit of permixon and tamsulosin in severe BPH patients-PERMA study subset analysis. <i>European Urology</i> , 2004 , 45, 773-9; discussion 779-80 | 10.2 | 50 |
| 219 | Relation between Breast Cancer and High Glycemic Index or Glycemic Load: A Meta-analysis of Prospective Cohort Studies. <i>Critical Reviews in Food Science and Nutrition</i> , 2016 , 56, 152-9 | 11.5 | 49 |
| 218 | 5-Alpha reductase inhibition provides superior benefits to alpha blockade by preventing AUR and BPH-related surgery. <i>European Urology</i> , 2004 , 45, 620-6; discussion 626-7 | 10.2 | 49 |
| 217 | Life-time history of smoking and exocrine carcinoma of the pancreas: a population-based case-control study in The Netherlands. <i>International Journal of Cancer</i> , 1991 , 49, 816-22 | 7.5 | 49 |
| 216 | Risk factors for gallstone disease requiring surgery. <i>International Journal of Epidemiology</i> , 1991 , 20, 209-15 | 7.5 | 49 |
| 215 | The relationship between lower urinary tract symptoms and health status: the UREPIK study. <i>BJU International</i> , 2003 , 92, 575-80 | 5.6 | 48 |

| | | | |
|-----|---|------|----|
| 214 | Changed trends of cancer mortality in the elderly. <i>Annals of Oncology</i> , 2001 , 12, 1467-77 | 10.3 | 48 |
| 213 | Smoking and cancer with emphasis on Europe. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 94-104 | | 48 |
| 212 | 5alpha-Reductase type 2 gene variant associations with prostate cancer risk, circulating hormone levels and androgenetic alopecia. <i>International Journal of Cancer</i> , 2007 , 120, 776-80 | 7.5 | 47 |
| 211 | The Food Composition Database for an Italian Food Frequency Questionnaire. <i>Journal of Food Composition and Analysis</i> , 1996 , 9, 57-71 | 4.1 | 47 |
| 210 | Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. <i>American Journal of Epidemiology</i> , 2009 , 169, 176-85 | 3.8 | 46 |
| 209 | Glutathione S-transferase M1 and T1 genetic polymorphisms, alcohol consumption and breast cancer risk. <i>British Journal of Cancer</i> , 2003 , 88, 58-62 | 8.7 | 46 |
| 208 | Cigarette smoking and risk of non-Hodgkin lymphoma subtypes among women. <i>British Journal of Cancer</i> , 2003 , 89, 2087-92 | 8.7 | 45 |
| 207 | ELAC2/HPC2 polymorphisms, prostate-specific antigen levels, and prostate cancer. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 818-24 | 9.7 | 45 |
| 206 | MothersPactive and passive smoking during pregnancy and risk of brain tumours in children. <i>International Journal of Cancer</i> , 1994 , 57, 769-74 | 7.5 | 45 |
| 205 | Changing global policy to deliver safe, equitable, and affordable care for women's cancers. <i>Lancet, The</i> , 2017 , 389, 871-880 | 4.0 | 44 |
| 204 | Global burden of cancer. <i>Lancet, The</i> , 1997 , 349 Suppl 2, S1123-6 | 4.0 | 44 |
| 203 | Mortality from major cancer sites in the European Union, 1955-1998. <i>Annals of Oncology</i> , 2003 , 14, 490-510.3 | 10.3 | 44 |
| 202 | Lactation and breast cancer risk: a case-control study in Connecticut. <i>British Journal of Cancer</i> , 2001 , 84, 1472-6 | 8.7 | 44 |
| 201 | Does "clock" matter in prostate cancer?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 3-5 | 4 | 43 |
| 200 | Trends in cancer mortality in the European Union and accession countries, 1980-2000. <i>Annals of Oncology</i> , 2004 , 15, 1425-31 | 10.3 | 43 |
| 199 | Relation of childhood brain tumors to exposure of parents and children to tobacco smoke: the SEARCH international case-control study. Surveillance of Environmental Aspects Related to Cancer in Humans. <i>International Journal of Cancer</i> , 2002 , 100, 206-13 | 7.5 | 43 |
| 198 | Height and cancer risk in a network of case-control studies from northern Italy. <i>International Journal of Cancer</i> , 1990 , 45, 275-9 | 7.5 | 43 |
| 197 | A meta-analysis of trials of transurethral needle ablation for treating symptomatic benign prostatic hyperplasia. <i>BJU International</i> , 2004 , 94, 83-8 | 5.6 | 42 |

| | | | |
|-----|--|-----|----|
| 196 | Cigarette smoking and bladder cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 714-8 | | 42 |
| 195 | Curbing the liver cancer epidemic in Africa. <i>Lancet, The</i> , 2008 , 371, 367-8 | 40 | 41 |
| 194 | Western and eastern European trends in testicular cancer mortality. <i>Lancet, The</i> , 2001 , 357, 1853-4 | 40 | 41 |
| 193 | Anthropometric variables and risk of breast cancer. <i>International Journal of Cancer</i> , 1990 , 45, 397-402 | 7.5 | 41 |
| 192 | Diet and urine estrogens among postmenopausal women. <i>Oncology</i> , 1991 , 48, 490-4 | 3.6 | 41 |
| 191 | Lung cancer and tobacco smoking. <i>Lung Cancer</i> , 1995 , 12, 167-81 | 5.9 | 40 |
| 190 | Recent advances in epidemiology of head and neck cancer. <i>Current Opinion in Oncology</i> , 1992 , 4, 471-7 | 4.2 | 40 |
| 189 | Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). <i>Cancer Causes and Control</i> , 2003 , 14, 687-94 | 2.8 | 39 |
| 188 | Meta-analysis of randomized trials of terazosin in the treatment of benign prostatic hyperplasia. <i>Urology</i> , 2001 , 58, 717-22 | 1.6 | 39 |
| 187 | Progress in understanding breast cancer: epidemiological and biological interactions. <i>Breast Cancer Research and Treatment</i> , 1988 , 11, 91-112 | 4.4 | 39 |
| 186 | The globalisation of cancer. <i>Lancet, The</i> , 2006 , 368, 629-30 | 40 | 38 |
| 185 | Population density and childhood leukaemia: results of the EUROCLUS Study. <i>European Journal of Cancer</i> , 1999 , 35, 439-44 | 7.5 | 38 |
| 184 | Some statistical considerations in the analysis of case-control studies when the exposure variables are continuous measurements. <i>Epidemiology</i> , 1994 , 5, 164-70 | 3.1 | 38 |
| 183 | The prevalence of urinary incontinence in community-dwelling married women: a matter of definition. <i>BJU International</i> , 2004 , 94, 1291-5 | 5.6 | 37 |
| 182 | Breast cancer control: signs of progress, but more work required. <i>Breast</i> , 2005 , 14, 429-38 | 3.6 | 37 |
| 181 | Cancer incidence and mortality in Europe. <i>International Journal of Public Health</i> , 1989 , 34 Suppl 2, S3-83 | | 37 |
| 180 | Oral leukoplakias: to treat or not?. <i>Oral Oncology</i> , 1997 , 33, 317-21 | 4.4 | 36 |
| 179 | Contribution of three components to individual cancer risk predicting breast cancer risk in Italy. <i>European Journal of Cancer Prevention</i> , 2004 , 13, 183-91 | 2 | 36 |

| | | | |
|-----|---|------|----|
| 178 | Time trend and age-period-cohort effects on incidence of esophageal cancer in Connecticut, 1935-89. <i>Cancer Causes and Control</i> , 1992 , 3, 481-92 | 2.8 | 36 |
| 177 | Epidemiology of sociodemographic characteristics, lifestyle, medical history, and colon cancer: a case-control study among French Canadians in Montreal. <i>Cancer Detection and Prevention</i> , 1998 , 22, 396-404 | | 36 |
| 176 | Update on cancer control in women. <i>International Journal of Gynecology and Obstetrics</i> , 2000 , 70, 263-303 | | 35 |
| 175 | Leveling of prostate cancer mortality in Western Europe. <i>Prostate</i> , 2004 , 60, 46-52 | 4.2 | 34 |
| 174 | The anti-smoking climate in EU countries and Poland. <i>Lung Cancer</i> , 2001 , 32, 1-5 | 5.9 | 34 |
| 173 | European School of Oncology Advisory report to the European Commission for the Europe Against Cancer Programme: oral carcinogenesis in Europe. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995 , 31B, 75-85 | | 34 |
| 172 | The hazards of passive- and active-smoking. <i>New England Journal of Medicine</i> , 1993 , 328, 1708-9 | 59.2 | 34 |
| 171 | Menstrual and reproductive factors and risk of non-Hodgkin's lymphoma among Connecticut women. <i>American Journal of Epidemiology</i> , 2004 , 160, 766-73 | 3.8 | 33 |
| 170 | Exposure to electromagnetic fields from use of electric blankets and other in-home electrical appliances and breast cancer risk. <i>American Journal of Epidemiology</i> , 2000 , 151, 1103-11 | 3.8 | 33 |
| 169 | Cancer among patients on renal replacement therapy: a population-based survey in Lombardy, Italy. <i>International Journal of Cancer</i> , 1996 , 66, 591-3 | 7.5 | 33 |
| 168 | Alcoholic beverage consumption and risk of breast cancer in Spain. <i>Cancer Causes and Control</i> , 1993 , 4, 345-53 | 2.8 | 33 |
| 167 | Alcohol, beer and cancer of the pancreas. <i>International Journal of Cancer</i> , 1990 , 45, 842-6 | 7.5 | 33 |
| 166 | Changing patterns of bladder cancer in the USA: evidence of heterogeneous disease. <i>BJU International</i> , 2012 , 109, 52-6 | 5.6 | 32 |
| 165 | Ultraviolet radiation exposure and risk of non-Hodgkin's lymphoma. <i>American Journal of Epidemiology</i> , 2007 , 165, 1255-64 | 3.8 | 32 |
| 164 | A putative exonic splicing polymorphism in the BCL6 gene and the risk of non-Hodgkin lymphoma. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1616-8 | 9.7 | 32 |
| 163 | Smoking and prostate cancer: findings from an Australian case-control study. <i>Annals of Oncology</i> , 2001 , 12, 761-5 | 10.3 | 32 |
| 162 | Trends in diet-related cancers in Japan: a conundrum?. <i>Lancet, The</i> , 1993 , 342, 752 | 4.0 | 32 |
| 161 | Cytokine polymorphisms in Th1/Th2 pathway genes, body mass index, and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2011 , 117, 585-90 | 2.2 | 31 |

| | | | |
|-----|---|------|----|
| 160 | Decrease in Mortality from Benign Prostatic Hyperplasia: a Major Unheralded Health Triumph. <i>Journal of Urology</i> , 1996 , 155, 176-180 | 2.5 | 31 |
| 159 | Oral cancer: necessity for prevention strategies. <i>Lancet, The</i> , 1993 , 342, 1129 | 4.0 | 31 |
| 158 | Serum insulin and C-peptide concentration and breast cancer: a meta-analysis. <i>Cancer Causes and Control</i> , 2013 , 24, 873-83 | 2.8 | 30 |
| 157 | Testicular cancer: the challenge for cancer control. <i>Lancet Oncology, The</i> , 2004 , 5, 56-61 | 21.7 | 30 |
| 156 | Energy intake and dietary pattern in cancer of the oral cavity and pharynx. <i>Cancer Causes and Control</i> , 1999 , 10, 439-44 | 2.8 | 29 |
| 155 | A case-control study of prostatic cancer in Kyoto, Japan: sexual risk factors. <i>Prostate</i> , 1990 , 17, 269-79 | 4.2 | 29 |
| 154 | Sweetened carbonated beverage consumption and cancer risk: meta-analysis and review. <i>European Journal of Cancer Prevention</i> , 2014 , 23, 481-90 | 2 | 28 |
| 153 | The globalisation of breast cancer. <i>Breast Cancer Research</i> , 2010 , 12 Suppl 4, S7 | 8.3 | 28 |
| 152 | The increase of Hodgkin's disease incidence among young adults 1997 , 79, 2209-2218 | | 28 |
| 151 | Environment in cancer causation and etiological fraction: limitations and ambiguities. <i>Carcinogenesis</i> , 2007 , 28, 913-5 | 4.6 | 28 |
| 150 | Screening for prostate cancer: have you had your cholesterol measured?. <i>BJU International</i> , 2003 , 92, 191-9 | 5.6 | 28 |
| 149 | A case-control study of lung cancer among Czech women. <i>Lung Cancer</i> , 2001 , 31, 111-22 | 5.9 | 28 |
| 148 | Patterns of childhood cancer incidence and mortality in Europe. <i>European Journal of Cancer</i> , 1992 , 28A, 2028-49 | 7.5 | 28 |
| 147 | Blood transfusion and risk of non-Hodgkin's lymphoma in Connecticut women. <i>American Journal of Epidemiology</i> , 2004 , 160, 325-30 | 3.8 | 27 |
| 146 | Comparative descriptive epidemiology of oral and oesophageal cancers in Europe. <i>European Journal of Cancer Prevention</i> , 1996 , 5, 267-79 | 2 | 27 |
| 145 | Signal stratification of autoantibody levels in serum samples and its application to the early detection of lung cancer. <i>Journal of Thoracic Disease</i> , 2013 , 5, 618-25 | 2.6 | 27 |
| 144 | Blood glucose concentrations and breast cancer risk in women without diabetes: a meta-analysis. <i>European Journal of Nutrition</i> , 2013 , 52, 1533-40 | 5.2 | 26 |
| 143 | Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. <i>American Journal of Epidemiology</i> , 2011 , 173, 404-13 | 3.8 | 26 |

| | | | |
|-----|---|-----|----|
| 142 | Risk of lymphoma in women with breast implants: analysis of clinical studies. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 274-80 | 2 | 26 |
| 141 | Risk of tongue cancer associated with tobacco smoking and alcohol consumption: a case-control study. <i>Oral Oncology</i> , 1997 , 33, 82-5 | 4.4 | 26 |
| 140 | Cigarette smoking, glutathione-s-transferase M1 and t1 genetic polymorphisms, and breast cancer risk (United States). <i>Cancer Causes and Control</i> , 2002 , 13, 637-45 | 2.8 | 26 |
| 139 | Alcohol and breast cancer: update from an Italian case-control study. <i>European Journal of Cancer & Clinical Oncology</i> , 1989 , 25, 1711-7 | | 26 |
| 138 | Light at night and breast cancer risk: results from a population-based case-control study in Connecticut, USA. <i>Cancer Causes and Control</i> , 2010 , 21, 2281-5 | 2.8 | 25 |
| 137 | Testicular cancer mortality in Eastern Europe. <i>International Journal of Cancer</i> , 2003 , 105, 574 | 7.5 | 25 |
| 136 | Trends in cancer mortality in the Americas, 1955-1989. <i>European Journal of Cancer</i> , 1993 , 29A, 431-70 | 7.5 | 25 |
| 135 | Breast-cancer risk and oral contraceptive use in Slovenian women aged 25 to 54. <i>International Journal of Cancer</i> , 1995 , 62, 414-20 | 7.5 | 25 |
| 134 | Trends of cancer mortality in Europe, 1955-1989: IV, Urinary tract, eye, brain and nerves, and thyroid. <i>European Journal of Cancer</i> , 1992 , 28A, 1210-81 | 7.5 | 24 |
| 133 | Decline in mortality from testicular cancer in West Germany after reunification. <i>Lancet, The</i> , 1997 , 350, 744 | 4.0 | 23 |
| 132 | Comparison of outcomes in women and men treated with coronary stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 20-8 | 2.7 | 23 |
| 131 | Trends in mortality from Hodgkin's disease in western and eastern Europe. <i>British Journal of Cancer</i> , 2002 , 87, 291-3 | 8.7 | 23 |
| 130 | Use of hair colouring products and breast cancer risk: a case-control study in Connecticut. <i>European Journal of Cancer</i> , 2002 , 38, 1647-52 | 7.5 | 23 |
| 129 | Trends of oral cancer mortality among females worldwide. <i>Cancer Causes and Control</i> , 1994 , 5, 255-8 | 2.8 | 23 |
| 128 | The application of age, period and cohort models to predict Swiss cancer mortality. <i>Journal of Cancer Research and Clinical Oncology</i> , 1990 , 116, 207-14 | 4.9 | 23 |
| 127 | Effect of parity and age at delivery on breast cancer risk in Slovenian women aged 25-54 years. <i>International Journal of Cancer</i> , 1997 , 73, 1-9 | 7.5 | 22 |
| 126 | Variants in the prostate-specific antigen (PSA) gene and prostate cancer risk, survival, and circulating PSA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1142-7 | 4 | 22 |
| 125 | Beyond classical meta-analysis: can inadequately reported studies be included?. <i>Drug Discovery Today</i> , 2004 , 9, 924-31 | 8.8 | 22 |

| | | | |
|-----|---|------|----|
| 124 | Epidemiology of prostate cancer chemoprevention. <i>European Urology</i> , 1999 , 35, 370-6 | 10.2 | 22 |
| 123 | Finasteride in association with either flutamide or goserelin as combination hormonal therapy in patients with stage M1 carcinoma of the prostate gland. International Prostate Health Council (IPHC) Trial Study Group. <i>Prostate</i> , 1999 , 40, 105-14 | 4.2 | 22 |
| 122 | Trends in cancer mortality, 1955-1989: Asia, Africa and Oceania. <i>European Journal of Cancer</i> , 1993 , 29A, 2168-211 | 7.5 | 22 |
| 121 | Age-period-cohort models of chronic disease rates. II: Graphical approaches. <i>Statistics in Medicine</i> , 1998 , 17, 1325-39 | 2.3 | 21 |
| 120 | The future of the nicotine-addiction market. <i>Lancet, The</i> , 2003 , 362, 845-6 | 4.0 | 21 |
| 119 | Reproductive factors and breast cancer: an overview. <i>International Journal of Public Health</i> , 1989 , 34, 101-7 | | 21 |
| 118 | Sociodemographic characteristics, smoking, medical and family history, and breast cancer. <i>Cancer Detection and Prevention</i> , 1998 , 22, 485-94 | | 21 |
| 117 | Nutrients contributing to one-carbon metabolism and risk of non-Hodgkin lymphoma subtypes. <i>American Journal of Epidemiology</i> , 2008 , 167, 287-94 | 3.8 | 20 |
| 116 | Prostate specific antigen (PSA) testing as screening for prostate cancer: the current controversy. <i>Annals of Oncology</i> , 1998 , 9, 1263-4 | 10.3 | 19 |
| 115 | Patterns of childhood cancer mortality: America, Asia and Oceania. <i>European Journal of Cancer</i> , 1995 , 31A, 771-82 | 7.5 | 19 |
| 114 | Cancer incidence and mortality in Europe, 1983-87. <i>International Journal of Public Health</i> , 1993 , 38 Suppl 3, S155-229 | | 19 |
| 113 | Occupational solvent exposure, genetic variation of DNA repair genes, and the risk of non-Hodgkin lymphoma. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 580-4 | 2 | 18 |
| 112 | Time trend of female breast carcinoma in situ by race and histology in Connecticut, USA. <i>European Journal of Cancer</i> , 1997 , 33, 96-100 | 7.5 | 18 |
| 111 | Time trend in pancreatic cancer incidence in Connecticut, 1935-1990. <i>International Journal of Cancer</i> , 1995 , 61, 622-7 | 7.5 | 18 |
| 110 | Trends of cancer mortality in Europe, 1955-1989: V, Lymphohaemopoietic and all cancers. <i>European Journal of Cancer</i> , 1992 , 28A, 1509-81 | 7.5 | 18 |
| 109 | Extremely low-frequency electric and magnetic fields and risk of human cancer. Ad Hoc Working Group. <i>Bioelectromagnetics</i> , 1990 , 11, 91-9 | 1.6 | 18 |
| 108 | Critical role of prostate biopsy mortality in the number of years of life gained and lost within a prostate cancer screening programme. <i>BJU International</i> , 2012 , 110, 1648-52 | 5.6 | 17 |
| 107 | Menstrual and reproductive factors and pancreatic cancer in the SEARCH program of the IARC. <i>Cancer Causes and Control</i> , 2009 , 20, 1757-62 | 2.8 | 17 |

| | | | |
|-----|---|------|----|
| 106 | Tobacco: deadly in any form or disguise. <i>Lancet, The</i> , 2006 , 367, 1710-2 | 40 | 17 |
| 105 | Testicular-cancer incidence and mortality in Slovakia, 1968-90. <i>Lancet, The</i> , 1996 , 347, 900-1 | 40 | 17 |
| 104 | Polymorphisms in pattern-recognition genes in the innate immunity system and risk of non-Hodgkin lymphoma. <i>Environmental and Molecular Mutagenesis</i> , 2013 , 54, 72-7 | 3.2 | 16 |
| 103 | Risk of non-Hodgkin lymphoma and nitrate and nitrite from the diet in Connecticut women. <i>Cancer Causes and Control</i> , 2010 , 21, 889-96 | 2.8 | 16 |
| 102 | Artificial ultraviolet sources and skin cancers: rationale for restricting access to sunbed use before 18 years of age. <i>Nature Clinical Practice Oncology</i> , 2008 , 5, 178-9 | | 16 |
| 101 | The case of the disappearing nitrosamines: a potentially global phenomenon. <i>Tobacco Control</i> , 2004 , 13, 13-6 | 5.3 | 16 |
| 100 | Meta-analysis of published clinical trials of a ribosomal vaccine (ribomunyl) in prevention of respiratory infections. <i>BioDrugs</i> , 2000 , 14, 389-408 | 7.9 | 16 |
| 99 | Beta-benzene hexachloride in breast adipose tissue and risk of breast carcinoma. <i>Cancer</i> , 1999 , 85, 2212-4 | 8.4 | 16 |
| 98 | Therapy for testicular cancer in Central and Eastern Europe. <i>Lancet, The</i> , 1990 , 335, 1033 | 40 | 16 |
| 97 | Alcohol consumption and breast cancer risk. <i>Breast Cancer Research</i> , 2009 , 11 Suppl 3, S3 | 8.3 | 15 |
| 96 | Alcohol consumption and non-Hodgkin lymphoma survival. <i>Journal of Cancer Survivorship</i> , 2010 , 4, 101-9 | 5.1 | 15 |
| 95 | Preventing the lung cancer epidemic. <i>Annals of Oncology</i> , 2005 , 16, 1565-6 | 10.3 | 15 |
| 94 | Vitamin A related compounds in the chemoprevention of potentially malignant oral lesions and carcinoma. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1992 , 28B, 87-9 | | 15 |
| 93 | Breast cancer and combined oral contraceptives: an Italian case-control study. <i>European Journal of Cancer & Clinical Oncology</i> , 1989 , 25, 1613-8 | | 15 |
| 92 | Fats in seasoning and breast cancer risk: an Italian case-control study. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 420-3 | | 15 |
| 91 | Statistical analyses in Swedish randomised trials on mammography screening and in other randomised trials on cancer screening: a systematic review. <i>Journal of the Royal Society of Medicine</i> , 2015 , 108, 440-50 | 2.3 | 14 |
| 90 | Polymorphisms in DNA repair genes, hair dye use, and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2014 , 25, 1261-70 | 2.8 | 14 |
| 89 | Role of one-carbon metabolizing pathway genes and gene-nutrient interaction in the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2013 , 24, 1875-84 | 2.8 | 14 |

| | | | |
|----|---|------|----|
| 88 | Double-blind, placebo-controlled trial to assess the efficacy and tolerability of mepartricin in the treatment of BPH. <i>Prostate</i> , 1998 , 37, 246-52 | 4.2 | 14 |
| 87 | Cancer in patients on renal replacement therapy in Lombardy, Italy. <i>Lancet, The</i> , 1996 , 347, 59-60 | 4.0 | 14 |
| 86 | Epidemiological aspects of lip cancer in Scotland. <i>Community Dentistry and Oral Epidemiology</i> , 1993 , 21, 279-82 | 2.8 | 14 |
| 85 | Salt preference and the risk of gastrointestinal cancers. <i>Nutrition and Cancer</i> , 1990 , 14, 227-32 | 2.8 | 14 |
| 84 | The relationship between oral contraceptive use, cancer and vascular disease. <i>Drug Safety</i> , 1990 , 5, 436-46 | 3.6 | 14 |
| 83 | The rise and fall of prostate cancer. <i>European Journal of Cancer Prevention</i> , 2000 , 9, 381-5 | 2 | 14 |
| 82 | Polymorphisms in complement system genes and risk of non-Hodgkin lymphoma. <i>Environmental and Molecular Mutagenesis</i> , 2012 , 53, 145-51 | 3.2 | 13 |
| 81 | ITFoM The IT Future of Medicine. <i>Procedia Computer Science</i> , 2011 , 7, 26-29 | 1.6 | 13 |
| 80 | Identification of non-Hodgkin lymphoma prognosis signatures using the CTGDR method. <i>Bioinformatics</i> , 2010 , 26, 15-21 | 7.2 | 13 |
| 79 | Tar concentrations in cigarettes and carcinogen content. <i>Lancet, The</i> , 1998 , 352, 787-8 | 4.0 | 13 |
| 78 | Mouthwash use and the prevention of plaque, gingivitis and caries. <i>Oral Diseases</i> , 2014 , 20 Suppl 1, 1-68 | 3.5 | 12 |
| 77 | Screening for prostate cancer: updated experience from the Tyrol study. <i>Current Urology Reports</i> , 2004 , 5, 220-5 | 2.9 | 12 |
| 76 | SEARCH programme of the International Agency of Research on Cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 547-9 | | 12 |
| 75 | Polymorphisms in DNA repair pathway genes, body mass index, and risk of non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2013 , 88, 606-11 | 7.1 | 11 |
| 74 | Should subjects who used psoralen suntan activators be screened for melanoma? Epidemiology and Prevention Subgroup, EORTC Melanoma Cooperative Group EORTC Prevention Research Division. <i>Annals of Oncology</i> , 1997 , 8, 435-7 | 10.3 | 11 |
| 73 | Breast cancer risk and nutrient intake among French Canadians in Montreal: a case-control study. <i>Breast</i> , 1998 , 7, 108-113 | 3.6 | 11 |
| 72 | Changing mortality from esophageal cancer in males in Denmark and other European countries, in relation to changing levels of alcohol consumption. <i>Cancer Causes and Control</i> , 1990 , 1, 181-8 | 2.8 | 11 |
| 71 | Projections to the end of the Century of Mortality from Major Cancer Sites in Italy. <i>Tumori</i> , 1990 , 76, 420-428 | 1.7 | 11 |

| | | | |
|----|--|------|----|
| 70 | Lessons learned from the casualties of war: battlefield medicine and its implication for global trauma care. <i>Journal of the Royal Society of Medicine</i> , 2015 , 108, 93-100 | 2.3 | 10 |
| 69 | Genetic variation in N-acetyltransferases 1 and 2, cigarette smoking, and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2010 , 21, 127-33 | 2.8 | 10 |
| 68 | The rs743572 common variant in the promoter of CYP17A1 is not associated with prostate cancer risk or circulating hormonal levels. <i>BJU International</i> , 2008 , 101, 492-6 | 5.6 | 10 |
| 67 | Time trend and age-period-cohort effect on incidence of bladder cancer in Connecticut, 1935-1992. <i>International Journal of Cancer</i> , 1996 , 68, 172-6 | 7.5 | 10 |
| 66 | Dietary fiber intake and risk of breast cancer by menopausal and estrogen receptor status. <i>European Journal of Nutrition</i> , 2013 , 52, 217-23 | 5.2 | 9 |
| 65 | Polymorphisms in JAK/STAT signaling pathway genes and risk of non-Hodgkin lymphoma. <i>Leukemia Research</i> , 2013 , 37, 1120-4 | 2.7 | 9 |
| 64 | Epidemiology of prostate cancer. <i>European Urology</i> , 2001 , 39 Suppl 4, 2-3 | 10.2 | 9 |
| 63 | Larynx cancer in Slovakia and the role of anatomical subsites. <i>Oral Oncology</i> , 1999 , 35, 564-70 | 4.4 | 9 |
| 62 | Favorable trends in cancer mortality in the European Union but no room for complacency. <i>Annals of Oncology</i> , 2008 , 19, 605-6 | 10.3 | 8 |
| 61 | Mammographic breast cancer screening: after the dust has settled. <i>Breast</i> , 2003 , 12, 351-6 | 3.6 | 8 |
| 60 | Descriptive Epidemiology of Hodgkin Disease in Italy. <i>Tumori</i> , 1989 , 75, 401-405 | 1.7 | 8 |
| 59 | Observed and Predicted Risk of Breast Cancer Death in Randomized Trials on Breast Cancer Screening. <i>PLoS ONE</i> , 2016 , 11, e0154113 | 3.7 | 8 |
| 58 | Genetic polymorphisms in oxidative stress pathway genes and modification of BMI and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 866-8 | 4 | 7 |
| 57 | Occupational solvent exposure, genetic variation in immune genes, and the risk for non-Hodgkin lymphoma. <i>European Journal of Cancer Prevention</i> , 2013 , 22, 77-82 | 2 | 7 |
| 56 | Open debate on hormone-replacement therapy. <i>Lancet, The</i> , 1998 , 352, 836 | 4.0 | 7 |
| 55 | Transparency in IARC Monographs. <i>Lancet Oncology, The</i> , 2005 , 6, 747 | 21.7 | 7 |
| 54 | The long-term rapid increase in incidence of adenocarcinoma of the kidney in the USA, especially among younger ages. <i>International Journal of Epidemiology</i> , 2019 , 48, 1886-1896 | 7.8 | 6 |
| 53 | A birth cohort analysis of the incidence of ascending and descending colon cancer in the United States, 1973-2008. <i>Cancer Causes and Control</i> , 2013 , 24, 1147-56 | 2.8 | 6 |

| | | | |
|----|--|------|---|
| 52 | Dietary nitrate and nitrite intake and non-Hodgkin lymphoma survival. <i>Nutrition and Cancer</i> , 2012 , 64, 488-92 | 2.8 | 6 |
| 51 | Single-nucleotide polymorphisms in genes encoding for CC chemokines were not associated with the risk of non-Hodgkin lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1332-5 | 4 | 6 |
| 50 | Family history of hematopoietic and non-hematopoietic malignancies and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2007 , 18, 351-9 | 2.8 | 6 |
| 49 | Recent trends in mortality from benign prostatic hyperplasia. <i>Prostate</i> , 2003 , 56, 207-11 | 4.2 | 6 |
| 48 | Cancer mortality in young adults in Switzerland, 1951-1989. <i>Journal of Cancer Research and Clinical Oncology</i> , 1991 , 117, 497-501 | 4.9 | 6 |
| 47 | Cancer mortality in the USSR, 1986-88. <i>International Journal of Cancer</i> , 1991 , 49, 678-83 | 7.5 | 6 |
| 46 | A birth cohort analysis of the incidence of adenocarcinoma of the uterine cervix in the USA. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 240-4 | 2 | 5 |
| 45 | The benefits and harms of breast cancer screening. <i>Lancet, The</i> , 2013 , 381, 800 | 4.0 | 5 |
| 44 | Genetic polymorphisms in IL10RA and TNF modify the association between blood transfusion and risk of non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2012 , 87, 766-9 | 7.1 | 5 |
| 43 | European Cancer Experts recommendations for tobacco control. Helsinki Tobacco Consensus Conference. <i>Annals of Oncology</i> , 1997 , 8, 9-13 | 10.3 | 5 |
| 42 | Cancer screening in otorhinolaryngology. <i>Oral Oncology</i> , 1998 , 34, 1-4 | 4.4 | 5 |
| 41 | Breast cancer incidence rates in Slovenia 1971-1993. <i>International Journal of Epidemiology</i> , 2000 , 29, 969-74 | 7.8 | 5 |
| 40 | Breast cancer detection and oral contraceptive use in Slovenia. <i>Lancet, The</i> , 1994 , 343, 1166-7 | 4.0 | 5 |
| 39 | Trends in cancer mortality in Europe. <i>European Journal of Cancer</i> , 1992 , 28, 7-8 | 7.5 | 5 |
| 38 | Polymorphisms in Th1/Th2 cytokine genes, hormone replacement therapy, and risk of non-Hodgkin lymphoma. <i>Frontiers in Oncology</i> , 2011 , 1, | 5.3 | 4 |
| 37 | RESPONSE more about: sunscreen use and duration of sun exposure: a double-blind, randomized trial. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1532-3 | 9.7 | 4 |
| 36 | Re: "Statistical modelling of lung cancer and laryngeal cancer incidence in Scotland, 1960-1979". <i>American Journal of Epidemiology</i> , 1989 , 129, 225-6 | 3.8 | 4 |
| 35 | The burden of cancer in Europe. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 1111-3 | | 4 |

| | | | |
|----|--|------|---|
| 34 | Serum polychlorinated biphenyl (PCB) levels and risk of testicular germ cell tumors: A population-based case-control study in Connecticut and Massachusetts. <i>Environmental Pollution</i> , 2021 , 273, 116458 | 9.3 | 4 |
| 33 | Trends in cancer mortality in the USSR, 1965-1990. <i>International Journal of Cancer</i> , 1994 , 56, 31-9 | 7.5 | 3 |
| 32 | An Estimate of Prostate Cancer Prevalence in Italy. <i>Tumori</i> , 2002 , 88, 367-369 | 1.7 | 3 |
| 31 | Cancer mortality in Ireland, 1926-1995. <i>Annals of Oncology</i> , 2003 , 14, 323-32 | 10.3 | 3 |
| 30 | Preoperative hormone therapy trials for breast cancer. <i>Breast</i> , 2001 , 10, 1-5 | 3.6 | 3 |
| 29 | The association between induced and spontaneous abortion and risk of breast cancer in Slovenian women aged 25-54. <i>Breast</i> , 2001 , 10, 291-8 | 3.6 | 3 |
| 28 | Some Further Consideration on the Role of Oral Contraceptives in Breast Carcinogenesis. <i>Tumori</i> , 1990 , 76, 220-224 | 1.7 | 3 |
| 27 | Variation of Prostate-specific Antigen Value in Men and Risk of High-grade Prostate Cancer: Analysis of the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial Study. <i>Urology</i> , 2015 , 85, 1117-1122 | 1.6 | 2 |
| 26 | Different time trends by gender for the incidence of Hodgkin's lymphoma among young adults in the USA: a birth cohort phenomenon. <i>Cancer Causes and Control</i> , 2014 , 25, 923-31 | 2.8 | 2 |
| 25 | Pretreatment levels of vascular endothelial growth factor in plasma predict a complete remission rate and time to relapse or progression in patients with diffuse large B-cell lymphoma. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2013 , 61, 165-74 | 4 | 2 |
| 24 | Sorting the hype from the facts in melanoma. <i>Lancet, The</i> , 1998 , 352, 738-9 | 4.0 | 2 |
| 23 | Infant mortality in Central Europe: effects of transition. <i>Gaceta Sanitaria</i> , 2006 , 20, 63-6 | 2.2 | 2 |
| 22 | Diet in the aetiology of cancer. <i>European Journal of Cancer</i> , 1994 , 30A, 133 | 7.5 | 2 |
| 21 | Screening mammography: Authors' response to Nyström and Tabar and colleagues. <i>Journal of the Royal Society of Medicine</i> , 2015 , 108, 431-2 | 2.3 | 1 |
| 20 | Re. Lehrer S, Green S, Stock RG (2011) Association between number of cell phone contracts and brain tumor incidence in nineteen U.S. States. <i>J Neurooncol</i> 101:505-507. <i>Journal of Neuro-Oncology</i> , 2011 , 105, 433-4; author reply 435 | 4.8 | 1 |
| 19 | Pancreatitis and the Risk of Pancreatic Cancer. <i>Pancreas</i> , 1997 , 14, 106-107 | 2.6 | 1 |
| 18 | Age at any birth and breast cancer risk. <i>Statistics in Medicine</i> , 1998 , 17, 431-45 | 2.3 | 1 |
| 17 | Curbing tobacco's toll starts with the professionals: World No Tobacco Day. <i>Lancet, The</i> , 2005 , 365, 1990-2 | 4.4 | 1 |

| | | | |
|----|--|------|---|
| 16 | The importance of benign urological disease in communities. <i>BJU International</i> , 2003 , 92, 342-3 | 5.6 | 1 |
| 15 | Screening for prostate cancer: updated experience from the tyrol study. <i>Current Prostate Reports</i> , 2005 , 3, 5-10 | | 1 |
| 14 | Tamoxifen for breast cancer in hysterectomised women. <i>Lancet, The</i> , 2002 , 360, 1784-5; author reply 1785 | 40 | 1 |
| 13 | Regulation of carcinogens in cigarettes. <i>Lancet, The</i> , 1999 , 354, 1036 | 40 | 1 |
| 12 | The hazards of active and passive smoking. <i>New England Journal of Medicine</i> , 1993 , 329, 1580; author reply 1580-1 | 59.2 | 1 |
| 11 | Cancer Mortality in Italy. <i>Tumori</i> , 1990 , 76, 85-86 | 1.7 | 1 |
| 10 | Decrease in Mortality from Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 1996 , 176-180 | 2.5 | 1 |
| 9 | Continual importance of descriptive epidemiology in cancer research. <i>Annals of Oncology</i> , 1996 , 7, 439-40.3 | 0.3 | 0 |
| 8 | Reply: Four-hundredfold overestimation of biopsy mortality. <i>BJU International</i> , 2013 , 111, E17-8 | 5.6 | |
| 7 | Reply: To PMID 22984785. <i>BJU International</i> , 2013 , 111, E141-2 | 5.6 | |
| 6 | Essential considerations in the investigation of associations between insulin and cancer risk using prescription databases. <i>Ecancermedicalscience</i> , 2009 , 3, 174 | 2.7 | |
| 5 | Attacks on tobacco industry. <i>Lancet, The</i> , 1997 , 350, 890 | 40 | |
| 4 | Cancer incidence registration. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 112-3 | | |
| 3 | Epidemiology of lung cancer 2008 , 10-19 | | |
| 2 | Epidemiology of Cancer in Women. <i>Medical Science Symposia Series</i> , 1994 , 51-66 | | |
| 1 | Letter by Mullie et al Regarding Article, "Estimated Global, Regional, and National Disease Burdens Related to Sugar-Sweetened Beverage Consumption in 2010". <i>Circulation</i> , 2016 , 133, e595 | 16.7 | |