

# Thierry Fournier

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5991726/thierry-fournier-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

2,716  
citations

25  
h-index

50  
g-index

101  
ext. papers

3,032  
ext. citations

5  
avg, IF

4.8  
L-index

#	Paper	IF	Citations
78	Placental Models for Evaluation of Nanocarriers as Drug Delivery Systems for Pregnancy Associated Disorders. <i>Biomedicines</i> , <b>2022</b> , 10, 936	4.8	1
77	Influence of Liposomes and Lipoplexes Physicochemical Characteristics on Their Uptake Rate and Mechanisms by the Placenta. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23, 6299	6.3	0
76	Age and Sex-Related Changes in Human First-Trimester Placenta Transcriptome and Insights into Adaptative Responses to Increased Oxygen. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
75	Protease Inhibitor Anti-HIV, Lopinavir, Impairs Placental Endocrine Function. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
74	Human Placental NADPH Oxidase Mediates sFlt-1 and PlGF Secretion in Early Pregnancy: Exploration of the TGF- $\beta$ /p38 MAPK Pathways. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	2
73	Identification and semi-relative quantification of intact glycoforms of human chorionic gonadotropin alpha and beta subunits by nano liquid chromatography-Orbitrap mass spectrometry. <i>Journal of Chromatography A</i> , <b>2021</b> , 1640, 461945	4.5	1
72	Haem oxygenases play a pivotal role in placental physiology and pathology. <i>Human Reproduction Update</i> , <b>2020</b> , 26, 634-649	15.8	5
71	Analysis of the human chorionic gonadotropin protein at the intact level by HILIC-MS and comparison with RPLC-MS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 4423-4432	4.4	8
70	Human chorionic gonadotropin <b>2020</b> , 31-43		
69	Peroxisome proliferator-activated receptor gamma-ligand-binding domain mutations associated with familial partial lipodystrophy type 3 disrupt human trophoblast fusion and fibroblast migration. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 7660-7669	5.6	2
68	Uptake of Cerium Dioxide Nanoparticles and Impact on Viability, Differentiation and Functions of Primary Trophoblast Cells from Human Placenta. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	6
67	Placental Overexpression of Soluble CORIN in Preeclampsia. <i>American Journal of Pathology</i> , <b>2020</b> , 190, 970-976	5.8	4
66	Mining of combined human placental gene expression data across pregnancy, applied to PPAR signaling pathway. <i>Placenta</i> , <b>2020</b> , 99, 157-165	3.4	1
65	Identification and semi-relative quantification of intact glycoforms by nano-LC-(Orbitrap)MS: application to the $\beta$ subunit of human chorionic gonadotropin and follicle-stimulating hormone. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 5729-5741	4.4	4
64	Comparative Study of PPAR Targets in Human Extravillous and Villous Cytotrophoblasts. <i>PPAR Research</i> , <b>2020</b> , 2020, 9210748	4.3	4
63	NADPH oxidase is the major source of placental superoxide in early pregnancy: association with MAPK pathway activation. <i>Scientific Reports</i> , <b>2019</b> , 9, 13962	4.9	9
62	First profiling in hydrophilic interaction liquid chromatography of intact human chorionic gonadotropin isoforms. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 174, 495-499	3.5	13

61	VEGF (Vascular Endothelial Growth Factor) Functionalized Magnetic Beads in a Microfluidic Device to Improve the Angiogenic Balance in Preeclampsia. <i>Hypertension</i> , <b>2019</b> , 74, 145-153	8.5	10
60	The Role of Peroxisome Proliferator-Activated Receptor Gamma (PPAR $\gamma$ ) in Mono(2-ethylhexyl) Phthalate (MEHP)-Mediated Cytotrophoblast Differentiation. <i>Environmental Health Perspectives</i> , <b>2019</b> , 127, 27003	8.4	27
59	Qualitative and quantitative analysis of the uptake of lipoplexes by villous placenta explants. <i>International Journal of Pharmaceutics</i> , <b>2019</b> , 567, 118479	6.5	7
58	IFITM proteins inhibit placental syncytiotrophoblast formation and promote fetal demise. <i>Science</i> , <b>2019</b> , 365, 176-180	33.3	69
57	Chemotherapy in pregnancy: exploratory study of the effects of paclitaxel on the expression of placental drug transporters. <i>Investigational New Drugs</i> , <b>2019</b> , 37, 1075-1085	4.3	8
56	First characterizations by capillary electrophoresis of human Chorionic Gonadotropin at the intact level. <i>Talanta</i> , <b>2019</b> , 193, 77-86	6.2	17
55	Effects of selective serotonin-reuptake inhibitors (SSRIs) on human villous trophoblasts syncytialization. <i>Toxicology and Applied Pharmacology</i> , <b>2018</b> , 349, 8-20	4.6	17
54	Nanomedicine as a potential approach to empower the new strategies for the treatment of preeclampsia. <i>Drug Discovery Today</i> , <b>2018</b> , 23, 1099-1107	8.8	21
53	Formyl peptide receptor-2 is decreased in foetal growth restriction and contributes to placental dysfunction. <i>Molecular Human Reproduction</i> , <b>2018</b> , 24, 94-109	4.4	9
52	Lipidome-wide disturbances of human placental JEG-3 cells by the presence of MEHP. <i>Biochimie</i> , <b>2018</b> , 149, 1-8	4.6	16
51	An attempt to characterize the human Chorionic Gonadotropin protein by reversed phase liquid chromatography coupled with high-resolution mass spectrometry at the intact level. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 161, 35-44	3.5	12
50	Liposomes as Gene Delivery Vectors for Human Placental Cells. <i>Molecules</i> , <b>2018</b> , 23,	4.8	18
49	Use of GATA3 and TWIST1 Immunofluorescence Staining to Assess In Vitro Syncytial Fusion Index. <i>Methods in Molecular Biology</i> , <b>2018</b> , 1710, 165-171	1.4	5
48	Fetal-sex determination of human placental tissues. <i>Placenta</i> , <b>2018</b> , 61, 103-105	3.4	3
47	Expression, Localization, and Activity of the Aryl Hydrocarbon Receptor in the Human Placenta. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	16
46	Impact of obesity on the association of active renin and plasma aldosterone concentrations, and aldosterone-to-renin ratio with preeclampsia. <i>Pregnancy Hypertension</i> , <b>2018</b> , 14, 139-144	2.6	4
45	Gestational age-related patterns of AMOT methylation are revealed in preterm infant endothelial progenitors. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186321	3.7	9
44	Assessment of dually labelled PEGylated liposomes transplacental passage and placental penetration using a combination of two ex-vivo human models: the dually perfused placenta and the suspended villous explants. <i>International Journal of Pharmaceutics</i> , <b>2017</b> , 532, 729-737	6.5	17

43	Increased methylation and decreased expression of homeobox genes TLX1, HOXA10 and DLX5 in human placenta are associated with trophoblast differentiation. <i>Scientific Reports</i> , <b>2017</b> , 7, 4523	4.9	14
42	The early pregnancy placenta foreshadows DNA methylation alterations of solid tumors. <i>Epigenetics</i> , <b>2017</b> , 12, 793-803	5.7	27
41	New Transcriptional Reporters to Quantify and Monitor PPAR Activity. <i>PPAR Research</i> , <b>2017</b> , 2017, 61391-61407	10.7	12
40	Placental growth factor (PLGF) and sFlt-1 during pregnancy: physiology, assay and interest in preeclampsia. <i>Annales De Biologie Clinique</i> , <b>2016</b> , 74, 259-67	0.4	8
39	Human chorionic gonadotropin: Different glycoforms and biological activity depending on its source of production. <i>Annales D'Endocrinologie</i> , <b>2016</b> , 77, 75-81	1.7	34
38	Transcriptomic signatures of villous cytotrophoblast and syncytiotrophoblast in term human placenta. <i>Placenta</i> , <b>2016</b> , 44, 83-90	3.4	11
37	Fluid Shear Stress Promotes Placental Growth Factor Upregulation in Human Syncytiotrophoblast Through the cAMP-PKA Signaling Pathway. <i>Hypertension</i> , <b>2016</b> , 68, 1438-1446	8.5	14
36	An EG-VEGF-Dependent Decrease in Homeobox Gene Contributes to Cytotrophoblast Dysfunction: A Possible Mechanism in Human Fetal Growth Restriction. <i>Molecular Medicine</i> , <b>2015</b> , 21, 645-656	6.2	8
35	PPAR $\alpha$ controls pregnancy outcome through activation of EG-VEGF: new insights into the mechanism of placental development. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2015</b> , 309, E357-69	6	17
34	Primary Bovine Extra-Embryonic Cultured Cells: A New Resource for the Study of In Vivo Peri-Implanting Phenotypes and Mesoderm Formation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0127330	3.7	9
33	Cytomegalovirus Infection Triggers the Secretion of the PPAR $\alpha$ Agonists 15-Hydroxyeicosatetraenoic Acid (15-HETE) and 13-Hydroxyoctadecadienoic Acid (13-HODE) in Human Cytotrophoblasts and Placental Cultures. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132627	3.7	12
32	Downstream targets of the homeobox gene DLX3 are differentially expressed in the placentae of pregnancies affected by human idiopathic fetal growth restriction. <i>Molecular and Cellular Endocrinology</i> , <b>2013</b> , 377, 75-83	4.4	8
31	Hyperglycosylated human chorionic gonadotropin stimulates angiogenesis through TGF- $\beta$ receptor activation. <i>FASEB Journal</i> , <b>2013</b> , 27, 1309-21	0.9	81
30	Homeobox gene transforming growth factor $\beta$ induced factor-1 (TGIF-1) is a regulator of villous trophoblast differentiation and its expression is increased in human idiopathic fetal growth restriction. <i>Molecular Human Reproduction</i> , <b>2013</b> , 19, 665-75	4.4	16
29	Transcriptome analysis of PPAR $\alpha$ target genes reveals the involvement of lysyl oxidase in human placental cytotrophoblast invasion. <i>PLoS ONE</i> , <b>2013</b> , 8, e79413	3.7	20
28	Homeobox gene Distal-less 3 is a regulator of villous cytotrophoblast differentiation and its expression is increased in human idiopathic foetal growth restriction. <i>Journal of Molecular Medicine</i> , <b>2012</b> , 90, 273-84	5.5	17
27	Statins and pregnancy: between supposed risks and theoretical benefits. <i>Drugs</i> , <b>2012</b> , 72, 773-88	12.1	47
26	PPAR $\alpha$ and human trophoblast differentiation. <i>Journal of Reproductive Immunology</i> , <b>2011</b> , 90, 41-9	4.2	45

25	Activation of peroxisome proliferator-activated receptor gamma by human cytomegalovirus for de novo replication impairs migration and invasiveness of cytotrophoblasts from early placentas. <i>Journal of Virology</i> , <b>2010</b> , 84, 2946-54	6.6	48
24	Differential gene expression profiles of invasive and non-invasive non-functioning pituitary adenomas based on microarray analysis. <i>Endocrine-Related Cancer</i> , <b>2010</b> , 17, 361-71	5.7	63
23	Development and hormonal functions of the human placenta. <i>Folia Histochemica Et Cytobiologica</i> , <b>2009</b> , 47, S35-40	1.4	26
22	Placenta-specific methylation of the vitamin D 24-hydroxylase gene: implications for feedback autoregulation of active vitamin D levels at the fetomaternal interface. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 14838-48	5.4	196
21	Human trophoblast differentiation. <i>Bulletin De L'Academie Nationale De Medecine</i> , <b>2009</b> , 193, 1017-1027	0.1	2
20	Role of nuclear receptors and their ligands in human trophoblast invasion. <i>Journal of Reproductive Immunology</i> , <b>2008</b> , 77, 161-70	4.2	45
19	PPARgamma and early human placental development. <i>Current Medicinal Chemistry</i> , <b>2008</b> , 15, 3011-24	4.3	33
18	Human chorionic gonadotropin produced by the invasive trophoblast but not the villous trophoblast promotes cell invasion and is down-regulated by peroxisome proliferator-activated receptor-gamma. <i>Endocrinology</i> , <b>2007</b> , 148, 5011-9	4.8	137
17	Stimulation of human trophoblast invasion by placental growth hormone. <i>Endocrinology</i> , <b>2005</b> , 146, 2434-44	4.4	76
16	Oxidized low-density lipoproteins inhibit trophoblastic cell invasion. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 1969-72	5.6	35
15	Lipids from oxidized low-density lipoprotein modulate human trophoblast invasion: involvement of nuclear liver X receptors. <i>Endocrinology</i> , <b>2004</b> , 145, 4583-91	4.8	70
14	Human invasive trophoblasts transformed with simian virus 40 provide a new tool to study the role of PPARgamma in cell invasion process. <i>Carcinogenesis</i> , <b>2003</b> , 24, 1325-36	4.6	57
13	Diesel particles increase phosphatidylcholine release through a NO pathway in alveolar type II cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2002</b> , 282, L1075-81	5.8	11
12	The role of PPAR-gamma/RXR-alpha heterodimers in the regulation of human trophoblast invasion. <i>Annals of the New York Academy of Sciences</i> , <b>2002</b> , 973, 26-30	6.5	47
11	PPARgamma/RXRalpha heterodimers control human trophoblast invasion. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 5017-24	5.6	99
10	Alpha-1-acid glycoprotein. <i>BBA - Proteins and Proteomics</i> , <b>2000</b> , 1482, 157-71		686
9	Mechanisms of GM-CSF increase by diesel exhaust particles in human airway epithelial cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2000</b> , 278, L25-32	5.8	69
8	Diesel exhaust particles are taken up by human airway epithelial cells in vitro and alter cytokine production. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>1999</b> , 276, L604-13	5.8	98

7	Tumor necrosis factor-alpha inversely regulates prostaglandin D2 and prostaglandin E2 production in murine macrophages. Synergistic action of cyclic AMP on cyclooxygenase-2 expression and prostaglandin E2 synthesis. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 31065-72	5.4	78
6	Phenobarbital induction of alpha 1-acid glycoprotein in primary rat hepatocyte cultures. <i>Hepatology</i> , <b>1994</b> , 20, 1584-8	11.2	16
5	Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly (A)+ RNA by high-performance liquid chromatography and mass spectrometry. <i>Biomedical Applications</i> , <b>1994</b> , 661, 193-204		4
4	Induction of rat alpha-1-acid glycoprotein by phenobarbital is independent of a general acute-phase response. <i>Biochemical Pharmacology</i> , <b>1994</b> , 48, 1531-5	6	8
3	Modifications of hepatic alpha-1-acid glycoprotein and albumin gene expression in rats treated with phenobarbital. <i>FEBS Journal</i> , <b>1992</b> , 203, 655-61		15
2	Interleukin 1 beta modulates hepatic synthesis of alpha 1-acid glycoprotein in the fetal rat. <i>FEBS Letters</i> , <b>1990</b> , 263, 109-12	3.8	5
1	Stimulation of arachidonic acid metabolism by adherence of alveolar macrophages to a plastic substrate. Modulation by fetal bovine serum. <i>The American Review of Respiratory Disease</i> , <b>1988</b> , 137, 38-43		30