

Ricarda Scheiner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5991774/publications.pdf>

Version: 2024-02-01

55
papers

3,008
citations

172457

29
h-index

168389

53
g-index

59
all docs

59
docs citations

59
times ranked

1649
citing authors

#	ARTICLE	IF	CITATIONS
1	Interaction of Insecticides and Fungicides in Bees. <i>Frontiers in Insect Science</i> , 2022, 1, .	2.1	14
2	In Vitro Rearing Changes Social Task Performance and Physiology in Honeybees. <i>Insects</i> , 2022, 13, 4.	2.2	3
3	Tyramine 1 Receptor Distribution in the Brain of Corbiculate Bees Points to a Conserved Function. <i>Brain, Behavior and Evolution</i> , 2021, 96, 13-25.	1.7	3
4	Survival rate and changes in foraging performances of solitary bees exposed to a novel insecticide. <i>Ecotoxicology and Environmental Safety</i> , 2021, 211, 111869.	6.0	19
5	Comparing the Appetitive Learning Performance of Six European Honeybee Subspecies in a Common Apiary. <i>Insects</i> , 2021, 12, 768.	2.2	1
6	Opposing Actions of Octopamine and Tyramine on Honeybee Vision. <i>Biomolecules</i> , 2021, 11, 1374.	4.0	8
7	Evidence of cognitive specialization in an insect: proficiency is maintained across elemental and higher-order visual learning but not between sensory modalities in honey bees. <i>Journal of Experimental Biology</i> , 2021, 224, .	1.7	11
8	Inter-individual variation in honey bee dance intensity correlates with expression of the <i>foraging</i> gene. <i>Genes, Brain and Behavior</i> , 2020, 19, e12592.	2.2	16
9	Hyperthermia treatment can kill immature and adult <i>Varroa destructor</i> mites without reducing drone fertility. <i>Apidologie</i> , 2020, 51, 307-315.	2.0	13
10	Chronic exposure to the pesticide flupyradifurone can lead to premature onset of foraging in honeybees <i>Apis mellifera</i>. <i>Journal of Applied Ecology</i> , 2020, 57, 609-618.	4.0	37
11	CRISPR/Cas 9-Mediated Mutations as a New Tool for Studying Taste in Honeybees. <i>Chemical Senses</i> , 2020, 45, 655-666.	2.0	24
12	The Bacterium <i>Pantoea ananatis</i> Modifies Behavioral Responses to Sugar Solutions in Honeybees. <i>Insects</i> , 2020, 11, 692.	2.2	4
13	Short-term hyperthermia at larval age reduces sucrose responsiveness of adult honeybees and can increase life span. <i>Apidologie</i> , 2020, 51, 570-582.	2.0	6
14	A Novel Thermal-Visual Place Learning Paradigm for Honeybees (<i>Apis mellifera</i>). <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 56.	2.0	1
15	The novel pesticide flupyradifurone (Sivanto) affects honeybee motor abilities. <i>Ecotoxicology</i> , 2019, 28, 354-366.	2.4	44
16	Effects of the novel pesticide flupyradifurone (Sivanto) on honeybee taste and cognition. <i>Scientific Reports</i> , 2018, 8, 4954.	3.3	69
17	Responses to sugar and sugar receptor gene expression in different social roles of the honeybee (<i>Apis mellifera</i>). <i>Journal of Experimental Biology</i> , 2017, 220, 1443-1450.	2.0	21
18	Learning, gustatory responsiveness and tyramine differences across nurse and forager honeybees. <i>Journal of Experimental Biology</i> , 2017, 220, 1443-1450.	1.7	51

#	ARTICLE	IF	CITATIONS
19	Neuronal distribution of tyramine and the tyramine receptor AmTAR1 in the honeybee brain. <i>Journal of Comparative Neurology</i> , 2017, 525, 2615-2631.	1.6	20
20	AmTAR2: Functional characterization of a honeybee tyramine receptor stimulating adenylyl cyclase activity. <i>Insect Biochemistry and Molecular Biology</i> , 2017, 80, 91-100.	2.7	34
21	Neuronal distribution of tyramine and the tyramine receptor AmTAR1 in the honeybee brain. <i>Journal of Comparative Neurology</i> , 2017, 525, spc1-spc1.	1.6	0
22	The Effects of Fat Body Tyramine Level on Gustatory Responsiveness of Honeybees (<i>Apis mellifera</i>) Differ between Behavioral Castes. <i>Frontiers in Systems Neuroscience</i> , 2017, 11, 55.	2.5	26
23	Differences in the phototaxis of pollen and nectar foraging honey bees are related to their octopamine brain titers. <i>Frontiers in Physiology</i> , 2014, 5, 116.	2.8	41
24	Division of labour in honey bees: age- and task-related changes in the expression of octopamine receptor genes. <i>Insect Molecular Biology</i> , 2014, 23, 833-841.	2.0	36
25	Octopamine indirectly affects proboscis extension response habituation in <i>Drosophila melanogaster</i> by controlling sucrose responsiveness. <i>Journal of Insect Physiology</i> , 2014, 69, 107-117.	2.0	29
26	PKG in honey bees: Spatial expression, <i>Amfor</i> gene expression, sucrose responsiveness, and division of labor. <i>Journal of Comparative Neurology</i> , 2014, 522, 1786-1799.	1.6	41
27	Rapid learning dynamics in individual honeybees during classical conditioning. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 313.	2.0	35
28	Suitability of three common reference genes for quantitative real-time PCR in honey bees. <i>Apidologie</i> , 2013, 44, 342-350.	2.0	54
29	Standard methods for behavioural studies of <i>Apis mellifera</i> . <i>Journal of Apicultural Research</i> , 2013, 52, 1-58.	1.5	122
30	The honey bee tyramine receptor AmTYR1 and division of foraging labor. <i>Journal of Experimental Biology</i> , 2013, 217, 1215-7.	1.7	16
31	Octopamine improves learning in newly emerged bees but not in old foragers. <i>Journal of Experimental Biology</i> , 2012, 215, 1076-1083.	1.7	44
32	Birth weight and sucrose responsiveness predict cognitive skills of honeybee foragers. <i>Animal Behaviour</i> , 2012, 84, 305-308.	1.9	17
33	Effects of patriline on gustatory responsiveness and olfactory learning in honey bees. <i>Apidologie</i> , 2010, 41, 29-37.	2.0	26
34	Characterization of the 5-HT1A receptor of the honeybee (<i>Apis mellifera</i>) and involvement of serotonin in phototactic behavior. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2467-2479.	5.4	90
35	Learning at old age: a study on winter bees. <i>Frontiers in Behavioral Neuroscience</i> , 2010, 4, 15.	2.0	25
36	Impaired tactile learning is related to social role in honeybees. <i>Journal of Experimental Biology</i> , 2009, 212, 994-1002.	1.7	43

#	ARTICLE	IF	CITATIONS
37	Evidence for associative learning in newly emerged honey bees (<i>Apis mellifera</i>). <i>Animal Cognition</i> , 2009, 12, 249-255.	1.8	28
38	The <i>foraging</i> gene of <i>Drosophila melanogaster</i> : Spatial expression analysis and sucrose responsiveness. <i>Journal of Comparative Neurology</i> , 2007, 504, 570-582.	1.6	55
39	Cognitive aging is linked to social role in honey bees (<i>Apis mellifera</i>). <i>Experimental Gerontology</i> , 2007, 42, 1146-1153.	2.8	97
40	The Development and Evolution of Division of Labor and Foraging Specialization in a Social Insect (<i>Apis mellifera</i> L.). <i>Current Topics in Developmental Biology</i> , 2006, 74, 253-286.	2.2	139
41	Downregulation of vitellogenin gene activity increases the gustatory responsiveness of honey bee workers (<i>Apis mellifera</i>). <i>Behavioural Brain Research</i> , 2006, 169, 201-205.	2.2	125
42	Phototactic behaviour correlates with gustatory responsiveness in honey bees (<i>Apis mellifera</i> L.). <i>Behavioural Brain Research</i> , 2006, 174, 174-180.	2.2	36
43	Aminergic Control and Modulation of Honeybee Behaviour. <i>Current Neuropharmacology</i> , 2006, 4, 259-276.	2.9	137
44	The functions of antennal mechanoreceptors and antennal joints in tactile discrimination of the honeybee (<i>Apis mellifera</i> L.). <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2005, 191, 857-864.	1.6	24
45	Sensory responsiveness and the effects of equal subjective rewards on tactile learning and memory of honeybees. <i>Learning and Memory</i> , 2005, 12, 626-635.	1.3	98
46	Sucrose responsiveness and behavioral plasticity in honey bees (<i>Apis mellifera</i>). <i>Apidologie</i> , 2004, 35, 133-142.	2.0	232
47	Activity of cGMP-Dependent Protein Kinase (PKG) Affects Sucrose Responsiveness and Habituation in <i>Drosophila melanogaster</i> . <i>Learning and Memory</i> , 2004, 11, 303-311.	1.3	87
48	Responsiveness to sucrose and habituation of the proboscis extension response in honey bees. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2004, 190, 727-33.	1.6	50
49	Activity of protein kinase A and gustatory responsiveness in the honey bee (<i>Apis mellifera</i> L.). <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2003, 189, 427-434.	1.6	29
50	Variation in water and sucrose responsiveness during the foraging season affects proboscis extension learning in honey bees. <i>Apidologie</i> , 2003, 34, 67-72.	2.0	108
51	Behavioural pharmacology of octopamine, tyramine and dopamine in honey bees. <i>Behavioural Brain Research</i> , 2002, 136, 545-553.	2.2	190
52	The Effects of Genotype, Foraging Role, and Sucrose Responsiveness on the Tactile Learning Performance of Honey Bees (<i>Apis mellifera</i> L.). <i>Neurobiology of Learning and Memory</i> , 2001, 76, 138-150.	1.9	171
53	Responsiveness to sucrose affects tactile and olfactory learning in preforaging honey bees of two genetic strains. <i>Behavioural Brain Research</i> , 2001, 120, 67-73.	2.2	155
54	Learning in honey bees with brain lesions: how partial mushroom-body ablations affect sucrose responsiveness and tactile antennal learning. <i>Animal Cognition</i> , 2001, 3, 227-235.	1.8	38

#	ARTICLE	IF	CITATIONS
55	Tactile learning and the individual evaluation of the reward in honey bees (<i>Apis mellifera</i> L.), <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1999, 185, 1-10.	1.6	159