
Hamid Yaghooti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5992849/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ellagic acid protects against arsenic trioxide–induced cardiotoxicity in rat. Human and Experimental Toxicology, 2018, 37, 412-419.	2.2	39
2	The Effect of Date Seed (Phoenix dactylifera) Extract on Paraoxonase and Arylesterase Activities in Hypercholesterolemic Rats. Jundishapur Journal of Natural Pharmaceutical Products, 2014, 9, 30-34.	0.6	37
3	Increased levels of advanced glycation end products positively correlate with iron overload and oxidative stress markers in patients with β-thalassemia major. Annals of Hematology, 2018, 97, 679-684.	1.8	24
4	Effects of palmitate and astaxanthin on cell viability and proinflammatory characteristics of mesenchymal stem cells. International Immunopharmacology, 2019, 68, 164-170.	3.8	22
5	Saroglitazar improved hepatic steatosis and fibrosis by modulating inflammatory cytokines and adiponectin in an animal model of non-alcoholic steatohepatitis. BMC Pharmacology & Toxicology, 2021, 22, 53.	2.4	18
6	Role of antioxidant property of carvedilol in mild to moderate hypertensive patients: A prospective open-label study. Indian Journal of Pharmacology, 2016, 48, 372.	0.7	14
7	Minocycline is More Potent Than Tetracycline and Doxycycline in Inhibiting MMP-9 in Vitro. Jundishapur Journal of Natural Pharmaceutical Products, 2016, 11, .	0.6	11
8	Angiotensin II Differentially Induces Matrix Metalloproteinase-9 and Tissue Inhibitor of Metalloproteinase-1 Production and Disturbs MMP/TIMP Balance. Avicenna Journal of Medical Biotechnology, 2010, 2, 79-85.	0.3	9
9	The efficacy of calcitriol treatment in non-alcoholic fatty liver patients with different genotypes of vitamin D receptor FokI polymorphism. BMC Pharmacology & Toxicology, 2021, 22, 18.	2.4	7
10	Thalidomide is more efficient than sodium butyrate in enhancing GATA-1 and EKLF gene expression in erythroid progenitors derived from HSCs with l²-globin gene mutation. International Journal of Hematology-Oncology and Stem Cell Research, 2016, 10, 37-41.	0.3	6
11	Capparis spinosa improves the high fat diet-induced non-alcoholic steatohepatitis in rats: the possible role of FGF21. BMC Research Notes, 2020, 13, 356.	1.4	4
12	Possible role of WNT10B in increased proliferation and tubule formation of human umbilical vein endothelial cell cultures treated with hypoxic conditioned medium from human adipocytes. Biotechnic and Histochemistry, 2022, 97, 168-179.	1.3	4
13	Association of the rs3758391 polymorphism in the SIRT1 gene with diabetic nephropathy and decreased estimated glomerular filtration rate (GFR) in a population from southwest Iran. International Journal of Diabetes in Developing Countries, 2020, 40, 99-105.	0.8	3
14	Fibroblast Growth Factor 21 Reduces Cholesterol-Induced Hepatic Fibrogenesis by Inhibiting TGF-β/Smad3C Signaling Pathway in LX2 Cells. Hepatitis Monthly, 2021, 21, .	0.2	3
15	Increased level of advanced glycation end-products in renal transplant patients is associated with decreased measured GFR and grafted kidney function. Journal of Nephropathology, 2019, 8, 3-3.	0.2	2
16	Serum lipids and brain-derived neurotrophic factor in a cross-section of male students with symptoms of depression at a university in Iran: an observational study. Asian Biomedicine, 2018, 11, 413-417.	0.3	1
17	The Evaluation of the Ameliorative Effect of Montelukast Against Arsenic Trioxide-Induced Cardiotoxicity in Rats. Jundishapur Journal of Natural Pharmaceutical Products, 2017, In Press, .	0.6	1
18	Association of rs7903146 polymorphism in the TCF7L2 gene with diabetic nephropathy and decreased estimated GFR in an Arab population in southwest Iran. Journal of Nephropathology, 2018, 7, 273-280.	0.2	1

ΗΑΜΙΟ ΥΑGHOOTI

#	Article	IF	CITATIONS
19	Evaluation of the Protective Effects of Doxycycline on Acetaminophen-Induced Hepatotoxicity in Mice. Iranian Journal of Pharmaceutical Research, 2019, 18, 704-712.	0.5	1
20	Association between plasma levels of proprotein convertase subtilisin/kexin type 9 (PCSK9) and lipids with rs7903146 polymorphisms of the TCF7L2 gene in diabetic patients. International Journal of Diabetes in Developing Countries, 2019, 39, 380-386.	0.8	0
21	The IFN-Ɣ + 874 A/T polymorphism is associated with malignant breast cancer in a population from the southwest of Iran. BMC Research Notes, 2021, 14, 147.	1.4	0
22	Adenosine pretreatment attenuates angiotensin II-mediated p38 MAPK activation in a protein kinase A dependent manner. Asian Biomedicine, 2010, 4, 721-729.	0.3	0
23	Endothelial Nitric Oxide Synthase 4a/B Polymorphism and Its Interaction with Enos G894T Variants in Type 2 Diabetic Pa-tients: Modifying the Risk of Diabetic Nephropathy. Iranian Journal of Public Health, 2022, 51, 219-220.	0.5	0
24	Alleviative effects of fibroblast growth factor 21 on fibrogenic genes expression in the fructose activated hepatic stellate cells, an <i>in vitro</i> study. Immunopathologia Persa, 0, , .	0.9	0