Domenico Otranto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5993233/publications.pdf Version: 2024-02-01



ΠΟΜΕΝΙCO ΟΤΡΑΝΤΟ

#	Article	IF	CITATIONS
1	Ticks and tick-borne diseases: a One Health perspective. Trends in Parasitology, 2012, 28, 437-446.	1.5	802
2	Vector-borne helminths of dogs and humans in Europe. Parasites and Vectors, 2013, 6, 16.	1.0	245
3	Single-strand conformation polymorphism (SSCP) for the analysis of genetic variation. Nature Protocols, 2006, 1, 3121-3128.	5.5	233
4	Morphological and genetic diversity of Rhipicephalus sanguineus sensu lato from the New and Old Worlds. Parasites and Vectors, 2013, 6, 213.	1.0	233
5	Managing canine vector-borne diseases of zoonotic concern: part one. Trends in Parasitology, 2009, 25, 157-163.	1.5	225
6	On a Cercopithifilaria sp. transmitted by Rhipicephalus sanguineus: a neglected, but widespread filarioid of dogs. Parasites and Vectors, 2012, 5, 1.	1.0	219
7	Vector-borne parasitic zoonoses: Emerging scenarios and new perspectives. Veterinary Parasitology, 2011, 182, 14-21.	0.7	185
8	Managing canine vector-borne diseases of zoonotic concern: part two. Trends in Parasitology, 2009, 25, 228-235.	1.5	175
9	Canine leishmaniosis in the Old and New Worlds: unveiled similarities and differences. Trends in Parasitology, 2012, 28, 531-538.	1.5	172
10	The prevention of canine leishmaniasis and its impact on public health. Trends in Parasitology, 2013, 29, 339-345.	1.5	162
11	Recent advances on Dirofilaria repens in dogs and humans in Europe. Parasites and Vectors, 2018, 11, 663.	1.0	162
12	Zoonotic helminths affecting the human eye. Parasites and Vectors, 2011, 4, 41.	1.0	159
13	Canine and feline vector-borne diseases in Italy: current situation and perspectives. Parasites and Vectors, 2010, 3, 2.	1.0	143
14	A portrait of the "SCP/TAPS―proteins of eukaryotes — Developing a framework for fundamental research and biotechnological outcomes. Biotechnology Advances, 2009, 27, 376-388.	6.0	139
15	The role of wild canids and felids in spreading parasites to dogs and cats in Europe. Part II: Helminths and arthropods. Veterinary Parasitology, 2015, 213, 24-37.	0.7	139
16	Dogs, cats, parasites, and humans in Brazil: opening the black box. Parasites and Vectors, 2014, 7, 22.	1.0	138
17	Parasites of domestic owned cats in Europe: co-infestations and risk factors. Parasites and Vectors, 2014, 7, 291.	1.0	134
18	eyeworm: an original endo- and ecto-parasitic nematode. Trends in Parasitology, 2005, 21, 1-4.	1.5	129

#	Article	IF	CITATIONS
19	Ticks infesting humans in Italy and associated pathogens. Parasites and Vectors, 2014, 7, 328.	1.0	129
20	Zoonotic Parasites of Sheltered and Stray Dogs in the Era of the Global Economic and Political Crisis. Trends in Parasitology, 2017, 33, 813-825.	1.5	127
21	Changing distribution patterns of canine vector borne diseases in Italy: leishmaniosis vs. dirofilariosis. Parasites and Vectors, 2009, 2, S2.	1.0	124
22	A review of dicrocoeliosis of ruminants including recent advances in the diagnosis and treatment. Veterinary Parasitology, 2002, 107, 317-335.	0.7	116
23	Anthelmintic resistance in cyathostomin populations from horse yards in Italy, United Kingdom and Germany. Parasites and Vectors, 2009, 2, S2.	1.0	114
24	Phortica variegata as an intermediate host of Thelazia callipaeda under natural conditions: Evidence for pathogen transmission by a male arthropod vector. International Journal for Parasitology, 2006, 36, 1167-1173.	1.3	113
25	Lungworms and gastrointestinal parasites of domestic cats: a European perspective. International Journal for Parasitology, 2017, 47, 517-528.	1.3	113
26	Major Parasitic Zoonoses Associated with Dogs and Cats in Europe. Journal of Comparative Pathology, 2016, 155, S54-S74.	0.1	112
27	Effects of global changes on the climatic niche of the tick Ixodes ricinus inferred by species distribution modelling. Parasites and Vectors, 2013, 6, 271.	1.0	106
28	Current status and epidemiological observation of Thelazia callipaeda (Spirurida, Thelaziidae) in dogs, cats and foxes in Italy: a "coincidence―or a parasitic disease of the Old Continent?. Veterinary Parasitology, 2003, 116, 315-325.	0.7	104
29	Further thoughts on the taxonomy and vector role of Rhipicephalus sanguineus group ticks. Veterinary Parasitology, 2015, 208, 9-13.	0.7	104
30	First Evidence of Human Zoonotic Infection by Onchocerca lupi (Spirurida, Onchocercidae). American Journal of Tropical Medicine and Hygiene, 2011, 84, 55-58.	0.6	100
31	Biology of Thelazia callipaeda (Spirurida, Thelaziidae) eyeworms in naturally infected definitive hosts. Parasitology, 2004, 129, 627-633.	0.7	99
32	Feline and canine leishmaniosis and other vector-borne diseases in the Aeolian Islands: Pathogen and vector circulation in a confined environment. Veterinary Parasitology, 2017, 236, 144-151.	0.7	99
33	Dicrocoeliosis of ruminants: a little known fluke disease. Trends in Parasitology, 2003, 19, 12-15.	1.5	98
34	Analysis of genetic variability within Thelazia callipaeda (Nematoda: Thelazioidea) from Europe and Asia by sequencing and mutation scanning of the mitochondrial cytochrome c oxidase subunit 1 gene. Molecular and Cellular Probes, 2005, 19, 306-313.	0.9	97
35	The epidemiology of canine and feline dermatophytoses in southern Italy. Zur Epidemiologie der Dermatophytose von Hund und Katze im Suden Italiens. Mycoses, 2004, 47, 508-513.	1.8	96
36	Nematode biology and larval development of Thelazia callipaeda (Spirurida, Thelaziidae) in the drosophilid intermediate host in Europe and China. Parasitology, 2005, 131, 847.	0.7	96

#	Article	IF	CITATIONS
37	Human Thelaziasis, Europe. Emerging Infectious Diseases, 2008, 14, 647-649.	2.0	96
38	Troglostrongylus brevior and Troglostrongylus subcrenatus (Strongylida: Crenosomatidae) as agents of broncho-pulmonary infestation in domestic cats. Parasites and Vectors, 2012, 5, 178.	1.0	96
39	Human Thelaziosis—A Neglected Parasitic Disease of the Eye. Journal of Parasitology, 2006, 92, 872-876.	0.3	95
40	Occurrence of Yeasts in Cloacae of Migratory Birds. Mycopathologia, 2006, 161, 229-234.	1.3	94
41	Thelazia callipaeda (Spirurida, Thelaziidae) in wild animals: Report of new host species and ecological implications. Veterinary Parasitology, 2009, 166, 262-267.	0.7	94
42	Best Practices for Preventing Vector-Borne Diseases in Dogs and Humans. Trends in Parasitology, 2016, 32, 43-55.	1.5	92
43	Diagnosis of Canine Vector-Borne Diseases in Young Dogs: a Longitudinal Study. Journal of Clinical Microbiology, 2010, 48, 3316-3324.	1.8	91
44	Occurrence and Population Size of Malassezia spp. in the External Ear Canal of Dogs and Cats Both Healthy and with Otitis. Mycopathologia, 2005, 160, 143-149.	1.3	90
45	New strategies for the control of arthropod vectors of disease in dogs and cats. Medical and Veterinary Entomology, 2008, 22, 291-302.	0.7	90
46	Dirofilariosis in the Americas: a more virulent Dirofilaria immitis?. Parasites and Vectors, 2013, 6, 288.	1.0	90
47	The past, present, and future of Leishmania genomics and transcriptomics. Trends in Parasitology, 2015, 31, 100-108.	1.5	90
48	The immunology of myiasis: parasite survival and host defense strategies. Trends in Parasitology, 2001, 17, 176-182.	1.5	88
49	Diagnosis of Hepatozoon canis in young dogs by cytology and PCR. Parasites and Vectors, 2011, 4, 55.	1.0	88
50	Zoonotic nematodes of wild carnivores. International Journal for Parasitology: Parasites and Wildlife, 2019, 9, 370-383.	0.6	88
51	Isolation of Microsporum canis from the hair coat of pet dogs and cats belonging to owners diagnosed with M. canis tinea corporis. Veterinary Dermatology, 2006, 17, 327-331.	0.4	87
52	Molecular detection of tick-borne pathogens in Rhipicephalus sanguineus group ticks. Ticks and Tick-borne Diseases, 2014, 5, 943-946.	1.1	87
53	Development of Dirofilaria immitis within the mosquito Aedes (Finlaya) koreicus, a new invasive species for Europe. Parasites and Vectors, 2015, 8, 177.	1.0	86
54	The role of wild canids and felids in spreading parasites to dogs and cats in Europe. Veterinary Parasitology, 2015, 213, 12-23.	0.7	86

#	Article	IF	CITATIONS
55	Diagnosis and risk factors of Aelurostrongylus abstrusus (Nematoda, Strongylida) infection in cats from Italy. Veterinary Parasitology, 2008, 153, 182-186.	0.7	85
56	The zoophilic fruitfly Phortica variegata: morphology, ecology and biological niche. Medical and Veterinary Entomology, 2006, 20, 358-364.	0.7	83
57	Lungworms of the genus Troglostrongylus (Strongylida: Crenosomatidae): Neglected parasites for domestic cats. Veterinary Parasitology, 2014, 202, 104-112.	0.7	83
58	Molecular characterization of the mitochondrial cytochrome oxidase I gene of Oestridae species causing obligate myiasis. Medical and Veterinary Entomology, 2003, 17, 307-315.	0.7	82
59	Prevention of endemic canine vector-borne diseases using imidacloprid 10% and permethrin 50% in young dogs: A longitudinal field study. Veterinary Parasitology, 2010, 172, 323-332.	0.7	82
60	Emergence of canine ocular thelaziosis caused by Thelazia callipaeda in southern Switzerland. Veterinary Parasitology, 2008, 157, 321-327.	0.7	81
61	Efficacy of an essential oil of Eugenia caryophyllata against Psoroptes cuniculi. Experimental Parasitology, 2007, 115, 168-172.	0.5	79
62	Are vector-borne pathogen co-infections complicating the clinical presentation in dogs?. Parasites and Vectors, 2013, 6, 97.	1.0	79
63	Thelazia callipaeda: infection in dogs: a new parasite for Spain. Parasites and Vectors, 2011, 4, 148.	1.0	78
64	Molecular epidemiology, phylogeny and evolution of dermatophytes. Infection, Genetics and Evolution, 2013, 20, 336-351.	1.0	78
65	Illegal Wildlife Trade: A Gateway to Zoonotic Infectious Diseases. Trends in Parasitology, 2021, 37, 181-184.	1.5	78
66	Efficacy of a combination of 10% imidacloprid/50% permethrin for the prevention of leishmaniasis in kennelled dogs in an endemic area. Veterinary Parasitology, 2007, 144, 270-278.	0.7	77
67	Zoonotic Vectorborne Pathogens and Ectoparasites of Dogs and Cats in Eastern and Southeast Asia. Emerging Infectious Diseases, 2020, 26, 1221-1233.	2.0	77
68	Role of birds of prey as carriers and spreaders ofCryptococcus neoformansand other zoonotic yeasts. Medical Mycology, 2006, 44, 485-492.	0.3	75
69	Leishmania infantum and Dirofilaria immitis infections in Italy, 2009–2019: changing distribution patterns. Parasites and Vectors, 2020, 13, 193.	1.0	75
70	Toward Diagnosing <i>Leishmania infantum</i> Infection in Asymptomatic Dogs in an Area Where Leishmaniasis Is Endemic. Vaccine Journal, 2009, 16, 337-343.	3.2	74
71	Occurrence and identification of risk areas of Ixodes ricinus-borne pathogens: a cost-effectiveness analysis in north-eastern Italy. Parasites and Vectors, 2012, 5, 61.	1.0	74
72	Azole susceptibility of <i>Malassezia pachydermatis</i> and <i>Malassezia furfur</i> and tentative epidemiological cut-off values. Medical Mycology, 2015, 53, 743-748.	0.3	74

#	Article	IF	CITATIONS
73	Rapid diagnosis of parasitic diseases: current scenario and future needs. Clinical Microbiology and Infection, 2019, 25, 290-309.	2.8	74
74	Molecular approaches to the study of myiasis-causing larvae. International Journal for Parasitology, 2002, 32, 1345-1360.	1.3	73
75	Seroprevalence and associated risk factors of neosporosis in beef and dairy cattle in Italy. Veterinary Parasitology, 2003, 118, 7-18.	0.7	73
76	First reports of autochthonous eyeworm infection by Thelazia callipaeda (Spirurida, Thelaziidae) in dogs and cat from France. Veterinary Parasitology, 2007, 149, 294-297.	0.7	73
77	Zoonotic Parasites of Reptiles: A Crawling Threat. Trends in Parasitology, 2020, 36, 677-687.	1.5	73
78	New Insights into Morphological and Biological Features of Capillaria aerophila (Trichocephalida,) Tj ETQq0 0 0 rg	BT /Overlo	ock 10 Tf 50
79	Association between Phospholipase Production by Malassezia pachydermatis and Skin Lesions. Journal of Clinical Microbiology, 2004, 42, 4868-4869.	1.8	70
80	Infection by Eucoleus aerophilus in dogs and cats: Is another extra-intestinal parasitic nematode of pets emerging in Italy?. Research in Veterinary Science, 2009, 87, 270-272.	0.9	70
81	Human ocular filariasis: further evidence on the zoonotic role of Onchocerca lupi. Parasites and Vectors, 2012, 5, 84.	1.0	68
82	Canine and Feline Infections by Cardiopulmonary Nematodes in Central and Southern Italy. Parasitology Research, 2011, 109, 87-96.	0.6	67
83	Assessment of the antifungal susceptibility of Malassezia pachydermatis in various media using a CLSI protocol. Veterinary Microbiology, 2012, 159, 536-540.	0.8	67
84	Bloodstream infections by Malassezia and Candida species in critical care patients. Medical Mycology, 2014, 52, 264-269.	0.3	67
85	Fungal diseases of horses. Veterinary Microbiology, 2013, 167, 215-234.	0.8	66
86	Frequency, Body Distribution, and Population Size of <i>Malassezia</i> Species in Healthy Dogs and in Dogs with Localized Cutaneous Lesions. Journal of Veterinary Diagnostic Investigation, 2005, 17, 316-322.	0.5	65
87	The evolution of myiasis in humans and other animals in the Old and New Worlds (part II): biological and life-history studies. Trends in Parasitology, 2006, 22, 181-188.	1.5	65
88	<i>In vitro</i> evaluation of <i>Malassezia pachydermatis</i> susceptibility to azole compounds using E-test and CLSI microdilution methods. Medical Mycology, 2012, 50, 795-801.	0.3	65
89	Evidence for direct transmission of the cat lungworm Troglostrongylus brevior (Strongylida:) Tj ETQq1 1 0.78431	.4 rgBT /O	verlock 10 T

90 Morphological and molecular data on the dermal microfilariae of a species of Cercopithifilaria from a dog in Sicily. Veterinary Parasitology, 2011, 182, 221-229.

0.7 64

#	Article	IF	CITATIONS
91	Human Intraocular Filariasis Caused by <i>Dirofilaria</i> sp. Nematode, Brazil. Emerging Infectious Diseases, 2011, 17, 863-866.	2.0	64

New Method for Simultaneous Species-Specific Identification of Equine Strongyles (Nematoda,) Tj ETQq000 rgBT $\frac{10}{1.8}$ reformed by $\frac{10}{63}$ Tf 50 70

93	Aelurostrongylus abstrusus in a feline colony from central Italy: clinical features, diagnostic procedures and molecular characterization. Parasitology Research, 2008, 103, 1191-1196.	0.6	63
94	Canine Antibody Response to Phlebotomus perniciosus Bites Negatively Correlates with the Risk of Leishmania infantum Transmission. PLoS Neglected Tropical Diseases, 2011, 5, e1344.	1.3	63
95	Diagnostic and Clinical Implications of a Nested PCR Specific for Ribosomal DNA of the Feline Lungworm <i>Aelurostrongylus abstrusus</i> (Nematoda, Strongylida). Journal of Clinical Microbiology, 2008, 46, 1811-1817.	1.8	62
96	Seasonal dynamics of the brown dog tick, Rhipicephalus sanguineus, on a confined dog population in Italy. Medical and Veterinary Entomology, 2010, 24, no-no.	0.7	62
97	The spread of zoonotic Thelazia callipaeda in the Balkan area. Parasites and Vectors, 2014, 7, 352.	1.0	62
98	Thelazia callipaeda (Spirurida, Thelaziidae) of carnivores and humans: morphological study by light and scanning electron microscopy. Parassitologia, 2003, 45, 125-33.	0.5	62
99	Morphological and molecular differentiation between Dicrocoelium dendriticum (Rudolphi, 1819) and Dicrocoelium chinensis (Sudarikov and Ryjikov, 1951) Tang and Tang, 1978 (Platyhelminthes: Digenea). Acta Tropica, 2007, 104, 91-98.	0.9	61
100	Phlebotomine sand fly population dynamics in a leishmaniasis endemic peri-urban area in southern Italy. Acta Tropica, 2010, 116, 227-234.	0.9	60
101	A multiplex PCR for the simultaneous detection of species of filarioids infesting dogs. Acta Tropica, 2012, 122, 150-154.	0.9	60
102	In vitro antifungal susceptibility of Malassezia pachydermatis from dogs with and without skin lesions. Veterinary Microbiology, 2012, 155, 395-398.	0.8	60
103	Canine Leishmaniasis Control in the Context of One Health. Emerging Infectious Diseases, 2019, 25, 1-4.	2.0	60
104	Efficacy of a slow-release imidacloprid (10%)/flumethrin (4.5%) collar for the prevention of canine leishmaniosis. Parasites and Vectors, 2014, 7, 327.	1.0	59
105	Thelaziosis in Humans, a Zoonotic Infection, Spain, 2011. Emerging Infectious Diseases, 2012, 18, 2073-2075.	2.0	58
106	ABC transporters are involved in defense against permethrin insecticide in the malaria vector Anopheles stephensi. Parasites and Vectors, 2014, 7, 349.	1.0	58
107	Molecular xenomonitoring of Dirofilaria immitis and Dirofilaria repens in mosquitoes from north-eastern Italy by real-time PCR coupled with melting curve analysis. Parasites and Vectors, 2012, 5, 76.	1.0	57
108	Zoonotic <i>Onchocerca lupi</i> Infection in Dogs, Greece and Portugal, 2011–2012. Emerging Infectious Diseases, 2013, 19, 2000-2003.	2.0	57

#	Article	IF	CITATIONS
109	Evolution of clinical, haematological and biochemical findings in young dogs naturally infected by vector-borne pathogens. Veterinary Microbiology, 2011, 149, 206-212.	0.8	56
110	Vector-Borne Diseases - constant challenge for practicing veterinarians: recommendations from the CVBD World Forum. Parasites and Vectors, 2012, 5, 55.	1.0	56
111	Rhipicephalus sanguineus (Ixodida, Ixodidae) as intermediate host of a canine neglected filarial species with dermal microfilariae. Veterinary Parasitology, 2012, 183, 330-337.	0.7	55
112	Antifungal susceptibility of <i>Malassezia pachydermatis</i> biofilm. Medical Mycology, 2013, 51, 863-867.	0.3	54
113	Helminth infections and gut microbiota – a feline perspective. Parasites and Vectors, 2016, 9, 625.	1.0	54
114	Arthropod-borne pathogens of dogs and cats: From pathways and times of transmission to disease control. Veterinary Parasitology, 2018, 251, 68-77.	0.7	54
115	Detection of Leishmania infantum in Rhipicephalus sanguineus ticks from Brazil and Italy. Parasitology Research, 2010, 106, 857-860.	0.6	53
116	Current surveys on the prevalence and distribution of Dirofilaria spp. and Acanthocheilonema reconditum infections in dogs in Romania. Parasitology Research, 2015, 114, 975-982.	0.6	53
117	Prevention of Canine Leishmaniosis in a Hyper-Endemic Area Using a Combination of 10% Imidacloprid/4.5% Flumethrin. PLoS ONE, 2013, 8, e56374.	1.1	52
118	Molecular Documentation of <i>Bartonella</i> Infection in Dogs in Greece and Italy. Journal of Clinical Microbiology, 2009, 47, 1565-1567.	1.8	51
119	Development of the feline lungworms <i>Aelurostrongylus abstrusus</i> and <i>Troglostrongylus brevior</i> in <i>Helix aspersa</i> snails. Parasitology, 2014, 141, 563-569.	0.7	51
120	Advances in the identification of Malassezia. Molecular and Cellular Probes, 2011, 25, 1-7.	0.9	50
121	The European wildcats (Felis silvestris silvestris) as reservoir hosts of Troglostrongylus brevior (Strongylida: Crenosomatidae) lungworms. Veterinary Parasitology, 2014, 205, 193-198.	0.7	50
122	Three different Hepatozoon species in domestic cats from southern Italy. Ticks and Tick-borne Diseases, 2017, 8, 721-724.	1.1	50
123	Semi-nested PCR for the specific detection of Habronema microstoma or Habronema muscae DNA in horse faeces. Parasitology, 2004, 129, 733-739.	0.7	49
124	Species composition of Gasterophilus spp. (Diptera, Oestridae) causing equine gastric myiasis in southern Italy: Parasite biodiversity and risks for extinction. Veterinary Parasitology, 2005, 133, 111-118.	0.7	49
125	Molecular Detection of Capillaria aerophila, an Agent of Canine and Feline Pulmonary Capillariosis. Journal of Clinical Microbiology, 2012, 50, 1958-1963.	1.8	49
126	Species diversity and abundance of ticks in three habitats in southern Italy. Ticks and Tick-borne Diseases, 2013, 4, 251-255.	1.1	49

#	Article	lF	CITATIONS
127	Malassezia spp. Yeasts of Emerging Concern in Fungemia. Frontiers in Cellular and Infection Microbiology, 2020, 10, 370.	1.8	49
128	New insights into the morphology, molecular characterization and identification of Baylisascaris transfuga (Ascaridida, Ascarididae). Veterinary Parasitology, 2011, 175, 97-102.	0.7	48
129	Defining the concept of â€ [~] tick repellency' in veterinary medicine. Parasitology, 2012, 139, 419-423.	0.7	48
130	Mixed trichuroid infestation in a dog from Italy. Parasites and Vectors, 2012, 5, 128.	1.0	48
131	New insights into the ecology and biology of <i>Acanthocheilonema reconditum</i> (Grassi, 1889) causing canine subcutaneous filariosis. Parasitology, 2012, 139, 530-536.	0.7	48
132	Simultaneous detection of the feline lungworms Troglostrongylus brevior and Aelurostrongylus abstrusus by a newly developed duplex-PCR. Veterinary Parasitology, 2014, 199, 172-178.	0.7	48
133	Genetic characterization of three unique operational taxonomic units of Eimeria from chickens in Australia based on nuclear spacer ribosomal DNA. Veterinary Parasitology, 2008, 152, 226-234.	0.7	47
134	Genetic variants of Malassezia pachydermatis from canine skin: body distribution and phospholipase activity. FEMS Yeast Research, 2008, 8, 451-459.	1.1	47
135	First report of canine ocular thelaziosis by Thelazia callipaeda in Portugal. Parasites and Vectors, 2012, 5, 124.	1.0	47
136	Nodular lesions due to infestation by <i><scp>D</scp>irofilaria repens</i> in dogs from <scp>I</scp> taly. Veterinary Dermatology, 2013, 24, 255.	0.4	47
137	Dicrocoelium chinensis and Dicrocoelium dendriticum (Trematoda: Digenea) are distinct lancet fluke species based on mitochondrial and nuclear ribosomal DNA sequences. Molecular Phylogenetics and Evolution, 2014, 79, 325-331.	1.2	47
138	The Mitochondrial Genomes of the Zoonotic Canine Filarial Parasites Dirofilaria (Nochtiella) repens and Candidatus Dirofilaria (Nochtiella) Honkongensis Provide Evidence for Presence of Cryptic Species. PLoS Neglected Tropical Diseases, 2016, 10, e0005028.	1.3	47
139	Treatment of dog thelaziosis caused by Thelazia callipaeda (Spirurida, Thelaziidae) using a topical formulation of imidacloprid 10% and moxidectin 2.5%. Veterinary Parasitology, 2005, 129, 89-93.	0.7	46
140	Efficacy of a combination of imidacloprid 10%/permethrin 50% versus fipronil 10%/(S)-methoprene 12%, against ticks in naturally infected dogs. Veterinary Parasitology, 2005, 130, 293-304.	0.7	46
141	Occurrence of anthelmintic resistant equine cyathostome populations in central and southern Italy. Preventive Veterinary Medicine, 2007, 82, 314-320.	0.7	46
142	Gastrointestinal Parasites in Mammals of Two Italian Zoological Gardens. Journal of Zoo and Wildlife Medicine, 2010, 41, 662-670.	0.3	46
143	Evidences of increasing risk of dirofilarioses in southern Italy. Parasitology Research, 2013, 112, 1357-1361.	0.6	46
144	Efficacy of an imidacloprid/flumethrin collar against fleas, ticks and tick-borne pathogens in dogs. Parasites and Vectors, 2013, 6, 245.	1.0	46

9

#	Article	IF	CITATIONS
145	Efficiency of flagging and dragging for tick collection. Experimental and Applied Acarology, 2013, 61, 119-127.	0.7	46
146	Release of Lungworm Larvae from Snails in the Environment: Potential for Alternative Transmission Pathways. PLoS Neglected Tropical Diseases, 2015, 9, e0003722.	1.3	46
147	Ticks and associated pathogens in camels (Camelus dromedarius) from Riyadh Province, Saudi Arabia. Parasites and Vectors, 2020, 13, 110.	1.0	46
148	Molecular Detection of <i>Anaplasma Platys</i> in Dogs Using Polymerase Chain Reaction and Reverse Line Blot Hybridization. Journal of Veterinary Diagnostic Investigation, 2003, 15, 527-534.	0.5	45
149	First report of multiple drug resistance in trichostrongyles affecting sheep under field conditions in Italy. Parasitology Research, 2007, 101, 1713-1716.	0.6	45
150	Cryptosporidium from tortoises: Genetic characterisation, phylogeny and zoonotic implications. Molecular and Cellular Probes, 2008, 22, 122-128.	0.9	45
151	Phospholipase activity of yeasts from wild birds and possible implications for human disease. Medical Mycology, 2008, 46, 429-434.	0.3	45
152	Seasonal dynamics of Ixodes ricinus on ground level and higher vegetation in a preserved wooded area in southern Europe. Veterinary Parasitology, 2013, 192, 253-258.	0.7	45
153	<i>Rhipicephalus turanicus</i> , a new vector of <i>Hepatozoon canis</i> . Parasitology, 2017, 144, 730-737.	0.7	45
154	A nationwide survey of Leishmania infantum infection in cats and associated risk factors in Italy. PLoS Neglected Tropical Diseases, 2019, 13, e0007594.	1.3	45
155	A comparative test of ixodid tick identification by a network of European researchers. Ticks and Tick-borne Diseases, 2017, 8, 540-546.	1.1	44
156	<i>Hepatozoon silvestris</i> sp. nov.: morphological and molecular characterization of a new species of <i>Hepatozoon</i> (Adeleorina: Hepatozoidae) from the European wild cat (<i>Felis silvestris) Tj ETQq0 0 0 rg</i>	gBTo/Øver	lock440 Tf 50
157	Clinical case presentation and a review of the literature of canine onchocercosis by Onchocerca lupi in the United States. Parasites and Vectors, 2015, 8, 89.	1.0	43
158	Field Evaluation of Two Different Treatment Approaches and Their Ability to Control Fleas and Prevent Canine Leishmaniosis in a Highly Endemic Area. PLoS Neglected Tropical Diseases, 2016, 10, e0004987.	1.3	43
159	Dermatophytoses in cats and humans in central Italy: epidemiological aspects. Mycoses, 2007, 50, 491-495.	1.8	42
160	Transstadial transmission of Hepatozoon canis from larvae to nymphs of Rhipicephalus sanguineus. Veterinary Parasitology, 2013, 196, 1-5.	0.7	42
161	Experimental evidence against transmission of Hepatozoon canis by Ixodes ricinus. Ticks and Tick-borne Diseases, 2013, 4, 391-394.	1.1	42
162	New insights on metastrongyloid lungworms infecting cats of Sardinia, Italy. Veterinary Parasitology, 2014, 203, 222-226.	0.7	42

#	Article	IF	CITATIONS
163	Identification of phlebotomine sand fly blood meals by real-time PCR. Parasites and Vectors, 2015, 8, 230.	1.0	42
164	Detection of tick-borne pathogens in ticks from dogs and cats in different European countries. Ticks and Tick-borne Diseases, 2018, 9, 1431-1436.	1.1	42
165	Zoonotic parasites of dromedary camels: so important, so ignored. Parasites and Vectors, 2019, 12, 610.	1.0	42
166	Culling Dogs for Zoonotic Visceral Leishmaniasis Control: The Wind of Change. Trends in Parasitology, 2019, 35, 97-101.	1.5	42
167	Risk of canine and human exposure to Dirofilaria immitis infected mosquitoes in endemic areas of Italy. Parasites and Vectors, 2013, 6, 60.	1.0	41
168	Cutaneous Distribution and Circadian Rhythm of Onchocerca lupi Microfilariae in Dogs. PLoS Neglected Tropical Diseases, 2013, 7, e2585.	1.3	41
169	Borrelia burgdorferi (sensu lato) in ectoparasites and reptiles in southern Italy. Parasites and Vectors, 2019, 12, 35.	1.0	41
170	Overview on Dirofilaria immitis in the Americas, with notes on other filarial worms infecting dogs. Veterinary Parasitology, 2020, 282, 109113.	0.7	41
171	Troglostrongylus brevior and a nonexistent â€~dilemma'. Trends in Parasitology, 2013, 29, 517-518.	1.5	40
172	Detection of Anaplasma platys in dogs and Rhipicephalus sanguineus group ticks by a quantitative real-time PCR. Veterinary Parasitology, 2014, 205, 285-288.	0.7	40
173	Occurrence of strongyloidiasis in privately owned and sheltered dogs: clinical presentation and treatment outcome. Parasites and Vectors, 2017, 10, 345.	1.0	40
174	Ixodid ticks of road-killed wildlife species in southern Italy: new tick-host associations and locality records. Experimental and Applied Acarology, 2011, 55, 293-300.	0.7	39
175	Human Ocular Infection with Dirofilaria repens (Railliet and Henry, 1911) in an Area Endemic for Canine Dirofilariasis. American Journal of Tropical Medicine and Hygiene, 2011, 84, 1002-1004.	0.6	39
176	Therapeutic efficacy of milbemycin oxime/praziquantel oral formulation (Milbemax®) against Thelazia callipaeda in naturally infested dogs and cats. Parasites and Vectors, 2012, 5, 85.	1.0	39
177	An improved molecular diagnostic assay for canine and feline dermatophytosis. Medical Mycology, 2013, 51, 136-143.	0.3	39
178	In vitro antifungal susceptibility of Malassezia furfur from bloodstream infections. Journal of Medical Microbiology, 2014, 63, 1467-1473.	0.7	39
179	Effect of night time-intervals, height of traps and lunar phases on sand fly collection in a highly endemic area for canine leishmaniasis. Acta Tropica, 2014, 133, 73-77.	0.9	39
180	Haemothorax associated with <i>Angiostrongylus vasorum </i> infection in a dog. Journal of Small Animal Practice, 2008, 49, 417-420.	0.5	38

#	Article	IF	CITATIONS
181	Angiostrongylus chabaudi Biocca, 1957: a new parasite for domestic cats?. Parasites and Vectors, 2014, 7, 588.	1.0	38

Morphological keys for the identification of Italian phlebotomine sand flies (Diptera: Psychodidae:) Tj ETQq0 0 0 rg BT_0 Overlogk 10 Tf 50

183	Genetic variability of Eucoleus aerophilus from domestic and wild hosts. Research in Veterinary Science, 2014, 96, 512-515.	0.9	38
184	Feline lungworms unlock a novel mode of parasite transmission. Scientific Reports, 2015, 5, 13105.	1.6	38
185	Increase in Eyeworm Infections in Eastern Europe. Emerging Infectious Diseases, 2016, 22, 1513-1515.	2.0	38
186	Prevention of feline leishmaniosis with an imidacloprid 10%/flumethrin 4.5% polymer matrix collar. Parasites and Vectors, 2017, 10, 334.	1.0	38
187	Genotyping of <i>Giardia duodenalis</i> Among Children and Dogs in a Closed Socially Deprived Community From Italy. Zoonoses and Public Health, 2010, 57, e54-8.	0.9	37
188	Molecular identification and phylogenesis of dermatophytes isolated from rabbit farms and rabbit farms farm workers. Veterinary Microbiology, 2012, 154, 395-402.	0.8	37
189	Crenosoma vulpis in wild and domestic carnivores from Italy: a morphological and molecular study. Parasitology Research, 2015, 114, 3611-3617.	0.6	37
190	Thelazia callipaeda. Trends in Parasitology, 2021, 37, 263-264.	1.5	37
	Species identification of Hypoderma affecting domestic and wild ruminants by morphological and		96
191	molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325.	0.7	30
191 192	molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328.	0.7	36
191 192 193	 molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. Parasites and Vectors, 2011, 4, 56. 	0.7 0.7 1.0	36 36
191 192 193 194	molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. Parasites and Vectors, 2011, 4, 56. Redescription of Cercopithifilaria bainae Almeida & amp; Vicente, 1984 (Spirurida, Onchocercidae) from a dog in Sardinia, Italy. Parasites and Vectors, 2013, 6, 132.	0.7 0.7 1.0 1.0	36 36 36 36
191 192 193 194 195	 molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. Parasites and Vectors, 2011, 4, 56. Redescription of Cercopithifilaria bainae Almeida & amp; Vicente, 1984 (Spirurida, Onchocercidae) from a dog in Sardinia, Italy. Parasites and Vectors, 2013, 6, 132. Quantitative real time PCR assays for the detection of Leishmania (Viannia) braziliensis in animals and humans. Molecular and Cellular Probes, 2013, 27, 122-128. 	0.7 0.7 1.0 1.0	36 36 36 36
 191 192 193 194 195 196 	molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. Parasites and Vectors, 2011, 4, 56. Redescription of Cercopithifilaria bainae Almeida & amp; Vicente, 1984 (Spirurida, Onchocercidae) from a dog in Sardinia, Italy. Parasites and Vectors, 2013, 6, 132. Quantitative real time PCR assays for the detection of Leishmania (Viannia) braziliensis in animals and humans. Molecular and Cellular Probes, 2013, 27, 122-128. Mitochondrial Genome of the Eyeworm, Thelazia callipaeda (Nematoda: Spirurida), as the First Representative from the Family Thelaziidae. PLoS Neglected Tropical Diseases, 2013, 7, e2029.	0.7 0.7 1.0 1.0 0.9 1.3	36 36 36 36 36 36
191 192 193 194 195 196	molecular characterization. Medical and Veterinary Entomology, 2003, 17, 316-325. Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. Quantification of Leishmania infantum DNA in females, eggs and larvae of Rhipicephalus sanguineus. Parasites and Vectors, 2011, 4, 56. Redescription of Cercopithifilaria bainae Almeida & amp; Vicente, 1984 (Spirurida, Onchocercidae) from a dog in Sardinia, Italy. Parasites and Vectors, 2013, 6, 132. Quantitative real time PCR assays for the detection of Leishmania (Viannia) braziliensis in animals and humans. Molecular and Cellular Probes, 2013, 27, 122-128. Mitochondrial Genome of the Eyeworm, Thelazia callipaeda (Nematoda: Spirurida), as the First Representative from the Family Thelaziidae. PLoS Neglected Tropical Diseases, 2013, 7, e2029. Multilocus sequence typing (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed heterogeneity amongst <i>Sprusion (MLST) and M13 PCR fingerprinting revealed</i></i></i></i></i></i></i></i></i></i></i>	0.7 0.7 1.0 1.0 0.9 1.3 1.1	36 36 36 36 36 36 36

#	Article	IF	CITATIONS
199	Eyeworm infections in dogs and in a human patient in Serbia: A One Health approach is needed. Comparative Immunology, Microbiology and Infectious Diseases, 2016, 45, 20-22.	0.7	36
200	Gastropod-Borne Helminths: A Look at the Snail–Parasite Interplay. Trends in Parasitology, 2016, 32, 255-264.	1.5	36
201	Whence river blindness? The domestication of mammals and host-parasite co-evolution in the nematode genus Onchocerca. International Journal for Parasitology, 2017, 47, 457-470.	1.3	36
202	The role of drug efflux pumps in <i>Malassezia pachydermatis</i> and <i>Malassezia furfur</i> defence against azoles. Mycoses, 2017, 60, 178-182.	1.8	36
203	Role of reptiles and associated arthropods in the epidemiology of rickettsioses: A one health paradigm. PLoS Neglected Tropical Diseases, 2021, 15, e0009090.	1.3	36
204	Ocular Thelaziosis in Dogs, France. Emerging Infectious Diseases, 2010, 16, 1943-1945.	2.0	35
205	Species diversity of dermal microfilariae of the genus <i>Cercopithifilaria</i> infesting dogs in the Mediterranean region. Parasitology, 2013, 140, 99-108.	0.7	35
206	Ecology of phlebotomine sand flies and Leishmania infantum infection in a rural area of southern Italy. Acta Tropica, 2014, 137, 67-73.	0.9	35
207	Exposure to vector-borne pathogens in candidate blood donor and free-roaming dogs of northeast Italy. Parasites and Vectors, 2016, 9, 369.	1.0	35
208	Molecular Characterization of the First Internal Transcribed Spacer of Ribosomal DNA of the Most Common Species of Eyeworms (Thelazioidea: Thelazia). Journal of Parasitology, 2004, 90, 185-188.	0.3	34
209	First Report of Thelazia callipaeda (Spirurida, Thelaziidae) in Wolves in Italy. Journal of Wildlife Diseases, 2007, 43, 508-511.	0.3	34
210	Seasonal variation in the effect of climate on the biology of <i>Rhipicephalus sanguineus</i> in southern Europe. Parasitology, 2011, 138, 527-536.	0.7	34
211	Biofilm formation of Malassezia pachydermatis from dogs. Veterinary Microbiology, 2012, 160, 126-131.	0.8	34
212	A duplex real-time polymerase chain reaction assay for the detection of and differentiation between Dirofilaria immitis and Dirofilaria repens in dogs and mosquitoes. Veterinary Parasitology, 2012, 185, 181-185.	0.7	34
213	Comparative analyses of mitochondrial and nuclear genetic markers for the molecular identification of Rhipicephalus spp Infection, Genetics and Evolution, 2013, 20, 422-427.	1.0	34
214	Canine and ovine tick-borne pathogens in camels, Nigeria. Veterinary Parasitology, 2016, 228, 90-92.	0.7	34
215	Three cases of imported eyeworm infection in dogs: a new threat for the United Kingdom. Veterinary Record, 2017, 181, 346-346.	0.2	34
216	Ticks and associated pathogens in dogs from Greece. Parasites and Vectors, 2017, 10, 301.	1.0	34

#	Article	IF	CITATIONS
217	Parasites and vector-borne diseases disseminated by rehomed dogs. Parasites and Vectors, 2020, 13, 546.	1.0	34
218	Molecular detection of pathogens in ticks and fleas collected from companion dogs and cats in East and Southeast Asia. Parasites and Vectors, 2020, 13, 420.	1.0	34
219	Epidemiology of bovine tick-borne diseases in southern Italy. Veterinary Research, 2002, 33, 421-426.	1.1	34
220	Field efficacy of moxidectin 1 per cent against <i>Thelazia callipaeda</i> in naturally infected dogs. Veterinary Record, 2004, 154, 143-145.	0.2	33
221	Specific identification of Habronema microstoma and Habronema muscae (Spirurida, Habronematidae) by PCR using markers in ribosomal DNA. Molecular and Cellular Probes, 2004, 18, 215-221.	0.9	33
222	Molecular characterization of Malassezia isolates from dogs using three distinct genetic markers in nuclear DNA. Molecular and Cellular Probes, 2007, 21, 229-238.	0.9	33
223	Prevalence and genetic characterization of Giardia and Cryptosporidium in cats from Italy. Research in Veterinary Science, 2011, 91, 397-399.	0.9	33
224	Clinical Bovine Piroplasmosis Caused by Babesia occultans in Italy. Journal of Clinical Microbiology, 2013, 51, 2432-2434.	1.8	33
225	Redescription of Onchocerca lupi (Spirurida: Onchocercidae) with histopathological observations. Parasites and Vectors, 2013, 6, 309.	1.0	33
226	Drosophilidae feeding on animals and the inherent mystery of their parasitism. Parasites and Vectors, 2014, 7, 516.	1.0	33
227	Rapid Immunochromatographic Test for Serodiagnosis of Canine Leishmaniasis. Journal of Clinical Microbiology, 2004, 42, 2769-2770.	1.8	32
228	Risk for the introduction of exotic ticks and pathogens into Italy through the illegal importation of tortoises, Testudo graeca. Medical and Veterinary Entomology, 2010, 24, no-no.	0.7	32
229	Leishmania-FAST15: A rapid, sensitive and low-cost real-time PCR assay for the detection of Leishmania infantum and Leishmania braziliensis kinetoplast DNA in canine blood samples. Molecular and Cellular Probes, 2017, 31, 65-69.	0.9	32
230	Therapy and Antifungal Susceptibility Profile of Microsporum canis. Journal of Fungi (Basel,) Tj ETQq0 0 0 rgBT	Overlock 1	.0 Tf 50 222 T
231	Didelphis spp. opossums and their parasites in the Americas: A One Health perspective. Parasitology Research, 2021, 120, 4091-4111.	0.6	32
232	Molecular epidemiological survey on the vectors of Thelazia gulosa, Thelazia rhodesi and Thelazia skrjabini (Spirurida: Thelaziidae). Parasitology, 2003, 127, 365-373.	0.7	31
233	Cutaneous distribution and localization of Cercopithifilaria sp. microfilariae in dogs. Veterinary Parasitology, 2012, 190, 143-150.	0.7	31
234	Canine Infections with <i>Onchocerca lupi</i> Nematodes, United States, 2011–2014. Emerging Infectious Diseases, 2015, 21, 868-871.	2.0	31

#	Article	IF	CITATIONS
235	The southernmost foci of Dermacentor reticulatus in Italy and associated Babesia canis infection in dogs. Parasites and Vectors, 2016, 9, 213.	1.0	31
236	Parasitic diseases of equids in Iran (1931–2020): a literature review. Parasites and Vectors, 2020, 13, 586.	1.0	31
237	Hyperendemic Dirofilaria immitis infection in a sheltered dog population: an expanding threat in the Mediterranean region. International Journal for Parasitology, 2020, 50, 555-559.	1.3	31
238	Differentiation among three species of bovine Thelazia (Nematoda: Thelaziidae) by polymerase chain reaction–restriction fragment length polymorphism of the first internal transcribed spacer ITS-1 (rDNA). International Journal for Parasitology, 2001, 31, 1693-1698.	1.3	30
239	Incidences of Canine Leishmaniasis in an Endemic Area of Southern Italy. Zoonoses and Public Health, 2006, 53, 295-298.	1.4	30
240	Atypical clinical presentation of coinfection with <i>Ehrlichia</i> , <i>Babesia</i> and <i>Hepatozoon</i> species in a dog. Veterinary Record, 2009, 164, 22-23.	0.2	30
241	Distribution and species-specific occurrence of cyathostomins (Nematoda, Strongylida) in naturally infected horses from Italy, United Kingdom and Germany. Veterinary Parasitology, 2010, 168, 84-92.	0.7	30
242	Arthropods affecting the human eye. Veterinary Parasitology, 2015, 208, 84-93.	0.7	30
243	Laboratory evaluation of a native strain of Beauveria bassiana for controlling Dermanyssus gallinae (De Geer, 1778) (Acari: Dermanyssidae). Veterinary Parasitology, 2015, 212, 478-482.	0.7	30
244	Genetic characterization of Rhipicephalus sanguineus (sensu lato) ticks from dogs in Portugal. Parasites and Vectors, 2017, 10, 133.	1.0	30
245	Molecular detection of vector-borne pathogens in dogs and cats from Qatar. Parasites and Vectors, 2017, 10, 298.	1.0	30
246	High mitochondrial sequence divergence in synanthropic flea species (Insecta: Siphonaptera) from Europe and the Mediterranean. Parasites and Vectors, 2018, 11, 221.	1.0	30
247	Seroprevalence and associated risk factors for vector-borne pathogens in dogs from Egypt. Parasites and Vectors, 2021, 14, 175.	1.0	30
248	Keds, the enigmatic flies and their role as vectors of pathogens. Acta Tropica, 2020, 209, 105521.	0.9	30
249	Molecular diagnosis of equid summer sores. Veterinary Parasitology, 2007, 150, 116-121.	0.7	29
250	Traumatic myiasis by Wohlfahrtia magnifica in Italy. Veterinary Parasitology, 2011, 175, 109-112.	0.7	29
251	Filarioids infecting dogs in northeastern Brazil. Veterinary Parasitology, 2016, 226, 26-29.	0.7	29
252	Spreading of <i>Thelazia callipaeda</i> in Greece. Transboundary and Emerging Diseases, 2018, 65, 248-252.	1.3	29

#	Article	IF	CITATIONS
253	Predicting the distribution of Phortica variegata and potential for Thelazia callipaeda transmission in Europe and the United Kingdom. Parasites and Vectors, 2018, 11, 272.	1.0	29
254	Genotyping of Cryptosporidium Isolates from Chamelea gallina Clams in Italy. Applied and Environmental Microbiology, 2004, 70, 4367-4370.	1.4	28
255	Lymphocutaneous and nasal sporotrichosis in a dog from Southern Italy: Case Report. Mycopathologia, 2007, 163, 75-79.	1.3	28
256	Cytokine expression in dogs with natural <i>Leishmania infantum</i> infection. Parasitology, 2009, 136, 823-831.	0.7	28
257	Clinical and laboratory monitoring of dogs naturally infected by Leishmania infantum. Veterinary Journal, 2010, 186, 370-373.	0.6	28
258	Epidemiology and risk factors for dermatophytoses in rabbit farms. Medical Mycology, 2010, 48, 975-980.	0.3	28
259	Genotyping of Toxoplasma gondii isolates in meningo-encephalitis affected striped dolphins (Stenella) Tj ETQq1 1	0.78431 0.7	4 rgBT /Over
260	Microfilarial periodicity of Dirofilaria repens in naturally infested dogs. Parasitology Research, 2013, 112, 4273-4279.	0.6	28
261	Feline lungworm Oslerus rostratus (Strongylida: Filaridae) in Italy: first case report and histopathological findings. Parasitology Research, 2014, 113, 3853-3857.	0.6	28
262	Transmission of the eyeworm Thelazia callipaeda: between fantasy and reality. Parasites and Vectors, 2015, 8, 273.	1.0	28
263	Course of experimental infection of canine leishmaniosis: Follow-up and utility of noninvasive diagnostic techniques. Veterinary Parasitology, 2015, 207, 149-155.	0.7	28
264	Development of Crenosoma vulpis in the common garden snail Cornu aspersum: implications for epidemiological studies. Parasites and Vectors, 2016, 9, 208.	1.0	28
265	Detection of Leishmania infantum DNA in phlebotomine sand flies from an area where canine leishmaniosis is endemic in southern Italy. Veterinary Parasitology, 2018, 253, 39-42.	0.7	28
266	Reptile vector-borne diseases of zoonotic concern. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 132-142.	0.6	28
267	Risk factors for canine neosporosis in farm and kennel dogs in southern Italy. Veterinary Parasitology, 2007, 145, 240-244.	0.7	27
268	Genetic variability and phospholipase production of <i>Malassezia pachydermatis</i> isolated from dogs with diverse grades of skin lesions. Medical Mycology, 2010, 48, 889-892.	0.3	27
269	Intestinal parasite infections in immigrant children in the city of Rome, related risk factors and possible impact on nutritional status. Parasites and Vectors, 2012, 5, 265.	1.0	27
270	First report of Thelazia callipaeda infection in wild European rabbits (Oryctolagus cuniculus) in Portugal. Parasites and Vectors, 2016, 9, 236.	1.0	27

#	Article	IF	CITATIONS
271	Exposure to vector-borne pathogens in privately owned dogs living in different socioeconomic settings in Brazil. Veterinary Parasitology, 2017, 243, 18-23.	0.7	27
272	Vector-borne pathogens in dogs of different regions of Iran and Pakistan. Parasitology Research, 2021, 120, 4219-4228.	0.6	27
273	Oestrid flies: eradication and extinction versus biodiversity. Trends in Parasitology, 2009, 25, 500-504.	1.5	26
274	The mitochondrial genome of the common cattle grub, Hypoderma lineatum. Medical and Veterinary Entomology, 2010, 24, no-no.	0.7	26
275	Towards a rapid molecular identification of the common phlebotomine sand flies in the Mediterranean region. Veterinary Parasitology, 2012, 184, 267-270.	0.7	26
276	Tick vectors of Cercopithifilaria bainae in dogs: Rhipicephalus sanguineus sensu lato versus Ixodes ricinus. Parasitology Research, 2013, 112, 3013-3017.	0.6	26
277	Development of <i>Acanthocheilonema reconditum</i> (Spirurida, Onchocercidae) in the cat flea <i>Ctenocephalides felis</i> (Siphonaptera, Pulicidae). Parasitology, 2014, 141, 1718-1725.	0.7	26
278	Pathological and histological findings associated with the feline lungworm Troglostrongylus brevior. Veterinary Parasitology, 2014, 204, 416-419.	0.7	26
279	<i>Onchocerca lupi</i> Nematode in Cat, Portugal. Emerging Infectious Diseases, 2015, 21, 2252-2254.	2.0	26
280	Diagnostic challenges and the unwritten stories of dog and cat parasites. Veterinary Parasitology, 2015, 212, 54-61.	0.7	26
281	Simultaneous infection by four feline lungworm species and implications for the diagnosis. Parasitology Research, 2015, 114, 317-321.	0.6	26
282	Biological compatibility between two temperate lineages of brown dog ticks, Rhipicephalus sanguineus (sensu lato). Parasites and Vectors, 2018, 11, 398.	1.0	26
283	Canine vector-borne pathogens from dogs and ticks from Tamil Nadu, India. Acta Tropica, 2020, 203, 105308.	0.9	26
284	Molecular detection of <i>Leishmania (Sauroleishmania) tarentolae</i> in human blood and <i>Leishmania (Leishmania) infantum</i> in <i>Sergentomyia minuta</i> : unexpected hostâ€parasite contacts. Medical and Veterinary Entomology, 2020, 34, 470-475.	0.7	26
285	Leishmania tarentolae and Leishmania infantum in humans, dogs and cats in the Pelagie archipelago, southern Italy. PLoS Neglected Tropical Diseases, 2021, 15, e0009817.	1.3	26
286	Further evidence on the internal life cycle of Przhevalskiana silenus (Diptera, Oestridae). Veterinary Parasitology, 2000, 88, 321-328.	0.7	25
287	A THIRD SPECIES OF HYPODERMA (DIPTERA: OESTRIDAE) AFFECTING CATTLE AND YAKS IN CHINA: MOLECULAR AND MORPHOLOGICAL EVIDENCE. Journal of Parasitology, 2004, 90, 958-965.	0.3	25
288	Molecular cross-sectional survey of gastric habronemosis in horses. Veterinary Parasitology, 2006, 141, 285-290.	0.7	25

#	Article	IF	CITATIONS
289	Cryptosporidium parvum infection in a mare and her foal with foal heat diarrhoea. Veterinary Parasitology, 2011, 182, 333-336.	0.7	25
290	Giardia duodenalis sub-Assemblage of animal and human origin in horses. Infection, Genetics and Evolution, 2012, 12, 1642-1646.	1.0	25
291	Hepatozoon canis infection in ticks during spring and summer in Italy. Parasitology Research, 2012, 110, 695-698.	0.6	25
292	Feline thelaziosis caused by Thelazia callipaeda in Portugal. Veterinary Parasitology, 2013, 196, 528-531.	0.7	25
293	Chronic polyarthritis associated to Cercopithifilaria bainae infection in a dog. Veterinary Parasitology, 2014, 205, 401-404.	0.7	25
294	Evaluation of blood and bone marrow in selected canine vector-borne diseases. Parasites and Vectors, 2014, 7, 534.	1.0	25
295	Native strains of Beauveria bassiana for the control of Rhipicephalus sanguineus sensu lato. Parasites and Vectors, 2015, 8, 80.	1.0	25
296	First detection of Onchocerca lupi infection in dogs in southern Spain. Parasites and Vectors, 2016, 9, 290.	1.0	25
297	Angiostrongylus chabaudi (Biocca, 1957) in wildcat (Felis silvestris silvestris, S) from Romania. Parasitology Research, 2016, 115, 2511-2517.	0.6	25
298	Angiostrongylus chabaudi in felids: New findings and a review of the literature. Veterinary Parasitology, 2016, 228, 188-192.	0.7	25
299	Spotted fever group rickettsiae in <i>Dermacentor marginatus</i> from wild boars in Italy. Transboundary and Emerging Diseases, 2021, 68, 2111-2120.	1.3	25
300	Mites and ticks of reptiles and amphibians in Brazil. Acta Tropica, 2020, 208, 105515.	0.9	25
301	TroCCAP recommendations for the diagnosis, prevention and treatment of parasitic infections in dogs and cats in the tropics. Veterinary Parasitology, 2020, 283, 109167.	0.7	25
302	<i>Dirofilaria immitis</i> infection in the Pelagie archipelago: The southernmost hyperendemic focus in Europe. Transboundary and Emerging Diseases, 2022, 69, 1274-1280.	1.3	25
303	Wolbachia: endosymbiont of onchocercid nematodes and their vectors. Parasites and Vectors, 2021, 14, 245.	1.0	25
304	The pathogenesis of Malassezia yeasts. Parassitologia, 2008, 50, 65-7.	0.5	25
305	Canine leishmaniasis in Southern Italy: a role for nitric oxide released from activated macrophages in asymptomatic infection?. Parasites and Vectors, 2008, 1, 10.	1.0	24
306	Molecular characterization of selected dermatophytes and their identification by electrophoretic mutation scanning. Electrophoresis, 2009, 30, 3555-3564.	1.3	24

#	Article	IF	CITATIONS
307	Faecal Cyathostomin Egg Count distribution and efficacy of anthelmintics against cyathostomins in Italy: a matter of geography?. Parasites and Vectors, 2009, 2, S4.	1.0	24
308	Human Intraocular Filariasis Caused by <i>Pelecitus</i> sp. Nematode, Brazil. Emerging Infectious Diseases, 2011, 17, 867-869.	2.0	24
309	Image diagnosis of zoonotic onchocercosis by Onchocerca lupi. Veterinary Parasitology, 2014, 203, 91-95.	0.7	24
310	Environmental contamination by Aspergillus spp. in laying hen farms and associated health risks for farm workers. Journal of Medical Microbiology, 2014, 63, 464-470.	0.7	24
311	Angiostrongylus vasorum in the eye: new case reports and a review of the literature. Parasites and Vectors, 2016, 9, 161.	1.0	24
312	Comparison of Diagnostic Tools for the Detection of Dirofilaria immitis Infection in Dogs. Pathogens, 2020, 9, 499.	1.2	24
313	A molecular survey of vector-borne pathogens and haemoplasmas in owned cats across Italy. Parasites and Vectors, 2020, 13, 116.	1.0	24
314	Differentiation by polymerase chain reaction — restriction fragment length polymorphism of some Oestridae larvae causing myiasis. Veterinary Parasitology, 2000, 90, 305-313.	0.7	23
315	Occurrence of Rickettsia felis in dog and cat fleas (Ctenocephalides felis) from Italy. Parasites and Vectors, 2009, 2, S8.	1.0	23
316	Rhipicephalus sanguineus on dogs: relationships between attachment sites and tick developmental stages. Experimental and Applied Acarology, 2011, 53, 389-397.	0.7	23
317	Physiological and molecular characterization of atypical lipid-dependent <i>Malassezia</i> yeasts from a dog with skin lesions: adaptation to a new host?. Medical Mycology, 2011, 49, 365-374.	0.3	23
318	Autochthonous and migratory birds as a dispersion source for Ixodes ricinus in southern Italy. Experimental and Applied Acarology, 2012, 58, 167-174.	0.7	23
319	Tracking the Vector of <i>Onchocerca lupi</i> in a Rural Area of Greece. Emerging Infectious Diseases, 2012, 18, 1196-1200.	2.0	23
320	Enzymatic activity of <i>Microsporum canis</i> and <i>Trichophyton mentagrophytes</i> from breeding rabbits with and without skin lesions. Mycoses, 2012, 55, 45-49.	1.8	23
321	Canine ocular thelaziosis caused by <i>Thelazia callipaeda</i> in Portugal. Veterinary Ophthalmology, 2013, 16, 312-315.	0.6	23
322	Spirocerca lupi infection in a dog from southern Italy: an "old fashioned―disease?. Parasitology Research, 2014, 113, 2391-2394.	0.6	23
323	Vertical transmission of Anaplasma platys and Leishmania infantum in dogs during the first half of gestation. Parasites and Vectors, 2016, 9, 269.	1.0	23
324	Species Distribution and <i>In Vitro</i> Azole Susceptibility of Aspergillus Section <i>Nigri</i> Isolates from Clinical and Environmental Settings. Journal of Clinical Microbiology, 2016, 54, 2365-2372.	1.8	23

#	Article	IF	CITATIONS
325	Survey on parasitic infections in wildcat (Felis silvestris silvestris Schreber, 1777) by scat collection. Parasitology Research, 2016, 115, 255-261.	0.6	23
326	Zoonotic Leishmaniasis, Bosnia and Herzegovina. Emerging Infectious Diseases, 2019, 25, 385-386.	2.0	23
327	Detection of Leishmania tarentolae in lizards, sand flies and dogs in southern Italy, where Leishmania infantum is endemic: hindrances and opportunities. Parasites and Vectors, 2021, 14, 461.	1.0	23
328	Occurrence of <i>Thelazia lacrymalis</i> (Nematoda, Spirurida, Thelaziidae) in native horses in Abruzzo region (Central eastern Italy). Parasite, 2000, 7, 51-53.	0.8	22
329	Report in Europe of nasal myiasis by Rhinoestrus spp. in horses and donkeys: seasonal patterns and taxonomical considerations. Veterinary Parasitology, 2004, 122, 79-88.	0.7	22
330	Cattle grub infestation by Hypoderma sp. in Albania and risks for European countries. Veterinary Parasitology, 2005, 128, 157-162.	0.7	22
331	Morphological variability and genetic identity in Rhinoestrus spp. causing horse nasal myiasis. Medical and Veterinary Entomology, 2005, 19, 96-100.	0.7	22
332	Utility of Mitochondrial and Ribosomal Genes for Differentiation and Phylogenesis of Species of Gastrointestinal Bot Flies. Journal of Economic Entomology, 2005, 98, 2235-2245.	0.8	22
333	Identification of the intermediate hosts of <i>Habronema microstoma </i> and <i>Habronema muscae </i> under field conditions. Medical and Veterinary Entomology, 2008, 22, 283-287.	0.7	22
334	Species-specific identification of equine cyathostomes resistant to fenbendazole and susceptible to oxibendazole and moxidectin by macroarray probing. Experimental Parasitology, 2009, 121, 92-95.	0.5	22
335	Multilocus molecular and phylogenetic analysis of phlebotomine sand flies (Diptera: Psychodidae) from southern Italy. Acta Tropica, 2011, 119, 91-98.	0.9	22
336	Apparent tick paralysis by Rhipicephalus sanguineus (Acari: Ixodidae) in dogs. Veterinary Parasitology, 2012, 188, 325-329.	0.7	22
337	FIRST REPORT OF <i>THELAZIA CALLIPAEDA</i> IN RED FOXES (<i>VULPES VULPES</i>) FROM PORTUGAL. Journal of Zoo and Wildlife Medicine, 2014, 45, 458-460.	0.3	22
338	Occurrence of Ixodiphagus hookeri (Hymenoptera: Encyrtidae) in Ixodes ricinus (Acari: Ixodidae) in Southern Italy. Ticks and Tick-borne Diseases, 2015, 6, 234-236.	1.1	22
339	Efficacy of moxidectin 2.5% and imidacloprid 10% in the treatment of ocular thelaziosis by Thelazia callipaeda in naturally infected dogs. Veterinary Parasitology, 2016, 227, 118-121.	0.7	22
340	Detection of Thelazia callipaeda in Phortica variegata and spread of canine thelaziosis to new areas in Spain. Parasites and Vectors, 2018, 11, 195.	1.0	22
341	Phylogenetic analysis of Spirocerca lupi and Spirocerca vulpis reveal high genetic diversity and intra-individual variation. Parasites and Vectors, 2018, 11, 639.	1.0	22
342	Yeasts isolated from cloacal swabs, feces, and eggs of laying hens. Medical Mycology, 2019, 57, 340-345.	0.3	22

#	Article	IF	CITATIONS
343	Molecular survey on tick-borne pathogens and Leishmania infantum in red foxes (Vulpes vulpes) from southern Italy. Ticks and Tick-borne Diseases, 2021, 12, 101669.	1.1	22
344	Otodectes cynotis (Acari: Psoroptidae): examination of survival off-the-host under natural and laboratory conditions. Experimental and Applied Acarology, 2004, 32, 171-180.	0.7	21
345	Comparative scanning electron microscopy of <i>Gasterophilus </i> third instars. Medical and Veterinary Entomology, 2007, 21, 255-264.	0.7	21
346	Copromicroscopic and molecular assays for the detection of cancer-causing parasitic nematode Spirocerca lupi. Veterinary Parasitology, 2008, 157, 108-116.	0.7	21
347	Molecular characterization and phylogenesis of Steganinae (Diptera, Drosophilidae) inferred by the mitochondrial cytochrome c oxidase subunit 1. Medical and Veterinary Entomology, 2008, 22, 37-47.	0.7	21
348	Expression of the μ-opioid receptor on <i>Malassezia pachydermatis</i> and its effect in modulating phospholipase production. Medical Mycology, 2010, 48, 73-78.	0.3	21
349	Ticks infesting the endangered Italian hare (Lepus corsicanus) and their habitat in an ecological park in southern Italy. Experimental and Applied Acarology, 2011, 53, 95-102.	0.7	21
350	Treatment of Dirofilaria repens microfilariaemia with a combination of doxycycline hyclate and ivermectin. Veterinary Parasitology, 2013, 197, 702-704.	0.7	21
351	Anaplasma platys in Bone Marrow Megakaryocytes of Young Dogs. Journal of Clinical Microbiology, 2014, 52, 2231-2234.	1.8	21
352	First report of a naturally patent infection of Angiostrongylus costaricensis in a dog. Veterinary Parasitology, 2015, 212, 431-434.	0.7	21
353	Efficacy of Origanum syriacum Essential Oil against the Mosquito Vector Culex quinquefasciatus and the Gastrointestinal Parasite Anisakis simplex, with Insights on Acetylcholinesterase Inhibition. Molecules, 2019, 24, 2563.	1.7	21
354	High prevalence of vector-borne pathogens in domestic and wild carnivores in Iraq. Acta Tropica, 2019, 197, 105058.	0.9	21
355	Recombinant K39 Dipstick Immunochromatographic Test: A New Tool for the Serodiagnosis of Canine Leishmaniasis. Journal of Veterinary Diagnostic Investigation, 2005, 17, 32-37.	0.5	20
356	Ocular thelaziosis due to <i>Thelazia callipaeda</i> in a cat from northeastern Portugal. Journal of Feline Medicine and Surgery, 2012, 14, 952-954.	0.6	20
357	The enigma of the dog mummy from Ancient Egypt and the origin of â€ ⁻ Rhipicephalus sanguineus'. Parasites and Vectors, 2014, 7, 2.	1.0	20
358	Molecular identity and prevalence of Cryptococcus spp. nasal carriage in asymptomatic feral cats in Italy. Medical Mycology, 2014, 52, 667-673.	0.3	20
359	First report of Cercopithifilaria spp. in dogs from Eastern Europe with an overview of their geographic distribution in Europe. Parasitology Research, 2014, 113, 2761-2764.	0.6	20
360	Strongyloides stercoralis hyperinfection in an immunosuppressed dog from France. Revue Veterinaire Clinique, 2016, 51, 55-59.	0.1	20

#	Article	IF	CITATIONS
361	Zoonotic ocular onchocercosis caused by Onchocerca lupi in dogs in Romania. Parasitology Research, 2016, 115, 859-862.	0.6	20
362	Dirofilaria immitis in pinnipeds and aÂnew host record. Parasites and Vectors, 2017, 10, 142.	1.0	20
363	A real-time PCR tool for the surveillance of zoonotic Onchocerca lupi in dogs, cats and potential vectors. PLoS Neglected Tropical Diseases, 2018, 12, e0006402.	1.3	20
364	Leishmania infantum in wild animals in endemic areas of southern Italy. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 67, 101374.	0.7	20
365	Vaccination against canine leishmaniasis in Brazil. International Journal for Parasitology, 2020, 50, 171-176.	1.3	20
366	Prevalence and incidence of vector-borne pathogens in unprotected dogs in two Brazilian regions. Parasites and Vectors, 2020, 13, 195.	1.0	20
367	Beyond taxonomy: species complexes in New World phlebotomine sand flies. Medical and Veterinary Entomology, 2021, 35, 267-283.	0.7	20
368	Zoonotic <i>Bartonella</i> species in Eurasian wolves and other freeâ€ranging wild mammals from Italy. Zoonoses and Public Health, 2021, 68, 316-326.	0.9	20
369	Serodiagnosis of goat warble fly infestation by Przhevalskiana silenus with a commercial ELISA kit. Veterinary Record, 1999, 144, 726-729.	0.2	19
370	Molecular differentiation of Hypoderma bovis and Hypoderma lineatum (Diptera, Oestridae) by polymerase chain reaction-restriction fragment length polymorphism (PCR-RFLP). Veterinary Parasitology, 2003, 112, 197-201.	0.7	19
371	Musca domestica is not a vector of Thelazia callipaeda in experimental or natural conditions. Medical and Veterinary Entomology, 2005, 19, 135-139.	0.7	19
372	Human and livestock migrations: a history of bot fly biodiversity in the Mediterranean region. Trends in Parasitology, 2006, 22, 209-213.	1.5	19
373	Experimental and field investigations on the role of birds as hosts of Leishmania infantum, with emphasis on the domestic chicken. Acta Tropica, 2010, 113, 80-83.	0.9	19
374	A preliminary investigation of serological tools for the detection of Onchocerca lupi infection in dogs. Parasitology Research, 2014, 113, 1989-1991.	0.6	19
375	In vitro activity of two amphotericin B formulations against Malassezia furfur strains recovered from patients with bloodstream infections. Medical Mycology, 2015, 53, 269-274.	0.3	19
376	Evaluation of the in vitro expression of ATP binding-cassette (ABC) proteins in an Ixodes ricinus cell line exposed to ivermectin. Parasites and Vectors, 2016, 9, 215.	1.0	19
377	Blood culture procedures and diagnosis of Malassezia furfur bloodstream infections: Strength and weakness. Medical Mycology, 2018, 56, 828-833.	0.3	19
378	Occurrence, diagnosis and follow-up of canine strongyloidiosis in naturally infected shelter dogs. Parasitology, 2019, 146, 246-252.	0.7	19

#	Article	IF	CITATIONS
379	Paternal leakage and mtDNA heteroplasmy in Rhipicephalus spp. ticks. Scientific Reports, 2019, 9, 1460.	1.6	19
380	Efficacy of ivermectin to control Strongyloides stercoralis infection in sheltered dogs. Acta Tropica, 2019, 190, 204-209.	0.9	19
381	Role of β-endorphin on phospholipase production inMalassezia pachydermatisin dogs: new insights into the pathogenesis of this yeast. Medical Mycology, 2007, 45, 11-15.	0.3	18
382	Multilocus mutation scanning for the analysis of genetic variation withinMalassezia (Basidiomycota:) Tj ETQq0	0 0 rgBT /0 1.3	Overlock 10 Tf
383	Fleas and ticks as vectors of Leishmania spp. to dogs: Caution is needed. Veterinary Parasitology, 2010, 168, 173-174.	0.7	18
384	First Diagnosis of an Imported Human Myiasis Caused by <i>Hypoderma sinense</i> (Diptera: Oestridae), Detected in a European Traveler Returning From India. Journal of Travel Medicine, 2010, 17, 419-423.	1.4	18
385	Cold-stress response of engorged females of Rhipicephalus sanguineus. Experimental and Applied Acarology, 2011, 54, 313-318.	0.7	18
386	First Report of Thelazia callipaeda in Wildlife from Spain. Journal of Wildlife Diseases, 2013, 49, 458-460.	0.3	18
387	Tick exposure and risk of tickâ€borne pathogens infection in hunters and hunting dogs: a citizen science approach. Transboundary and Emerging Diseases, 2022, 69, .	1.3	18
388	Zoonotic Dirofilaria immitis and Dirofilaria repens infection in humans and an integrative approach to the diagnosis. Acta Tropica, 2021, 223, 106083.	0.9	18
389	Essential oils and Beauveria bassiana against Dermanyssus gallinae (Acari: Dermanyssidae): Towards new natural acaricides. Veterinary Parasitology, 2016, 229, 159-165.	0.7	18
390	A new approach for the diagnosis of myiasis of animals: The example of horse nasal myiasis. Veterinary Parasitology, 2006, 141, 186-190.	0.7	17
391	A case of furuncular myiasis associated with systemic inflammation. Parasitology International, 2007, 56, 330-333.	0.6	17
392	Diversity of Cercopithifilaria species in dogs from Portugal. Parasites and Vectors, 2014, 7, 261.	1.0	17
393	Failure of imidocarb dipropionate and toltrazuril/emodepside plus clindamycin in treating Hepatozoon canis infection. Veterinary Parasitology, 2014, 200, 242-245.	0.7	17
394	Larval development of <i>Angiostrongylus chabaudi</i> , the causative agent of feline angiostrongylosis, in the snail <i>Cornu aspersum</i> . Parasitology, 2017, 144, 1922-1930.	0.7	17
395	International dog travelling and risk for zoonotic <i>Onchocerca lupi</i> . Transboundary and Emerging Diseases, 2018, 65, 1107-1109.	1.3	17
396	Treatment and long-term follow-up of a cat with leishmaniosis. Parasites and Vectors, 2019, 12, 121.	1.0	17

#	Article	IF	CITATIONS
397	Molecular detection of vector-borne agents in ectoparasites and reptiles from Brazil. Ticks and Tick-borne Diseases, 2021, 12, 101585.	1.1	17
398	Alternative pathways in <i>Angiostrongylus cantonensis</i> (Metastrongyloidea: Angiostrongylidae) transmission. Parasitology, 2021, 148, 167-173.	0.7	17
399	Assessment of cattle grub (Hypoderma spp.) prevalence in northeastern Italy: an immunoepidemiological survey on bulk milk samples using ELISA. Veterinary Parasitology, 2003, 111, 343-350.	0.7	16
400	In vitro Acaricidal Activity of Four Monoterpenes and Solvents Against Otodectes Cynotis (Acari:) Tj ETQq0 0 0 i	gBT /Over 0.7	lock 10 Tf 50
401	Ocular dirofilariosis by <i>Dirofilaria immitis</i> in a dog: first case report from Europe. Journal of Small Animal Practice, 2009, 50, 667-669.	0.5	16
402	Effects of prolonged exposure to low temperature on eggs of the brown dog tick, Rhipicephalus sanguineus (Latreille, 1806) (Acari: Ixodidae). Veterinary Parasitology, 2010, 171, 327-330.	0.7	16
403	Occurrence of Hepatozoon canis and Cercopithifilaria bainae in an off-host population of Rhipicephalus sanguineus sensu lato ticks. Ticks and Tick-borne Diseases, 2014, 5, 311-314.	1.1	16
404	Potential role of <scp>ATP</scp> â€binding cassette transporters against acaricides in the brown dog tick <i><scp>R</scp>hipicephalus sanguineus sensu lato</i> . Medical and Veterinary Entomology, 2015, 29, 88-93.	0.7	16
405	Molecular survey of Ehrlichia canis and Coxiella burnetii infections in wild mammals of southern Italy. Parasitology Research, 2016, 115, 4427-4431.	0.6	16
406	Season-long control of flea and tick infestations in a population of cats in the Aeolian archipelago using a collar containing 10% imidacloprid and 4.5% flumethrin. Veterinary Parasitology, 2017, 248, 80-83.	0.7	16
407	Species delimitation based on mtDNA genes suggests the occurrence of new species of Mesocestoides in the Mediterranean region. Parasites and Vectors, 2018, 11, 619.	1.0	16
408	Genetic diversity and phylogenetic relationships between <i>Leishmania infantum</i> from dogs, humans and wildlife in southâ€east Spain. Zoonoses and Public Health, 2019, 66, 961-973.	0.9	16
409	Ticks and associated pathogens from dogs in northern Vietnam. Parasitology Research, 2019, 118, 139-142.	0.6	16
410	Temperature is a common climatic descriptor of lachryphagous activity period in Phortica variegata (Diptera: Drosophilidae) from multiple geographical locations. Parasites and Vectors, 2020, 13, 89.	1.0	16
411	Conventional therapy and new antifungal drugs against <i>Malassezia</i> infections. Medical Mycology, 2021, 59, 215-234.	0.3	16
412	Evaluation of oxfendazole in the treatment of zoonotic Onchocerca lupi infection in dogs. PLoS Neglected Tropical Diseases, 2018, 12, e0006218.	1.3	16
413	<i>Leishmania</i> spp. in Squamata reptiles from the Mediterranean basin. Transboundary and Emerging Diseases, 2022, 69, 2856-2866.	1.3	16
414	Screening of commercial milk samples using ELISA for immuno-epidemiological evidence of infection by the cattle grub (Diptera: Oestridae). Veterinary Parasitology, 2001, 99, 241-248.	0.7	15

#	Article	IF	CITATIONS
415	Haplotypic variability within the mitochondrial gene encoding for the cytochrome c oxidase 1 (cox1) of Cylicocyclus nassatus (Nematoda, Strongylida): Evidence for an affiliation between parasitic populations and domestic and wild equid hosts. Veterinary Parasitology, 2008, 156, 241-247.	0.7	15
416	Occurrence and genetic variability of Phlebotomus papatasi in an urban area of southern Italy. Parasites and Vectors, 2010, 3, 77.	1.0	15
417	Cercopithifilaria spp. in dogs in Sardinia Island (Italy). Parasitology Research, 2014, 113, 675-679.	0.6	15
418	Aberrant laryngeal location of Onchocerca lupi in a dog. Parasitology International, 2016, 65, 218-220.	0.6	15
419	The eyeworm Thelazia callipaeda in Portugal: Current status of infection in pets and wild mammals and case report in a beech marten (Martes foina). Veterinary Parasitology, 2018, 252, 163-166.	0.7	15
420	Ehrlichia spp. infection in rural dogs from remote indigenous villages in north-eastern Brazil. Parasites and Vectors, 2018, 11, 139.	1.0	15
421	Incidence of Cercopithifilaria bainae in Dogs and Probability of Co-Infection with Other Tick-Borne Pathogens. PLoS ONE, 2014, 9, e88198.	1.1	15
422	Geotrichum candidum as etiological agent of horse dermatomycosis. Veterinary Microbiology, 2011, 148, 368-371.	0.8	14
423	An assessment of genetic variability in the mitochondrial cytochrome c oxidase subunit 1 gene of Cercopithifilaria sp. (Spirurida, Onchocercidae) from dog and Rhipicephalus sanguineus populations. Molecular and Cellular Probes, 2012, 26, 81-89.	0.9	14
424	In vitro and in vivo activity of a killer peptide against Malassezia pachydermatis causing otitis in dogs. Medical Mycology, 2014, 52, 350-355.	0.3	14
425	Detection of Dirofilaria repens microfilariae in a dog from Portugal. Parasitology Research, 2016, 115, 441-443.	0.6	14
426	Level of agreement between two commercially available rapid serological tests and the official screening test used to detect Leishmania seropositive dogs in Brazil. Veterinary Journal, 2018, 234, 102-104.	0.6	14
427	Troglostrongylus brevior: a feline lungworm of paediatric concern. Veterinary Parasitology, 2018, 253, 8-11.	0.7	14
428	A formulation of neem and hypericum oily extract for the treatment of the wound myiasis by Wohlfahrtia magnifica in domestic animals. Parasitology Research, 2019, 118, 2361-2367.	0.6	14
429	Legal versus Illegal Wildlife Trade: Zoonotic Disease Risks. Trends in Parasitology, 2021, 37, 360-361.	1.5	14
430	High Prevalence of Bartonella sp. in Dogs from Hamadan, Iran. American Journal of Tropical Medicine and Hygiene, 2019, 101, 749-752.	0.6	14
431	Wild carnivores and Thelazia callipaeda zoonotic eyeworms: A focus on wolves. International Journal for Parasitology: Parasites and Wildlife, 2022, 17, 239-243.	0.6	14
432	Assessing the relationship between Malassezia and leishmaniasis in dogs with or without skin lesions. Acta Tropica, 2008, 107, 25-29.	0.9	13

#	Article	IF	CITATIONS
433	Efficacy of Amitraz plus Metaflumizone for the treatment of canine demodicosis associated with Malassezia pachydermatis. Parasites and Vectors, 2009, 2, 13.	1.0	13

Survival of first-stage larvae of the cat lungworm Troglostrongylus brevior (Strongylida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50.702 Td (C

435	Reindeer Warble Fly–associated Human Myiasis, Scandinavia. Emerging Infectious Diseases, 2013, 19, 830-832.	2.0	13
436	<i>Cryptococcus neoformans</i> in the respiratory tract of squirrels, <i>Callosciurus finlaysonii</i> (Rodentia, Sciuridae). Medical Mycology, 2015, 53, 666-673.	0.3	13
437	Synergistic Effects of Efflux Pump Modulators on the Azole Antifungal Susceptibility of Microsporum canis. Mycopathologia, 2020, 185, 279-288.	1.3	13
438	A duplex real-time PCR assay for the detection and differentiation of Leishmania infantum and Leishmania tarentolae in vectors and potential reservoir hosts. Entomologia Generalis, 2021, 41, 543-551.	1.1	13
439	Seasonal variation in canine anti-Leishmania infantum antibody titres. Veterinary Journal, 2021, 271, 105638.	0.6	13
440	Zoonotic <i>Thelazia callipaeda</i> eyeworm in brown bears (<i>Ursus arctos</i>): A new host record in Europe. Transboundary and Emerging Diseases, 2022, 69, 235-239.	1.3	13
441	Development of a control strategy towards elimination of Trypanosoma evansi infection (surra) in camels in Africa. Acta Tropica, 2022, 234, 106583.	0.9	13
442	Phylogenetic relationships of Habronema microstoma and Habronema muscae (Spirurida:) Tj ETQq0 0 0 rgBT /Ov subunit 1 (cox1) gene analysis. Parasitology Research, 2009, 104, 979-984.	erlock 10 0.6	D Tf 50 387 T 12
443	Starvation and overwinter do not affect the reproductive fitness of Rhipicephalus sanguineus. Veterinary Parasitology, 2012, 185, 260-264.	0.7	12
444	The cockroach Periplaneta americana as a potential paratenic host of the lungworm Aelurostrongylus abstrusus. Experimental Parasitology, 2017, 182, 54-57.	0.5	12
445	Exposure to amitraz, fipronil and permethrin affects cell viability and ABC transporter gene expression in an Ixodes ricinus cell line. Parasites and Vectors, 2018, 11, 437.	1.0	12
446	Serological survey and risk factors of Aelurostrongylus abstrusus infection among owned cats in Italy. Parasitology Research, 2019, 118, 2377-2382.	0.6	12
447	Effectiveness of a 10% imidacloprid/4.5% flumethrin polymer matrix collar in reducing the risk of Bartonella spp. infection in privately owned cats. Parasites and Vectors, 2019, 12, 69.	1.0	12
448	Fast multiplex real-time PCR assay for simultaneous detection of dog and human blood and Leishmania parasites in sand flies. Parasites and Vectors, 2020, 13, 131.	1.0	12
449	Incidence of <i>Dirofilaria immitis</i> and <i>Leishmania infantum</i> infections in sheltered dogs from Southern Italy. Transboundary and Emerging Diseases, 2022, 69, 891-894.	1.3	12
450	Molecular Survey of Vector-Borne Pathogens of Dogs and Cats in Two Regions of Saudi Arabia. Pathogens, 2021, 10, 25.	1.2	12

#	Article	IF	CITATIONS
451	Occurrence and bacterial loads of <i>Bartonella</i> and haemotropic <i>Mycoplasma</i> species in privately owned cats and dogs and their fleas from East and Southeast Asia. Zoonoses and Public Health, 2022, 69, 704-720.	0.9	12
452	Antifungal, Antioxidant and Antibiofilm Activities of Essential Oils of Cymbopogon spp Antibiotics, 2022, 11, 829.	1.5	12
453	Efficacy of injectable and pour-on microdose ivermectin in the treatment of goat warble fly infestation by Przhevalskiana silenus (Diptera, Oestridae). Veterinary Parasitology, 2003, 116, 333-343.	0.7	11
454	Hypoderma sinense: solving a century-old enigma. Medical and Veterinary Entomology, 2005, 19, 315-321.	0.7	11
455	First description of the endogenous life cycle of Hypoderma sinense affecting yaks and cattle in China. Medical and Veterinary Entomology, 2006, 20, 325-328.	0.7	11
456	Exploring transcriptional conservation between Ancylostoma caninum and Haemonchus contortus by oligonucleotide microarray and bioinformatic analyses. Molecular and Cellular Probes, 2009, 23, 1-9.	0.9	11
457	A new tool for the diagnosis in vivo of habronemosis in horses. Equine Veterinary Journal, 2010, 37, 263-264.	0.9	11
458	Molecular comparison of Gasterophilus intestinalis and Gasterophilus nasalis from two distinct areas of Poland and Italy based on cox1 sequence analysis. Veterinary Parasitology, 2010, 169, 219-221.	0.7	11
459	Scanning electron microscopy observations of the hedgehog stomach worm, Physaloptera clausa (Spirurida: Physalopteridae). Parasites and Vectors, 2013, 6, 87.	1.0	11
460	Resolution of canine ocular thelaziosis in avermectin-sensitive Border Collies from Spain. Veterinary Parasitology, 2014, 200, 203-206.	0.7	11
461	Ixodes ventalloi: morphological and molecular support for species integrity. Parasitology Research, 2017, 116, 251-258.	0.6	11
462	Hepatozoon martis n. sp. (Adeleorina: Hepatozoidae): Morphological and pathological features of a Hepatozoon species infecting martens (family Mustelidae). Ticks and Tick-borne Diseases, 2018, 9, 912-920.	1.1	11
463	Mice as paratenic hosts of Aelurostrongylus abstrusus. Parasites and Vectors, 2019, 12, 49.	1.0	11
464	Molecular Approach for the Diagnosis of Blood and Skin Canine Filarioids. Microorganisms, 2020, 8, 1671.	1.6	11
465	Troglostrongylus brevior is the dominant lungworm infecting feral cats in Jerusalem. Parasitology Research, 2020, 119, 3443-3450.	0.6	11
466	World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) guidelines for studies evaluating the efficacy of parasiticides in reducing the risk of vector-borne pathogen transmission in dogs and cats. Veterinary Parasitology, 2021, 290, 109369.	0.7	11
467	Thelazia gulosaRailliet & Henry, 1910 andT. skrjabiniErschow, 1928 infection in Southern Europe (Italy). Parasite, 2000, 7, 327-329.	0.8	10
468	Management of myiasis: Current status and future prospects. Veterinary Parasitology, 2004, 125, 93-104.	0.7	10

#	Article	IF	CITATIONS
469	Filaria martis Gmelin 1790 (Spirurida, Filariidae) affecting beech marten (Martes foina): morphological description and molecular characterisation of the cytochrome oxidase c subunit I. Parasitology Research, 2007, 101, 877-883.	0.6	10
470	Parasite transmission by insects: a female affair?. Trends in Parasitology, 2008, 24, 116-120.	1.5	10
471	Biodiversity and extinctionversuscontrol of Oestrid causing myiasis in Mediterranean area. Parasite, 2008, 15, 257-260.	0.8	10
472	Underwater survival of Rhipicephalus sanguineus (Acari: Ixodidae). Experimental and Applied Acarology, 2012, 57, 171-178.	0.7	10
473	Treatment and control of bovine hypodermosis with ivermectin long-acting injection (IVOMEC®) Tj ETQq1 1 0.7	'84314 rgl 1.0	3T ₁ 0verlock
474	Transcriptome of larvae representing the Rhipicephalus sanguineus complex. Molecular and Cellular Probes, 2017, 31, 85-90.	0.9	10
475	Serological and molecular tests for the diagnosis of Strongyloides stercoralis infection in dogs. Parasitology Research, 2017, 116, 2027-2029.	0.6	10
476	A new PCR assay for the detection and differentiation of Babesia canis and Babesia vogeli. Ticks and Tick-borne Diseases, 2017, 8, 862-865.	1.1	10
477	Effectiveness of the spot-on combination of moxidectin and imidacloprid (Advocate®) in the treatment of ocular thelaziosis by Thelazia callipaeda in naturally infected cats. Parasites and Vectors, 2019, 12, 25.	1.0	10
478	<i>Taenia hydatigena</i> cysticercosis in wild boar (<i>Sus scrofa</i>) from southern Italy: an epidemiological and molecular survey. Parasitology, 2020, 147, 1636-1642.	0.7	10
479	Validation of a new immunofluorescence antibody test for the detection of Leishmania infantum infection in cats. Parasitology Research, 2020, 119, 1381-1386.	0.6	10
480	Phlebotomine sand flies and Leishmania species in a focus of cutaneous leishmaniasis in Algeria. PLoS Neglected Tropical Diseases, 2020, 14, e0008024.	1.3	10
481	Leishmania infection in cats positive for immunodeficiency virus and feline leukemia virus in an endemic region of Iran. Veterinary Parasitology: Regional Studies and Reports, 2020, 20, 100387.	0.3	10
482	Identification of Anaplasma marginale in long-eared hedgehogs (Hemiechinus auritus) and their Rhipicephalus turanicus ticks in Iran. Ticks and Tick-borne Diseases, 2021, 12, 101641.	1.1	10
483	Genetic variability of Ehrlichia canis TRP36 in ticks, dogs, and red foxes from Eurasia. Veterinary Microbiology, 2021, 255, 109037.	0.8	10
484	Ectoparasites of hedgehogs: From flea mite phoresy to their role as vectors of pathogens. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 95-104.	0.6	10
485	Competence of Phortica variegata from the United States as an Intermediate Host of the Thelazia callipaeda Eyeworm. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1175-1178.	0.6	10
486	Cross-sectional survey of ticks (Acari: Ixodidae) in sheep from an area of the southern Italian Apennines. Experimental and Applied Acarology, 2004, 33, 145-151.	0.7	9

#	Article	IF	CITATIONS
487	Molecular characterization of Thelazia lacrymalis (Nematoda, Spirurida) affecting equids: a tool for vector identification. Molecular and Cellular Probes, 2005, 19, 245-249.	0.9	9
488	<i>Oestrus ovis</i> causing human ocular myiasis: from countryside to town centre. Clinical and Experimental Ophthalmology, 2009, 37, 327-328.	1.3	9
489	Competence of the housefly, <i>Musca domestica</i> , as a vector of <i>Microsporum canis</i> under experimental conditions. Medical and Veterinary Entomology, 2009, 23, 21-25.	0.7	9
490	A Case of Equine Aspergillosis: A Novel Sampling Procedure for Diagnosis. Journal of Equine Veterinary Science, 2012, 32, 634-637.	0.4	9
491	Morphological and molecular identification of nasopharyngeal bot fly larvae infesting red deer (Cervus elaphus) in Austria. Parasitology Research, 2016, 115, 4417-4422.	0.6	9
492	Canine β-defensin-1 (CBD1) gene as a possible marker for Leishmania infantum infection in dogs. Parasites and Vectors, 2017, 10, 199.	1.0	9
493	Morphological and molecular characterization of <i>Onchocerca fasciata</i> (Nematoda,) Tj ETQq1 1 0.784314	rgBT/Ove 0.8	rlogk 10 Tf <mark>5</mark> (
494	Identification of phlebotomine sand flies through MALDI-TOF mass spectrometry and in-house reference database. Acta Tropica, 2019, 194, 47-52.	0.9	9
495	Zoonotic and vector-borne pathogens in tigers from a wildlife safari park, Italy. International Journal for Parasitology: Parasites and Wildlife, 2020, 12, 1-7.	0.6	9
496	The best type of inoculum for testing the antifungal drug susceptibility of <i>Microsporum canis</i> : In vivo and in vitro results. Mycoses, 2020, 63, 711-716.	1.8	9
497	Dirofilarioses in two cats in southern Italy. Parasitology Research, 2021, 120, 4247-4251.	0.6	9
498	Human and Animal Dirofilariasis in Southeast of France. Microorganisms, 2021, 9, 1544.	1.6	9
499	Freeze-drying of Beauveria bassiana suspended in Hydroxyethyl cellulose based hydrogel as possible method for storage: Evaluation of survival, growth and stability of conidial concentration before and after processing. Results in Engineering, 2021, 12, 100283.	2.2	9
500	<i>Leishmania infantum</i> in Tigers and Sand Flies from a Leishmaniasis-Endemic Area, Southern Italy. Emerging Infectious Diseases, 2020, 26, 1311-1314.	2.0	9
501	Trypanosoma evansi. Trends in Parasitology, 2022, 38, 489-490.	1.5	9
502	Onchocerca lupi in imported dogs in the UK: implications for animal and public health. BMC Veterinary Research, 2022, 18, 66.	0.7	9
503	Occupational risk of cutaneous larva migrans: A case report and a systematic literature review. PLoS Neglected Tropical Diseases, 2022, 16, e0010330.	1.3	9
504	<i>Leishmania tarentolae</i> : A new frontier in the epidemiology and control of the leishmaniases. Transboundary and Emerging Diseases, 2022, 69, .	1.3	9

#	Article	IF	CITATIONS
505	Efficacy of an in-feed formulation containing ivermectin for the control of intestinal strongyles in captive zebras (Equus burchelli (Gray, 1824)). Veterinary Parasitology, 2010, 169, 133-137.	0.7	8
506	Editorial. Veterinary Parasitology, 2014, 201, 177-178.	0.7	8
507	Filarial infection caused by Onchocerca boehmi (Supperer, 1953) in a horse from Italy. Parasitology Research, 2017, 116, 191-198.	0.6	8
508	Morphological and phylogenetic analyses of Lutzomyia migonei from three Brazilian states. Acta Tropica, 2018, 187, 144-150.	0.9	8
509	Shedding of feline lungworm larvae and their infectivity to snail intermediate hosts after anthelmintic treatment. International Journal for Parasitology, 2019, 49, 449-453.	1.3	8
510	On the validity of "Candidatus Dirofilaria hongkongensis―and on the use of the provisional status Candidatus in zoological nomenclature. Parasites and Vectors, 2020, 13, 287.	1.0	8
511	Zoonotic Abbreviata caucasica in Wild Chimpanzees (Pan troglodytes verus) from Senegal. Pathogens, 2020, 9, 517.	1.2	8
512	Canine and feline vector-borne diseases of zoonotic concern in Southeast Asia. Current Research in Parasitology and Vector-borne Diseases, 2021, 1, 100001.	0.7	8
513	Virulence and Antifungal Susceptibility of Microsporum canis Strains from Animals and Humans. Antibiotics, 2021, 10, 296.	1.5	8
514	Efficacy of a spot-on formulation containing moxidectin 2.5%/imidacloprid 10% for the treatment of Cercopithifilaria spp. and Onchocerca lupi microfilariae in naturally infected dogs from Portugal. Parasites and Vectors, 2021, 14, 199.	1.0	8
515	Molecular characterization of Leishmania species from stray dogs and human patients in Saudi Arabia. Parasitology Research, 2021, 120, 4241-4246.	0.6	8
516	Molecular detection of zoonotic filarioids in <i>Culex</i> spp. from Portugal. Medical and Veterinary Entomology, 2021, 35, 468-477.	0.7	8
517	Angiostrongylus vasorum in foxes (Vulpes vulpes) and wolves (Canis lupus italicus) from Abruzzo region, Italy. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 184-194.	0.6	8
518	Conjunctival Swab Real Time-PCR in Leishmania infantum Seropositive Dogs: Diagnostic and Prognostic Values. Biology, 2022, 11, 184.	1.3	8
519	Ticks infesting domestic animals in Italy: current acarological studies carried out in Sardinia and Basilicata regions. Parassitologia, 1999, 41 Suppl 1, 39-40.	0.5	8
520	Treatment with doxycycline is associated with complete clearance of circulating Wolbachia DNA in Dirofilaria immitis-naturally infected dogs. Acta Tropica, 2022, 232, 106513.	0.9	8
521	Efficacy of moxidectin injectable and pour-on formulations in a pilot control program against bovine hypodermosis in Southern Italy. Preventive Veterinary Medicine, 2005, 69, 153-159.	0.7	7
522	Cross-transmission studies with Hypoderma lineatum de Vill. (Diptera: Oestridae): Attempted infestation of goats (Capra hircus). Veterinary Parasitology, 2006, 141, 302-306.	0.7	7

#	Article	IF	CITATIONS
523	Dermal Swellings and Ocular Injury after Exposure to Reindeer. New England Journal of Medicine, 2012, 367, 2456-2457.	13.9	7
524	First laboratory culture ofPhortica variegata(Diptera, Steganinae), a vector ofThelazia callipaeda. Journal of Vector Ecology, 2012, 37, 458-461.	0.5	7
525	Transmammary transmission of Troglostrongylus brevior feline lungworm: a lesson from our gardens. Veterinary Parasitology, 2020, 285, 109215.	0.7	7
526	Effect of chlorogenic and gallic acids combined with azoles on antifungal susceptibility and virulence of multidrug-resistant Candida spp. and Malassezia furfur isolates. Medical Mycology, 2020, 58, 1091-1101.	0.3	7
527	Marked host association and molecular evidence of limited transmission of ticks and fleas between sympatric wild foxes and rural dogs. Medical and Veterinary Entomology, 2021, 35, 239-250.	0.7	7
528	Comparative evaluation of E-test and CLSI methods for Itraconazole, Fluconazole and Ketoconazole susceptibilities of Microsporum canis strains. Mycopathologia, 2020, 185, 495-502.	1.3	7
529	Wild Boar (Sus scrofa) as Reservoir of Zoonotic Yeasts: Bioindicator of Environmental Quality. Mycopathologia, 2022, 187, 235-248.	1.3	7
530	Phortica oldenbergi (Diptera: Drosophilidae): A new potential vector of the zoonotic Thelazia callipaeda eyeworm. Acta Tropica, 2022, 233, 106565.	0.9	7
531	Highâ€throughput microfluidic realâ€time PCR for the simultaneous detection of selected vectorâ€borne pathogens in dogs in Bosnia and Herzegovina. Transboundary and Emerging Diseases, 2022, 69, .	1.3	7
532	Molecular identification of Phortica variegata and Phortica semivirgo (Drosophilidae, Steganinae) by PCR-RFLP of the mitochondrial cytochrome oxidase c subunit I gene. Parasitology Research, 2008, 103, 727-730.	0.6	6
533	Analysis of a mitochondrial noncoding region for the identification of the most diffused Hypoderma species (Diptera, Oestridae). Veterinary Parasitology, 2010, 173, 317-323.	0.7	6
534	Hyperplastic cholangitis in a naturallyToxoplasma gondii-infected cat. Veterinary Quarterly, 2014, 34, 229-231.	3.0	6
535	Further thoughts on "Asymptomatic dogs are highly competent to transmit Leishmania (Leishmania) infantum chagasi to the natural vector― Veterinary Parasitology, 2014, 204, 443-444.	0.7	6
536	Paramyosin of canine Onchocerca lupi: usefulness for the diagnosis of a neglected zoonotic disease. Parasites and Vectors, 2016, 9, 493.	1.0	6
537	Exon-intron structure and sequence variation of the calreticulin gene among Rhipicephalus sanguineus group ticks. Parasites and Vectors, 2016, 9, 640.	1.0	6
538	Screening of Cercopithifilaria bainae and Hepatozoon canis in ticks collected from dogs of Northeastern Brazil. Acta Parasitologica, 2018, 63, 605-608.	0.4	6
539	Systemic Infection With <i>Dirofilaria repens</i> in Southwestern France. Annals of Internal Medicine, 2018, 168, 228.	2.0	6
540	Scanning electron microscopy of Onchocerca fasciata (Filarioidea: Onchocercidae) adults, microfilariae and eggs with notes on histopathological findings in camels. Parasites and Vectors, 2020, 13, 249.	1.0	6

#	Article	IF	CITATIONS
541	Cercopithifilaria species in dogs and ticks from Greece. Parasitology Research, 2020, 119, 3391-3400.	0.6	6
542	Virulence and in vitro antifungal susceptibility of Candida albicans and Candida catenulata from laying hens. International Microbiology, 2021, 24, 57-63.	1.1	6
543	Feline leukemia virus in owned cats in Southeast Asia and Taiwan. Veterinary Microbiology, 2021, 254, 109008.	0.8	6
544	Seropositivity to canine tick-borne pathogens in a population of sick dogs in Italy. Parasites and Vectors, 2021, 14, 292.	1.0	6
545	Dirofilaria immitis and Dirofilaria repens in mosquitoes from Corsica Island, France. Parasites and Vectors, 2021, 14, 427.	1.0	6
546	Molecular detection of zoonotic blood pathogens in ticks from illegally imported turtles in Italy. Acta Tropica, 2021, 222, 106038.	0.9	6
547	Zoonotic Ocular Onchocercosis by. Yale Journal of Biology and Medicine, 2021, 94, 331-341.	0.2	6
548	Dermal microfilariae of dogs, jackals and cats in different regions of Iran. Parasites and Vectors, 2022, 15, 28.	1.0	6
549	Genetic and geographical delineation of zoonotic vector-borne helminths of canids. Scientific Reports, 2022, 12, 6699.	1.6	6
550	Biotechnological advances in the diagnosis of little-known parasitoses of pets. Parasitology Research, 2009, 104, 209-216.	0.6	5
551	Analysis of somatic and salivary gland antigens of third stage larvae of Rhinoestrus spp. (Diptera,) Tj ETQq1 1 0.75	84314 rgE 0.5	3T JOverloc <mark>k</mark>
552	Paediatric Visceral Leishmaniasis in Italy: a â€~One Health' approach is needed. Parasites and Vectors, 2013, 6, 123.	1.0	5
553	Effect of egg clustering on the fitness of Rhipicephalus sanguineus larvae. Parasitology Research, 2013, 112, 1795-1797.	0.6	5
554	When is an "asymptomatic―dog asymptomatic?. Veterinary Parasitology, 2014, 202, 341-342.	0.7	5
555	<i>Crenosoma vulpis</i> infection in a four-month old puppy. Helminthologia, 2016, 53, 276-280.	0.3	5
556	Cercopithifilaria sp. II in Vulpes vulpes: new host affiliation for an enigmatic canine filarioid. Parasitology Research, 2017, 116, 441-443.	0.6	5
557	Larval survival of <i>Aelurostrongylus abstrusus</i> lungworm in cat litters. Journal of Feline Medicine and Surgery, 2019, 21, 992-997.	0.6	5
558	Species diversity and molecular insights into phlebotomine sand flies in Sardinia (Italy)—an endemic region for leishmaniasis. Parasitology Research, 2020, 119, 63-73.	0.6	5

#	Article	IF	CITATIONS
559	First report of Thelazia callipaeda in a free-ranging Iberian wolf (Canis lupus signatus) from Spain. Parasitology Research, 2020, 119, 2347-2350.	0.6	5

560 Dipetalonema graciliformis (Freitas, 1964) from the red-handed tamarins (Saguinus midas, Linnaeus,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf

561	<i>Trypanosoma</i> (<i>Megatrypanum</i>) <i>pestanai</i> in Eurasian badgers (<i>Meles meles</i>) and Ixodidae ticks, Italy. Parasitology, 2021, 148, 1516-1521.	0.7	5
562	Molecular detection of Trypanosoma evansi in dogs from India and Southeast Asia. Acta Tropica, 2021, 220, 105935.	0.9	5
563	Case Report: A Human Case of Onchocerca lupi Mimicking Nodular Scleritis. American Journal of Tropical Medicine and Hygiene, 2021, 105, 1782-1785.	0.6	5
564	Expression of the Âu-opioid receptor on Malassezia pachydermatis and its effect in modulating phospholipase production. Medical Mycology, 0, , 1-6.	0.3	5
565	Raillietiella hemidactyli (Pentastomida: Raillietiellidae) in Tarentola mauritanica geckoes: A new zoonotic parasite for Europe. Acta Tropica, 2022, 228, 106316.	0.9	5
566	Cercopithifilaria spp. in ticks of companion animals from Asia: new putative hosts and vectors. Ticks and Tick-borne Diseases, 2022, 13, 101957.	1.1	5
567	Diversity of CRESS DNA Viruses in Squamates Recapitulates Hosts Dietary and Environmental Sources of Exposure. Microbiology Spectrum, 0, , .	1.2	5
568	Hypodermosis in yaks: doubts and certainties. Veterinary Parasitology, 2005, 127, 339-341.	0.7	4
569	Comments on potential efficacy of monthly administrations of spot-on moxidectin 2.5Â%/imidacloprid 10Â% in the simultaneous prevention of major canine filarioses. Parasitology Research, 2013, 112, 3979-3980.	0.6	4
570	Cercopithifilaria rugosicauda (Spirurida, Onchocercidae) in a roe deer and ticks from southern Italy. International Journal for Parasitology: Parasites and Wildlife, 2013, 2, 292-296.	0.6	4
571	Redescription of Cercopithifilaria rugosicauda (Böhm & Supperer, 1953) (Spirurida:) Tj ETQq1 1 0.784314 characterisation. Parasitology International, 2014, 63, 808-816.	rgBT /Ove 0.6	rlock 10 Tf 4
572	Evaluation of different methods for the experimental infection of the land snail Helix aspersa with Aelurostrongylus abstrusus lungworm. Veterinary Parasitology, 2016, 225, 1-4.	0.7	4
573	Ebola virus and arthropods: a literature review and entomological consideration on the vector role. Bulletin De La Societe De Pathologie Exotique, 2016, 109, 244-247.	0.3	4
574	Anaplasmosis. , 2017, , 215-222.		4
575	Rhipicephalus turanicus Pomerantzev, 1940 (Figs. 130–132). , 2017, , 329-333.		4
576	Unusual localization of Dirofilaria repens (Spirurida: Onchocercidae) infection in the testicle of a dog. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 66, 101326.	0.7	4

#	Article	IF	CITATIONS
577	LONGRANGE® (eprinomectin 5% w/v extended-release injection) efficacy against Hypoderma lineatum in an endemic area in southern Italy. Parasites and Vectors, 2019, 12, 231.	1.0	4
578	Survival of <i>Phortica variegata</i> experimentally and naturally infected with <i>Thelazia callipaeda</i> . Medical and Veterinary Entomology, 2020, 34, 201-206.	0.7	4
579	Giant cutaneous cyst in a dog infected by Cercopithifilaria bainae. Veterinary Parasitology: Regional Studies and Reports, 2020, 20, 100401.	0.3	4
580	Clinical, haematological and biochemical findings in tigers infected by Leishmania infantum. BMC Veterinary Research, 2020, 16, 214.	0.7	4
581	In Vitro Azole and Amphotericin B Susceptibilities of Malassezia furfur from Bloodstream Infections Using E-Test and CLSI Broth Microdilution Methods. Antibiotics, 2020, 9, 361.	1.5	4
582	Major antigen and paramyosin proteins as candidate biomarkers for serodiagnosis of canine infection by zoonotic Onchocerca lupi. PLoS Neglected Tropical Diseases, 2021, 15, e0009027.	1.3	4
583	Serum amyloid A levels and alpha 2 and gamma globulins on serum protein electrophoresis in cats exposed to and infected with Leishmania infantum. Parasites and Vectors, 2021, 14, 217.	1.0	4
584	Zoonotic parasites: the One Health challenge. Parasitology Research, 2021, 120, 4073-4074.	0.6	4
585	Efficacy of afoxolaner (NexGard®) in preventing the transmission of Leishmania infantum and Dirofilaria immitis to sheltered dogs in a highly endemic area. Parasites and Vectors, 2021, 14, 381.	1.0	4
586	Molecular detection of Wolbachia endosymbiont in reptiles and their ectoparasites. Parasitology Research, 2021, 120, 3255-3261.	0.6	4
587	Filaroidosis infection in an immunocompetent adult dog from France. Helminthologia, 2018, 55, 77-83.	0.3	4
588	Ixodid and Argasid Ticks. , 2020, , .		4
589	Subtyping Options for Microsporum canis Using Microsatellites and MLST: A Case Study from Southern Italy. Pathogens, 2022, 11, 4.	1.2	4
590	Hypoderma lineatum antigen and anti-Przhevalskiana silenus antibodies: cross-reactivity and antibody kinetics in naturally infested goats. Parassitologia, 1998, 40, 325-31.	0.5	4
591	Occurrence of Thelazia lacrymalis (Nematoda, Spirurida, Thelaziidae) in native horses in Italy. Parassitologia, 1999, 41, 545-8.	0.5	4
592	Canine microfilaraemia in some regions of Iran. Parasites and Vectors, 2022, 15, 90.	1.0	4
593	Vector-borne pathogens of zoonotic concern in hunting dogs of southern Italy. Acta Tropica, 2022, 232, 106502.	0.9	4
594	Hypoderma sinense: a debated issue. Veterinary Parasitology, 2005, 128, 353-354.	0.7	3

#	Article	IF	CITATIONS
595	A look into the <i><scp>M</scp>edical and <scp>V</scp>eterinary <scp>E</scp>ntomology</i> crystal ball. Medical and Veterinary Entomology, 2014, 28, 6-13.	0.7	3
596	Unresponsiveness of Experimental Canine Leishmaniosis to a New Amphotericin B Formulation. Advances in Pharmaceutics, 2015, 2015, 1-13.	0.5	3
597	Evaluation of different storage times and preservation methods on phlebotomine sand fly DNA concentration and purity. Parasites and Vectors, 2020, 13, 399.	1.0	3
598	Oestrid myiasis at a cross-road. Acta Tropica, 2021, 224, 106131.	0.9	3
599	Efficacy of afoxolaner for the treatment of ear mite infestation under field conditions. Veterinary Parasitology, 2021, 300, 109607.	0.7	3
600	Comparative study of anti-Hypoderma antibody kinetics in sera, single and bulk milk samples of naturally infested cattle. Parassitologia, 2001, 43, 109-11.	0.5	3
601	Detection of <i>Dirofilaria</i> DNA and host blood-meal identification in <i>Culicoides paolae</i> biting midges. Parasitology, 2022, 149, 968-972.	0.7	3
602	Strongyloides stercoralis in a dog litter: Evidence suggesting a transmammary transmission. Acta Tropica, 2022, 231, 106465.	0.9	3
603	Preliminary molecular identification of drug resistant cyathostomes in Italy. Veterinary Research Communications, 2008, 32, 211-213.	0.6	2
604	Effects of aggregation on the reproductive biology of Rhipicephalus sanguineus females. Experimental and Applied Acarology, 2011, 55, 417-423.	0.7	2
605	Major prospects for exploring canine vector borne diseases and novel intervention methods using 'omic technologies. Parasites and Vectors, 2011, 4, 53.	1.0	2
606	Vector-Borne Zoonoses. , 2015, , 683-695.		2
607	Ixodes ricinus (Linnaeus, 1758) (Figs. 67â^'69). , 2017, , 189-195.		2
608	Vector-borne pathogens in dogs from Guatemala, Central America. Veterinary Parasitology: Regional Studies and Reports, 2020, 22, 100468.	0.3	2
609	Troglostrongylus brevior. Trends in Parasitology, 2021, 37, 569-570.	1.5	2
610	Molecular detection and characterization of the endosymbiont Wolbachia in the European hedgehog flea, Archaeopsylla erinacei. Infection, Genetics and Evolution, 2022, 97, 105161.	1.0	2
611	Laboratory breeding of two Phortica species (Diptera: Drosophilidae), vectors of the zoonotic eyeworm Thelazia callipaeda. Parasites and Vectors, 2022, 15, .	1.0	2
612	Proof of Concept of Biopolymer Based Hydrogels as Biomimetic Oviposition Substrate to Develop Tiger Mosquitoes (Aedes albopictus) Cost-Effective Lure and Kill Ovitraps. Bioengineering, 2022, 9, 267.	1.6	2

Domenico Otranto

#	Article	IF	CITATIONS
61	Genomic palaeoparasitology traced the occurrence of Taenia asiatica in ancient Iran (Sassanid Empire,) Tj ETQq	1 1 0.7843 1.6	14.rgBT /Ove
614	 New insights into the Diagnosis and the Pathogenicity of Malassezia Yeasts. Veterinary Research Communications, 2006, 30, 231-234. 	0.6	1
61	5 Elsheikha HM and Khan NA: Essentials of Veterinary Parasitology. Parasites and Vectors, 2011, 4, .	1.0	1
61	Hepatic Capillaria hepatica (Bancroft, 1893) infection in cat (Felis catus)—histopathological findings and first report from Iran. Parasitology Research, 2021, 120, 1489-1491.	0.6	1
61'	Adolescent Scalp Dermatitis Associated with Dermatophagoides spp. (Acariformes; Pyroglyphidae) Mite. Acta Parasitologica, 2022, , .	0.4	1
61	Serum Protein Electrophoresis in Dirofilaria immitis naturally infected dogs: latest news and a systematic literature review. Veterinary Parasitology, 2022, 109720.	0.7	1
61	 Vector-borne pathogens in dogs from areas where leishmaniosis is endemic. Veterinary Parasitology: Regional Studies and Reports, 2022, 32, 100746. 	0.3	1
62	0 Goat warble fly infestation in Jordan. Veterinary Parasitology, 2006, 140, 186-187.	0.7	0
62	Equine strongylid egg re-appearance period after ivermectin or moxidectin treatment in Italy. Journal of Equine Veterinary Science, 2012, 32, S42-S43.	0.4	0
62	2 Hepatozoonosis. , 2017, , 363-368.		0
62	3 Dirofilariosis. , 2017, , 445-455.		0
62	4 Thelaziosis. , 2017, , 457-464.		0
62	Fasciola hepatica in wild boar (Sus scrofa) from Italy. Comparative Immunology, Microbiology and Infectious Diseases, 2021, 77, 101672.	0.7	0
62	6 Oestridae Causing Myiasis. , 2020, , .		0
62	7 Txakurren eta Andeetako azerien arteko parasitoen transmisioa ulertu nahian, Txileko paisaia 7 antropikoan. , 0, , .		0
62	8 Role of lizards as reservoirs of pathogenic yeasts of zoonotic concern. Acta Tropica, 2022, 231, 106472.	0.9	0