

Zemfira A Bredikhina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5993309/publications.pdf>

Version: 2024-02-01

56
papers

674
citations

516215

16
h-index

642321

23
g-index

58
all docs

58
docs citations

58
times ranked

418
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystallization of chiral compounds: thermodynamical, structural and practical aspects. Mendeleev Communications, 2012, 22, 171-180.	0.6	42
2	Chiral drug timolol maleate as a continuous solid solution: Thermochemical and single crystal X-ray evidence. CrystEngComm, 2012, 14, 648-655.	1.3	35
3	Absolute configuration and crystal packing for three chiral drugs prone to spontaneous resolution: Guaifenesin, methocarbamol and mephenesin. Journal of Molecular Structure, 2009, 920, 377-382.	1.8	31
4	Three different types of chirality-driven crystallization within the series of uniformly substituted phenyl glycerol ethers. Chirality, 2008, 20, 1092-1103.	1.3	29
5	Chiral para-alkyl phenyl ethers of glycerol: synthesis and testing of chirality driven crystallization, liquid crystal, and gelating properties. Tetrahedron: Asymmetry, 2013, 24, 807-816.	1.8	29
6	Crystallization Features of the Chiral Drug Timolol Precursor: The Rare Case of Conglomerate with Partial Solid Solutions. Crystal Growth and Design, 2014, 14, 1676-1683.	1.4	29
7	Chiral drugs related to guaifenesin: synthesis and phase properties of methocarbamol and mephenoalone. Tetrahedron: Asymmetry, 2007, 18, 1239-1244.	1.8	26
8	Solid state properties and effective resolution procedure for guaifenesin, 3-(2-methoxyphenoxy)-1,2-propanediol. Tetrahedron: Asymmetry, 2006, 17, 3015-3020.	1.8	24
9	Stereoselective Crystallization as a Basis for Single-Enantiomer Drug Production. Chemical Engineering and Technology, 2017, 40, 1211-1220.	0.9	24
10	Crystal structure of chiral ortho-alkyl phenyl ethers of glycerol: true racemic compound, normal, false and anomalous conglomerates within the single five-membered family. CrystEngComm, 2014, 16, 6716.	1.3	23
11	Intricate Phase Behavior and Crystal Structure Features of Chiral <i>para</i> -Methoxyphenyl Glycerol Ether Forming Continuous and Partial Solid Solutions. Crystal Growth and Design, 2017, 17, 271-283.	1.4	22
12	<i>p</i> -Tolyl glycerol ether: is it possible to find more simple molecular organogelator with pronounced chirality driven properties?. Chemical Communications, 2010, 46, 3523.	2.2	21
13	Systematic search for conglomerates among glycerol aromatic monoethers: guaifenesin and mephenesin are the cases. Mendeleev Communications, 2003, 13, 104-105.	0.6	20
14	From racemic compounds through metastable to stable racemic conglomerates: crystallization features of chiral halogen and cyano monosubstituted phenyl glycerol ethers. Tetrahedron: Asymmetry, 2009, 20, 2130-2136.	1.8	20
15	Crystal structure and phase behavior of the tolyl glycerol ethers. From the conglomerate former to the chirality-driven nanogelator. CrystEngComm, 2012, 14, 211-222.	1.3	20
16	Spontaneous resolution among chiral glycerol derivatives: crystallization features of ortho-alkoxysubstituted phenyl glycerol ethers. Tetrahedron: Asymmetry, 2007, 18, 1964-1970.	1.8	16
17	Stereoselective crystallization of 3-(2,6-dimethylphenoxy)propane-1,2-diol: preparation of the single-enantiomer drug mexiletine. Tetrahedron: Asymmetry, 2015, 26, 577-583.	1.8	16
18	Solubility and Some Crystallization Properties of Conglomerate Forming Chiral Drug Guaifenesin in Water. Journal of Pharmaceutical Sciences, 2014, 103, 3176-3182.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Spontaneous resolution amongst chiral ortho-cyanophenyl glycerol derivatives: an effective preferential crystallization approach to a single enantiomer of the β_2 -adrenoblocker bunitrolol. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 1430-1435.	1.8	13
20	Crystallographic evidence of side-arm lariat effect in the series of chiral ortho- and para-methoxyphenoxy-methyl-15-crown-5 complexes with sodium perchlorate. <i>Journal of Molecular Structure</i> , 2013, 1032, 176-184.	1.8	12
21	Solid state properties of 1,2-epoxy-3-(2-methoxyphenoxy)-propane – valuable intermediate in non-racemic drug synthesis. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 3361-3366.	1.8	11
22	Absolute configuration and crystal packing chirality for three conglomerate-forming ortho-halogen substituted phenyl glycerol ethers. <i>Journal of Molecular Structure</i> , 2010, 975, 323-329.	1.8	11
23	Solid Phase Behavior, Polymorphism, and Crystal Structure Features of Chiral Drug Metaxalone. <i>Crystal Growth and Design</i> , 2018, 18, 6627-6639.	1.4	11
24	Rational approach to a conglomerate-forming propranolol derivative: pointed modifications of the crystal structure. <i>Mendeleev Communications</i> , 2004, 14, 268-270.	0.6	10
25	Conglomerate formative precursor of chiral drug timolol: 3-(4-Morpholino-1,2,5-thiadiazol-3-yloxy)-propane-1,2-diol. <i>Journal of Molecular Structure</i> , 2015, 1088, 111-117.	1.8	10
26	SOME NEW ASPECTS OF GLYCIDOL PHOSPHORYLATION BY PCl_3 . Phosphorus, Sulfur and Silicon and the Related Elements, 1997, 131, 173-182.	0.8	9
27	Liesegang ring formation during the supramolecular hydrogelation of the chiral drug methocarbamol. <i>Mendeleev Communications</i> , 2011, 21, 144-145.	0.6	9
28	Crystallization of Chiral <i>para</i> - <i>n</i> -Alkylphenyl Glycerol Ethers: Phase Diversity and Impressive Predominance of Homochiral Guaifenesin-Like Supramolecular Motif. <i>Crystal Growth and Design</i> , 2018, 18, 3980-3987.	1.4	9
29	Cyclic (4 <i>S</i>)-chloromethyl sulfite and sulfate derivatives of (S)-glycidol as valuable synthetic equivalents of scalemic epichlorohydrin. <i>Mendeleev Communications</i> , 1999, 9, 236-237.	0.6	8
30	First examples of the cocrystallization of diastereomers of chiral phosphorus compounds. <i>Structural Chemistry</i> , 2008, 19, 873-878.	1.0	8
31	A rare case of facial selectivity inversion for Sharpless asymmetric dihydroxylation in a series of structurally homogeneous substrates: synthesis of non-racemic 3-(nitrophenoxy)-propane-1,2-diols. <i>Tetrahedron: Asymmetry</i> , 2014, 25, 1015-1021.	1.8	8
32	Spontaneous Resolution of Chiral 3-(2,3-Dimethylphenoxy)propane-1,2-diol under the Circumstances of an Unusual Diversity of Racemic Crystalline Modifications. <i>Crystal Growth and Design</i> , 2017, 17, 4196-4206.	1.4	8
33	Chirality-dependent supramolecular synthons based on the 1,3-oxazolidin-2-one framework: chiral drugs mephoxalone, metaxalone and 114 other examples. <i>CrystEngComm</i> , 2020, 22, 7252-7261.	1.3	8
34	One more chiral drug prone to spontaneous resolution: Binary phase diagram, absolute configuration, and crystal packing of bevantolol hydrochloride. <i>Journal of Molecular Structure</i> , 2009, 936, 171-176.	1.8	7
35	Phase behavior and crystal structure of 3-(1-naphthoxy)- and 3-(4-indolyloxy)-propane-1,2-diol, synthetic precursors of chiral drugs propranolol and pindolol. <i>Journal of Molecular Structure</i> , 2013, 1045, 104-111.	1.8	7
36	Solid-state properties of 1,2-epoxy-3-(2-cyanophenoxy)propane, a conglomerate-forming chiral drug precursor. <i>Mendeleev Communications</i> , 2006, 16, 245-247.	0.6	6

#	ARTICLE	IF	CITATIONS
37	Synthesis and extraction properties of some lariat ethers derived from the spontaneously resolved guaifenesin, 3-(2-methoxyphenoxy)propane-1,2-diol. <i>Arkivoc</i> , 2011, 2011, 16-32.	0.3	6
38	Lariat ethers in the chiral recognition of amino acid esters: electrospray ionization mass spectrometry investigation. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2014, 80, 417-426.	0.9	5
39	4-Benzoylamino-3-hydroxybutyric Acid, Historically First "Anomalous Racemate" Reinvestigation. <i>Crystal Growth and Design</i> , 2015, 15, 1362-1373.	1.4	5
40	Synthesis of all of the stereoisomers of β -adrenoceptor antagonist SR 59230 based on the spontaneous resolution of 3-(2-ethylphenoxy)propane-1,2-diol. <i>Tetrahedron: Asymmetry</i> , 2016, 27, 467-474.	1.8	5
41	Stereoselective Crystallization of Chiral 3,4-Dimethylphenyl Glycerol Ether Complicated by Plurality of Crystalline Modifications. <i>Crystals</i> , 2020, 10, 201.	1.0	5
42	Racemic compound against racemic conglomerate formation: The crystal properties of allylbenzylmethylphenylphosphonium iodide as compared with the nitrogen analogue. <i>Chirality</i> , 2009, 21, 637-641.	1.3	4
43	From racemic epichlorohydrin to a single enantiomer of the drug timolol maleate. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 797-801.	1.8	4
44	Synthesis and crystal structure of (S)-pindolol. <i>Tetrahedron: Asymmetry</i> , 2017, 28, 442-446.	1.8	4
45	Synthesis, crystal structure, and absolute configuration of the enantiomers of chiral drug xibenolol hydrochloride. <i>Tetrahedron: Asymmetry</i> , 2017, 28, 1359-1366.	1.8	4
46	Chirality, Gelation Ability and Crystal Structure: Together or Apart? Alkyl Phenyl Ethers of Glycerol as Simple LMWGs. <i>Symmetry</i> , 2021, 13, 732.	1.1	4
47	New example of spontaneous resolution among aryl glycerol ethers: 3-(2-hydroxyphenoxy)propane-1,2-diol. <i>Mendeleev Communications</i> , 2009, 19, 208-210.	0.6	3
48	Chirality driven crystallization behavior of ortho, meta, and para-cyanophenyl glycerol ethers. <i>Journal of Molecular Structure</i> , 2010, 981, 163-172.	1.8	3
49	Synthesis, phase behavior and absolute configuration of β -adrenoblocker bupranolol and related compounds. <i>Journal of Molecular Structure</i> , 2018, 1173, 157-165.	1.8	3
50	Crystal Landscape of Chiral Drug Chlorphenesin and Its Structural Analogues: Polymorphism of Racemic and Enantiopure Samples, Metastable and Stable Racemic Conglomerates, Diverse in Unity Crystal Motifs. <i>Crystal Growth and Design</i> , 2021, 21, 3211-3224.	1.4	3
51	Crystal Structure of Chiral Drug Prenalterol and Its Precursor Prone to Spontaneous Resolution. <i>Symmetry</i> , 2022, 14, 1150.	1.1	3
52	The effective direct resolution procedure for the chiral drug bevantolol hydrochloride. <i>Tetrahedron: Asymmetry</i> , 2016, 27, 397-403.	1.8	2
53	Crystallization features and spontaneous resolution of 3-(2,6-dimethoxyphenoxy)propane-1,2-diol: The case of stable conglomerate and metastable solid solution. <i>Journal of Molecular Structure</i> , 2017, 1144, 443-450.	1.8	2
54	Effective synthesis of non-racemic prenalterol based on spontaneous resolution of 3-(4-hydroxyphenoxy)propane-1,2-diol. <i>Mendeleev Communications</i> , 2019, 29, 198-199.	0.6	2

#	ARTICLE	IF	CITATIONS
55	New example of spontaneous resolution among aryl glycerol ethers: 3-(2,6-dichlorophenoxy)propane-1,2-diol. <i>Journal of Molecular Structure</i> , 2016, 1118, 172-178.	1.8	1
56	Synthesis and solid state properties of the 4-naphthyloxymethyl-2,2-dioxo-1,3,2-dioxathiolane, cyclic sulfate not available through sulfite oxidation procedure. <i>Journal of Molecular Structure</i> , 2010, 984, 339-343.	1.8	0