

Christoph Häglscher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5994442/publications.pdf>

Version: 2024-02-01

107
papers

9,001
citations

61945

43
h-index

42364

92
g-index

112
all docs

112
docs citations

112
times ranked

13091
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Collective Intelligence during Emergency Egress: The Mechanisms Underlying Altruistic Information Exchange. <i>International Journal of Human-Computer Interaction</i> , 2023, 39, 2876-2892. | 3.3 | 0 |
| 2 | Fire evacuation supported by centralized and decentralized visual guidance systems. <i>Safety Science</i> , 2022, 145, 105451. | 2.6 | 24 |
| 3 | Do Anti-tuberculosis Drugs Reach Their Target?â€ High-Resolution Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Imaging Provides Information on Drug Penetration into Necrotic Granulomas. <i>Analytical Chemistry</i> , 2022, 94, 5483-5492. | 3.2 | 12 |
| 4 | Interleukin-13-Overexpressing Mice Represent an Advanced Preclinical Model for Detecting the Distribution of Antimycobacterial Drugs within Centrally Necrotizing Granulomas. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, AAC0158821. | 1.4 | 2 |
| 5 | Tuberculostearic Acid-Containing Phosphatidylinositols as Markers of Bacterial Burden in Tuberculosis. <i>ACS Infectious Diseases</i> , 2022, 8, 1303-1315. | 1.8 | 9 |
| 6 | Cell-autonomous hepatocyte-specific GP130 signaling is sufficient to trigger a robust innate immune response in mice. <i>Journal of Hepatology</i> , 2021, 74, 407-418. | 1.8 | 15 |
| 7 | DGCR8 deficiency impairs macrophage growth and unleashes the interferon response to mycobacteria. <i>Life Science Alliance</i> , 2021, 4, e202000810. | 1.3 | 0 |
| 8 | Monocyte progenitors give rise to multinucleated giant cells. <i>Nature Communications</i> , 2021, 12, 2027. | 5.8 | 18 |
| 9 | WNT6/ACC2-induced storage of triacylglycerols in macrophages is exploited by <i>Mycobacterium tuberculosis</i> . <i>Journal of Clinical Investigation</i> , 2021, 131, . | 3.9 | 17 |
| 10 | Interleukin-23 instructs protective multifunctional CD4 T cell responses after immunization with the <i>Mycobacterium tuberculosis</i> subunit vaccine H1 DDA/TDB independently of interleukin-17A. <i>Journal of Molecular Medicine</i> , 2021, 99, 1585-1602. | 1.7 | 4 |
| 11 | Visibility matters during wayfinding in the vertical. <i>Scientific Reports</i> , 2021, 11, 18980. | 1.6 | 5 |
| 12 | IL-6 Is Not Absolutely Essential for the Development of a TH17 Immune Response after an Aerosol Infection with <i>Mycobacterium tuberculosis</i> H37rv. <i>Cells</i> , 2021, 10, 9. | 1.8 | 14 |
| 13 | Gasdermin D mediates host cell death but not interleukin-1 β secretion in <i>Mycobacterium tuberculosis</i> -infected macrophages. <i>Cell Death Discovery</i> , 2021, 7, 327. | 2.0 | 8 |
| 14 | Interleukin-27 in Tuberculosis: A Sheep in Wolfâ€™s Clothing?. <i>Frontiers in Immunology</i> , 2021, 12, 810602. | 2.2 | 1 |
| 15 | IL-10â€™producing Tfh cells accumulate with age and link inflammation with age-related immune suppression. <i>Science Advances</i> , 2020, 6, eabb0806. | 4.7 | 67 |
| 16 | Chemical p38 MAP kinase inhibition constrains tissue inflammation and improves antibiotic activity in <i>Mycobacterium tuberculosis</i> -infected mice. <i>Scientific Reports</i> , 2020, 10, 13629. | 1.6 | 7 |
| 17 | Assessing crowd management strategies for the 2010 Love Parade disaster using computer simulations and virtual reality. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200116. | 1.5 | 28 |
| 18 | Integrating High-Resolution MALDI Imaging into the Development Pipeline of Anti-Tuberculosis Drugs. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 2277-2286. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Role of gp130 Cytokines in Tuberculosis. <i>Cells</i> , 2020, 9, 2695. | 1.8 | 11 |
| 20 | IgG Fc sialylation is regulated during the germinal center reaction following immunization with different adjuvants. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 652-666.e11. | 1.5 | 45 |
| 21 | The interaction between map complexity and crowd movement on navigation decisions in virtual reality. <i>Royal Society Open Science</i> , 2020, 7, 191523. | 1.1 | 17 |
| 22 | Comparing Human Wayfinding Behavior Between a Real, Existing Building, a Virtual Replica, and Two Architectural Redesigns. <i>Lecture Notes in Computer Science</i> , 2020, , 160-179. | 1.0 | 5 |
| 23 | A cognitive model for routing in agent-based modelling. <i>AIP Conference Proceedings</i> , 2019, , . | 0.3 | 4 |
| 24 | Neighborhood environments influence emotion and physiological reactivity. <i>Scientific Reports</i> , 2019, 9, 9498. | 1.6 | 28 |
| 25 | Display clutter and its effects on visual attention distribution and financial risk judgment. <i>Applied Ergonomics</i> , 2019, 80, 168-174. | 1.7 | 14 |
| 26 | Wayfinding as a Social Activity. <i>Frontiers in Psychology</i> , 2019, 10, 142. | 1.1 | 51 |
| 27 | The acquisition of survey knowledge for local and global landmark configurations under time pressure. <i>Spatial Cognition and Computation</i> , 2019, 19, 190-219. | 0.6 | 17 |
| 28 | Corticosteroids inhibit Mycobacterium tuberculosis-induced necrotic host cell death by abrogating mitochondrial membrane permeability transition. <i>Nature Communications</i> , 2019, 10, 688. | 5.8 | 40 |
| 29 | IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , 2019, 96, 104-112. | 3.0 | 85 |
| 30 | Blocking IL-10 receptor signaling ameliorates Mycobacterium tuberculosis infection during influenza-induced exacerbation. <i>JCI Insight</i> , 2019, 4, . | 2.3 | 15 |
| 31 | The increased protection and pathology in Mycobacterium tuberculosis-infected IL-27R-alpha-deficient mice is supported by IL-17A and is associated with the IL-17A-induced expansion of multifunctional T cells. <i>Mucosal Immunology</i> , 2018, 11, 1168-1180. | 2.7 | 27 |
| 32 | Immunosuppression in Experimental Chagas Disease Is Mediated by an Alteration of Bone Marrow Stromal Cell Function During the Acute Phase of Infection. <i>Frontiers in Immunology</i> , 2018, 9, 2794. | 2.2 | 10 |
| 33 | Arginase-1 Is Responsible for IL-13-Mediated Susceptibility to Trypanosoma cruzi Infection. <i>Frontiers in Immunology</i> , 2018, 9, 2790. | 2.2 | 19 |
| 34 | Virtual Reality Experiments with Physiological Measures. <i>Journal of Visualized Experiments</i> , 2018, , . | 0.2 | 14 |
| 35 | A Networked Desktop Virtual Reality Setup for Decision Science and Navigation Experiments with Multiple Participants. <i>Journal of Visualized Experiments</i> , 2018, , . | 0.2 | 8 |
| 36 | De Novo Fatty Acid Synthesis During Mycobacterial Infection Is a Prerequisite for the Function of Highly Proliferative T Cells, But Not for Dendritic Cells or Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 495. | 2.2 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Differing Outcome of Experimental Autoimmune Encephalitis in Macrophage/Neutrophil- and T Cell-Specific gp130-Deficient Mice. <i>Frontiers in Immunology</i> , 2018, 9, 836. | 2.2 | 19 |
| 38 | Indoor Wayfinding: Interview with Christoph Häflscher and Ruth Conroy Dalton. <i>KI - Kunstliche Intelligenz</i> , 2017, 31, 185-191. | 2.2 | 0 |
| 39 | Suppressor of Cytokine Signaling 3 in Macrophages Prevents Exacerbated Interleukin-6-Dependent Arginase-1 Activity and Early Permissiveness to Experimental Tuberculosis. <i>Frontiers in Immunology</i> , 2017, 8, 1537. | 2.2 | 12 |
| 40 | A Mutation in <i>IL4RA</i> Is Associated with the Degree of Pathology in Human TB Patients. <i>Mediators of Inflammation</i> , 2016, 2016, 1-9. | 1.4 | 12 |
| 41 | Crowd behaviour during high-stress evacuations in an immersive virtual environment. <i>Journal of the Royal Society Interface</i> , 2016, 13, 20160414. | 1.5 | 163 |
| 42 | During acute experimental infection with the reticulotropic <i>Trypanosoma cruzi</i> strain Tulahuen IL-22 is induced IL-23-dependently but is dispensable for protection. <i>Scientific Reports</i> , 2016, 6, 32927. | 1.6 | 14 |
| 43 | DNA Damage Signaling Instructs Polyploid Macrophage Fate in Granulomas. <i>Cell</i> , 2016, 167, 1264-1280.e18. | 13.5 | 94 |
| 44 | Epstein-Barr virus-induced gene 3 suppresses <i>T</i> helper type 1, type 17 and type 2 immune responses after <i>Trypanosoma cruzi</i> infection and inhibits parasite replication by interfering with alternative macrophage activation. <i>Immunology</i> , 2016, 147, 338-348. | 2.0 | 18 |
| 45 | IL-23 prevents IL-13-dependent tissue repair associated with Ly6C ^{lo} monocytes in <i>Entamoeba histolytica</i> -induced liver damage. <i>Journal of Hepatology</i> , 2016, 64, 1147-1157. | 1.8 | 18 |
| 46 | Surface hydrolysis of sphingomyelin by the outer membrane protein <i>Rv0888</i> supports replication of <i>Mycobacterium tuberculosis</i> in macrophages. <i>Molecular Microbiology</i> , 2015, 97, 881-897. | 1.2 | 63 |
| 47 | Interferon- γ and interleukin 22 act synergistically for the induction of interferon-stimulated genes and control of rotavirus infection. <i>Nature Immunology</i> , 2015, 16, 698-707. | 7.0 | 252 |
| 48 | Evaluation of Control Interfaces for Desktop Virtual Environments. <i>Presence: Teleoperators and Virtual Environments</i> , 2015, 24, 322-334. | 0.3 | 18 |
| 49 | Poly(inosinic-cytidylic) Acid-Triggered Exacerbation of Experimental Asthma Depends on IL-17A Produced by NK Cells. <i>Journal of Immunology</i> , 2015, 194, 5615-5625. | 0.4 | 44 |
| 50 | Rapid Rebound of the Treg Compartment in DEREK Mice Limits the Impact of Treg Depletion on Mycobacterial Burden, but Prevents Autoimmunity. <i>PLoS ONE</i> , 2014, 9, e102804. | 1.1 | 24 |
| 51 | 9- and 11-substituted 4-azapaulones are potent and selective inhibitors of African trypanosoma. <i>European Journal of Medicinal Chemistry</i> , 2014, 83, 274-283. | 2.6 | 33 |
| 52 | The <i>IL13</i> / <i>IL4R</i> axis is involved in tuberculosis-associated pathology. <i>Journal of Pathology</i> , 2014, 234, 338-350. | 2.1 | 102 |
| 53 | Altered mucosal immune response after acute lung injury in a murine model of Ataxia Telangiectasia. <i>BMC Pulmonary Medicine</i> , 2014, 14, 93. | 0.8 | 16 |
| 54 | Mincle is not essential for controlling <i>Mycobacterium tuberculosis</i> infection. <i>Immunobiology</i> , 2013, 218, 506-516. | 0.8 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | IL-17A promotes macrophage effector mechanisms against <i>Trypanosoma cruzi</i> by trapping parasites in the endolysosomal compartment. <i>Immunobiology</i> , 2013, 218, 910-923. | 0.8 | 46 |
| 56 | Microglia emerge from erythromyeloid precursors via Pu.1- and Irf8-dependent pathways. <i>Nature Neuroscience</i> , 2013, 16, 273-280. | 7.1 | 1,121 |
| 57 | An Interleukin-6 Receptor-dependent Molecular Switch Mediates Signal Transduction of the IL-27 Cytokine Subunit p28 (IL-30) via a gp130 Protein Receptor Homodimer. <i>Journal of Biological Chemistry</i> , 2013, 288, 4346-4354. | 1.6 | 112 |
| 58 | POE 2.0: exploring the potential of social media for capturing unsolicited post-occupancy evaluations. <i>Intelligent Buildings International</i> , 2013, 5, 162-180. | 1.3 | 16 |
| 59 | IL-22 Is Mainly Produced by IFN γ -Secreting Cells but Is Dispensable for Host Protection against <i>Mycobacterium tuberculosis</i> Infection. <i>PLoS ONE</i> , 2013, 8, e57379. | 1.1 | 41 |
| 60 | Phagosomes Induced by Cytokines Function as anti- <i>Listeria</i> Vaccines. <i>Journal of Biological Chemistry</i> , 2012, 287, 14310-14324. | 1.6 | 12 |
| 61 | Neutralization of the IL-17 axis diminishes neutrophil invasion and protects from ischemic stroke. <i>Blood</i> , 2012, 120, 3793-3802. | 0.6 | 374 |
| 62 | Therapeutic targeting of interleukin-6 trans-signaling does not affect the outcome of experimental tuberculosis. <i>Immunobiology</i> , 2012, 217, 996-1004. | 0.8 | 52 |
| 63 | TGF- β -Responsive Myeloid Cells Suppress Type 2 Immunity and Emphysematous Pathology after Hookworm Infection. <i>American Journal of Pathology</i> , 2012, 181, 897-906. | 1.9 | 13 |
| 64 | Common patterns and disease-related signatures in tuberculosis and sarcoidosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7853-7858. | 3.3 | 306 |
| 65 | TLR9-Dependent and Independent Pathways Drive Activation of the Immune System by <i>Propionibacterium Acnes</i> . <i>PLoS ONE</i> , 2012, 7, e39155. | 1.1 | 24 |
| 66 | DAP10 contributes to CD8+ T cell-mediated cytotoxic effector mechanisms during <i>Mycobacterium tuberculosis</i> infection. <i>Immunobiology</i> , 2011, 216, 639-647. | 0.8 | 10 |
| 67 | gp130 on macrophages/granulocytes modulates inflammation during experimental tuberculosis. <i>European Journal of Cell Biology</i> , 2011, 90, 505-514. | 1.6 | 17 |
| 68 | Regulated Expression of Nuclear Receptor ROR γ t Confers Distinct Functional Fates to NK Cell Receptor-Expressing ROR γ t+ Innate Lymphocytes. <i>Immunity</i> , 2010, 33, 736-751. | 6.6 | 603 |
| 69 | Measuring Immune Responses In Vivo. <i>Methods in Microbiology</i> , 2010, 37, 227-269. | 0.4 | 1 |
| 70 | NALP3 is not necessary for early protection against experimental tuberculosis. <i>Immunobiology</i> , 2010, 215, 804-811. | 0.8 | 45 |
| 71 | Phenotypical Characterization of Human Th17 Cells Unambiguously Identified by Surface IL-17A Expression. <i>Journal of Immunology</i> , 2009, 183, 5494-5501. | 0.4 | 65 |
| 72 | The IL-23/Th17 Axis Contributes to Renal Injury in Experimental Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 969-979. | 3.0 | 205 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Autocrine IL-10 Induces Hallmarks of Alternative Activation in Macrophages and Suppresses Antituberculosis Effector Mechanisms without Compromising T Cell Immunity. <i>Journal of Immunology</i> , 2009, 183, 1301-1312. | 0.4 | 130 |
| 74 | Interleukin (IL)-23 mediates <i>Toxoplasma gondii</i> -induced immunopathology in the gut via matrixmetalloproteinase-2 and IL-22 but independent of IL-17. <i>Journal of Experimental Medicine</i> , 2009, 206, 3047-3059. | 4.2 | 262 |
| 75 | Adjuvanticity of a synthetic cord factor analogue for subunit <i>Mycobacterium tuberculosis</i> vaccination requires FcR γ 3 α 1 ⁺ “Syk”“Card9” dependent innate immune activation. <i>Journal of Experimental Medicine</i> , 2009, 206, 89-97. | 4.2 | 290 |
| 76 | Fucosyltransferase IV and VII-directed selectin ligand function determines long-term survival in experimental tuberculosis. <i>Immunobiology</i> , 2009, 214, 674-682. | 0.8 | 7 |
| 77 | Analyzing Classical and Alternative Macrophage Activation in Macrophage/Neutrophil-Specific IL-4 Receptor-Alpha-Deficient Mice. <i>Methods in Molecular Biology</i> , 2009, 531, 225-252. | 0.4 | 30 |
| 78 | MyDths and un-TOLled truths: Sensor, instructive and effector immunity to tuberculosis. <i>Immunology Letters</i> , 2008, 116, 15-23. | 1.1 | 61 |
| 79 | Containment of aerogenic <i>Mycobacterium tuberculosis</i> infection in mice does not require MyD88 adaptor function for TLR2, α 4 and α 9. <i>European Journal of Immunology</i> , 2008, 38, 680-694. | 1.6 | 158 |
| 80 | MyD88/IL-18-dependent pathways rather than TLRs control early parasitaemia in non-lethal <i>Plasmodium yoelii</i> infection. <i>Microbes and Infection</i> , 2008, 10, 1259-1265. | 1.0 | 30 |
| 81 | Protective Immunity to Systemic Infection with Attenuated <i>Salmonella enterica</i> serovar Enteritidis in the Absence of IL-12 Is Associated with IL-23-Dependent IL-22, but Not IL-17. <i>Journal of Immunology</i> , 2008, 181, 7891-7901. | 0.4 | 110 |
| 82 | IL-17A is produced by Th17, γ δ T cells and other CD4 ⁺ lymphocytes during infection with <i>Salmonella enterica</i> serovar Enteritidis and has a mild effect in bacterial clearance. <i>International Immunology</i> , 2008, 20, 1129-1138. | 1.8 | 113 |
| 83 | Dendritic Cell-Derived IL-12p40 Homodimer Contributes to Susceptibility in Cutaneous Leishmaniasis in BALB/c Mice. <i>Journal of Immunology</i> , 2007, 178, 7251-7258. | 0.4 | 39 |
| 84 | Deletion of IL-4R α on CD4 T Cells Renders BALB/c Mice Resistant to <i>Leishmania major</i> Infection. <i>PLoS Pathogens</i> , 2007, 3, e68. | 2.1 | 61 |
| 85 | Aptamers against interleukin-12-related cytokines as novel therapeutics in autoimmune diseases. <i>Expert Opinion on Therapeutic Patents</i> , 2006, 16, 1025-1030. | 2.4 | 0 |
| 86 | Alternatively activated macrophages express the IL-27 receptor alpha chain WSX-1. <i>Immunobiology</i> , 2006, 211, 427-436. | 0.8 | 58 |
| 87 | Selectin Ligand-Independent Priming and Maintenance of T Cell Immunity during Airborne Tuberculosis. <i>Journal of Immunology</i> , 2006, 176, 1131-1140. | 0.4 | 31 |
| 88 | Interleukin-15 mediates protection against experimental tuberculosis: A role for NKG2D-dependent effector mechanisms of CD8 ⁺ T α 1 cells. <i>European Journal of Immunology</i> , 2006, 36, 1156-1167. | 1.6 | 38 |
| 89 | <i>Leishmania</i> disease development depends on the presence of apoptotic promastigotes in the virulent inoculum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 13837-13842. | 3.3 | 179 |
| 90 | Impairment of Alternative Macrophage Activation Delays Cutaneous Leishmaniasis in Nonhealing BALB/c Mice. <i>Journal of Immunology</i> , 2006, 176, 1115-1121. | 0.4 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | IL-4 Receptor Signaling in Clara Cells Is Required for Allergen-Induced Mucus Production. <i>Journal of Immunology</i> , 2005, 175, 3746-3752. | 0.4 | 89 |
| 92 | The IL-27 Receptor Chain WSX-1 Differentially Regulates Antibacterial Immunity and Survival during Experimental Tuberculosis. <i>Journal of Immunology</i> , 2005, 174, 3534-3544. | 0.4 | 263 |
| 93 | Interleukin-12p40 mediates transient protection against <i>Mycobacterium avium</i> infection in the absence of interleukin-12. <i>Immunobiology</i> , 2005, 210, 217-227. | 0.8 | 7 |
| 94 | No inhibition of IL-27 signaling by soluble gp130. <i>Biochemical and Biophysical Research Communications</i> , 2005, 326, 724-728. | 1.0 | 58 |
| 95 | Targeting IL-23 in autoimmunity. <i>Current Opinion in Investigational Drugs</i> , 2005, 6, 489-95. | 2.3 | 4 |
| 96 | The power of combinatorial immunology: IL-12 and IL-12-related dimeric cytokines in infectious diseases. <i>Medical Microbiology and Immunology</i> , 2004, 193, 1-17. | 2.6 | 110 |
| 97 | Alternative Macrophage Activation Is Essential for Survival during Schistosomiasis and Downmodulates T Helper 1 Responses and Immunopathology. <i>Immunity</i> , 2004, 20, 623-635. | 6.6 | 651 |
| 98 | Concerted action of perforin and granzymes is critical for the elimination of <i>Trypanosoma cruzi</i> from mouse tissues, but prevention of early host death is in addition dependent on the FasL/Fas pathway. <i>European Journal of Immunology</i> , 2003, 33, 70-78. | 1.6 | 58 |
| 99 | The Lymphotoxin β Receptor Is Critically Involved in Controlling Infections with the Intracellular Pathogens <i>Mycobacterium tuberculosis</i> and <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2003, 170, 5210-5218. | 0.4 | 134 |
| 100 | Cutting Edge: Toll-Like Receptor (TLR)2- and TLR4-Mediated Pathogen Recognition in Resistance to Airborne Infection with <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2002, 169, 3480-3484. | 0.4 | 411 |
| 101 | A Protective and Agonistic Function of IL-12p40 in <i>Mycobacterial</i> Infection. <i>Journal of Immunology</i> , 2001, 167, 6957-6966. | 0.4 | 208 |
| 102 | IL-12-Independent IFN- β Production by T Cells in Experimental Chagas's Disease Is Mediated by IL-18. <i>Journal of Immunology</i> , 2001, 167, 3346-3353. | 0.4 | 94 |
| 103 | Interleukin-4 Receptor Alpha-Deficient BALB/c Mice Show an Unimpaired T Helper 2 Polarization in Response to <i>Leishmania major</i> Infection. <i>Infection and Immunity</i> , 2000, 68, 1773-1780. | 1.0 | 72 |
| 104 | Tumor Necrosis Factor Alpha-Mediated Toxic Shock in <i>Trypanosoma cruzi</i> -Infected Interleukin 10-Deficient Mice. <i>Infection and Immunity</i> , 2000, 68, 4075-4083. | 1.0 | 146 |
| 105 | Long term substitution and specific immune responses after transfer of bovine peripheral blood lymphocytes into severe combined immunodeficient mice. <i>Veterinary Immunology and Immunopathology</i> , 1999, 70, 67-83. | 0.5 | 4 |
| 106 | Defective Nitric Oxide Effector Functions Lead to Extreme Susceptibility of <i>Trypanosoma cruzi</i> -Infected Mice Deficient in Gamma Interferon Receptor or Inducible Nitric Oxide Synthase. <i>Infection and Immunity</i> , 1998, 66, 1208-1215. | 1.0 | 239 |
| 107 | Architectural cognition cards: a card-based method for introducing spatial cognition research and user-centred thinking into the design process. <i>Architectural Science Review</i> , 0, , 1-18. | 1.1 | 1 |