

Michael E Dewey

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5995118/michael-e-dewey-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226 papers	14,589 citations	69 h-index	113 g-index
234 ext. papers	16,092 ext. citations	5.1 avg, IF	5.92 L-index

#	Paper	IF	Citations
226	A computerized psychiatric diagnostic system and case nomenclature for elderly subjects: GMS and AGE CAT. <i>Psychological Medicine</i> , 1986 , 16, 89-99	6.9	664
225	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2011 , 378, 403-11	4.0	348
224	Range of mental illness among the elderly in the community. Prevalence in Liverpool using the GMS-AGE CAT package. <i>British Journal of Psychiatry</i> , 1987 , 150, 815-23	5.4	334
223	Outcomes of add-on treatment with lamotrigine in partial epilepsy. <i>Epilepsia</i> , 1993 , 34, 312-22	6.4	297
222	Effectiveness of home based support for older people: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2001 , 323, 719-25		296
221	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. <i>Lancet, The</i> , 2008 , 372, 464-74	4.0	285
220	Survival times in people with dementia: analysis from population based cohort study with 14 year follow-up. <i>BMJ, The</i> , 2008 , 336, 258-62	5.9	273
219	Alzheimer's disease, other dementias, depression and pseudodementia: prevalence, incidence and three-year outcome in Liverpool. <i>British Journal of Psychiatry</i> , 1992 , 161, 230-9	5.4	271
218	Positive and negative perfectionism. <i>Personality and Individual Differences</i> , 1995 , 18, 663-668	3.3	270
217	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: a preliminary randomized double-blind placebo-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1538-44	5.5	254
216	The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007 , 7, 165	4.1	245
215	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 751-61	3.9	215
214	Anxiety, depression, and cause-specific mortality: the HUNT study. <i>Psychosomatic Medicine</i> , 2007 , 69, 323-31	3.7	204
213	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. <i>Lancet, The</i> , 2012 , 380, 50-8	4.0	201
212	Levels of anxiety and depression as predictors of mortality: the HUNT study. <i>British Journal of Psychiatry</i> , 2009 , 195, 118-25	5.4	200
211	Life events and psychosis: a review and meta-analysis. <i>Schizophrenia Bulletin</i> , 2013 , 39, 740-7	1.3	184
210	Effectiveness of physiotherapy exercise after knee arthroplasty for osteoarthritis: systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2007 , 335, 812	5.9	184

209	Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. <i>British Journal of Psychiatry</i> , 2007 , 191, 393-401	5.4	179
208	Depression in Europe. Geographical distribution among older people. <i>British Journal of Psychiatry</i> , 1999 , 174, 312-21	5.4	178
207	Antidepressant drugs and generic counselling for treatment of major depression in primary care: randomised trial with patient preference arms. <i>BMJ: British Medical Journal</i> , 2001 , 322, 772-5		174
206	Heavy drinking as a risk factor for depression and dementia in elderly men. Findings from the Liverpool longitudinal community study. <i>British Journal of Psychiatry</i> , 1991 , 159, 213-6	5.4	163
205	The initial development of a health-related quality of life model as an outcome measure in epilepsy. <i>Epilepsy Research</i> , 1993 , 16, 65-81	3	155
204	The development of a seizure severity scale as an outcome measure in epilepsy. <i>Epilepsy Research</i> , 1991 , 8, 245-51	3	151
203	Depression, depressive symptoms and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 622-30	3.9	150
202	The effectiveness of a home care program for supporting caregivers of persons with dementia in developing countries: a randomised controlled trial from Goa, India. <i>PLoS ONE</i> , 2008 , 3, e2333	3.7	149
201	The prevalence of joint contractures, pressure sores, painful shoulder, other pain, falls, and depression in the year after a severely disabling stroke. <i>Stroke</i> , 2008 , 39, 3329-34	6.7	148
200	Assessing effectiveness of treatment of depression in primary care. Partially randomised preference trial. <i>British Journal of Psychiatry</i> , 2000 , 177, 312-8	5.4	148
199	Risk factors for depression in elderly people: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 213-7	6.5	144
198	Seizure frequency, patient-perceived seizure severity and the psychosocial consequences of intractable epilepsy. <i>Epilepsy Research</i> , 1991 , 9, 231-41	3	143
197	Does home visiting improve parenting and the quality of the home environment? A systematic review and meta analysis. <i>Archives of Disease in Childhood</i> , 2000 , 82, 443-51	2.2	141
196	Depression among older people in Europe: the EURODEP studies. <i>World Psychiatry</i> , 2004 , 3, 45-9	14.4	140
195	Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008 , 192, 171-7	5.4	135
194	Measuring the impact of epilepsy: the development of a novel scale. <i>Epilepsy Research</i> , 1993 , 16, 83-8	3	133
193	Development and preliminary validation of the body satisfaction scale (BSS). <i>Psychology and Health</i> , 1990 , 4, 213-220	2.9	131
192	Prevalence of depression in older people in England and Wales: the MRC CFA Study. <i>Psychological Medicine</i> , 2007 , 37, 1787-95	6.9	121

191	A multicentre randomized controlled trial of leisure therapy and conventional occupational therapy after stroke. TOTAL Study Group. Trial of Occupational Therapy and Leisure. <i>Clinical Rehabilitation</i> , 2001 , 15, 42-52	3.3	120
190	Insomnia in the elderly : Prevalence, gender differences and relationships with morbidity and mortality. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 473-480	3.9	118
189	The Geriatric Mental State (GMS) used in the community: replication studies of the computerized diagnosis AGE CAT. <i>Psychological Medicine</i> , 1988 , 18, 219-23	6.9	118
188	The prevalence of dementia, depression and neurosis in later life: the Liverpool MRC-ALPHA Study. <i>International Journal of Epidemiology</i> , 1993 , 22, 838-47	7.8	117
187	Impact of antenatal common mental disorders upon perinatal outcomes in Ethiopia: the P-MaMiE population-based cohort study. <i>Tropical Medicine and International Health</i> , 2009 , 14, 156-66	2.3	116
186	Dipyridamole for preventing recurrent ischemic stroke and other vascular events: a meta-analysis of individual patient data from randomized controlled trials. <i>Stroke</i> , 2005 , 36, 162-8	6.7	113
185	Is there more dementia, depression and neurosis in New York? A comparative study of the elderly in New York and London using the computer diagnosis AGE CAT. <i>British Journal of Psychiatry</i> , 1987 , 151, 466-73	5.4	111
184	Prevalence, distribution, and impact of mild cognitive impairment in Latin America, China, and India: a 10/66 population-based study. <i>PLoS Medicine</i> , 2012 , 9, e1001170	11.6	108
183	Increased prevalence of insomnia and changes in hypnotics use in England over 15 years: analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012 , 35, 377-84	1.1	106
182	Education and the risk for Alzheimer's disease: sex makes a difference. EURODEM pooled analyses. EURODEM Incidence Research Group. <i>American Journal of Epidemiology</i> , 2000 , 151, 1064-71	3.8	104
181	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 12-29	4.3	103
180	Study of the use of antidepressants for depression in dementia: the HTA-SADD trial--a multicentre, randomised, double-blind, placebo-controlled trial of the clinical effectiveness and cost-effectiveness of sertraline and mirtazapine. <i>Health Technology Assessment</i> , 2013 , 17, 1-166	4.4	99
179	Dementia before death in ageing societies--the promise of prevention and the reality. <i>PLoS Medicine</i> , 2006 , 3, e397	11.6	94
178	Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. <i>European Child and Adolescent Psychiatry</i> , 2013 , 22, 309-18	5.5	93
177	The incidence of dementia in England and Wales: findings from the five identical sites of the MRC CFA Study. <i>PLoS Medicine</i> , 2005 , 2, e193	11.6	93
176	Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. <i>BMJ, The</i> , 2010 , 341, c5367	5.9	92
175	Self-reported medication use for older people in England and Wales. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2001 , 26, 129-40	2.2	92
174	Prevalence and symptomatology of depression in older people living in institutions in England and Wales. <i>Age and Ageing</i> , 2007 , 36, 562-8	3	91

173	Individual patient data meta-analysis of randomized controlled trials of community occupational therapy for stroke patients. <i>Stroke</i> , 2004 , 35, 2226-32	6.7	90
172	Paranoia and social reasoning: an attribution theory analysis. <i>British Journal of Clinical Psychology</i> , 1991 , 30, 13-23	3.6	89
171	Effectiveness of physiotherapy exercise following hip arthroplasty for osteoarthritis: a systematic review of clinical trials. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 98	2.8	88
170	The Geriatric Mental State Examination in the 21st century. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 729-32	3.9	88
169	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008 , 8, 219	4.1	84
168	The impact of epidemic violence on the prevalence of psychiatric disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013 , 8, e63545	3.7	83
167	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014 , 155, 266-72	6.6	80
166	Development of a novel scale to assess life fulfillment as part of the further refinement of a quality-of-life model for epilepsy. <i>Epilepsia</i> , 1994 , 35, 591-6	6.4	80
165	Development and preliminary validation of SCANS: A screening instrument for identifying individuals at risk of developing anorexia and bulimia nervosa. <i>International Journal of Eating Disorders</i> , 1986 , 5, 517-538	6.3	80
164	Measuring disability across cultures--the psychometric properties of the WHODAS II in older people from seven low- and middle-income countries. The 10/66 Dementia Research Group population-based survey. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19, 1-17	4.3	79
163	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. <i>BMC Medicine</i> , 2015 , 13, 138	11.4	75
162	Behavioral and psychological symptoms of dementia in developing countries. <i>International Psychogeriatrics</i> , 2004 , 16, 441-59	3.4	75
161	Prevalence and predictors of undernutrition among infants aged six and twelve months in Butajira, Ethiopia: the P-MaMIE Birth Cohort. <i>BMC Public Health</i> , 2010 , 10, 27	4.1	74
160	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012 , 201, 282-90	5.4	73
159	Schizophrenia and delusional disorder in older age: community prevalence, incidence, comorbidity, and outcome. <i>Schizophrenia Bulletin</i> , 1998 , 24, 153-61	1.3	72
158	Effects of education and culture on the validity of the Geriatric Mental State and its AGE CAT algorithm. <i>British Journal of Psychiatry</i> , 2004 , 185, 429-36	5.4	69
157	Undifferentiated dementia, Alzheimer's disease and vascular dementia: age- and gender-related incidence in Liverpool. The MRC-ALPHA Study. <i>British Journal of Psychiatry</i> , 1999 , 175, 433-8	5.4	67
156	Seizure severity and the quality of life. <i>Epilepsia</i> , 1993 , 34 Suppl 5, S31-5	6.4	67

155	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 233-40	5.1	66
154	Dementia and depression in elderly persons: Agecat compared with dsm III and pervasive illness. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 47-51	3.9	65
153	Posttraumatic stress disorder six months after an earthquake: findings from a community sample in a rural region in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 393-7	4.5	64
152	Computerized psychiatric diagnosis in the elderly: AGECAT. <i>Journal of Microcomputer Applications</i> , 1986 , 9, 135-140		64
151	Sooner and healthier: a randomised controlled trial and interview study of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> , 2004 , 33, 246-52	3	63
150	Coefficients of agreement. <i>British Journal of Psychiatry</i> , 1983 , 143, 487-9	5.4	62
149	Co-occurrence of anxiety and depressive disorders in a community sample of older people: results from the MRC CFAS (Medical Research Council Cognitive Function and Ageing Study). <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 229-37	3.9	60
148	Incidence and possible causes of prescribing potentially hazardous/contraindicated drug combinations in general practice. <i>Drug Safety</i> , 2005 , 28, 67-80	5.1	60
147	Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682	3	59
146	The relationship between mortality and mental disorder: Evidence from the Liverpool longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 95-98	3.9	59
145	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. <i>Age and Ageing</i> , 2014 , 43, 562-7	3	57
144	Computerized diagnosis from a standardized history schedule: A preliminary communication about the organic section of the HASAGECAT system. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 443-446	3.9	57
143	Persecutory delusions and recall of threatening propositions. <i>British Journal of Clinical Psychology</i> , 1992 , 31, 85-7	3.6	56
142	Attitudes of health professionals to child sexual abuse and incest. <i>Child Abuse and Neglect</i> , 1987 , 11, 109-16	4.3	56
141	Preliminary development of a questionnaire designed to measure neurotic perfectionism in the eating disorders. <i>Journal of Clinical Psychology</i> , 1994 , 50, 516-22	2.8	55
140	The role of brief instructions and suggestibility in the elicitation of auditory and visual hallucinations in normal and psychiatric subjects. <i>Journal of Nervous and Mental Disease</i> , 1987 , 175, 41-8	1.8	55
139	Outcome of the depressed elderly living in the community in Liverpool: a 5-year follow-up. <i>Psychological Medicine</i> , 1998 , 28, 1329-37	6.9	54
138	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: the P-MaMiE population-based cohort study. <i>Journal of Affective Disorders</i> , 2012 , 136, 340-9	6.6	52

137	Perinatal mental distress and infant morbidity in Ethiopia: a cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, F59-64	4.7	52
136	The effect of maternal common mental disorders on infant undernutrition in Butajira, Ethiopia: the P-MaMiE study. <i>BMC Psychiatry</i> , 2010 , 10, 32	4.2	52
135	Subjective experiences of magnetic resonance imaging. <i>Clinical Radiology</i> , 1990 , 41, 276-8	2.9	52
134	The provision of care for residents dying in U.K. nursing care homes. <i>Age and Ageing</i> , 2014 , 43, 375-9	3	51
133	Mortality and suicide after self-harm: community cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2011 , 198, 31-6	5.4	51
132	Maternal common mental disorders and infant development in Ethiopia: the P-MaMiE Birth Cohort. <i>BMC Public Health</i> , 2010 , 10, 693	4.1	51
131	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 64	3	50
130	Cognitive-behavioural therapy v. structured care for medically unexplained symptoms: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 193, 51-9	5.4	49
129	Community-based case-control study of depression in older people. Cases and sub-cases from the MRC-ALPHA Study. <i>British Journal of Psychiatry</i> , 1999 , 175, 340-7	5.4	49
128	Maternal attachment status, psychosocial stressors and problem behaviour: follow-up after parent training courses for conduct disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1995 , 36, 1179-98	7.9	48
127	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2014 , 28, 1099-109	5.5	46
126	Assessing research outcomes by postal questionnaire with telephone follow-up. TOTAL Study Group. Trial of Occupational Therapy and Leisure. <i>International Journal of Epidemiology</i> , 2000 , 29, 1065-9	7.8	46
125	Diagnosis of dementia from the history and aetiology schedule. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 912-7	3.9	45
124	Disposition towards hallucination, gender and EPQ scores: a brief report. <i>Personality and Individual Differences</i> , 1986 , 7, 247-249	3.3	45
123	The natural history of neurotic disorder in an elderly urban population. Findings from the Liverpool longitudinal study of continuing health in the community. <i>British Journal of Psychiatry</i> , 1992 , 160, 681-6	5.4	44
122	Mastectomy Versus Conservative Surgery. <i>Journal of Psychosocial Oncology</i> , 1989 , 7, 179-192	2.8	43
121	Predictors of outcome type in treated problem drinkers. <i>Journal of Studies on Alcohol and Drugs</i> , 1986 , 47, 41-7		43
120	Visual communication and the content and style of conversation. <i>British Journal of Social Psychology</i> , 1981 , 20, 41-52	6.8	43

119	Participation in productive activities and depression among older Europeans: survey of Health, Ageing and Retirement in Europe (SHARE). <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1157-63	3.9	42
118	Ethnic density effects for adult mental health: systematic review and meta-analysis of international studies. <i>Psychological Medicine</i> , 2018 , 48, 2054-2072	6.9	40
117	Validation of the Spanish version of the EURO-D scale: an instrument for detecting depression in older people. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1199-205	3.9	40
116	A follow-up study of problem drinkers offered a goal choice option. <i>Journal of Studies on Alcohol and Drugs</i> , 1992 , 53, 594-600		40
115	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambuí Cohort Study, Brazil. <i>Journal of Sleep Research</i> , 2011 , 20, 303-10	5.8	39
114	Diagnostic procedures, revascularization, and inpatient mortality after acute myocardial infarction in patients with schizophrenia and bipolar disorder. <i>Psychosomatic Medicine</i> , 2013 , 75, 52-9	3.7	38
113	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. <i>Age and Ageing</i> , 2004 , 33, 384-90	3	38
112	Spatial neglect: is rehabilitation effective?. <i>Stroke</i> , 2002 , 33, 2728-9	6.7	36
111	The development, reliability and validity of a disease specific quality of life model for adults with growth hormone deficiency. <i>Clinical Endocrinology</i> , 1996 , 44, 403-11	3.4	36
110	A standardized interview for the elderly (GMS): Reliability studies comparing the Dutch language version with the original. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 71-79	3.9	35
109	Alcohol use and abuse in the elderly: Findings from the liverpool longitudinal study of continuing health in the community. <i>International Journal of Geriatric Psychiatry</i> , 1989 , 4, 103-108	3.9	35
108	Mild cognitive impairment diagnosed with the new DSM-5 criteria: prevalence and associations with non-cognitive psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 29-39	6.5	34
107	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013 , 202, 121-8	5.4	34
106	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. <i>Psychological Medicine</i> , 2014 , 44, 1977-87	6.9	33
105	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009 , 9, 34	4.2	33
104	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0192889	3.7	32
103	Impairment, disability, social support and depression among older parents in rural Thailand. <i>Psychological Medicine</i> , 2010 , 40, 1711-21	6.9	32
102	The reliability of balance, mobility and self-care measures in a population of adults with a learning disability known to a physiotherapy service. <i>Clinical Rehabilitation</i> , 2005 , 19, 216-23	3.3	32

101	Cross-cultural comparison of depression and depressive symptoms in older people. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 369-73	6.5	31
100	Pterin metabolism in depression: an extension of the amine hypothesis and possible marker of response to ECT. <i>Psychological Medicine</i> , 1992 , 22, 863-9	6.9	30
99	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 457	2.8	28
98	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2010 , 196, 31-5	5.4	28
97	The Katz Adjustment Scale: modification for use with victims of traumatic brain and spinal injury. <i>Brain Injury</i> , 1992 , 6, 109-27	2.1	28
96	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017 , 34, 916-924	3.5	27
95	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. <i>Trials</i> , 2016 , 17, 76	2.8	27
94	Two predictions about paranoid ideation: deluded, depressed and normal participants' subjective frequency and consensus judgments for positive, neutral and negative events. <i>British Journal of Clinical Psychology</i> , 1997 , 36, 349-64	3.6	27
93	Factors associated with abnormal eating attitudes and behaviors: Screening individuals at risk of developing an eating disorder. <i>International Journal of Eating Disorders</i> , 1987 , 6, 713-724	6.3	27
92	Cluster randomised controlled trial of an educational outreach visit to improve influenza and pneumococcal immunisation rates in primary care. <i>British Journal of General Practice</i> , 2002 , 52, 735-40	1.6	27
91	Midlife hypertensive status and cognitive function 20 years later: the Southall and Brent revisited study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1489-98	5.6	26
90	Associations between n-3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 420-7	7	26
89	Economic analysis of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> , 2005 , 34, 274-80	3	26
88	Expressed wish to die and mortality in older people: a community replication. <i>Age and Ageing</i> , 1993 , 22, 109-13	3	26
87	Stress in midwifery: a comparison of midwives and nurses using the Work Environment Scale. <i>International Journal of Nursing Studies</i> , 1994 , 31, 13-22	5.8	26
86	The prevalence of dementia among elderly people living in Zaragoza and Liverpool. <i>Psychological Medicine</i> , 1992 , 22, 239-43	6.9	26
85	Physical illness and disability among elderly people in England and Wales: the Medical Research Council Cognitive Function and Ageing Study. The Analysis Group. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 494-501	5.1	25
84	The distribution of dementia, depression and neurosis in elderly men and women in an urban community: Assessed using the GMS/AGECAT package. <i>International Journal of Geriatric Psychiatry</i> , 1987 , 2, 177-184	3.9	25

83	Dimensions underlying the mini-mental state examination in a sample with low-education levels: the Bambuhealth and aging study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 863-72	6.5	24
82	Education for people with progressive neurological conditions can have negative effects: evidence from a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2004 , 18, 717-25	3.3	23
81	Prevalence and implications of psychopathological non-cognitive symptoms in dementia. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 107-16	6.5	22
80	Cross-cultural comparison of depressive symptoms in Europe does not support stereotypes of ageing. <i>British Journal of Psychiatry</i> , 1999 , 174, 322-9	5.4	22
79	Sociocultural practices in Ethiopia: association with onset and persistence of postnatal common mental disorders. <i>British Journal of Psychiatry</i> , 2010 , 197, 468-75	5.4	21
78	Measuring common mental disorders in women in Ethiopia: reliability and construct validity of the comprehensive psychopathological rating scale. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 653-9	4.5	21
77	Affective disorders among elderly general practice patients. A two-phase survey in Brescia, Italy. <i>British Journal of Psychiatry</i> , 1994 , 165, 533-7	5.4	20
76	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134763	3.7	20
75	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. <i>JAMA Network Open</i> , 2019 , 2, e198714	10.4	19
74	The effect of a national quality improvement collaborative on prehospital care for acute myocardial infarction and stroke in England. <i>Implementation Science</i> , 2014 , 9, 17	8.4	19
73	Does childhood adversity account for poorer mental and physical health in second-generation Irish people living in Britain? Birth cohort study from Britain (NCDS). <i>BMJ Open</i> , 2013 , 3,	3	19
72	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the Bambuhealth Cohort Study of Aging. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 3, S345-50	3.2	19
71	Update on SCANS: A screening instrument for identifying individuals at risk of developing an eating disorder. <i>International Journal of Eating Disorders</i> , 1990 , 9, 583-584	6.3	19
70	The Geriatric Mental State Examination as a case-finding instrument in the community. <i>British Journal of Psychiatry</i> , 1988 , 152, 205-8	5.4	19
69	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020 , 130, 103466	5.2	19
68	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. <i>European Journal of Ageing</i> , 2004 , 1, 26-36	3.6	18
67	Depression in the elderly in the community: Effect of physical illness and selected social factors. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 787-795	3.9	18
66	Treatment and follow-up variables discriminating abstainers, controlled drinkers and relapsers. <i>Journal of Studies on Alcohol and Drugs</i> , 1987 , 48, 39-46		18

65	Counseling versus antidepressant therapy for the treatment of mild to moderate depression in primary care: economic analysis. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 80-90	1.8	17
64	Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 845-6	5.1	17
63	Factors associated with recovery and recurrence of depression in older people: A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 1994 , 9, 789-795	3.9	17
62	Professionals' attributions of censure in father-daughter incest. <i>Child Abuse and Neglect</i> , 1990 , 14, 419-28	4.3	17
61	Adapting the Bayley Scales of infant and toddler development in Ethiopia: evaluation of reliability and validity. <i>Child: Care, Health and Development</i> , 2016 , 42, 699-708	2.8	16
60	Aspects of personality of soldiers presenting to an endoscopy clinic. <i>Journal of Psychosomatic Research</i> , 1989 , 33, 85-91	4.1	15
59	Lifetime induced abortion: a comparison between women living and not living with HIV. <i>PLoS ONE</i> , 2014 , 9, e95570	3.7	14
58	Cross-cultural factorial validation of the Clinical Interview Schedule--Revised (CIS-R); findings from a nationally representative survey (EMPIRIC). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 229-44	4.3	14
57	The Work Environment Scale: a comparison of British and North American nurses. <i>Journal of Advanced Nursing</i> , 1992 , 17, 692-8	3.1	14
56	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 213-22	6.5	13
55	Do experienced diagnosticians agree about the diagnosis of dementia from survey data? The effects of informants' reports and interviewers' vignettes. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 852-62	3.9	13
54	Co-occurrence of chronic physical pain and psychiatric morbidity in a community sample of older people. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 902-8	3.9	13
53	Effectiveness of time-limited psychotherapy for minor psychiatric disorders: randomised controlled trial evaluating immediate v. long-term effects. <i>British Journal of Psychiatry</i> , 2002 , 180, 416-22	5.4	13
52	Rapists' Versus Non-Rapists' Attitudes Toward Women: A British Study. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 1995 , 39, 269-275	1.3	12
51	Blood pressure as a risk factor for depression in elderly people: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 126-9	6.5	11
50	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019 , 6, 506-517	23.3	10
49	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1621-7	4.5	10
48	The early recognition of dementia in the elderly: A preliminary communication about a longitudinal study using the gmsAgecat package (community version). <i>International Journal of Geriatric Psychiatry</i> , 1986 , 1, 63-70	3.9	10

47	Risk factors for dementia: Evidence from the liverpool study of continuing health in the community. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 245-249	3.9	10
46	Benzodiazepine usage amongst the elderly: Findings of the liverpool community survey. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 289-292	3.9	10
45	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011 , 23, 202-214	3.4	9
44	Fatigue as a manifestation of psychosocial distress in a low-income country: a population-based panel study. <i>Tropical Medicine and International Health</i> , 2016 , 21, 365-72	2.3	8
43	Born into adversity: psychological distress in two birth cohorts of second-generation Irish children growing up in Britain. <i>Journal of Public Health</i> , 2014 , 36, 92-103	3.5	8
42	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 679-87	3.9	8
41	Injury prevention training: a cluster randomised controlled trial assessing its effect on the knowledge, attitudes, and practices of midwives and health visitors. <i>Injury Prevention</i> , 2004 , 10, 83-7	3.2	8
40	Cross-national comparison of prevalence of symptoms of neurotic disorders in older people in two community samples. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 18-22	6.5	8
39	Estimating the incidence of dementia in the community from prevalence and mortality results. <i>International Journal of Epidemiology</i> , 1992 , 21, 533-6	7.8	8
38	Eye-contact as a chance product of individual looking: Implications for the intimacy model of argyle and dean. <i>Journal of Nonverbal Behavior</i> , 1984 , 8, 250-258	3.4	8
37	Risk of depression following uterine cancer: A nationwide population-based study. <i>Psycho-Oncology</i> , 2017 , 26, 1770-1776	3.9	7
36	Effectiveness and cost-effectiveness of an educational intervention for practice teams to deliver problem focused therapy for insomnia: rationale and design of a pilot cluster randomised trial. <i>BMC Family Practice</i> , 2009 , 10, 9	2.6	7
35	Investigation of the effect of a countywide protected learning time scheme on prescribing rates of ramipril: interrupted time series study. <i>Family Practice</i> , 2007 , 24, 26-33	1.9	7
34	Neurosis and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 554-7	3.9	7
33	Dementia in centenarians. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 538-9	3.9	7
32	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. <i>Psychological Medicine</i> , 2017 , 47, 766-775	6.9	6
31	Survival analysis of the use of first and second generation antipsychotics among patients suffering schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411	3.6	6
30	Construct validity of the mini mental state examination across time in a sample with low-education levels: 10-year follow-up of the Bambui Cohort Study of Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1294-303	3.9	5

29	Measuring contamination in an injury prevention randomized controlled trial. <i>International Journal of Injury Control and Safety Promotion</i> , 2005 , 12, 197-9	1.8	5
28	Tics and heredity. A study of the relatives of child tiqueurs. <i>British Journal of Psychiatry</i> , 1987 , 150, 628-34	3.4	5
27	Visual communication and impression formation. <i>British Journal of Social Psychology</i> , 1984 , 23, 133-145	6.8	5
26	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. <i>British Journal of Psychiatry</i> , 2020 , 1-9	5.4	5
25	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. <i>BMJ Open</i> , 2018 , 8, e022170	3	5
24	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0195133	3.7	5
23	How should prevalence be modelled?. <i>Acta Psychiatrica Scandinavica</i> , 1991 , 84, 246-9	6.5	4
22	Role of grammatical clues in multiple choice questions: an empirical study. <i>Medical Teacher</i> , 1983 , 5, 146-8	3.8	4
21	Organisational Unit Size and Individual Attitudes: An Empirical Study. <i>Sociological Review</i> , 1978 , 26, 125-137	13.7	4
20	Perinatal common mental disorders and child survival in Ethiopia. <i>Journal of Paediatrics and Child Health</i> , 2014 , 50, 57-63	1.3	3
19	Prospective data on the prevalence of abnormal involuntary movements among elderly people living in the community. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 418-21	6.5	3
18	Community-based studies of survival in dementia. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 502-3	6.5	3
17	Diabetes and dementia incidence in Latin America; a 10/66 population-based cohort study		3
16	Methylphenidate and the risk of burn injury among children with attention-deficit/hyperactivity disorder. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e146	5.1	3
15	Selective serotonin reuptake inhibitors use and hepatocellular carcinoma in patients with alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108495	4.9	3
14	Diseases of the pancreas and suicide mortality: A nationwide nested case-control study among patients with mental health disorders in Taiwan. <i>General Hospital Psychiatry</i> , 2018 , 50, 45-50	5.6	2
13	Factors Affecting Rapists' and Nonrapists' Perceptions of the Likelihood of Sexual Activity. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 1991 , 35, 217-224	1.3	2
12	Being a stranger—Does eye-contact reflect intimacy?. <i>Semiotica</i> , 1982 , 42,	0.3	2

11	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial.. <i>Lancet Psychiatry</i> , 2022 , 9, 59-71	23.3	2
10	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. <i>Aging and Mental Health</i> , 2020 , 24, 1926-1934	3.5	2
9	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature 2001 , 16, 751		2
8	Common perinatal mental disorders and post-infancy child development in rural Ethiopia: a population-based cohort study.. <i>Tropical Medicine and International Health</i> , 2022 ,	2.3	1
7	Methylphenidate and TBI in ADHD and co-occurring epilepsy and mental disorders: a self-controlled case series study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
6	Reply: To PMID 24893954. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 81-2	6.5	
5	Statistician's view. <i>Age and Ageing</i> , 2014 , 43, 115	3	
4	Mortality and Mental Disorders103-104		
3	Algorithms for frequency distributions: efficiency and generality comparisons. <i>Statistics and Computing</i> , 1992 , 2, 213-220	1.8	
2	A note on the computation of Cohen's kappa. <i>British Journal of Mathematical and Statistical Psychology</i> , 1989 , 42, 191-195	2.8	
1	An objective automated method for digitizing pictorial material for computer manipulation. <i>Behavior Research Methods</i> , 1976 , 8, 378-381	6.1	