Michael E Dewey

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5995118/michael-e-dewey-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226 14,589 69 113 h-index g-index citations papers 16,092 5.92 5.1 234 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
226	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial <i>Lancet Psychiatry,the</i> , 2022 , 9, 59-71	23.3	2
225	Common perinatal mental disorders and post-infancy child development in rural Ethiopia: a population-based cohort study <i>Tropical Medicine and International Health</i> , 2022 ,	2.3	1
224	Selective serotonin reuptake inhibitors use and hepatocellular carcinoma in patients with alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108495	4.9	3
223	Methylphenidate and TBI in ADHD and co-occurring epilepsy and mental disorders: a self-controlled case series study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
222	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020 , 130, 103466	5.2	19
221	Methylphenidate and the risk of burn injury among children with attention-deficit/hyperactivity disorder. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e146	5.1	3
220	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. <i>British Journal of Psychiatry</i> , 2020 , 1-9	5.4	5
219	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. <i>Aging and Mental Health</i> , 2020 , 24, 1926-1934	3.5	2
218	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry,the</i> , 2019 , 6, 506-517	23.3	10
217	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. <i>JAMA Network Open</i> , 2019 , 2, e198714	10.4	19
216	Ethnic density effects for adult mental health: systematic review and meta-analysis of international studies. <i>Psychological Medicine</i> , 2018 , 48, 2054-2072	6.9	40
215	Diseases of the pancreas and suicide mortality: A nationwide nested case-control study among patients with mental health disorders in Taiwan. <i>General Hospital Psychiatry</i> , 2018 , 50, 45-50	5.6	2
214	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0192889	3.7	32
213	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. <i>BMJ Open</i> , 2018 , 8, e022170	3	5
212	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0195133	3.7	5
211	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017 , 34, 916-924	3.5	27
210	Risk of depression following uterine cancer: A nationwide population-based study. <i>Psycho-Oncology</i> , 2017 , 26, 1770-1776	3.9	7

209	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. <i>Psychological Medicine</i> , 2017 , 47, 766-775	6.9	6
208	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 64	3	50
207	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. <i>Trials</i> , 2016 , 17, 76	2.8	27
206	Fatigue as a manifestation of psychosocial distress in a low-income country: a population-based panel study. <i>Tropical Medicine and International Health</i> , 2016 , 21, 365-72	2.3	8
205	Adapting the Bayley Scales of infant and toddler development in Ethiopia: evaluation of reliability and validity. <i>Child: Care, Health and Development</i> , 2016 , 42, 699-708	2.8	16
204	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 213-22	6.5	13
203	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. <i>BMC Medicine</i> , 2015 , 13, 138	11.4	75
202	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 233-40	5.1	66
201	Mild cognitive impairment diagnosed with the new DSM-5 criteria: prevalence and associations with non-cognitive psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 29-39	6.5	34
200	Reply: To PMID 24893954. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 81-2	6.5	
		0.5	
199	Survival analysis of the use of first and second generation antipsychotics among patients suffering schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411		6
199 198	Survival analysis of the use of first and second generation antipsychotics among patients suffering schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411 Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682		6
	schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411 Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of	3.6	
198	schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411 Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682 Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A	3.6	59
198 197	schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411 Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682 Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134763 Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: results	3.6 3 3.7	59
198 197 196	schizophrenia: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2015 , 169, 406-411 Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682 Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134763 Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014 , 155, 266-72 The effect of a national quality improvement collaborative on prehospital care for acute myocardial	3.6 3 3.7 6.6	59 20 80
198 197 196 195	Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. <i>BMJ Open</i> , 2015 , 5, e008682 Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134763 Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014 , 155, 266-72 The effect of a national quality improvement collaborative on prehospital care for acute myocardial infarction and stroke in England. <i>Implementation Science</i> , 2014 , 9, 17	3.6 3 3.7 6.6 8.4	59 20 80

191	Construct validity of the mini mental state examination across time in a sample with low-education levels: 10-year follow-up of the BambulCohort Study of Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1294-303	3.9	5
190	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. <i>Age and Ageing</i> , 2014 , 43, 562-7	3	57
189	Born into adversity: psychological distress in two birth cohorts of second-generation Irish children growing up in Britain. <i>Journal of Public Health</i> , 2014 , 36, 92-103	3.5	8
188	Statistician's view. <i>Age and Ageing</i> , 2014 , 43, 115	3	
187	Cross-cultural factorial validation of the Clinical Interview ScheduleRevised (CIS-R); findings from a nationally representative survey (EMPIRIC). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 229-44	4.3	14
186	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. <i>Psychological Medicine</i> , 2014 , 44, 1977-87	6.9	33
185	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2014 , 28, 1099-109	5.5	46
184	The provision of care for residents dying in U.K. nursing care homes. <i>Age and Ageing</i> , 2014 , 43, 375-9	3	51
183	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1621-7	4.5	10
182	Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. <i>European Child and Adolescent Psychiatry</i> , 2013 , 22, 309-18	5.5	93
181	Life events and psychosis: a review and meta-analysis. Schizophrenia Bulletin, 2013, 39, 740-7	1.3	184
180	Does childhood adversity account for poorer mental and physical health in second-generation Irish people living in Britain? Birth cohort study from Britain (NCDS). <i>BMJ Open</i> , 2013 , 3,	3	19
179	Diagnostic procedures, revascularization, and inpatient mortality after acute myocardial infarction in patients with schizophrenia and bipolar disorder. <i>Psychosomatic Medicine</i> , 2013 , 75, 52-9	3.7	38
178	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. British Journal of Psychiatry, 2013 , 202, 121-8	5.4	34
177	Participation in productive activities and depression among older Europeans: survey of Health, Ageing and Retirement in Europe (SHARE). <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1157-	·63 ^{.9}	42
176	Midlife hypertensive status and cognitive function 20 years later: the Southall and Brent revisited study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1489-98	5.6	26
175	The impact of epidemic violence on the prevalence of psychiatric disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013 , 8, e63545	3.7	83
174	Study of the use of antidepressants for depression in dementia: the HTA-SADD triala multicentre, randomised, double-blind, placebo-controlled trial of the clinical effectiveness and cost-effectiveness of sertraline and mirtazapine. <i>Health Technology Assessment</i> , 2013 , 17, 1-166	4.4	99

(2010-2012)

173	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: the P-MaMiE population-based cohort study. <i>Journal of Affective Disorders</i> , 2012 , 136, 340-9	6.6	52
172	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012 , 201, 282-90	5.4	73
171	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. <i>Lancet, The</i> , 2012 , 380, 50-8	40	201
170	Associations between n-3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 420-7	7	26
169	Increased prevalence of insomnia and changes in hypnotics use in England over 15 years: analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012 , 35, 377-84	1.1	106
168	Prevalence, distribution, and impact of mild cognitive impairment in Latin America, China, and India: a 10/66 population-based study. <i>PLoS Medicine</i> , 2012 , 9, e1001170	11.6	108
167	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2011 , 378, 403-11	40	348
166	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the Bambulcohort Study of Aging. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 3, S345-50	3.2	19
165	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011 , 23, 202	- 1 3†	9
164	Mortality and suicide after self-harm: community cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2011 , 198, 31-6	5.4	51
163	Perinatal mental distress and infant morbidity in Ethiopia: a cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, F59-64	4.7	52
162	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambulCohort Study, Brazil. <i>Journal of Sleep Research</i> , 2011 , 20, 303-10	5.8	39
161	Impairment, disability, social support and depression among older parents in rural Thailand. <i>Psychological Medicine</i> , 2010 , 40, 1711-21	6.9	32
160	Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. <i>BMJ, The</i> , 2010 , 341, c5367	5.9	92
159	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 679-87	3.9	8
158	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2010 , 196, 31-5	5.4	28
157	Sociocultural practices in Ethiopia: association with onset and persistence of postnatal common mental disorders. <i>British Journal of Psychiatry</i> , 2010 , 197, 468-75	5.4	21
156	Prevalence and predictors of undernutrition among infants aged six and twelve months in Butajira, Ethiopia: the P-MaMiE Birth Cohort. <i>BMC Public Health</i> , 2010 , 10, 27	4.1	74

155	Maternal common mental disorders and infant development in Ethiopia: the P-MaMiE Birth Cohort. <i>BMC Public Health</i> , 2010 , 10, 693	4.1	51
154	Measuring disability across culturesthe psychometric properties of the WHODAS II in older people from seven low- and middle-income countries. The 10/66 Dementia Research Group population-based survey. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19, 1-17	4.3	79
153	The effect of maternal common mental disorders on infant undernutrition in Butajira, Ethiopia: the P-MaMiE study. <i>BMC Psychiatry</i> , 2010 , 10, 32	4.2	52
152	Levels of anxiety and depression as predictors of mortality: the HUNT study. <i>British Journal of Psychiatry</i> , 2009 , 195, 118-25	5.4	200
151	Effectiveness of physiotherapy exercise following hip arthroplasty for osteoarthritis: a systematic review of clinical trials. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 98	2.8	88
150	Posttraumatic stress disorder six months after an earthquake: findings from a community sample in a rural region in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 393-7	4.5	64
149	Effectiveness and cost-effectiveness of an educational intervention for practice teams to deliver problem focused therapy for insomnia: rationale and design of a pilot cluster randomised trial. <i>BMC Family Practice</i> , 2009 , 10, 9	2.6	7
148	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009 , 9, 34	4.2	33
147	Impact of antenatal common mental disorders upon perinatal outcomes in Ethiopia: the P-MaMiE population-based cohort study. <i>Tropical Medicine and International Health</i> , 2009 , 14, 156-66	2.3	116
146	Prevalence and implications of psychopathological non-cognitive symptoms in dementia. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 107-16	6.5	22
145	Dimensions underlying the mini-mental state examination in a sample with low-education levels: the Bambulhealth and aging study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 863-72	6.5	24
144	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008 , 8, 219	4.1	84
143	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: a preliminary randomized double-blind placebo-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1538-44	5.5	254
142	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. <i>Lancet, The</i> , 2008 , 372, 464-74	40	285
141	The prevalence of joint contractures, pressure sores, painful shoulder, other pain, falls, and depression in the year after a severely disabling stroke. <i>Stroke</i> , 2008 , 39, 3329-34	6.7	148
140	Survival times in people with dementia: analysis from population based cohort study with 14 year follow-up. <i>BMJ, The</i> , 2008 , 336, 258-62	5.9	273
139	Cognitive-behavioural therapy v. structured care for medically unexplained symptoms: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 193, 51-9	5.4	49
138	Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008 , 192, 171-7	5.4	135

(2005-2008)

137	Measuring common mental disorders in women in Ethiopia: reliability and construct validity of the comprehensive psychopathological rating scale. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 653-9	4.5	21
136	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 12-29	4.3	103
135	Co-occurrence of anxiety and depressive disorders in a community sample of older people: results from the MRC CFAS (Medical Research Council Cognitive Function and Ageing Study). <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 229-37	3.9	60
134	The effectiveness of a home care program for supporting caregivers of persons with dementia in developing countries: a randomised controlled trial from Goa, India. <i>PLoS ONE</i> , 2008 , 3, e2333	3.7	149
133	Co-occurrence of chronic physical pain and psychiatric morbidity in a community sample of older people. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 902-8	3.9	13
132	The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007 , 7, 165	4.1	245
131	Investigation of the effect of a countywide protected learning time scheme on prescribing rates of ramipril: interrupted time series study. <i>Family Practice</i> , 2007 , 24, 26-33	1.9	7
130	Prevalence of depressive symptoms and syndromes in later life in ten European countries: the SHARE study. <i>British Journal of Psychiatry</i> , 2007 , 191, 393-401	5.4	179
129	Effectiveness of physiotherapy exercise after knee arthroplasty for osteoarthritis: systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2007 , 335, 812	5.9	184
128	Prevalence and symptomatology of depression in older people living in institutions in England and Wales. <i>Age and Ageing</i> , 2007 , 36, 562-8	3	91
127	Prevalence of depression in older people in England and Wales: the MRC CFA Study. <i>Psychological Medicine</i> , 2007 , 37, 1787-95	6.9	121
126	Anxiety, depression, and cause-specific mortality: the HUNT study. <i>Psychosomatic Medicine</i> , 2007 , 69, 323-31	3.7	204
125	Dementia before death in ageing societiesthe promise of prevention and the reality. <i>PLoS Medicine</i> , 2006 , 3, e397	11.6	94
124	Validation of the Spanish version of the EURO-D scale: an instrument for detecting depression in older people. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1199-205	3.9	40
123	Dipyridamole for preventing recurrent ischemic stroke and other vascular events: a meta-analysis of individual patient data from randomized controlled trials. <i>Stroke</i> , 2005 , 36, 162-8	6.7	113
122	Incidence and possible causes of prescribing potentially hazardous/contraindicated drug combinations in general practice. <i>Drug Safety</i> , 2005 , 28, 67-80	5.1	60
121	The incidence of dementia in England and Wales: findings from the five identical sites of the MRC CFA Study. <i>PLoS Medicine</i> , 2005 , 2, e193	11.6	93
120	Economic analysis of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> , 2005 , 34, 274-80	3	26

119	The reliability of balance, mobility and self-care measures in a population of adults with a learning disability known to a physiotherapy service. <i>Clinical Rehabilitation</i> , 2005 , 19, 216-23	3.3	32
118	Measuring contamination in an injury prevention randomized controlled trial. <i>International Journal of Injury Control and Safety Promotion</i> , 2005 , 12, 197-9	1.8	5
117	Injury prevention training: a cluster randomised controlled trial assessing its effect on the knowledge, attitudes, and practices of midwives and health visitors. <i>Injury Prevention</i> , 2004 , 10, 83-7	3.2	8
116	Behavioral and psychological symptoms of dementia in developing countries. <i>International Psychogeriatrics</i> , 2004 , 16, 441-59	3.4	75
115	Education for people with progressive neurological conditions can have negative effects: evidence from a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2004 , 18, 717-25	3.3	23
114	Individual patient data meta-analysis of randomized controlled trials of community occupational therapy for stroke patients. <i>Stroke</i> , 2004 , 35, 2226-32	6.7	90
113	Sooner and healthier: a randomised controlled trial and interview study of an early discharge rehabilitation service for older people. <i>Age and Ageing</i> , 2004 , 33, 246-52	3	63
112	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. <i>Age and Ageing</i> , 2004 , 33, 384-90	3	38
111	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. <i>European Journal of Ageing</i> , 2004 , 1, 26-36	3.6	18
110	Neurosis and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 554-7	3.9	7
109	Effects of education and culture on the validity of the Geriatric Mental State and its AGECAT algorithm. <i>British Journal of Psychiatry</i> , 2004 , 185, 429-36	5.4	69
108	Depression among older people in Europe: the EURODEP studies. World Psychiatry, 2004, 3, 45-9	14.4	140
107	Counseling versus antidepressant therapy for the treatment of mild to moderate depression in primary care: economic analysis. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 80-90	1.8	17
106	The Geriatric Mental State Examination in the 21st century. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 729-32	3.9	88
105	Spatial neglect: is rehabilitation effective?. Stroke, 2002, 33, 2728-9	6.7	36
104	Effectiveness of time-limited psychotherapy for minor psychiatric disorders: randomised controlled trial evaluating immediate v. long-term effects. <i>British Journal of Psychiatry</i> , 2002 , 180, 416-22	5.4	13
103	Cluster randomised controlled trial of an educational outreach visit to improve influenza and pneumococcal immunisation rates in primary care. <i>British Journal of General Practice</i> , 2002 , 52, 735-40	1.6	27
102	Self-reported medication use for older people in England and Wales. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2001 , 26, 129-40	2.2	92

101	Dementia in centenarians. International Journal of Geriatric Psychiatry, 2001, 16, 538-9	3.9	7
100	Depression, depressive symptoms and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 622-30	3.9	150
99	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 751-61	3.9	215
98	Diagnosis of dementia from the history and aetiology schedule. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 912-7	3.9	45
97	A multicentre randomized controlled trial of leisure therapy and conventional occupational therapy after stroke. TOTAL Study Group. Trial of Occupational Therapy and Leisure. <i>Clinical Rehabilitation</i> , 2001 , 15, 42-52	3.3	120
96	Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 845-6	5.1	17
95	Antidepressant drugs and generic counselling for treatment of major depression in primary care: randomised trial with patient preference arms. <i>BMJ: British Medical Journal</i> , 2001 , 322, 772-5		174
94	Effectiveness of home based support for older people: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2001 , 323, 719-25		296
93	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature 2001 , 16, 751		2
92	Assessing effectiveness of treatment of depression in primary care. Partially randomised preference trial. <i>British Journal of Psychiatry</i> , 2000 , 177, 312-8	5.4	148
91	Does home visiting improve parenting and the quality of the home environment? A systematic review and meta analysis. <i>Archives of Disease in Childhood</i> , 2000 , 82, 443-51	2.2	141
90	Education and the risk for Alzheimer's disease: sex makes a difference. EURODEM pooled analyses. EURODEM Incidence Research Group. <i>American Journal of Epidemiology</i> , 2000 , 151, 1064-71	3.8	104
89	Assessing research outcomes by postal questionnaire with telephone follow-up. TOTAL Study Group. Trial of Occupational Therapy and Leisure. <i>International Journal of Epidemiology</i> , 2000 , 29, 1065-	. 9 7.8	46
88	Undifferentiated dementia, Alzheimer's disease and vascular dementia: age- and gender-related incidence in Liverpool. The MRC-ALPHA Study. <i>British Journal of Psychiatry</i> , 1999 , 175, 433-8	5.4	67
87	Cross-cultural comparison of depressive symptoms in Europe does not support stereotypes of ageing. <i>British Journal of Psychiatry</i> , 1999 , 174, 322-9	5.4	22
86	Depression in Europe. Geographical distribution among older people. <i>British Journal of Psychiatry</i> , 1999 , 174, 312-21	5.4	178
85	Community-based case-control study of depression in older people. Cases and sub-cases from the MRC-ALPHA Study. <i>British Journal of Psychiatry</i> , 1999 , 175, 340-7	5.4	49
84	Do experienced diagnosticians agree about the diagnosis of dementia from survey data? The effects of informants' reports and interviewers' vignettes. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 852-62	3.9	13

83	Schizophrenia and delusional disorder in older age: community prevalence, incidence, comorbidity, and outcome. <i>Schizophrenia Bulletin</i> , 1998 , 24, 153-61	1.3	72
82	Outcome of the depressed elderly living in the community in Liverpool: a 5-year follow-up. <i>Psychological Medicine</i> , 1998 , 28, 1329-37	6.9	54
81	Physical illness and disability among elderly people in England and Wales: the Medical Research Council Cognitive Function and Ageing Study. The Analysis Group. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 494-501	5.1	25
80	Two predictions about paranoid ideation: deluded, depressed and normal participants' subjective frequency and consensus judgments for positive, neutral and negative events. <i>British Journal of Clinical Psychology</i> , 1997 , 36, 349-64	3.6	27
79	The development, reliability and validity of a disease specific quality of life model for adults with growth hormone deficiency. <i>Clinical Endocrinology</i> , 1996 , 44, 403-11	3.4	36
78	Maternal attachment status, psychosocial stressors and problem behaviour: follow-up after parent training courses for conduct disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1995 , 36, 1179-98	7.9	48
77	Rapists' Versus Non-Rapists' Attitudes Toward Women: A British Study. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 1995 , 39, 269-275	1.3	12
76	Positive and negative perfectionism. <i>Personality and Individual Differences</i> , 1995 , 18, 663-668	3.3	270
75	Cross-national comparison of prevalence of symptoms of neurotic disorders in older people in two community samples. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 18-22	6.5	8
74	Blood pressure as a risk factor for depression in elderly people: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 126-9	6.5	11
73	Affective disorders among elderly general practice patients. A two-phase survey in Brescia, Italy. <i>British Journal of Psychiatry</i> , 1994 , 165, 533-7	5.4	20
72	Factors associated with recovery and recurrence of depression in older people: A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 1994 , 9, 789-795	3.9	17
71	Preliminary development of a questionnaire designed to measure neurotic perfectionism in the eating disorders. <i>Journal of Clinical Psychology</i> , 1994 , 50, 516-22	2.8	55
70	Stress in midwifery: a comparison of midwives and nurses using the Work Environment Scale. <i>International Journal of Nursing Studies</i> , 1994 , 31, 13-22	5.8	26
69	Development of a novel scale to assess life fulfillment as part of the further refinement of a quality-of-life model for epilepsy. <i>Epilepsia</i> , 1994 , 35, 591-6	6.4	80
68	Outcomes of add-on treatment with lamotrigine in partial epilepsy. <i>Epilepsia</i> , 1993 , 34, 312-22	6.4	297
67	Cross-cultural comparison of depression and depressive symptoms in older people. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 369-73	6.5	31
66	The prevalence of dementia, depression and neurosis in later life: the Liverpool MRC-ALPHA Study. <i>International Journal of Epidemiology</i> , 1993 , 22, 838-47	7.8	117

65	Prospective data on the prevalence of abnormal involuntary movements among elderly people living in the community. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 418-21	6.5	3
64	Seizure severity and the quality of life. <i>Epilepsia</i> , 1993 , 34 Suppl 5, S31-5	6.4	67
63	Expressed wish to die and mortality in older people: a community replication. <i>Age and Ageing</i> , 1993 , 22, 109-13	3	26
62	Insomnia in the elderly: Prevalence, gender differences and relationships with morbidity and mortality. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 473-480	3.9	118
61	The initial development of a health-related quality of life model as an outcome measure in epilepsy. <i>Epilepsy Research</i> , 1993 , 16, 65-81	3	155
60	Measuring the impact of epilepsy: the development of a novel scale. <i>Epilepsy Research</i> , 1993 , 16, 83-8	3	133
59	Estimating the incidence of dementia in the community from prevalence and mortality results. <i>International Journal of Epidemiology</i> , 1992 , 21, 533-6	7.8	8
58	Pterin metabolism in depression: an extension of the amine hypothesis and possible marker of response to ECT. <i>Psychological Medicine</i> , 1992 , 22, 863-9	6.9	30
57	Risk factors for depression in elderly people: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 213-7	6.5	144
56	The Katz Adjustment Scale: modification for use with victims of traumatic brain and spinal injury. <i>Brain Injury</i> , 1992 , 6, 109-27	2.1	28
55	A follow-up study of problem drinkers offered a goal choice option. <i>Journal of Studies on Alcohol and Drugs</i> , 1992 , 53, 594-600		40
54	Community-based studies of survival in dementia. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 502-3	6.5	3
53	The prevalence of dementia among elderly people living in Zaragoza and Liverpool. <i>Psychological Medicine</i> , 1992 , 22, 239-43	6.9	26
52	Persecutory delusions and recall of threatening propositions. <i>British Journal of Clinical Psychology</i> , 1992 , 31, 85-7	3.6	56
51	Alzheimer's disease, other dementias, depression and pseudodementia: prevalence, incidence and three-year outcome in Liverpool. <i>British Journal of Psychiatry</i> , 1992 , 161, 230-9	5.4	271
50	The natural history of neurotic disorder in an elderly urban population. Findings from the Liverpool longitudinal study of continuing health in the community. <i>British Journal of Psychiatry</i> , 1992 , 160, 681-6	; 5.4	44
49	The Work Environment Scale: a comparison of British and North American nurses. <i>Journal of Advanced Nursing</i> , 1992 , 17, 692-8	3.1	14
48	Algorithms for frequency distributions: efficiency and generality comparisons. <i>Statistics and Computing</i> , 1992 , 2, 213-220	1.8	

47	Computerized diagnosis from a standardized history schedule: A preliminary communication about the organic section of the HASAGECAT system. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 443-446	3.9	57
46	How should prevalence be modelled?. Acta Psychiatrica Scandinavica, 1991, 84, 246-9	6.5	4
45	Heavy drinking as a risk factor for depression and dementia in elderly men. Findings from the Liverpool longitudinal community study. <i>British Journal of Psychiatry</i> , 1991 , 159, 213-6	5.4	163
44	Seizure frequency, patient-perceived seizure severity and the psychosocial consequences of intractable epilepsy. <i>Epilepsy Research</i> , 1991 , 9, 231-41	3	143
43	The development of a seizure severity scale as an outcome measure in epilepsy. <i>Epilepsy Research</i> , 1991 , 8, 245-51	3	151
42	A standardized interview for the elderly (GMS): Reliability studies comparing the Dutch language version with the original. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 71-79	3.9	35
41	Depression in the elderly in the community: Effect of physical illness and selected social factors. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 787-795	3.9	18
40	Factors Affecting Rapists' and Nonrapists' Perceptions of the Likelihood of Sexual Activity. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 1991 , 35, 217-224	1.3	2
39	Paranoia and social reasoning: an attribution theory analysis. <i>British Journal of Clinical Psychology</i> , 1991 , 30, 13-23	3.6	89
38	Update on SCANS: A screening instrument for identifying individuals at risk of developing an eating disorder. <i>International Journal of Eating Disorders</i> , 1990 , 9, 583-584	6.3	19
37	Dementia and depression in elderly persons: Agecat compared with dsm III and pervasive illness. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 47-51	3.9	65
36	Development and preliminary validation of the body satisfaction scale (BSS). <i>Psychology and Health</i> , 1990 , 4, 213-220	2.9	131
35	Professionals' attributions of censure in father-daughter incest. Child Abuse and Neglect, 1990, 14, 419-	· 2.8 .3	17
34	Subjective experiences of magnetic resonance imaging. <i>Clinical Radiology</i> , 1990 , 41, 276-8	2.9	52
33	Mastectomy Versus Conservative Surgery. <i>Journal of Psychosocial Oncology</i> , 1989 , 7, 179-192	2.8	43
32	Alcohol use and abuse in the elderly: Findings from the liverpool longitudinal study of continuing health in the community. <i>International Journal of Geriatric Psychiatry</i> , 1989 , 4, 103-108	3.9	35
31	Aspects of personality of soldiers presenting to an endoscopy clinic. <i>Journal of Psychosomatic Research</i> , 1989 , 33, 85-91	4.1	15
30	A note on the computation of Cohen's kappa. <i>British Journal of Mathematical and Statistical Psychology</i> , 1989 , 42, 191-195	2.8	

29	The relationship between mortality and mental disorder: Evidence from the Liverpool longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 95-98	3.9	59
28	Risk factors for dementia: Evidence from the liverpool study of continuing health in the community. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 245-249	3.9	10
27	Benzodiazepine usage amongst the elderly: Findings of the liverpool community survey. <i>International Journal of Geriatric Psychiatry</i> , 1988 , 3, 289-292	3.9	10
26	The Geriatric Mental State (GMS) used in the community: replication studies of the computerized diagnosis AGECAT. <i>Psychological Medicine</i> , 1988 , 18, 219-23	6.9	118
25	The Geriatric Mental State Examination as a case-finding instrument in the community. <i>British Journal of Psychiatry</i> , 1988 , 152, 205-8	5.4	19
24	Is there more dementia, depression and neurosis in New York? A comparative study of the elderly in New York and London using the computer diagnosis AGECAT. <i>British Journal of Psychiatry</i> , 1987 , 151, 466-73	5.4	111
23	Treatment and follow-up variables discriminating abstainers, controlled drinkers and relapsers. <i>Journal of Studies on Alcohol and Drugs</i> , 1987 , 48, 39-46		18
22	The role of brief instructions and suggestibility in the elicitation of auditory and visual hallucinations in normal and psychiatric subjects. <i>Journal of Nervous and Mental Disease</i> , 1987 , 175, 41	-8 ^{1.8}	55
21	Attitudes of health professionals to child sexual abuse and incest. <i>Child Abuse and Neglect</i> , 1987 , 11, 109-16	4.3	56
20	Range of mental illness among the elderly in the community. Prevalence in Liverpool using the GMS-AGECAT package. <i>British Journal of Psychiatry</i> , 1987 , 150, 815-23	5.4	334
19	Tics and heredity. A study of the relatives of child tiqueurs. <i>British Journal of Psychiatry</i> , 1987 , 150, 628	3-3 5 .4	5
18	The distribution of dementia, depression and neurosis in elderly men and women in an urban community: Assessed using the GMSAGECAT package. <i>International Journal of Geriatric Psychiatry</i> , 1987 , 2, 177-184	3.9	25
17	Factors associated with abnormal eating attitudes and behavios: Screening individuals at risk of developing an eating disorder. <i>International Journal of Eating Disorders</i> , 1987 , 6, 713-724	6.3	27
16	Development and preliminary validation of SCANS: A screening instrument for identifying individuals at risk of developing anorexia and bulimia nervosa. <i>International Journal of Eating Disorders</i> , 1986 , 5, 517-538	6.3	80
15	The early recognition of dementia in the elderly: A preliminary communication about a longitudinal study using the gms\(\text{Bgecat package}\) (community version). International Journal of Geriatric Psychiatry, 1986 , 1, 63-70	3.9	10
14	A computerized psychiatric diagnostic system and case nomenclature for elderly subjects: GMS and AGECAT. <i>Psychological Medicine</i> , 1986 , 16, 89-99	6.9	664
13	Computerized psychiatric diagnosis in the elderly: AGECAT. <i>Journal of Microcomputer Applications</i> , 1986 , 9, 135-140		64
12	Disposition towards hallucination, gender and EPQ scores: a brief report. <i>Personality and Individual Differences</i> , 1986 , 7, 247-249	3.3	45

11	Predictors of outcome type in treated problem drinkers. <i>Journal of Studies on Alcohol and Drugs</i> , 1986 , 47, 41-7		43
10	Eye-contact as a chance product of individual looking: Implications for the intimacy model of argyle and dean. <i>Journal of Nonverbal Behavior</i> , 1984 , 8, 250-258	3.4	8
9	Visual communication and impression formation. British Journal of Social Psychology, 1984 , 23, 133-145	6.8	5
8	Coefficients of agreement. British Journal of Psychiatry, 1983, 143, 487-9	5.4	62
7	Role of grammatical clues in multiple choice questions: an empirical study. <i>Medical Teacher</i> , 1983 , 5, 146	5 3 8	4
6	Beeing a stranger⊡Does eye-contact reflect intimacy?. <i>Semiotica</i> , 1982 , 42,	0.3	2
5	Visual communication and the content and style of conversation. <i>British Journal of Social Psychology</i> , 1981 , 20, 41-52	6.8	43
4	Organisational Unit Size and Individual Attitudes: An Empirical Study. Sociological Review, 1978, 26, 125	-1237	4
3	An objective automated method for digitizing pictorial material for computer manipulation. <i>Behavior Research Methods</i> , 1976 , 8, 378-381	6.1	
2	Mortality and Mental Disorders103-104		
1	Diabetes and dementia incidence in Latin America; a 10/66 population-based cohort study		3