Michael E Dewey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5995118/publications.pdf

Version: 2024-02-01

226 papers

17,713 citations

74 h-index

9234

124 g-index

234 all docs

234 docs citations

times ranked

234

16035 citing authors

#	Article	IF	CITATIONS
1	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. British Journal of Psychiatry, 2022, 220, 64-72.	1.7	12
2	Methylphenidate and TBI in ADHD and co-occurring epilepsy and mental disorders: a self-controlled case series study. European Child and Adolescent Psychiatry, 2022, 31, 361-368.	2.8	1
3	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. Lancet Psychiatry,the, 2022, 9, 59-71.	3.7	11
4	Common perinatal mental disorders and postâ€infancy child development in rural Ethiopia: A populationâ€based cohort study. Tropical Medicine and International Health, 2022, 27, 251-261.	1.0	4
5	Selective serotonin reuptake inhibitors use and hepatocellular carcinoma in patients with alcohol use disorder. Drug and Alcohol Dependence, 2021, 219, 108495.	1.6	8
6	A feasibility study of the effects of implementing a staff-level recovery-oriented training intervention in older people's mental health services. Aging and Mental Health, 2020, 24, 1926-1934.	1.5	4
7	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	1.6	43
8	Methylphenidate and the risk of burn injury among children with attention-deficit/hyperactivity disorder. Epidemiology and Psychiatric Sciences, 2020, 29, e146.	1.8	10
9	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. JAMA Network Open, 2019, 2, e198714.	2.8	41
10	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. Lancet Psychiatry,the, 2019, 6, 506-517.	3.7	21
11	Ethnic density effects for adult mental health: systematic review and meta-analysis of international studies. Psychological Medicine, 2018, 48, 2054-2072.	2.7	76
12	Diseases of the pancreas and suicide mortality: A nationwide nested case-control study among patients with mental health disorders in Taiwan. General Hospital Psychiatry, 2018, 50, 45-50.	1.2	7
13	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. BMJ Open, 2018, 8, e022170.	0.8	7
14	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. PLoS ONE, 2018, 13, e0195133.	1.1	6
15	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. PLoS ONE, 2018, 13, e0192889.	1.1	51
16	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Crossâ€sectional analysis of 588 408 records from the ⟨scp⟩UK⟨/scp⟩. Diabetic Medicine, 2017, 34, 916-924.	1.2	40
17	Risk of depression following uterine cancer: A nationwide populationâ€based study. Psycho-Oncology, 2017, 26, 1770-1776.	1.0	13
18	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. Psychological Medicine, 2017, 47, 766-775.	2.7	9

#	Article	IF	CITATIONS
19	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. Health and Quality of Life Outcomes, 2017, 15, 64.	1.0	64
20	Adapting the Bayley Scales of infant and toddler development in Ethiopia: evaluation of reliability and validity. Child: Care, Health and Development, 2016, 42, 699-708.	0.8	27
21	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. Trials, 2016, 17, 76.	0.7	39
22	Fatigue as a manifestation of psychosocial distress in a lowâ€income country: a populationâ€based panel study. Tropical Medicine and International Health, 2016, 21, 365-372.	1.0	11
23	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	1.8	77
24	Mild cognitive impairment diagnosed with the new <scp>DSM</scp> â€5 criteria: prevalence and associations with nonâ€cognitive psychopathology. Acta Psychiatrica Scandinavica, 2015, 131, 29-39.	2.2	48
25	Reply. Acta Psychiatrica Scandinavica, 2015, 132, 81-82.	2.2	0
26	Survival analysis of the use of first and second generation antipsychotics among patients suffering schizophrenia: A nationwide population-based cohort study. Schizophrenia Research, 2015, 169, 406-411.	1.1	9
27	Human trafficking and health: a cross-sectional survey of NHS professionals' contact with victims of human trafficking. BMJ Open, 2015, 5, e008682.	0.8	85
28	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. Acta Psychiatrica Scandinavica, 2015, 131, 213-222.	2.2	15
29	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. BMC Medicine, 2015, 13, 138.	2.3	101
30	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0134763.	1.1	24
31	Lifetime Induced Abortion: A Comparison between Women Living and Not Living with HIV. PLoS ONE, 2014, 9, e95570.	1.1	22
32	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	0.7	35
33	Construct validity of the mini mental state examination across time in a sample with lowâ€education levels: 10â€year followâ€up of the BambuÃ-Cohort Study of Ageing. International Journal of Geriatric Psychiatry, 2014, 29, 1294-1303.	1.3	10
34	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. Age and Ageing, 2014, 43, 562-567.	0.7	66
35	Born into adversity: psychological distress in two birth cohorts of second-generation Irish children growing up in Britain. Journal of Public Health, 2014, 36, 92-103.	1.0	9
36	Statistician's view. Age and Ageing, 2014, 43, 115-115.	0.7	0

#	Article	IF	CITATIONS
37	Crossâ€cultural factorial validation of the Clinical Interview Schedule – Revised (CISâ€R); findings from a nationally representative survey (EMPIRIC). International Journal of Methods in Psychiatric Research, 2014, 23, 229-244.	1.1	17
38	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. Psychological Medicine, 2014, 44, 1977-1987.	2.7	42
39	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: A cluster randomised controlled trial. Palliative Medicine, 2014, 28, 1099-1109.	1.3	55
40	The provision of care for residents dying in UK nursing care homes. Age and Ageing, 2014, 43, 375-379.	0.7	70
41	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. Journal of Affective Disorders, 2014, 155, 266-272.	2.0	105
42	The effect of a national quality improvement collaborative on prehospital care for acute myocardial infarction and stroke in England. Implementation Science, 2014, 9, 17.	2.5	26
43	Perinatal common mental disorders and child survival in <scp>E</scp> thiopia. Journal of Paediatrics and Child Health, 2014, 50, 57-63.	0.4	4
44	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1621-1627.	1.6	11
45	Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. European Child and Adolescent Psychiatry, 2013, 22, 309-318.	2.8	124
46	Life Events and Psychosis: A Review and Meta-analysis. Schizophrenia Bulletin, 2013, 39, 740-747.	2.3	255
47	Does childhood adversity account for poorer mental and physical health in second-generation Irish people living in Britain? Birth cohort study from Britain (NCDS). BMJ Open, 2013, 3, e001335.	0.8	25
48	Diagnostic Procedures, Revascularization, and Inpatient Mortality After Acute Myocardial Infarction in Patients With Schizophrenia and Bipolar Disorder. Psychosomatic Medicine, 2013, 75, 52-59.	1.3	44
49	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 121-128.	1.7	43
50	Participation in productive activities and depression among older Europeans: Survey of Health, Ageing and Retirement in Europe (SHARE). International Journal of Geriatric Psychiatry, 2013, 28, 1157-1165.	1.3	55
51	Midlife Hypertensive Status and Cognitive Function 20ÂYears Later: The <scp>S</scp> outhall and <scp>B</scp> rent Revisited Study. Journal of the American Geriatrics Society, 2013, 61, 1489-1498.	1.3	32
52	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	1.1	109
53	Study of the use of antidepressants for depression in dementia: the HTA-SADD trial – a multicentre, randomised, double-blind, placebo-controlled trial of the clinical effectiveness and cost-effectiveness of sertraline and mirtazapine. Health Technology Assessment, 2013, 17, 1-166.	1.3	135
54	Associations between nâ^3 PUFA concentrations and cognitive function after recovery from late-life depression. American Journal of Clinical Nutrition, 2012, 95, 420-427.	2.2	42

#	Article	IF	CITATIONS
55	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. Sleep, 2012, 35, 377-384.	0.6	139
56	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). British Journal of Psychiatry, 2012, 201, 282-290.	1.7	88
57	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. Lancet, The, 2012, 380, 50-58.	6.3	254
58	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: The P-MaMiE population-based cohort study. Journal of Affective Disorders, 2012, 136, 340-349.	2.0	62
59	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. PLoS Medicine, 2012, 9, e1001170.	3.9	143
60	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. Lancet, The, 2011, 378, 403-411.	6.3	444
61	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the BambuÃ-cohort study of aging. Cadernos De Saude Publica, 2011, 27, s345-s350.	0.4	22
62	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. International Psychogeriatrics, 2011, 23, 202-213.	0.6	12
63	Mortality and suicide after self-harm: community cohort study in Taiwan. British Journal of Psychiatry, 2011, 198, 31-36.	1.7	62
64	Perinatal mental distress and infant morbidity in Ethiopia: a cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F59-F64.	1.4	56
65	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambuÃ-Cohort Study, Brazil. Journal of Sleep Research, 2011, 20, 303-310.	1.7	50
66	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. International Journal of Geriatric Psychiatry, 2010, 25, 679-687.	1.3	12
67	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. British Journal of Psychiatry, 2010, 196, 31-35.	1.7	29
68	Sociocultural practices in Ethiopia: association with onset and persistence of postnatal common mental disorders. British Journal of Psychiatry, 2010, 197, 468-475.	1.7	24
69	Prevalence and predictors of undernutrition among infants aged six and twelve months in Butajira, Ethiopia: The P-MaMiE Birth Cohort. BMC Public Health, 2010, 10, 27.	1.2	106
70	Maternal common mental disorders and infant development in Ethiopia: the P-MaMiE Birth Cohort. BMC Public Health, 2010, 10, 693.	1.2	61
71	Measuring disability across cultures â€" the psychometric properties of the WHODAS II in older people from seven low†and middleâ€income countries. The 10/66 Dementia Research Group populationâ€based survey. International Journal of Methods in Psychiatric Research, 2010, 19, 1-17.	1.1	88
72	The effect of maternal common mental disorders on infant undernutrition in Butajira, Ethiopia: The P-MaMiE study. BMC Psychiatry, 2010, 10, 32.	1.1	60

#	Article	IF	CITATIONS
73	Impairment, disability, social support and depression among older parents in rural Thailand. Psychological Medicine, 2010, 40, 1711-1721.	2.7	44
74	Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. BMJ: British Medical Journal, 2010, 341, c5367-c5367.	2.4	107
75	Levels of anxiety and depression as predictors of mortality: the HUNT study. British Journal of Psychiatry, 2009, 195, 118-125.	1.7	235
76	Effectiveness of physiotherapy exercise following hip arthroplasty for osteoarthritis: a systematic review of clinical trials. BMC Musculoskeletal Disorders, 2009, 10, 98.	0.8	112
77	Posttraumatic stress disorder six months after an earthquake. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 393-397.	1.6	79
78	Effectiveness and cost-effectiveness of an educational intervention for practice teams to deliver problem focused therapy for insomnia: rationale and design of a pilot cluster randomised trial. BMC Family Practice, 2009, 10, 9.	2.9	14
79	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. BMC Psychiatry, 2009, 9, 34.	1.1	38
80	Impact of antenatal common mental disorders upon perinatal outcomes in Ethiopia: the Pâ€MaMiE populationâ€based cohort study. Tropical Medicine and International Health, 2009, 14, 156-166.	1.0	132
81	Prevalence and implications of psychopathological nonâ€cognitive symptoms in dementia. Acta Psychiatrica Scandinavica, 2009, 119, 107-116.	2.2	25
82	Dimensions Underlying the Mini-Mental State Examination in a Sample With Low-Education Levels: The BambuÃ-Health and Aging Study. American Journal of Geriatric Psychiatry, 2009, 17, 863-872.	0.6	29
83	Measuring common mental disorders in women in Ethiopia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 653-9.	1.6	26
84	Ascertaining lateâ€ife depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€D scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.	1.1	125
85	Coâ€occurrence of anxiety and depressive disorders in a community sample of older people: results from the MRC CFAS (Medical Research Council Cognitive Function and Ageing Study). International Journal of Geriatric Psychiatry, 2008, 23, 229-237.	1.3	68
86	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. BMC Public Health, 2008, 8, 219.	1.2	108
87	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: A preliminary randomized double-blind placebo-controlled study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1538-1544.	2.5	313
88	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. Lancet, The, 2008, 372, 464-474.	6.3	358
89	The Prevalence of Joint Contractures, Pressure Sores, Painful Shoulder, Other Pain, Falls, and Depression in the Year After a Severely Disabling Stroke. Stroke, 2008, 39, 3329-3334.	1.0	195
90	Survival times in people with dementia: analysis from population based cohort study with 14 year follow-up. BMJ: British Medical Journal, 2008, 336, 258-262.	2.4	337

#	Article	IF	Citations
91	Cognitive-behavioural therapy (i>v. < /i>structured care for medically unexplained symptoms: randomised controlled trial. British Journal of Psychiatry, 2008, 193, 51-59.	1.7	59
92	Public health significance of mixed anxiety and depression: beyond current classification. British Journal of Psychiatry, 2008, 192, 171-177.	1.7	174
93	The Effectiveness of a Home Care Program for Supporting Caregivers of Persons with Dementia in Developing Countries: A Randomised Controlled Trial from Goa, India. PLoS ONE, 2008, 3, e2333.	1.1	182
94	Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.	1.7	215
95	Effectiveness of physiotherapy exercise after knee arthroplasty for osteoarthritis: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2007, 335, 812.	2.4	225
96	Prevalence and symptomatology of depression in older people living in institutions in England and Wales. Age and Ageing, 2007, 36, 562-568.	0.7	115
97	Prevalence of depression in older people in England and Wales: the MRC CFA Study. Psychological Medicine, 2007, 37, 1787-1795.	2.7	150
98	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. Psychosomatic Medicine, 2007, 69, 323-331.	1.3	231
99	Co-occurrence of chronic physical pain and psychiatric morbidity in a community sample of older people. International Journal of Geriatric Psychiatry, 2007, 22, 902-908.	1.3	17
100	The protocols for the $10/66$ dementia research group population-based research programme. BMC Public Health, 2007, 7, 165.	1.2	298
101	Validation of the Spanish version of the EURO-D scale: an instrument for detecting depression in older people. International Journal of Geriatric Psychiatry, 2006, 21, 1199-1205.	1.3	51
102	Dementia before Death in Ageing Societiesâ€" The Promise of Prevention and the Reality. PLoS Medicine, 2006, 3, e397.	3.9	122
103	Investigation of the effect of a countywide protected learning time scheme on prescribing rates of ramipril: interrupted time series study. Family Practice, 2006, 24, 26-33.	0.8	8
104	The Incidence of Dementia in England and Wales: Findings from the Five Identical Sites of the MRC CFA Study. PLoS Medicine, 2005, 2, e193.	3.9	110
105	Economic analysis of an early discharge rehabilitation service for older people. Age and Ageing, 2005, 34, 274-280.	0.7	32
106	The reliability of balance, mobility and self-care measures in a population of adults with a learning disability known to a physiotherapy service. Clinical Rehabilitation, 2005, 19, 216-223.	1.0	36
107	Measuring contamination in an injury prevention randomized controlled trial. International Journal of Injury Control and Safety Promotion, 2005, 12, 197-199.	1.0	5
108	Dipyridamole for Preventing Recurrent Ischemic Stroke and Other Vascular Events. Stroke, 2005, 36, 162-168.	1.0	139

#	Article	IF	Citations
109	Incidence and Possible Causes of Prescribing Potentially Hazardous/Contraindicated Drug Combinations in General Practice. Drug Safety, 2005, 28, 67-80.	1.4	74
110	Injury prevention training: a cluster randomised controlled trial assessing its effect on the knowledge, attitudes, and practices of midwives and health visitors. Injury Prevention, 2004, 10, 83-87.	1.2	12
111	Behavioral and Psychological Symptoms of Dementia in developing countries. International Psychogeriatrics, 2004, 16, 441-459.	0.6	87
112	Education for people with progressive neurological conditions can have negative effects: Evidence from a randomized controlled trial. Clinical Rehabilitation, 2004, 18, 717-725.	1.0	28
113	Individual Patient Data Meta-Analysis of Randomized Controlled Trials of Community Occupational Therapy for Stroke Patients. Stroke, 2004, 35, 2226-2232.	1.0	110
114	Sooner and healthier: a randomised controlled trial and interview study of an early discharge rehabilitation service for older people. Age and Ageing, 2004, 33, 246-252.	0.7	82
115	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. Age and Ageing, 2004, 33, 384-390.	0.7	45
116	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. European Journal of Ageing, 2004, 1, 26-36.	1.2	24
117	Neurosis and mortality in persons aged 65 and over living in the community: a systematic review of the literature. International Journal of Geriatric Psychiatry, 2004, 19, 554-557.	1.3	9
118	Effects of education and culture on the validity of the Geriatric Mental State and its AGECAT algorithm. British Journal of Psychiatry, 2004, 185, 429-436.	1.7	76
119	Depression among older people in Europe: the EURODEP studies. World Psychiatry, 2004, 3, 45-9.	4.8	148
120	COUNSELING VERSUS ANTIDEPRESSANT THERAPY FOR THE TREATMENT OF MILD TO MODERATE DEPRESSION IN PRIMARY CARE. International Journal of Technology Assessment in Health Care, 2003, 19, 80-90.	0.2	26
121	Spatial Neglect: Is Rehabilitation Effective?. Stroke, 2002, 33, 2728-2729.	1.0	39
122	Effectiveness of time-limited psychotherapy for minor psychiatric disorders. British Journal of Psychiatry, 2002, 180, 416-422.	1.7	19
123	The Geriatric Mental State Examination in the 21st century. International Journal of Geriatric Psychiatry, 2002, 17, 729-732.	1.3	96
124	Cluster randomised controlled trial of an educational outreach visit to improve influenza and pneumococcal immunisation rates in primary care. British Journal of General Practice, 2002, 52, 735-40.	0.7	31
125	Self-reported medication use for older people in England and Wales. Journal of Clinical Pharmacy and Therapeutics, 2001, 26, 129-140.	0.7	108
126	Dementia in centenarians. International Journal of Geriatric Psychiatry, 2001, 16, 538-539.	1.3	9

#	Article	IF	CITATIONS
127	Depression, depressive symptoms and mortality in persons aged 65 and over living in the community: a systematic review of the literature. International Journal of Geriatric Psychiatry, 2001, 16, 622-630.	1.3	171
128	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature. International Journal of Geriatric Psychiatry, 2001, 16, 751-761.	1.3	258
129	Diagnosis of dementia from the history and aetiology schedule. International Journal of Geriatric Psychiatry, 2001, 16, 912-917.	1.3	54
130	A multicentre randomized controlled trial of leisure therapy and conventional occupational therapy after stroke. Clinical Rehabilitation, 2001, 15, 42-52.	1.0	153
131	Does sending a home safety questionnaire increase recruitment to an injury prevention trial? A randomised controlled trial. Journal of Epidemiology and Community Health, 2001, 55, 845-846.	2.0	18
132	Antidepressant drugs and generic counselling for treatment of major depression in primary care: randomised trial with patient preference arms. BMJ: British Medical Journal, 2001, 322, 772-772.	2.4	228
133	Effectiveness of home based support for older people: systematic review and meta-analysis Commentary: When, where, and why do preventive home visits. BMJ: British Medical Journal, 2001, 323, 719-719.	2.4	386
134	Dementia, cognitive impairment and mortality in persons aged 65 and over living in the community: a systematic review of the literature., 2001, 16, 751.		3
135	Assessing effectiveness of treatment of depression in primary care. British Journal of Psychiatry, 2000, 177, 312-318.	1.7	179
136	Does home visiting improve parenting and the quality of the home environment? A systematic review and meta analysis. Archives of Disease in Childhood, 2000, 82, 443-451.	1.0	181
137	Education and Risk for Alzheimer's Disease: Sex Makes a Difference EURODEM Pooled Analyses. American Journal of Epidemiology, 2000, 151, 1064-1071.	1.6	133
138	Assessing research outcomes by postal questionnaire with telephone follow-up. International Journal of Epidemiology, 2000, 29, 1065-1069.	0.9	59
139	Undifferentiated dementia, Alzheimer's disease and vascular dementia: Age- and gender-related incidence in Liverpool. British Journal of Psychiatry, 1999, 175, 433-438.	1.7	79
140	Cross-cultural comparison of depressive symptoms in Europe does not support stereotypes of ageing. British Journal of Psychiatry, 1999, 174, 322-329.	1.7	30
141	Depression in Europe. British Journal of Psychiatry, 1999, 174, 312-321.	1.7	212
142	Community-based case–control study of depression in older people. British Journal of Psychiatry, 1999, 175, 340-347.	1.7	55
143	Do experienced diagnosticians agree about the diagnosis of dementia from survey data? The effects of informants' reports and interviewers' vignettes., 1998, 13, 852-862.		15
144	Schizophrenia and Delusional Disorder in Older Age: Community Prevalence, Incidence, Comorbidity, and Outcome. Schizophrenia Bulletin, 1998, 24, 153-161.	2.3	87

#	Article	IF	CITATIONS
145	Outcome of the depressed elderly living in the community in Liverpool: a 5-year follow-up. Psychological Medicine, 1998, 28, 1329-1337.	2.7	61
146	Physical illness and disability among elderly people in England and Wales: the Medical Research Council Cognitive Function and Ageing Study. The Analysis Group Journal of Epidemiology and Community Health, 1997, 51, 494-501.	2.0	34
147	Two predictions about paranoid ideation: Deluded, depressed and normal participants' subjective frequency and consensus judgments for positive, neutral and negative events. British Journal of Clinical Psychology, 1997, 36, 349-364.	1.7	39
148	The development, reliability and validity of a disease specific quality of life model for adults with growth hormone deficiency. Clinical Endocrinology, 1996, 44, 403-411.	1.2	51
149	Crossâ€national comparison of prevalence of symptoms of neurotic disorders in older people in two community samples. Acta Psychiatrica Scandinavica, 1995, 91, 18-22.	2.2	9
150	Blood pressure as a risk factor for depression in elderly people: a prospective study. Acta Psychiatrica Scandinavica, 1995, 91, 126-129.	2.2	13
151	Maternal Attachment Status, Psychosocial Stressors and Problem Behaviour: Follow-Up After Parent Training Courses for Conduct Disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1995, 36, 1179-1198.	3.1	50
152	Rapists' Versus Non-Rapists' Attitudes Toward Women: A British Study. International Journal of Offender Therapy and Comparative Criminology, 1995, 39, 269-275.	0.8	14
153	Positive and negative perfectionism. Personality and Individual Differences, 1995, 18, 663-668.	1.6	328
154	Affective Disorders Among Elderly General Practice Patients. British Journal of Psychiatry, 1994, 165, 533-537.	1.7	22
155	Factors associated with recovery and recurrence of depression in older people: A prospective study. International Journal of Geriatric Psychiatry, 1994, 9, 789-795.	1.3	17
156	Preliminary development of a questionnaire designed to measure neurotic perfectionism in the eating disorders. Journal of Clinical Psychology, 1994, 50, 516-522.	1.0	56
157	Stress in midwifery: A comparison of midwives and nurses using the work environment scale. International Journal of Nursing Studies, 1994, 31, 13-22.	2.5	27
158	Development of a Novel Scale to Assess Life Fulfilment as Part of the Further Refinement of a Quality-of-Life Model for Epilepsy. Epilepsia, 1994, 35, 591-596.	2.6	96
159	Insomnia in the elderly: Prevalence, gender differences and relationships with morbidity and mortality. International Journal of Geriatric Psychiatry, 1993, 8, 473-480.	1.3	132
160	The initial development of a health-related quality of life model as an outcome measure in epilepsy. Epilepsy Research, 1993, 16, 65-81.	0.8	173
161	Measuring the impact of epilepsy: the development of a novel scale. Epilepsy Research, 1993, 16, 83-88.	0.8	148
162	Outcomes of Add-on Treatment with Lamotrigine in Partial Epilepsy. Epilepsia, 1993, 34, 312-322.	2.6	329

#	Article	IF	Citations
163	Cross-cultural comparison of depression and depressive symptoms in older people. Acta Psychiatrica Scandinavica, 1993, 87, 369-373.	2.2	35
164	The Prevalence of Dementia, Depression and Neurosis in Later Life: The Liverpool MRC-ALPHA Study. International Journal of Epidemiology, 1993, 22, 838-847.	0.9	131
165	Prospective data on the prevalence of abnormal involuntary movements among elderly people living in the community. Acta Psychiatrica Scandinavica, 1993, 87, 418-421.	2.2	4
166	Seizure Severity and the Quality of Life. Epilepsia, 1993, 34, S31-5.	2.6	74
167	Expressed Wish to Die and Mortality in Older People: A Community Replication. Age and Ageing, 1993, 22, 109-113.	0.7	29
168	Estimating the Incidence of Dementia in the Community from Prevalence and Mortality Results. International Journal of Epidemiology, 1992, 21, 533-536.	0.9	8
169	Pterin metabolism in depression: an extension of the amine hypothesis and possible marker of response to ECT. Psychological Medicine, 1992, 22, 863-869.	2.7	34
170	Risk factors for depression in elderly people: a prospective study. Acta Psychiatrica Scandinavica, 1992, 86, 213-217.	2.2	168
171	The Katz Adjustment Scale: modification for use with victims of traumatic brain and spinal injury. Brain Injury, 1992, 6, 109-127.	0.6	31
172	A follow-up study of problem drinkers offered a goal choice option Journal of Studies on Alcohol and Drugs, 1992, 53, 594-600.	2.4	48
173	Communityâ€based studies of survival in dementia. Acta Psychiatrica Scandinavica, 1992, 86, 502-502.	2.2	3
174	The prevalence of dementia among elderly people living in Zaragoza and Liverpool. Psychological Medicine, 1992, 22, 239-243.	2.7	30
175	Persecutory delusions and recall of threatening propositions. British Journal of Clinical Psychology, 1992, 31, 85-87.	1.7	7 3
176	Alzheimer's Disease, Other Dementias, Depression and Pseudo-dementia: Prevalence, Incidence and Three-Year Outcome in Liverpool. British Journal of Psychiatry, 1992, 161, 230-239.	1.7	302
177	The Natural History of Neurotic Disorder in an Elderly Urban Population. British Journal of Psychiatry, 1992, 160, 681-686.	1.7	55
178	The Work Environment Scale: a comparison of British and North American nurses. Journal of Advanced Nursing, 1992, 17, 692-698.	1.5	16
179	Algorithms for frequency distributions: efficiency and generality comparisons. Statistics and Computing, 1992, 2, 213-220.	0.8	0
180	Computerized diagnosis from a standardized history schedule: A preliminary communication about the organic section of the HAS-AGECAT system. International Journal of Geriatric Psychiatry, 1992, 7, 443-446.	1.3	59

#	Article	IF	Citations
181	How should prevalence be modelled?. Acta Psychiatrica Scandinavica, 1991, 84, 246-249.	2.2	5
182	Heavy Drinking as a Risk Factor for Depression and Dementia in Elderly Men. British Journal of Psychiatry, 1991, 159, 213-216.	1.7	189
183	Seizure frequency, patient-perceived seizure severity and the psychosocial consequences of intractable epilepsy. Epilepsy Research, 1991, 9, 231-241.	0.8	152
184	The development of a seizure severity scale as an outcome measure in epilepsy. Epilepsy Research, 1991, 8, 245-251.	0.8	171
185	A standardized interview for the elderly (GMS): Reliability studies comparing the Dutch language version with the original. International Journal of Geriatric Psychiatry, 1991, 6, 71-79.	1.3	38
186	Depression in the elderly in the community: Effect of physical illness and selected social factors. International Journal of Geriatric Psychiatry, 1991, 6, 787-795.	1.3	20
187	Factors Affecting Rapists' and Nonrapists' Perceptions of the Likelihood of Sexual Activity. International Journal of Offender Therapy and Comparative Criminology, 1991, 35, 217-224.	0.8	2
188	Paranoia and social reasoning: An attribution theory analysis. British Journal of Clinical Psychology, 1991, 30, 13-23.	1.7	108
189	Update on SCANS: A screening instrument for identifying individuals at risk of developing an eating disorder. International Journal of Eating Disorders, 1990, 9, 583-584.	2.1	22
190	Dementia and depression in elderly persons: Agecat compared with dsm III and pervasive illness. International Journal of Geriatric Psychiatry, 1990, 5, 47-51.	1.3	72
191	Development and preliminary validation of the body satisfaction scale (BSS). Psychology and Health, 1990, 4, 213-220.	1.2	163
192	Professionals' attributions of censure in father-daughter incest. Child Abuse and Neglect, 1990, 14, 419-428.	1.3	20
193	Subjective experiences of magnetic resonance imaging. Clinical Radiology, 1990, 41, 276-278.	0.5	55
194	Mastectomy Versus Conservative Surgery. Journal of Psychosocial Oncology, 1989, 7, 179-192.	0.6	49
195	Alcohol use and abuse in the elderly: Findings from the liverpool longitudinal study of continuing health in the community. International Journal of Geriatric Psychiatry, 1989, 4, 103-108.	1.3	36
196	Aspects of personality of soldiers presenting to an endoscopy clinic. Journal of Psychosomatic Research, 1989, 33, 85-91.	1.2	17
197	Remark AS R81: A Remark on Algorithm AS 131: Tabulating Frequency Distributions for Variables with Structured Code Sets. Journal of the Royal Statistical Society Series C: Applied Statistics, 1989, 38, 582.	0.5	1
198	A note on the computation of Cohen's kappa. British Journal of Mathematical and Statistical Psychology, 1989, 42, 191-195.	1.0	0

#	Article	IF	CITATIONS
199	The relationship between mortality and mental disorder: Evidence from the Liverpool longitudinal study. International Journal of Geriatric Psychiatry, 1988, 3, 95-98.	1.3	70
200	Risk factors for dementia: Evidence from the liverpool study of continuing health in the community. International Journal of Geriatric Psychiatry, 1988, 3, 245-249.	1.3	13
201	Benzodiazepine usage amongst the elderly: Findings of the liverpool community survey. International Journal of Geriatric Psychiatry, 1988, 3, 289-292.	1.3	12
202	The Geriatric Mental State (GMS) used in the community: replication studies of the computerized diagnosis AGECAT. Psychological Medicine, 1988, 18, 219-223.	2.7	128
203	The Geriatric Mental State Examination As a Case-finding Instrument in the Community. British Journal of Psychiatry, 1988, 152, 205-208.	1.7	23
204	Is There More Dementia, Depression and Neurosis in New York?. British Journal of Psychiatry, 1987, 151, 466-473.	1.7	132
205	Treatment and follow-up variables discriminating abstainers, controlled drinkers and relapsers Journal of Studies on Alcohol and Drugs, 1987, 48, 39-46.	2.4	24
206	The Role of Brief Instructions and Suggestibility in the Elicitation of Auditory and Visual Hallucinations in Normal and Psychiatric Subjects. Journal of Nervous and Mental Disease, 1987, 175, 41-48.	0.5	71
207	Attitudes of health professionals to child sexual abuse and incest. Child Abuse and Neglect, 1987, 11, 109-116.	1.3	67
208	Range of Mental Illness Among the Elderly in the Community. British Journal of Psychiatry, 1987, 150, 815-823.	1.7	368
209	Tics and Heredity. British Journal of Psychiatry, 1987, 150, 628-634.	1.7	6
210	The distribution of dementia, depression and neurosis in elderly men and women in an urban community: Assessed using the GMS-AGECAT package. International Journal of Geriatric Psychiatry, 1987, 2, 177-184.	1.3	30
211	Factors associated with abnormal eating attitudes and behavios: Screening individuals at risk of developing an eating disorder. International Journal of Eating Disorders, 1987, 6, 713-724.	2.1	28
212	Disposition towards hallucination, gender and EPQ scores: a brief report. Personality and Individual Differences, 1986, 7, 247-249.	1.6	48
213	Predictors of outcome type in treated problem drinkers Journal of Studies on Alcohol and Drugs, 1986, 47, 41-47.	2.4	56
214	Development and preliminary validation of SCANS: A screening instrument for identifying individuals at risk of developing anorexia and bulimia nervosa. International Journal of Eating Disorders, 1986, 5, 517-538.	2.1	85
215	The early recognition of dementia in the elderly: A preliminary communication about a longitudinal study using the gms-agecat package (community version). International Journal of Geriatric Psychiatry, 1986, 1, 63-70.	1.3	12
216	A computerized psychiatric diagnostic system and case nomenclature for elderly subjects: GMS and AGECAT. Psychological Medicine, 1986, 16, 89-99.	2.7	723

#	Article	IF	CITATIONS
217	Computerized psychiatric diagnosis in the elderly: AGECAT. Journal of Microcomputer Applications, 1986, 9, 135-140.	0.1	77
218	Eye-contact as a chance product of individual looking: Implications for the intimacy model of argyle and dean. Journal of Nonverbal Behavior, 1984, 8, 250-258.	0.6	11
219	Visual communication and impression formation. British Journal of Social Psychology, 1984, 23, 133-145.	1.8	5
220	Coefficients of Agreement. British Journal of Psychiatry, 1983, 143, 487-489.	1.7	74
221	Role of Grammatical Clues in Multiple Choice Questions: An Empirical Study. Medical Teacher, 1983, 5, 146-148.	1.0	5
222	'Seeing a stranger': Does eye-contact reflect intimacy?. Semiotica, 1982, 42, .	0.2	3
223	Visual communication and the content and style of conversation. British Journal of Social Psychology, 1981, 20, 41-52.	1.8	62
224	Organisational Unit Size and Individual Attitudes: An Empirical Study. Sociological Review, 1978, 26, 125-137.	0.9	4
225	An objective automated method for digitizing pictorial material for computer manipulation. Behavior Research Methods, 1976, 8, 378-381.	2.3	0
226	Mortality and Mental Disorders. , 0, , 103-104.		0