

Piotr Kowalczyk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5995486/publications.pdf>

Version: 2024-02-01

137
papers

3,358
citations

136885

32
h-index

197736

49
g-index

137
all docs

137
docs citations

137
times ranked

3081
citing authors

#	ARTICLE	IF	CITATIONS
1	Are nanohedgehogs thirsty? Toward new superhydrophobic and anti-icing carbon nanohorn-polymer hybrid surfaces. <i>Chemical Engineering Journal</i> , 2022, 446, 137126.	6.6	11
2	<i>in silico</i> study on the effects of carbonyl groups on chemical equilibrium of reactions with a polar product occurring under confinement in pores of activated carbons. <i>Chemical Engineering Communications</i> , 2021, 208, 171-182.	1.5	29
3	The Finite Pore Volume GAB Adsorption Isotherm Model as a Simple Tool to Estimate a Diameter of Cylindrical Nanopores. <i>Molecules</i> , 2021, 26, 1509.	1.7	23
4	Revisiting Wetting, Freezing, and Evaporation Mechanisms of Water on Copper. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37893-37903.	4.0	17
5	Insight into the Mechanisms of Low Coverage Adsorption of N-Alcohols on Single Walled Carbon Nanohorn. <i>Materials</i> , 2021, 14, 4001.	1.3	2
6	Liquid phase adsorption induced nanosizing of graphene oxide. <i>Carbon</i> , 2021, 183, 948-957.	5.4	6
7	Linking the Defective Structure of Boron-Doped Carbon Nano-Onions with Their Catalytic Properties: Experimental and Theoretical Studies. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 51628-51642.	4.0	5
8	Opening the internal structure for transport of ions: improvement of the structural and chemical properties of single-walled carbon nanohorns for supercapacitor electrodes. <i>RSC Advances</i> , 2020, 10, 38357-38368.	1.7	6
9	Reconstructing the fractal clusters of detonation nanodiamonds from small-angle X-ray scattering. <i>Carbon</i> , 2020, 169, 349-356.	5.4	8
10	Atomic-scale molecular models of oxidized activated carbon fibre nanoregions: Examining the effects of oxygen functionalities on wet formaldehyde adsorption. <i>Carbon</i> , 2020, 165, 67-81.	5.4	19
11	Electrophoretic Deposition of Layer-by-Layer Unsheathed Carbon Nanotubes—A Step Towards Steerable Surface Roughness and Wettability. <i>Materials</i> , 2020, 13, 595.	1.3	6
12	What Is the Value of Water Contact Angle on Silicon?. <i>Materials</i> , 2020, 13, 1554.	1.3	27
13	Mechanistic aspects of water adsorption-desorption in porphyrin containing MOFs. <i>Microporous and Mesoporous Materials</i> , 2019, 290, 109649.	2.2	9
14	The effects of confinement in pores built of folded graphene sheets on the equilibrium of nitrogen monoxide dimerisation reaction. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 135001.	0.7	25
15	Testing the self-cleaning properties of a coordination polymer surface. <i>Adsorption</i> , 2019, 25, 33-39.	1.4	1
16	Stability of coordination polymers in water: state of the art and towards a methodology for nanoporous materials. <i>Adsorption</i> , 2019, 25, 1-11.	1.4	10
17	Water Nanodroplet on a Hydrocarbon “Carpet”—The Mechanism of Water Contact Angle Stabilization by Airborne Contaminations on Graphene, Au, and PTFE Surfaces. <i>Langmuir</i> , 2019, 35, 420-427.	1.6	17
18	Super-sieving effect in phenol adsorption from aqueous solutions on nanoporous carbon beads. <i>Carbon</i> , 2018, 135, 12-20.	5.4	34

#	ARTICLE	IF	CITATIONS
19	Nanoscale Water Contact Angle on Polytetrafluoroethylene Surfaces Characterized by Molecular Dynamics Atomic Force Microscopy Imaging. Langmuir, 2018, 34, 4526-4534.	1.6	37
20	Phenol Molecular Sheets Woven by Water Cavities in Hydrophobic Slit Nanospaces. Langmuir, 2018, 34, 15150-15159.	1.6	1
21	Carbon Nanohorns as Reaction Nanochambers – a Systematic Monte Carlo Study. Scientific Reports, 2018, 8, 15407.	1.6	29
22	Determination of Isosteric Heat of Adsorption by Quenched Solid Density Functional Theory. Langmuir, 2017, 33, 1769-1779.	1.6	52
23	Switchable hydrophobicity/hydrophilicity of a HOPG surface - Comment on the paper by Y. Wei and C.Q. Jia, Carbon, 87 (2015) 10-17. Carbon, 2017, 115, 571-573.	5.4	10
24	New forcefield for water nanodroplet on a graphene surface. Chemical Physics Letters, 2017, 674, 98-102.	1.2	21
25	Molecular simulation aided nanoporous carbon design for highly efficient low-concentrated formaldehyde capture. Carbon, 2017, 124, 152-160.	5.4	30
26	Water Adsorption Property of Hierarchically Nanoporous Detonation Nanodiamonds. Langmuir, 2017, 33, 11180-11188.	1.6	28
27	Nanoscale Insight into the Mechanism of a Highly Oriented Pyrolytic Graphite Edge Surface Wetting by Interfering Water. Langmuir, 2017, 33, 8562-8573.	1.6	4
28	Monte Carlo study of chemical reaction equilibria in pores of activated carbons. RSC Advances, 2017, 7, 53667-53679.	1.7	6
29	CO ₂ - Reinforced nanoporous carbon potential energy field during CO ₂ /CH ₄ mixture adsorption. A comprehensive volumetric, in-situ IR, and thermodynamic insight. Carbon, 2017, 122, 185-193.	5.4	5
30	Morphologically disordered pore model for characterization of micro-mesoporous carbons. Carbon, 2017, 111, 358-370.	5.4	25
31	To what extent can mutual shifting of folded carbonaceous walls in slit-like pores affect their adsorption properties?. Journal of Physics Condensed Matter, 2016, 28, 015002.	0.7	1
32	New findings on the influence of carbon surface curvature on energetics of benzene adsorption from gaseous phase. Chemical Physics Letters, 2016, 645, 157-163.	1.2	4
33	Carbon Nanohorns. , 2016, , 75-114.		1
34	Cubic Carbon Polymorphs. , 2016, , 141-156.		0
35	The influence of geometric heterogeneity of closed carbon nanotube bundles on benzene adsorption from the gaseous phase-Monte Carlo simulations. Adsorption, 2016, 22, 639-651.	1.4	8
36	Using in-situ adsorption dilatometry for assessment of micropore size distribution in monolithic carbons. Carbon, 2016, 103, 263-272.	5.4	36

#	ARTICLE	IF	CITATIONS
37	Water nanodroplet on a graphene surface – a new old system. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 495002.	0.7	13
38	Water at Curved Carbon Surface: Mechanisms of Adsorption Revealed by First Calorimetric Study. <i>Journal of Physical Chemistry C</i> , 2015, 119, 2703-2715.	1.5	10
39	New insights into the ideal adsorbed solution theory. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 7232-7247.	1.3	25
40	Intrinsic D_2/H_2 Selectivity of NaX Zeolite: Interplay between Adsorption and Kinetic Factors. <i>Journal of Physical Chemistry C</i> , 2015, 119, 15373-15380.	1.5	16
41	Effects of Critical Fluctuations on Adsorption-Induced Deformation of Microporous Carbons. <i>Journal of Physical Chemistry C</i> , 2015, 119, 6111-6120.	1.5	8
42	Nuclear Quantum Effects in the Layering and Diffusion of Hydrogen Isotopes in Carbon Nanotubes. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 3367-3372.	2.1	15
43	Properties of Phenol Confined in Realistic Carbon Micropore Model: Experiment and Simulation. <i>Journal of Physical Chemistry C</i> , 2015, 119, 19987-19995.	1.5	14
44	Folding of graphene slit like pore walls – a simple method of improving CO_2 separation from mixtures with CH_4 or N_2 . <i>Journal of Physics Condensed Matter</i> , 2014, 26, 485006.	0.7	7
45	MD simulation of organics adsorption from aqueous solution in carbon slit-like pores. Foundations of the pore blocking effect. <i>Journal of Physics Condensed Matter</i> , 2014, 26, 055008.	0.7	10
46	Toward in silico modeling of palladium – hydrogen – carbon nanohorn nanocomposites. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 11763-11769.	1.3	5
47	Carbon Molecular Sieves: Reconstruction of Atomistic Structural Models with Experimental Constraints. <i>Journal of Physical Chemistry C</i> , 2014, 118, 12996-13007.	1.5	21
48	Surface to volume ratio of carbon nanohorn – A crucial factor in CO_2/CH_4 mixture separation. <i>Chemical Physics Letters</i> , 2014, 595-596, 67-72.	1.2	7
49	Synergetic effect of carbon nanopore size and surface oxidation on CO_2 capture from CO_2/CH_4 mixtures. <i>Journal of Colloid and Interface Science</i> , 2013, 397, 144-153.	5.0	42
50	Porosity of closed carbon nanotubes compressed using hydraulic pressure. <i>Adsorption</i> , 2013, 19, 785-793.	1.4	4
51	Carbon materials as new nanovehicles in hot-melt drug deposition. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 355002.	0.7	9
52	To the pore and through the pore: thermodynamics and kinetics of helium in exotic cubic carbon polymorphs. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 17366.	1.3	6
53	Influence of activated carbon surface oxygen functionalities on SO_2 physisorption – Simulation and experiment. <i>Chemical Physics Letters</i> , 2013, 578, 85-91.	1.2	32
54	Screening of carbonaceous nanoporous materials for capture of nerve agents. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 291-298.	1.3	25

#	ARTICLE	IF	CITATIONS
55	Constant Pressure Path Integral Gibbs Ensemble Monte Carlo Method. <i>Journal of Chemical Theory and Computation</i> , 2013, 9, 2922-2929.	2.3	11
56	Detecting adsorption space in carbon nanotubes by benzene uptake. <i>Journal of Colloid and Interface Science</i> , 2013, 391, 74-85.	5.0	13
57	Applicability of molecular simulations for modelling the adsorption of the greenhouse gas CF ₄ on carbons. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 015004.	0.7	10
58	Separation of CO ₂ –CH ₄ mixtures on defective single walled carbon nanohorns – tip does matter. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 16468.	1.3	15
59	Simulation of SF ₆ adsorption on the bundles of single walled carbon nanotubes. <i>Microporous and Mesoporous Materials</i> , 2012, 154, 51-55.	2.2	15
60	Cryogenic Noble Gas Separation without Distillation: The Effect of Carbon Surface Curvature on Adsorptive Separation. <i>Journal of Physical Chemistry C</i> , 2012, 116, 19363-19371.	1.5	6
61	Molecular insight into the high selectivity of double-walled carbon nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 2784.	1.3	26
62	Methane-Induced Deformation of Porous Carbons: From Normal to High-Pressure Operating Conditions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1740-1747.	1.5	24
63	Virtual Porous Carbons. , 2012, , 61-104.		10
64	Displacement of Methane by Coadsorbed Carbon Dioxide Is Facilitated In Narrow Carbon Nanopores. <i>Journal of Physical Chemistry C</i> , 2012, 116, 13640-13649.	1.5	48
65	Thermodynamics of benzene adsorption on oxidized carbon nanotubes – experimental and simulation studies. <i>Chemical Physics Letters</i> , 2012, 538, 93-98.	1.2	20
66	Structural properties of amorphous diamond-like carbon: percolation, cluster, and pair correlation analysis. <i>RSC Advances</i> , 2012, 2, 4292.	1.7	18
67	Quantum fluctuations increase the self-diffusive motion of para-hydrogen in narrow carbon nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 9824.	1.3	4
68	Optimization of Coarse-Grained Interaction Potential: Inside Inherent Limitations of Coarse-Graining Methods. <i>Journal of Physical Chemistry B</i> , 2011, 115, 6985-6994.	1.2	7
69	Cryogenic Helium Adsorbed in Zeolite Rho: Inside Localization Controlled Self-Diffusion of Confined Quantum Particles. <i>Journal of Physical Chemistry C</i> , 2011, 115, 18105-18110.	1.5	3
70	Molecular dynamics of zigzag single walled carbon nanotube immersion in water. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 5621.	1.3	10
71	Simulating the changes in carbon structure during the burn-off process. <i>Journal of Colloid and Interface Science</i> , 2011, 360, 211-219.	5.0	17
72	The influence of the carbon surface chemical composition on Dubinin–Astakhov equation parameters calculated from SF ₆ adsorption data – grand canonical Monte Carlo simulation. <i>Journal of Physics Condensed Matter</i> , 2011, 23, 395005.	0.7	5

#	ARTICLE	IF	CITATIONS
73	Simple model of adsorption on external surface of carbon nanotubes – a new analytical approach basing on molecular simulation data. <i>Adsorption</i> , 2010, 16, 197-213.	1.4	23
74	The system of carbon tetrachloride and closed carbon nanotubes analyzed by a combination of molecular simulations, analytical modeling, and adsorption calorimetry. <i>Journal of Colloid and Interface Science</i> , 2010, 349, 321-330.	5.0	6
75	BET surface area of carbonaceous adsorbents – Verification using geometric considerations and GCMC simulations on virtual porous carbon models. <i>Applied Surface Science</i> , 2010, 256, 5204-5209.	3.1	23
76	The influence of carbon surface oxygen groups on Dubinin – Astakhov equation parameters calculated from CO ₂ adsorption isotherm. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 085003.	0.7	24
77	Microscopic model of carbonaceous nanoporous molecular sieves – anomalous transport in molecularly confined spaces. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 11351.	1.3	17
78	Carbon Dioxide Adsorption-Induced Deformation of Microporous Carbons. <i>Journal of Physical Chemistry C</i> , 2010, 114, 5126-5133.	1.5	61
79	Nanoporous Quantum Filters: Inside Vapor – Liquid Transitions of Quantum Fluids in Nanopores. <i>Journal of Physical Chemistry B</i> , 2010, 114, 5047-5052.	1.2	11
80	Optimal Single-Walled Carbon Nanotube Vessels for Short-Term Reversible Storage of Carbon Dioxide at Ambient Temperatures. <i>Journal of Physical Chemistry C</i> , 2010, 114, 21465-21473.	1.5	26
81	Activated carbon immersed in water – the origin of linear correlation between enthalpy of immersion and oxygen content studied by molecular dynamics simulation. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 10701.	1.3	7
82	Adsorption potential distributions for carbons having defined pore structure – GCMC simulations of the effect of heterogeneity. <i>Adsorption</i> , 2009, 15, 99-113.	1.4	6
83	Frequency-Dependent Diffusion Constant of Quantum Fluids from Path Integral Monte Carlo and Tikhonov's Regularizing Functional. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 1990-1996.	2.3	5
84	Can carbon surface oxidation shift the pore size distribution curve calculated from Ar, N ₂ and CO ₂ adsorption isotherms? Simulation results for a realistic carbon model. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 315005.	0.7	35
85	Ar, CCl ₄ and C ₆ H ₆ adsorption outside and inside of the bundles of multi-walled carbon nanotubes – simulation study. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 4982.	1.3	19
86	Impact of the carbon pore size and topology on the equilibrium quantum sieving of hydrogen isotopes at zero coverage and finite pressures. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 144210.	0.7	21
87	Role of Short-Range Directional Interactions in Coarse-Graining of Protic/Aprotic Liquids. <i>Journal of Physical Chemistry B</i> , 2009, 113, 12988-12998.	1.2	10
88	Fullerene-Intercalated Graphene Nano-Containers – Mechanism of Argon Adsorption and High-Pressure CH ₄ and CO ₂ Storage Capacities. <i>Adsorption Science and Technology</i> , 2009, 27, 281-296.	1.5	35
89	Adsorption from aqueous solutions on opened carbon nanotubes – organic compounds speed up delivery of water from inside. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 9341.	1.3	20
90	Static and thermodynamic properties of low-density supercritical 4He – breakdown of the Feynman – Hibbs approximation. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 9182.	1.3	13

#	ARTICLE	IF	CITATIONS
91	Efficient Adsorption of Super Greenhouse Gas (Tetrafluoromethane) in Carbon Nanotubes. <i>Environmental Science & Technology</i> , 2008, 42, 2931-2936.	4.6	45
92	Cryogenic Separation of Hydrogen Isotopes in Single-Walled Carbon and Boron-Nitride Nanotubes: Insight into the Mechanism of Equilibrium Quantum Sieving in Quasi-One-Dimensional Pores. <i>Journal of Physical Chemistry B</i> , 2008, 112, 8275-8284.	1.2	42
93	Adsorption-Induced Deformation of Microporous Carbons: Pore Size Distribution Effect. <i>Langmuir</i> , 2008, 24, 6603-6608.	1.6	129
94	Heterogeneity on high-resolution $\hat{\mu}$ s plots for carbon nanotubes—GCMC study. <i>Physical Chemistry Chemical Physics</i> , 2008, 10, 4551.	1.3	5
95	Hydrogen storage in nanoporous carbon materials: myth and facts. <i>Physical Chemistry Chemical Physics</i> , 2007, 9, 1786-1792.	1.3	151
96	How realistic is the pore size distribution calculated from adsorption isotherms if activated carbon is composed of fullerene-like fragments?. <i>Physical Chemistry Chemical Physics</i> , 2007, 9, 5919.	1.3	70
97	Single-Walled Carbon Nanotubes: Efficient Nanomaterials for Separation and On-Board Vehicle Storage of Hydrogen and Methane Mixture at Room Temperature?. <i>Journal of Physical Chemistry C</i> , 2007, 111, 5250-5257.	1.5	59
98	Hyper-parallel tempering Monte Carlo simulations of Ar adsorption in new models of microporous non-graphitizing activated carbon: effect of microporosity. <i>Journal of Physics Condensed Matter</i> , 2007, 19, 406208.	0.7	43
99	Thermodynamics of Hydrogen Adsorption in Slit-like Carbon Nanopores at 77 K. Classical versus Path-Integral Monte Carlo Simulations. <i>Langmuir</i> , 2007, 23, 3666-3672.	1.6	56
100	Bimodal pore size distributions for carbons: Experimental results and computational studies. <i>Journal of Colloid and Interface Science</i> , 2007, 310, 205-216.	5.0	24
101	Thermodynamics of the CMMS Approach and Carbon Surface Chemistry in SO ₂ Adsorption. <i>Langmuir</i> , 2006, 22, 6887-6892.	1.6	13
102	Equilibrium Properties of Dense Hydrogen Isotope Gases Based on the Theory of Simple Fluids. <i>Journal of Physical Chemistry B</i> , 2006, 110, 14971-14975.	1.2	4
103	Optimization of Slitlike Carbon Nanopores for Storage of methane Fuel at Ambient Temperatures. <i>Journal of Physical Chemistry B</i> , 2006, 110, 23770-23776.	1.2	21
104	State of Hydrogen in Idealized Carbon Slitlike Nanopores at 77 K. <i>Langmuir</i> , 2006, 22, 1970-1972.	1.6	42
105	Nanoscale Tubular Vessels for Storage of Methane at Ambient Temperatures. <i>Langmuir</i> , 2006, 22, 9035-9040.	1.6	53
106	Grand Canonical Monte Carlo Simulation Study of Hydrogen Storage in Ordered Mesoporous Carbons at 303 K. <i>Adsorption Science and Technology</i> , 2006, 24, 411-426.	1.5	4
107	Thermodynamic properties of benzene adsorbed in activated carbons and multi-walled carbon nanotubes. <i>Chemical Physics Letters</i> , 2006, 421, 409-414.	1.2	59
108	Benzene adsorption on carbonaceous materials: The influence of pore structure on the state of the adsorbate. <i>Applied Surface Science</i> , 2006, 253, 2525-2539.	3.1	11

#	ARTICLE	IF	CITATIONS
109	Some remarks on the calculation of the pore size distribution function of activated carbons. <i>Journal of Colloid and Interface Science</i> , 2006, 300, 453-474.	5.0	20
110	Porous structure of natural and modified clinoptilolites. <i>Journal of Colloid and Interface Science</i> , 2006, 297, 77-85.	5.0	85
111	New approach to determination of surface heterogeneity of adsorbents and catalysts from the temperature programmed desorption (TPD) technique: One step beyond the condensation approximation (CA) method. <i>Journal of Colloid and Interface Science</i> , 2005, 291, 334-344.	5.0	16
112	Heterogeneous Do model of water adsorption on carbons. <i>Journal of Colloid and Interface Science</i> , 2005, 290, 1-13.	5.0	42
113	Ammonium sorption from aqueous solutions by the natural zeolite Transcarpathian clinoptilolite studied under dynamic conditions. <i>Journal of Colloid and Interface Science</i> , 2005, 284, 408-415.	5.0	121
114	Storage of Hydrogen at 303 K in Graphite Slitlike Pores from Grand Canonical Monte Carlo Simulation. <i>Journal of Physical Chemistry B</i> , 2005, 109, 17174-17183.	1.2	101
115	Modeling of the Hysteresis Phenomena in Finite-Sized Slitlike Nanopores. Revision of the Recent Results by Rigorous Numerical Analysis. <i>Langmuir</i> , 2005, 21, 6613-6627.	1.6	11
116	Distribution of Carbon Nanotube Sizes from Adsorption Measurements and Computer Simulation. <i>Journal of Physical Chemistry B</i> , 2005, 109, 14659-14666.	1.2	30
117	Improvement of the Derjaguin-Broekhoff-de Boer Theory for the Capillary Condensation/Evaporation of Nitrogen in Spherical Cavities and Its Application for the Pore Size Analysis of Silicas with Ordered Cage-like Mesopores. <i>Langmuir</i> , 2005, 21, 10530-10536.	1.6	16
118	Grand Canonical Monte Carlo Simulation Study of Methane Adsorption at an Open Graphite Surface and in Slitlike Carbon Pores at 273 K. <i>Langmuir</i> , 2005, 21, 5639-5646.	1.6	83
119	Improvement of the Derjaguin-Broekhoff-de Boer Theory for Capillary Condensation/Evaporation of Nitrogen in Mesoporous Systems and Its Implications for Pore Size Analysis of MCM-41 Silicas and Related Materials. <i>Langmuir</i> , 2005, 21, 1827-1833.	1.6	40
120	Effect of the Carbon Surface Layer Chemistry on Benzene Adsorption from the Vapor Phase and from Dilute Aqueous Solutions. <i>Langmuir</i> , 2005, 21, 12257-12267.	1.6	23
121	Description of benzene adsorption in slit-like pores. Theoretical foundations of the improved Horvath-Kawazoe method. <i>Carbon</i> , 2004, 42, 851-864.	5.4	13
122	Determination of the adsorption energy distribution function of up-d hydrogen on monocrystalline platinum. <i>Journal of Electroanalytical Chemistry</i> , 2004, 574, 41-47.	1.9	14
123	Estimating the pore size distribution of activated carbons from adsorption data of different adsorbates by various methods. <i>Journal of Colloid and Interface Science</i> , 2004, 273, 39-63.	5.0	66
124	Impact of an adsorbed phase nonideality in the calculation of the filling pressure of carbon slit-like micropores. <i>Carbon</i> , 2004, 42, 573-583.	5.4	14
125	The evaluation of the surface heterogeneity of carbon blacks from the lattice density functional theory. <i>Carbon</i> , 2004, 42, 1813-1823.	5.4	15
126	Estimation of the pore-size distribution function from the nitrogen adsorption isotherm. Comparison of density functional theory and the method of Do and co-workers. <i>Carbon</i> , 2003, 41, 1113-1125.	5.4	78

#	ARTICLE	IF	CITATIONS
127	Developing the solution analogue of the Toth adsorption isotherm equation. Journal of Colloid and Interface Science, 2003, 266, 473-476.	5.0	75
128	The comparative characterization of structural heterogeneity of mesoporous activated carbon fibers (ACFs). Applied Surface Science, 2003, 206, 67-77.	3.1	44
129	Toward Solving the Unstable Linear Fredholm Equation of the First Kind: A New Procedure Called the Adsorption Stochastic Algorithm (ASA) and Its Properties. Langmuir, 2003, 19, 4253-4268.	1.6	38
130	Numerical Analysis of the Horvath-Kawazoe Equation The Adsorption of Nitrogen, Argon, Benzene, Carbon Tetrachloride and Sulphur Hexafluoride. Adsorption Science and Technology, 2002, 20, 295-305.	1.5	12
131	The Application of a CONTIN Package for the Evaluation of Micropore Size Distribution Functions. Langmuir, 2002, 18, 5406-5413.	1.6	23
132	Homogeneous and Heterogeneous Micropore Structures in Carbonaceous Adsorbents Twenty Years Later. Journal of Colloid and Interface Science, 2002, 254, 242-249.	5.0	4
133	New relationships between the characteristic energy of adsorption and the average effective diameter of carbon slit-like micropores. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2002, 201, 17-30.	2.3	15
134	What kind of pore size distribution is assumed in the Dubinin-Astakhov adsorption isotherm equation?. Carbon, 2002, 40, 2879-2886.	5.4	73
135	A Simple Method of the Determination of the Structural Heterogeneity of Microporous Solids. Journal of Colloid and Interface Science, 2001, 236, 387-390.	5.0	0
136	Characterization of Microporous Carbon Materials by Means of a New Gamma-Type Adsorption Isotherm Equation. Journal of Colloid and Interface Science, 2001, 243, 300-305.	5.0	5
137	The Comparative Analysis of the Properties of Two Micropore-Size Distribution Functions: The Pfeifer-Avnir Function and the Gamma-Type One. Journal of Colloid and Interface Science, 2001, 244, 439-443.	5.0	4