List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5996372/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The synthesis and antineoplastic activities of thiaziridine, sulfidomethylphosphonium, dithiaphosphitaneâ€sulphide against the Ehrlich ascites carcinoma. Fundamental and Clinical Pharmacology, 2022, , .	1.9	3
2	Tailoring Chitosan Nanocomposites for Planar Optical Waveguide Applications. Polymer Science - Series A, 2022, 64, 342-353.	1.0	4
3	Seawater Absorption and Adhesion Properties of Hydrophobic and Superhydrophobic Thermoset Epoxy Nanocomposite Coatings. Nanomaterials, 2021, 11, 272.	4.1	7
4	Curing of Functionalized Superhydrophobic Inorganic/Epoxy Nanocomposite and Application as Coatings for Steel. Coatings, 2021, 11, 83.	2.6	4
5	Evaluation of some new heterocycles bearing <scp>2â€oxoquinolyl</scp> moiety as immunomodulator against highly pathogenic avian influenza virus (<scp>H₅N₈</scp>). Journal of Heterocyclic Chemistry, 2021, 58, 1003-1014.	2.6	17
6	Antimicrobial and immunomodulatory potential of nanoscale hierarchical one-dimensional zinc oxide and silicon carbide materials. Materials Chemistry and Physics, 2021, 263, 124376.	4.0	23
7	Nanocomposites dendritic polyamidoamine-based chitosan hyperbranched polymer embedded in silica – phosphate for waveguide applications. Polymer-Plastics Technology and Materials, 2021, 60, 744-755.	1.3	2
8	Facile and expedient synthesis and anti-proliferative activity of diversely pyrrolones bearing 1,3-diphenylpyrazole moiety. Synthetic Communications, 2020, 50, 185-196.	2.1	26
9	Novel Magnetic Silica-Ionic Liquid Nanocomposites for Wastewater Treatment. Nanomaterials, 2020, 10, 71.	4.1	17
10	Hydrophobic and Superhydrophobic Bio-Based Nano-Magnetic Epoxy Composites as Organic Coating of Steel. Coatings, 2020, 10, 1201.	2.6	12
11	Synthesis and antitumor activity evaluation of some pyrrolone and pyridazinone heterocycles derived from 3-((2-oxo-5-(<i>p</i> -tolyl)furan-3(2 <i>H</i>)-ylidene)methyl)quinolin-2(1 <i>H</i>)-one. Synthetic Communications, 2020, 50, 1046-1055.	2.1	23
12	Methylene Blue Catalytic Degradation Using Silver and Magnetite Nanoparticles Functionalized with a Poly(ionic liquid) Based on Quaternized Dialkylethanolamine with 2-Acrylamido-2-methylpropane Sulfonate- <i>co</i> -Vinylpyrrolidone. ACS Omega, 2020, 5, 2829-2842.	3.5	52
13	Alkylation of 2(3H)-Furanones: Inter- versus Intra-Molecular. Letters in Organic Chemistry, 2020, 17, 430-433.	0.5	0
14	Reactions of 2(3H)-furanones. Synthetic Communications, 2019, 49, 3031-3057.	2.1	7
15	Synthesis of New Magnetic Crosslinked Poly (Ionic Liquid) Nanocomposites for Fast Congo Red Removal from Industrial Wastewater. Nanomaterials, 2019, 9, 1286.	4.1	12
16	Synthesis and Reactions of a 2(5 <scp><i>H</i></scp>)â€Furanone Bearing Two Furyl Substituents. Journal of Heterocyclic Chemistry, 2019, 56, 218-225.	2.6	4
17	Phosphosilicate–polyamidoamine hyperbranched polymer–Er ³⁺ nanocomposite toward planar optical waveguide applications. Polymer Composites, 2019, 40, 2029-2038.	4.6	12
18	Synthesis and performance of maleic anhydride copolymers with alkyl linoleate or tetra-esters as pour point depressants for waxy crude oil. Fuel, 2018, 211, 535-547.	6.4	65

#	Article	IF	CITATIONS
19	Chemistry of phosphorus ylides: Part 45 synthesis of phosphoranylidene, thietane, azetidine and thiazinane derivatives as potent chemo preventative agents. Phosphorus, Sulfur and Silicon and the Related Elements, 2018, 193, 1-9.	1.6	12
20	Synthesis and Spectroscopic Characterization of some Novel Pyrazoloquinoline, Pyrazolyltetrazine, and Thiazolidinone Derivatives. Journal of Heterocyclic Chemistry, 2018, 55, 291-296.	2.6	3
21	Synthesis and application of new surface active poly (ionic liquids) based on 1,3-dialkylimidazolium as demulsifiers for heavy petroleum crude oil emulsions. Journal of Molecular Liquids, 2018, 251, 201-211.	4.9	41
22	Synthesis and Application of Poly(ionic liquid) Based on Cardanol as Demulsifier for Heavy Crude Oil Water Emulsions. Energy & Fuels, 2018, 32, 214-225.	5.1	57
23	New crosslinked poly (ionic liquid) cryogels for fast removal of methylene blue from waste water. Reactive and Functional Polymers, 2018, 131, 420-429.	4.1	19
24	Linseed oil-based alkyd/Cu ₂ O nanocomposite coatings for surface applications. New Journal of Chemistry, 2018, 42, 10048-10058.	2.8	35
25	Synthesis and biological screening of some chromonyl-substituted heterocycles derived from 2(3 <i>H</i>)-furanone derivative. Synthetic Communications, 2017, 47, 471-480.	2.1	26
26	Synthesis and application of monodisperse hydrophobic magnetite nanoparticles as an oil spill collector using an ionic liquid. RSC Advances, 2017, 7, 16524-16530.	3.6	28
27	Synthesis of zinc oxide nanocomposites using poly (ionic liquids) based on quaternary ammonium acrylamidomethyl propane sulfonate for water treatment. Journal of Molecular Liquids, 2017, 236, 38-47.	4.9	29
28	Magnetite doped cuprous oxide nanoparticles as modifier for epoxy organic coating. Progress in Organic Coatings, 2017, 112, 295-303.	3.9	17
29	Effect of Different Families of Hydrophobic Anions of Imadazolium Ionic Liquids on Asphaltene Dispersants in Heavy Crude Oil. Energy & Fuels, 2017, 31, 8045-8053.	5.1	40
30	Ring Transformation of a 2(3 <i>H</i>)â€furanone Derivative into Oxazinone and Pyrimidinone Heterocycles. Journal of Heterocyclic Chemistry, 2017, 54, 3711-3715.	2.6	22
31	Evaluation of kaolin clay as natural material for transformer oil treatment to reduce the impact of ageing on copper strip. Egyptian Journal of Petroleum, 2017, 26, 533-539.	2.6	5
32	Smart photo-induced silicone/TiO2 nanocomposites with dominant [110] exposed surfaces for self-cleaning foul-release coatings of ship hulls. Materials and Design, 2016, 101, 218-225.	7.0	89
33	Data on photo-nanofiller models for self-cleaning foul release coating of ship hulls. Data in Brief, 2016, 8, 1357-1364.	1.0	28
34	Utilization of a pyrrole derivative based antimicrobial functionality impregnated onto CaO/g-C3N4 for dyes adsorption. RSC Advances, 2016, 6, 89367-89379.	3.6	24
35	Photoassisted Desulfurization Induced by Visible-Light Irradiation for the Production of Ultra-Low Sulfur Diesel Fuel Using Nanoparticles of CdO. Journal of Physical Chemistry C, 2016, 120, 26350-26362.	3.1	21
36	Utilization of 2(3 <i>H</i>)â€Furanone Bearing a Pyrazolyl Side Chain for the Construction of a Variety of Thiazolidinone Derivatives. Journal of Heterocyclic Chemistry, 2016, 53, 1512-1518.	2.6	4

#	Article	IF	CITATIONS
37	Synthesis and antitumor activity evaluation of some N-heterocycles derived from pyrazolyl-substituted 2(3H)-furanone. Synthetic Communications, 2016, 46, 1197-1208.	2.1	38
38	Synthesis and Antitumor Activity Evaluation of Some Novelâ€Fused and Spiro Heterocycles Derived from a 2(3 <i>H</i>)â€Furanone Derivative. Journal of Heterocyclic Chemistry, 2016, 53, 202-208.	2.6	26
39	Synthesis and Antimicrobial Activity Evaluation of the Pyrrole-Derived Heterocycles Bearing Two Functionalities. Current Organic Synthesis, 2016, 14, 137-142.	1.3	3
40	The overall effect of reactive rubber nanoparticles and nano clay on the mechanical properties of epoxy resin. Journal of Radiation Research and Applied Sciences, 2015, 8, 549-561.	1.2	39
41	Effect of fiber loading on the mechanical and physical properties of "green―bagasse–polyester composite. Journal of Radiation Research and Applied Sciences, 2015, 8, 544-548.	1.2	45
42	Modeling of spherical silver nanoparticles in silicone-based nanocomposites for marine antifouling. RSC Advances, 2015, 5, 63175-63185.	3.6	61
43	Tailored design of Cu ₂ O nanocube/silicone composites as efficient foul-release coatings. RSC Advances, 2015, 5, 19933-19943.	3.6	52
44	Synthesis and antiproliferative activity of novel polynuclear heterocyclic compounds derived from 2,3-diaminophenazine. European Journal of Medicinal Chemistry, 2015, 90, 568-576.	5.5	17
45	Micro-emulsion co-polymerisation of butyl acrylate with acrylic acid as binder for textile pigment printing. Pigment and Resin Technology, 2014, 43, 84-91.	0.9	5
46	Pharmacological evaluation of some novel synthesized compounds derived from spiro(cyclohexane-1,2′-thiazolidines). Medicinal Chemistry Research, 2014, 23, 2515-2527.	2.4	15
47	Utility of 6â€Aminoâ€2â€ŧhiouracils as a Core of Biologically Potent Polynitrogen–Sulfur Fused Heterocycles. Journal of Heterocyclic Chemistry, 2014, 51, E189.	2.6	5
48	Synthesis of 1-amidoalkyl-2-naphthols and oxazine derivatives with study of their antibacterial and antiviral activities. Medicinal Chemistry Research, 2013, 22, 2005-2013.	2.4	39
49	Novel Synthesis of Some Isatin Hydrazones and Pyridazinophthalazines. Synthetic Communications, 2013, 43, 1083-1091.	2.1	16
50	Conversion of Some 2(3H)-Furanones into Pyrrolinotriazine and Oxazolopyrimidine Derivatives. Journal of Heterocyclic Chemistry, 2012, 49, 947-950.	2.6	18
51	Arylation of 3-heterylmethylene-5-arylfuran-2(3H)-thiones. Journal of Chemical Research, 2009, 2009, 68-71.	1.3	4
52	Conversion of 5-Aryl-3-phenylthio-2(3H)-furanones into Some Nitrogen- and Sulphur-Containing Heterocycles. Phosphorus, Sulfur and Silicon and the Related Elements, 2007, 182, 85-97.	1.6	4
53	Conversion of 3-Arylazo-5-phenyl-2(3H)-furanones into Other Heterocycles of Anticipated Biological Activity. Archiv Der Pharmazie, 2007, 340, 315-319.	4.1	42
54	Conversion of some 2(3H)-furanones bearing a pyrazolyl group into other heterocyclic systems with a study of their antiviral activity. European Journal of Medicinal Chemistry, 2007, 42, 934-939.	5.5	113

#	Article	IF	CITATIONS
55	Behavior of 3-benzylamino-5-aryl-2(3H)-furanones towards some nitrogen nucleophiles. Journal of Heterocyclic Chemistry, 2006, 43, 957-962.	2.6	18
56	Behaviour of some 2(3 <i>H</i>)-furanones bearing a pyrazolyl group as alkylating agents. Journal of Chemical Research, 2006, 2006, 315-317.	1.3	17
57	Conversion of 2(3H)-furanones into 1,3,4-oxadiazoles. Heteroatom Chemistry, 2003, 14, 570-574.	0.7	7
58	Novel Synthesis of N-{6-Aryl-4- [(E)-2-furylmethylene] -1,2,3,4-tetrahydro-3-oxopyridazin-1-ylcarbonyl}-p-toluenesulfonamides and N-{5-[(E)-1-Aroylmethyl-2-(2-furyl)vinyl] -1,3,4-oxadiazol-2-yl}-p-toluenesulfonamides ChemInform, 2003, 34, no.	0.0	0
59	Conversion of 2(3H)-Furanones into 1,3,4-Oxadiazoles ChemInform, 2003, 34, no.	0.0	0
60	Novel synthesis of <i>N</i> â€{6â€arylâ€4â€{(<i>E</i>)â€2â€furylmethylene]â€1,2,3,4â€tetrahydroâ€3â€oxopyr â€ylcarbonyl}â€ <i>p</i> â€toluenesulfonamides and <i>N</i> â€{5â€{(<i>E</i>)â€1â€aroylmethylâ€2â€(2â€furyl) vinyl]â€1,3,4â€oxadiazolâ€2â€yl} â€ <i>p</i> â€toluenesulfonamides. Journal of Heterocyclic Chemistry, 2002, 39 1325-1328.	dazinâ€1 2.6	33
61	CONVERSION OF 3-ARYL-5-PHENYL-2(3H)-FURANONES INTO 3(2H)-ISOTHIAZOLONE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 2001, 175, 153-162.	1.6	20
62	PHOTOCHEMICAL TRANSFORMATIONS OF 2(5H)-FURANONES. A REVIEW. Organic Preparations and Procedures International, 1998, 30, 401-425.	1.3	19
63	Synthesis of Some Diaroylhydrazines, 1,3,4-Oxadiazoles and Pyridazin-3-ones Bearing Thiophene Nucleus. Collection of Czechoslovak Chemical Communications, 1993, 58, 1925-1930.	1.0	13