

Rebecca D Chernock

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/599646/rebecca-d-chernock-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

3,187
citations

32
h-index

54
g-index

100
ext. papers

3,745
ext. citations

4.7
avg, IF

5.29
L-index

#	Paper	IF	Citations
95	Impact of human papillomavirus on the tumor microenvironment in oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2022 , 150, 521-531	7.5	0
94	Unclassified Neuroendocrine Tumor with a Novel CHD4::AFF2 Fusion: Expanding the Family of AFF2-Rearranged Head and Neck Malignancies.. <i>Head and Neck Pathology</i> , 2022 , 1	3.3	0
93	Computed Tomography as a Predictor of Sinonasal Inverted Papilloma Origin, Skull Base Involvement, and Stage. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021 , 82, e335-e341	1.5	
92	Assessment Criteria and Clinical Implications of Extranodal Extension in Head and Neck Cancer. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2021 , 41, 265-278	7.1	6
91	Low Grade Papillary Sinonasal (Schneiderian) Carcinoma: A Series of Five Cases of a Unique Malignant Neoplasm with Comparison to Inverted Papilloma and Conventional Nonkeratinizing Squamous Cell Carcinoma. <i>Head and Neck Pathology</i> , 2021 , 15, 1221-1234	3.3	1
90	DEK-AFF2 fusion-associated papillary squamous cell carcinoma of the sinonasal tract: clinicopathologic characterization of seven cases with deceptively bland morphology. <i>Modern Pathology</i> , 2021 , 34, 1820-1830	9.8	9
89	Thyroid and Parathyroid Glands 2021 , 606-688		
88	A MicroRNA Expression Signature as Prognostic Marker for Oropharyngeal Squamous Cell Carcinoma. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 752-759	9.7	1
87	Oropharyngeal Squamous Cell Carcinoma With Discordant p16 and HPV mRNA Results: Incidence and Characterization in a Large, Contemporary United States Cohort. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 951-961	6.7	5
86	Environmental factors and anatomic pathology of the thyroid gland: review of literature. <i>Diagnostic Histopathology</i> , 2020 , 26, 207-215	0.7	
85	Poorly differentiated thyroid carcinoma of childhood and adolescence: a distinct entity characterized by DICER1 mutations. <i>Modern Pathology</i> , 2020 , 33, 1264-1274	9.8	45
84	Risk and Rate of Occult Contralateral Nodal Disease in Surgically Treated Patients With Human Papillomavirus-Related Squamous Cell Carcinoma of the Base of the Tongue. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020 , 146, 50-56	3.9	14
83	Tumor Mutation Burden and Checkpoint Immunotherapy Markers in NUT Midline Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020 , 28, 495-500	1.9	6
82	Transcriptionally Active HPV and Targetable EGFR Mutations in Sinonasal Inverted Papilloma: An Association Between Low-risk HPV, Condylomatous Morphology, and Cancer Risk?. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 340-346	6.7	17
81	A prognostic gene expression signature for oropharyngeal squamous cell carcinoma. <i>EBioMedicine</i> , 2020 , 61, 102805	8.8	8
80	Neoadjuvant and Adjuvant Pembrolizumab in Resectable Locally Advanced, Human Papillomavirus-Unrelated Head and Neck Cancer: A Multicenter, Phase II Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 5140-5152	12.9	71
79	Morphologic, intraoperative, and histologic risk factors for sinonasal inverted papilloma recurrence. <i>Laryngoscope</i> , 2020 , 130, 590-596	3.6	7

78	Extranodal extension is a strong prognosticator in HPV-positive oropharyngeal squamous cell carcinoma. <i>Laryngoscope</i> , 2020 , 130, 939-945	3.6	35
77	SOX10 and GATA3 in Adenoid Cystic Carcinoma and Polymorphous Adenocarcinoma. <i>Head and Neck Pathology</i> , 2020 , 14, 406-411	3.3	5
76	Diagnosis and Management of Squamous Cell Carcinoma of Unknown Primary in the Head and Neck: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2570-2596	2.2	35
75	KEYNOTE-689: Phase 3 study of adjuvant and neoadjuvant pembrolizumab combined with standard of care (SOC) in patients with resectable, locally advanced head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS6090-TPS6090	2.2	12
74	UV Signature Mutations Reclassify Salivary High-grade Neuroendocrine Carcinomas as Occult Metastatic Cutaneous Merkel Cell Carcinomas. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 682-687	6.7	8
73	Data Set for the Reporting of Carcinomas of the Hypopharynx, Larynx, and Trachea: Explanations and Recommendations of the Guidelines From the International Collaboration on Cancer Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 432-438	5	3
72	Toxicity trial of canine posterior cricoarytenoid intramuscular vincristine injections. <i>Laryngoscope</i> , 2018 , 128, E247-E250	3.6	4
71	Human Papillomavirus Testing in Head and Neck Carcinomas: Guideline From the College of American Pathologists. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 559-597	5	271
70	Salivary Duct Carcinoma and Invasive Ductal Carcinoma of the Breast: A Comparative Immunohistochemical Study. <i>Head and Neck Pathology</i> , 2018 , 12, 488-492	3.3	9
69	Squamous and Neuroendocrine Specific Immunohistochemical Markers in Head and Neck Squamous Cell Carcinoma: A Tissue Microarray Study. <i>Head and Neck Pathology</i> , 2018 , 12, 62-70	3.3	19
68	Diagnostic accuracy of fungal identification in histopathology and cytopathology specimens. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 157-165	5.3	21
67	Melanoma Mimicking Malignant Peripheral Nerve Sheath Tumor with Spread to the Cerebellopontine Angle: Utility of Next-Generation Sequencing in Diagnosis. <i>Case Reports in Pathology</i> , 2018 , 2018, 9410465	0.9	2
66	Oral Cavity Squamous Cell Carcinoma Xenografts Retain Complex Genotypes and Intertumor Molecular Heterogeneity. <i>Cell Reports</i> , 2018 , 24, 2167-2178	10.6	17
65	Multiple Myeloma Presenting as Massive Amyloid Deposition in a Parathyroid Gland Associated with Amyloid Goiter: A Medullary Thyroid Carcinoma Mimic on Intra-operative Frozen Section. <i>Head and Neck Pathology</i> , 2018 , 12, 269-273	3.3	3
64	Expression of CDX2 and Thyroid Transcription Factor-1 in Oropharyngeal Undifferentiated Carcinomas: A Potential Diagnostic Pitfall. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 268-273	1.9	2
63	Biomarker and Tumor Responses of Oral Cavity Squamous Cell Carcinoma to Trametinib: A Phase II Neoadjuvant Window-of-Opportunity Clinical Trial. <i>Clinical Cancer Research</i> , 2017 , 23, 2186-2194	12.9	24
62	p16 expression in follicular dendritic cell sarcoma: a potential mimicker of human papillomavirus-related oropharyngeal squamous cell carcinoma. <i>Human Pathology</i> , 2017 , 66, 40-47	3.7	4
61	Prevalence of HPV Infection in Racial-Ethnic Subgroups of Head and Neck Cancer Patients. <i>Carcinogenesis</i> , 2017 , 38, 218-229	4.6	27

60	Mandibular Lytic Lesion in Familial Paraganglioma Syndrome Type I: A Clinical Conundrum. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2017 , 126, 615-618	2.1	2
59	Novel Cause of Black Thyroid: Intraoperative Use of Indocyanine Green. <i>Endocrine Pathology</i> , 2017 , 28, 244-246	4.2	6
58	Nonkeratinizing Squamous Cell Carcinoma In Situ of the Upper Aerodigestive Tract: An HPV-Related Entity. <i>Head and Neck Pathology</i> , 2017 , 11, 152-161	3.3	5
57	The Great Mimicker: Metastatic Breast Carcinoma to the Head and Neck with Emphasis on Unusual Clinical and Pathologic Features. <i>Head and Neck Pathology</i> , 2017 , 11, 306-313	3.3	13
56	High E6 Gene Expression Predicts for Distant Metastasis and Poor Survival in Patients With HPV-Positive Oropharyngeal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 95, 1132-41	4	19
55	Immunotherapy with pembrolizumab in surgically resectable head and neck squamous cell carcinoma. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS6110-TPS6110	2.2	3
54	Histologic Typing in Oropharyngeal Squamous Cell Carcinoma: A 4-Year Prospective Practice Study With p16 and High-Risk HPV mRNA Testing Correlation. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 1117-24	6.7	44
53	Minithyrotomy with radiofrequency-induced thermotherapy for the treatment of adductor spasmodic dysphonia. <i>Laryngoscope</i> , 2016 , 126, 2325-9	3.6	2
52	Unusual Cause of Stridor in an 80-Year-old Man. <i>American Journal of Medicine</i> , 2016 , 129, e15-6	2.4	
51	Immunohistochemistry of thyroid gland carcinomas: clinical utility and diagnostic pitfalls. <i>Diagnostic Histopathology</i> , 2016 , 22, 184-190	0.7	8
50	High metastatic node number, not extracapsular spread or N-classification is a node-related prognosticator in transorally-resected, neck-dissected p16-positive oropharynx cancer. <i>Oral Oncology</i> , 2015 , 51, 514-20	4.4	101
49	Epidermal Growth Factor Receptor Expression in Spindle Cell Carcinomas of the Head and Neck. <i>Head and Neck Pathology</i> , 2015 , 9, 360-8	3.3	6
48	Approach to metastatic carcinoma of unknown primary in the head and neck: squamous cell carcinoma and beyond. <i>Head and Neck Pathology</i> , 2015 , 9, 6-15	3.3	42
47	Molecular pathology of hereditary and sporadic medullary thyroid carcinomas. <i>American Journal of Clinical Pathology</i> , 2015 , 143, 768-77	1.9	25
46	Prevalence of a hobnail pattern in papillary, poorly differentiated, and anaplastic thyroid carcinoma: a possible manifestation of high-grade transformation. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 260-5	6.7	42
45	Classification of Psammoma Bodies in the Revised College of American Pathologists Thyroid Cancer Protocol. <i>Archives of Pathology and Laboratory Medicine</i> , 2015 , 139, 967	5	2
44	Verrucous carcinoma with dysplasia or minimal invasion: a variant of verrucous carcinoma with extremely favorable prognosis. <i>Head and Neck Pathology</i> , 2015 , 9, 65-73	3.3	8
43	Low-grade papillary schneiderian carcinoma, a unique and deceptively bland malignant neoplasm: report of a case. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 714-21	6.7	20

42	Diagnostic Discrepancies in Mandatory Slide Review of Extradepartmental Head and Neck Cases: Experience at a Large Academic Center. <i>Archives of Pathology and Laboratory Medicine</i> , 2015 , 139, 1539-45	5.5	11
41	Histologic and systemic prognosticators for local control and survival in margin-negative transoral laser microsurgery treated oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 52-63	4.2	13
40	S100A8 is a novel therapeutic target for anaplastic thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E232-42	5.6	26
39	Extensive HPV-related carcinoma in situ of the upper aerodigestive tract with nonkeratinizing histologic features. <i>Head and Neck Pathology</i> , 2014 , 8, 322-8	3.3	10
38	Next-generation sequencing of salivary high-grade neuroendocrine carcinomas identifies alterations in RB1 and the mTOR pathway. <i>Experimental and Molecular Pathology</i> , 2014 , 97, 572-8	4.4	7
37	Human papillomavirus and Epstein Barr virus in head and neck carcinomas: suggestions for the new WHO classification. <i>Head and Neck Pathology</i> , 2014 , 8, 50-8	3.3	33
36	Utility of birefringent crystal identification by polarized light microscopy in distinguishing thyroid from parathyroid tissue on intraoperative frozen sections. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1212-9	6.7	16
35	Keratinizing-type squamous cell carcinoma of the oropharynx: p16 overexpression is associated with positive high-risk HPV status and improved survival. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 809-15	6.7	48
34	Prognostic significance of human chorionic gonadotropin and PAX8 expression in anaplastic thyroid carcinoma. <i>Thyroid</i> , 2014 , 24, 319-26	6.2	14
33	A microRNA expression signature for the prognosis of oropharyngeal squamous cell carcinoma. <i>Cancer</i> , 2013 , 119, 72-80	6.4	51
32	Lipomatous congenital melanocytic nevus presenting as a neck mass in a young adult. <i>Head and Neck Pathology</i> , 2013 , 7, 404-8	3.3	7
31	Spindle cell carcinomas of the head and neck rarely harbor transcriptionally-active human papillomavirus. <i>Head and Neck Pathology</i> , 2013 , 7, 250-7	3.3	31
30	Mammaglobin and S-100 immunoreactivity in salivary gland carcinomas other than mammary analogue secretory carcinoma. <i>Human Pathology</i> , 2013 , 44, 2501-8	3.7	84
29	Verrucous carcinomas of the head and neck, including those with associated squamous cell carcinoma, lack transcriptionally active high-risk human papillomavirus. <i>Human Pathology</i> , 2013 , 44, 2385-92	3.7	32
28	Overexpression of miR-10a and miR-375 and downregulation of YAP1 in medullary thyroid carcinoma. <i>Experimental and Molecular Pathology</i> , 2013 , 95, 62-7	4.4	91
27	A novel RT-PCR method for quantification of human papillomavirus transcripts in archived tissues and its application in oropharyngeal cancer prognosis. <i>International Journal of Cancer</i> , 2013 , 132, 882-907	7.5	80
26	Detection and significance of human papillomavirus, CDKN2A(p16) and CDKN1A(p21) expression in squamous cell carcinoma of the larynx. <i>Modern Pathology</i> , 2013 , 26, 223-31	9.8	88
25	Napsin A expression in anaplastic, poorly differentiated, and micropapillary pattern thyroid carcinomas. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1215-22	6.7	31

24	Papillary squamous cell carcinoma of the head and neck: clinicopathologic and molecular features with special reference to human papillomavirus. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1349-56	6.7	79
23	Pheochromocytoma in an 8-year-old patient with multiple endocrine neoplasia type 2A: implications for screening. <i>Journal of Surgical Oncology</i> , 2013 , 108, 203-6	2.8	22
22	Partial p16 staining in oropharyngeal squamous cell carcinoma: extent and pattern correlate with human papillomavirus RNA status. <i>Modern Pathology</i> , 2012 , 25, 1212-20	9.8	109
21	Morphologic features of conventional squamous cell carcinoma of the oropharynx: keratinizing and nonkeratinizing histologic types as the basis for a consistent classification system. <i>Head and Neck Pathology</i> , 2012 , 6 Suppl 1, S41-7	3.3	44
20	Recognition of nonkeratinizing morphology in oropharyngeal squamous cell carcinoma - a prospective cohort and interobserver variability study. <i>Histopathology</i> , 2012 , 60, 427-36	7.3	53
19	Transcriptionally-active high-risk human papillomavirus is rare in oral cavity and laryngeal/hypopharyngeal squamous cell carcinomas--a tissue microarray study utilizing E6/E7 mRNA in situ hybridization. <i>Histopathology</i> , 2012 , 60, 982-91	7.3	86
18	Activation of the mTOR pathway in primary medullary thyroid carcinoma and lymph node metastases. <i>Clinical Cancer Research</i> , 2012 , 18, 3532-40	12.9	51
17	Radiotherapeutic management of cervical lymph node metastases from an unknown primary site. <i>JAMA Otolaryngology</i> , 2012 , 138, 656-61		50
16	Bone Lesions of the Head and Neck. <i>Surgical Pathology Clinics</i> , 2011 , 4, 1273-328	3.9	4
15	Human papillomavirus-related squamous cell carcinoma of the oropharynx: a comparative study in whites and African Americans. <i>JAMA Otolaryngology</i> , 2011 , 137, 163-9		53
14	Absence of Merkel cell polyomavirus in primary parotid high-grade neuroendocrine carcinomas regardless of cytokeratin 20 immunophenotype. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1806-11	6.7	30
13	Seromucinous hamartoma of the nasal cavity: a report of two cases and review of the literature. <i>Head and Neck Pathology</i> , 2011 , 5, 241-7	3.3	21
12	Procurement of Human Tissues for Research Banking in the Surgical Pathology Laboratory: Prioritization Practices at Washington University Medical Center. <i>Biopreservation and Biobanking</i> , 2011 , 9, 245-251	2.1	11
11	Pathology quiz case 1. Primary diffuse large B-cell lymphoma of the larynx. <i>JAMA Otolaryngology</i> , 2011 , 137, 526, 528		2
10	Human papillomavirus-positive basaloid squamous cell carcinomas of the upper aerodigestive tract: a distinct clinicopathologic and molecular subtype of basaloid squamous cell carcinoma. <i>Human Pathology</i> , 2010 , 41, 1016-23	3.7	115
9	Human papillomavirus-positive basaloid squamous cell carcinoma of the head and neck: reply. <i>Human Pathology</i> , 2010 , 41, 1506	3.7	
8	p16 positive oropharyngeal squamous cell carcinoma: an entity with a favorable prognosis regardless of tumor HPV status. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1088-96	6.7	306
7	Receptor tyrosine kinases in sinonasal undifferentiated carcinomas--evaluation for EGFR, c-KIT, and HER2/neu expression. <i>Head and Neck</i> , 2009 , 31, 919-27	4.2	22

6	HPV-related nonkeratinizing squamous cell carcinoma of the oropharynx: utility of microscopic features in predicting patient outcome. <i>Head and Neck Pathology</i> , 2009 , 3, 186-94	3.3	159
5	Extending the inferior limits of supracricoid partial laryngectomy: a clinicopathological correlation. <i>Laryngoscope</i> , 2005 , 115, 297-300	3.6	19
4	Predictors of thyroid gland invasion in glottic squamous cell carcinoma. <i>Laryngoscope</i> , 2005 , 115, 1247-50.6	3.6	38
3	CXCR4/CCR5 down-modulation and chemotaxis are regulated by the proteasome pathway. <i>Journal of Biological Chemistry</i> , 2002 , 277, 18111-7	5.4	36
2	SHP2 and cbl participate in alpha-chemokine receptor CXCR4-mediated signaling pathways. <i>Blood</i> , 2001 , 97, 608-15	2.2	73
1	Beta-chemokine receptor CCR5 signals through SHP1, SHP2, and Syk. <i>Journal of Biological Chemistry</i> , 2000 , 275, 17263-8	5.4	69