
## Shumpei Kitamura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/599750/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fungal spore transport by omnivorous mycophagous slug in temperate forest. Ecology and Evolution, 2022, 12, e8565.	1.9	6
2	Habitat connectivity for endangered Indochinese tigers in Thailand. Global Ecology and Conservation, 2021, 29, e01718.	2.1	11
3	Intraspecific differences in seed dispersal caused by differences in social rank and mediated by food availability. Scientific Reports, 2020, 10, 1532.	3.3	6
4	Infestation of the orchid Cephalanthera spp. by Parallelomma vittatum (Meigen, 1826) (Diptera:) Tj ETQq0 0 0 r	gBT /Over	ock 10 Tf 50

5	Factors affecting forest area change in Southeast Asia during 1980-2010. PLoS ONE, 2018, 13, e0197391.	2.5	39
6	Neglected seed dispersers: endozoochory by Javan lutungs ( <i>Trachypithecus auratus</i> ) in Indonesia. Biotropica, 2017, 49, 539-545.	1.6	14
7	Functional significance of petals as landing sites in fungusâ€gnat pollinated flowers of <i>Mitella pauciflora</i> (Saxifragaceae). Functional Ecology, 2017, 31, 1193-1200.	3.6	16
8	Seed-dispersal ecology of tropical montane forests. Journal of Tropical Ecology, 2016, 32, 437-454.	1.1	33
9	History of forest loss and degradation in Indonesia. Land Use Policy, 2016, 57, 335-347.	5.6	115
10	Ecosystem services provided by birds: Special reference to pollination and seed dispersal by birds. Japanese Journal of Ornithology, 2015, 64, 25-37.	0.1	2
11	Nutmeg-Vertebrate Interactions in the Asia-Pacific Region: Importance of Frugivores for Seed Dispersal in Myristicaceae. Tropical Conservation Science. 2013. 6. 608-636.	1.2	12

Comparative sensitivity to environmental variation and human disturbance of Asian tapirs (<i>Tapirus) Tj ETQq0 0 0 grgBT /Overlock 10 T 12

13	Mapping the distribution of dholes, Cuon alpinus (Canidae, Carnivora), in Thailand. Mammalia, 2012, 76,	0.7	24
14	Occurrence of Three Felids across a Network of Protected Areas in Thailand: Prey, Intraguild, and Habitat Associations. Biotropica, 2012, 44, 810-817.	1.6	40
15	Frugivory and seed dispersal by hornbills (Bucerotidae) in tropical forests. Acta Oecologica, 2011, 37, 531-541.	1.1	55
16	A phylogeny of frugivorous hornbills linked to the evolution of Indian plants within Asian rainforests. Journal of Evolutionary Biology, 2011, 24, 1533-1545.	1.7	19
17	Evidence of the Consumption of Fallen Figs by Oriental Pied HornbillAnthracoceros albirostrison the Ground in Khao Yai National Park, Thailand. Ornithological Science, 2009, 8, 75-79.	0.5	4
18	Rare seed-predating mammals determine seed fate of Canarium euphyllum, a large-seeded tree species in a moist evergreen forest, Thailand. Ecological Research, 2008, 23, 169-177.	1.5	18

Shumpei Kitamura

#	Article	IF	CITATIONS
19	Aggregated seed dispersal by wreathed hornbills at a roost site in a moist evergreen forest of Thailand. Ecological Research, 2008, 23, 943-952.	1.5	23
20	Frugivory and seed dispersal by Asian elephants, Elephas maximus, in a moist evergreen forest of Thailand. Journal of Tropical Ecology, 2007, 23, 373-376.	1.1	41
21	Fruit visitation patterns of small mammals on the forest floor in a tropical seasonal forest of Thailand. Tropics, 2007, 16, 17-29.	0.8	9
22	Dispersal of Canarium euphyllum (Burseraceae), a large-seeded tree species, in a moist evergreen forest in Thailand. Journal of Tropical Ecology, 2006, 22, 137-146.	1.1	34
23	A botanical inventory of a tropical seasonal forest in Khao Yai National Park, Thailand: implications for fruit–frugivore interactions. Biodiversity and Conservation, 2005, 14, 1241-1261.	2.6	35
24	Fruit-frugivore interactions in a moist evergreen forest of Khao Yai National Park in Thailand. Tropics, 2005, 14, 345-355.	0.8	10
25	Pattern and impact of hornbill seed dispersal at nest trees in a moist evergreen forest in Thailand. Journal of Tropical Ecology, 2004, 20, 545-553.	1.1	29
26	The influence of floral symmetry and pollination systems on flower size variation. Nordic Journal of Botany, 2004, 24, 593-598.	0.5	13
27	Dispersal of Aglaia spectabilis, a large-seeded tree species in a moist evergreen forest in Thailand. Journal of Tropical Ecology, 2004, 20, 421-427.	1.1	47
28	Characteristics of hornbill-dispersed fruits in a tropical seasonal forest in Thailand. Bird Conservation International, 2004, 14, S81-S88.	1.3	21
29	Interactions between fleshy fruits and frugivores in a tropical seasonal forest in Thailand. Oecologia, 2002, 133, 559-572.	2.0	205