

# Bao-Cai Xing

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5997568/publications.pdf>

Version: 2024-02-01

45  
papers

1,148  
citations

567281

15  
h-index

414414

32  
g-index

53  
all docs

53  
docs citations

53  
times ranked

1965  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatic Artery Injection of <sup>131</sup> I-Metuximab Combined with Transcatheter Arterial Chemoembolization for Unresectable Hepatocellular Carcinoma: A Prospective Nonrandomized, Multicenter Clinical Trial. <i>Journal of Nuclear Medicine</i> , 2022, 63, 556-559.	5.0	9
2	Study on Microstructures and Properties of Low-Carbon-Steel Heavy Plate Treated by Quenching and Dynamic Partitioning. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 1195-1203.	2.5	0
3	Prediction of Therapeutic Effect to Treatment in Patients with Colorectal Liver Metastases Using Functional Magnetic Resonance Imaging and RECIST Criteria: A Pilot Study in Comparison between Bevacizumab-Containing Chemotherapy and Standard Chemotherapy. <i>Annals of Surgical Oncology</i> , 2022, 29, 3938-3949.	1.5	2
4	Prognostic value of the combination of primary tumor location and RAS mutational status on patients with colorectal liver metastasis undergoing hepatectomy. <i>Journal of Surgical Oncology</i> , 2022, 125, 1002-1012.	1.7	4
5	Perioperative second-line chemotherapy is beneficial for resectable liver metastases that occur during or early after adjuvant chemotherapy for colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2022, 37, 805-814.	2.2	0
6	ASO Visual Abstract: Prediction of Therapeutic Effect of Treatment on Patients with Colorectal Liver Metastases Using Functional Magnetic Resonance Imaging and RECIST Criteria: A Pilot Study Comparing Bevacizumab-Containing Chemotherapy and Standard Chemotherapy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
7	Contrast-Enhanced Intraoperative Ultrasound Improved Sensitivity and Positive Predictive Value in Colorectal Liver Metastasis: a Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2021, 28, 3763-3773.	1.5	7
8	Deep learning-assisted magnetic resonance imaging prediction of tumor response to chemotherapy in patients with colorectal liver metastases. <i>International Journal of Cancer</i> , 2021, 148, 1717-1730.	5.1	18
9	Preoperative CA19-9: a competitive predictor of recurrence in patients with colorectal cancer liver metastases after hepatectomy. <i>International Journal of Colorectal Disease</i> , 2021, 36, 767-778.	2.2	5
10	Mutated DNA Damage Repair Pathways Are Prognostic and Chemosensitivity Markers for Resected Colorectal Cancer Liver Metastases. <i>Frontiers in Oncology</i> , 2021, 11, 643375.	2.8	2
11	A Prognostic Scoring System to Predict Survival Outcome of Resectable Colorectal Liver Metastases in this Modern Era. <i>Annals of Surgical Oncology</i> , 2021, 28, 7709-7718.	1.5	12
12	En bloc right hemicolectomy with pancreatoduodenectomy for right-sided colon cancer invading duodenum. <i>BMC Surgery</i> , 2021, 21, 302.	1.3	2
13	The prognostic impact of resection margin status varies according to the genetic and morphological evaluation (GAME) score for colorectal liver metastasis. <i>Journal of Surgical Oncology</i> , 2021, 124, 619-626.	1.7	3
14	Characterization of genomic alterations in Chinese colorectal cancer patients with liver metastases. <i>Journal of Translational Medicine</i> , 2021, 19, 313.	4.4	6
15	Recurrent colorectal liver metastasis patients could benefit from repeat hepatic resection. <i>BMC Surgery</i> , 2021, 21, 327.	1.3	16
16	Development of a model to predict pathologic response to chemotherapy in patients with colorectal liver metastases. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 1498-1508.	1.4	4
17	Development and Validation of a Nomogram to Preoperatively Estimate Post-hepatectomy Liver Dysfunction Risk and Long-term Survival in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2021, 274, e1209-e1217.	4.2	45
18	Long disease-free interval diminishes the prognostic value of primary tumor stage for patients with colorectal cancer liver metastases. <i>Hpb</i> , 2021, , .	0.3	0

#	ARTICLE	IF	CITATIONS
19	The characteristics and long-term survival of patients with colorectal liver metastases with pathological complete response after chemotherapy. <i>Journal of Cancer</i> , 2020, 11, 6256-6263.	2.5	8
20	Liver resection for colorectal liver-limited metastases in elderly patients: a propensity score matching analysis. <i>World Journal of Surgical Oncology</i> , 2020, 18, 275.	1.9	7
21	&lt;p&gt;Indocyanine Green Clearance Test for the Preoperative Assessment of Chemotherapy-Related Hepatic Injury in Patients with Colorectal Liver Metastasis&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 3237-3245.	1.9	5
22	The individualized selection of Pancreaticoenteric anastomosis in Pancreaticoduodenectomy. <i>BMC Surgery</i> , 2020, 20, 140.	1.3	7
23	Comparison of sequential, delayed and simultaneous resection strategies for synchronous colorectal liver metastases. <i>BMC Surgery</i> , 2020, 20, 16.	1.3	16
24	Response to Comment on “Development and Validation of a Nomogram to Preoperatively Estimate Post-Hepatectomy Liver Dysfunction Risk and Long-Term Survival in Patients With Hepatocellular Carcinoma”™. <i>Annals of Surgery</i> , 2020, Publish Ahead of Print, e791-e792.	4.2	3
25	Quality over quantity: a necessary path for clinical research transformation in China. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 684-686.	1.5	0
26	Nomogram predicted disease free survival for colorectal liver metastasis patients with preoperative chemotherapy followed by hepatic resection. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2070-2077.	1.0	20
27	Fibrinogen&quot;Albumin Ratio Index (FARI): A More Promising Inflammation-Based Prognostic Marker for Patients Undergoing Hepatectomy for Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , 2019, 26, 3682-3692.	1.5	36
28	The primary tumor location impacts survival outcome of colorectal liver metastases after hepatic resection: A systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1349-1356.	1.0	33
29	Sub-millimeter surgical margin is acceptable in patients with good tumor biology after liver resection for colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1551-1558.	1.0	20
30	Editorial: redrawing the boundaries for surgical intervention in hepatocellular carcinoma&quot;authors&quot;™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 616-617.	3.7	0
31	A modified staging of early and intermediate hepatocellular carcinoma based on single tumour &gt;7&Acm and multiple tumours beyond up&to&seven criteria. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 202-210.	3.7	22
32	Postoperative adjuvant transcatheter arterial chemoembolization should be considered selectively in patients who have hepatocellular carcinoma with microvascular invasion. <i>Hpb</i> , 2019, 21, 425-433.	0.3	42
33	The impact of primary tumour location in patients undergoing hepatic resection for colorectal liver metastasis. <i>European Journal of Surgical Oncology</i> , 2018, 44, 771-777.	1.0	36
34	Radiofrequency ablation versus resection for technically resectable colorectal liver metastasis: a propensity score analysis. <i>World Journal of Surgical Oncology</i> , 2018, 16, 207.	1.9	39
35	Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). <i>Liver Cancer</i> , 2018, 7, 235-260.	7.7	426
36	Survival prediction in patients with resectable colorectal liver metastases: Clinical risk scores and tumor response to chemotherapy. <i>Oncology Letters</i> , 2017, 14, 8051-8059.	1.8	13

#	ARTICLE	IF	CITATIONS
37	Long-term postoperative survival prediction in patients with colorectal liver metastasis. <i>Oncotarget</i> , 2017, 8, 79927-79934.	1.8	31
38	Human U Three Protein 14a Expression is Increased in Hepatocellular Carcinoma and Associated with Poor Prognosis. <i>Chinese Medical Journal</i> , 2017, 130, 470-476.	2.3	8
39	Role of a liver-first approach for synchronous colorectal liver metastases. <i>World Journal of Gastroenterology</i> , 2016, 22, 2126.	3.3	10
40	MBD2 as a novel marker associated with poor survival of patients with hepatocellular carcinoma after hepatic resection. <i>Molecular Medicine Reports</i> , 2016, 14, 1617-1623.	2.4	5
41	Hepatic resection provided long-term survival for patients with intermediate and advanced-stage resectable hepatocellular carcinoma. <i>World Journal of Surgical Oncology</i> , 2016, 14, 62.	1.9	36
42	Autocrine Complement Inhibits IL10-Dependent T-cell Mediated Antitumor Immunity to Promote Tumor Progression. <i>Cancer Discovery</i> , 2016, 6, 1022-1035.	9.4	116
43	The role of neoadjuvant chemotherapy for resectable colorectal liver metastases: a systematic review and meta-analysis. <i>Oncotarget</i> , 2016, 7, 37277-37287.	1.8	39
44	Hepatic Resection Improved the Long-Term Survival of Patients with BCLC Stage B Hepatocellular Carcinoma: a Letter to Response. <i>Journal of Gastrointestinal Surgery</i> , 2015, 19, 2290-2291.	1.7	0
45	Negative surgical margin improved long-term survival of colorectal cancer liver metastases after hepatic resection: a systematic review and meta-analysis. <i>International Journal of Colorectal Disease</i> , 2015, 30, 1365-1373.	2.2	35