

Andreas Weigert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5998444/andreas-weigert-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 papers	5,028 citations	40 h-index	64 g-index
182 ext. papers	6,308 ext. citations	7.2 avg, IF	5.65 L-index

#	Paper	IF	Citations
167	3mRNA sequencing reveals pro-regenerative properties of c5ar1 during resolution of murine acetaminophen-induced liver injury.. <i>Npj Regenerative Medicine</i> , 2022 , 7, 10	15.8	0
166	Picturing of the Lung Tumor Cellular Composition by Multispectral Flow Cytometry.. <i>Frontiers in Immunology</i> , 2022 , 13, 827719	8.4	0
165	Inflammatory fibroblasts mediate resistance to neoadjuvant therapy in rectal cancer.. <i>Cancer Cell</i> , 2022 ,	24.3	8
164	MicroRNA-200c Attenuates the Tumor-Infiltrating Capacity of Macrophages.. <i>Biology</i> , 2022 , 11,	4.9	3
163	Neoadjuvant Chemoradiotherapy for Oral Cavity Cancer: Predictive Factors for Response and Interim Analysis of the Prospective INVERT-Trial.. <i>Frontiers in Oncology</i> , 2022 , 12, 817692	5.3	1
162	Loss of Endothelial Cytochrome P450 Reductase Induces Vascular Dysfunction in Mice.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118752	8.5	1
161	Phosphatidylserine Synthase PTDSS1 Shapes the Tumor Lipidome to Maintain Tumor-Promoting Inflammation.. <i>Cancer Research</i> , 2022 , 82, 1617-1632	10.1	1
160	On the biosynthesis of specialized pro-resolving mediators in human neutrophils and the influence of cell integrity.. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1867, 159093	5	1
159	Increased glucosylceramide production leads to decreased cell energy metabolism and lowered tumor marker expression in non-cancerous liver cells. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 7025-7041	10.3	0
158	Breast Cancer CAFs: Spectrum of Phenotypes and Promising Targeting Avenues. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
157	Iron-Bound Lipocalin-2 from Tumor-Associated Macrophages Drives Breast Cancer Progression Independent of Ferroportin. <i>Metabolites</i> , 2021 , 11,	5.6	1
156	Lysosome-Dependent LXR and PPAR γ Activation Upon Efferocytosis in Human Macrophages. <i>Frontiers in Immunology</i> , 2021 , 12, 637778	8.4	3
155	AGMO Inhibitor Reduces 3T3-L1 Adipogenesis. <i>Cells</i> , 2021 , 10,	7.9	1
154	AXL Inhibition in Macrophages Stimulates Host-versus-Leukemia Immunity and Eradicates Na β e and Treatment-Resistant Leukemia. <i>Cancer Discovery</i> , 2021 , 11, 2924-2943	24.4	5
153	The Consequences of Soluble Epoxide Hydrolase Deletion on Tumorigenesis and Metastasis in a Mouse Model of Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
152	Mapping the Endothelial Cell -Sulphydrome Highlights the Crucial Role of Integrin Sulphydration in Vascular Function. <i>Circulation</i> , 2021 , 143, 935-948	16.7	20
151	EVL regulates VEGF receptor-2 internalization and signaling in developmental angiogenesis. <i>EMBO Reports</i> , 2021 , 22, e48961	6.5	8

150	Lactate dehydrogenase B regulates macrophage metabolism in the tumor microenvironment. <i>Theranostics</i> , 2021 , 11, 7570-7588	12.1	4
149	Inhibition of mPGES-1 attenuates efficient resolution of acute inflammation by enhancing CX3CL1 expression. <i>Cell Death and Disease</i> , 2021 , 12, 135	9.8	2
148	Enhanced CXCR4 Expression of Human CD8 T Lymphocytes Is Driven by S1P. <i>Frontiers in Immunology</i> , 2021 , 12, 668884	8.4	2
147	A Potential Role of the CD47/SIRPalpha Axis in COVID-19 Pathogenesis. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 1212-1225	2.9	3
146	The hydrogen-peroxide producing NADPH oxidase 4 does not limit neointima development after vascular injury in mice. <i>Redox Biology</i> , 2021 , 45, 102050	11.3	0
145	IL-38 Ablation Reduces Local Inflammation and Disease Severity in Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2021 , 206, 1058-1066	5.3	7
144	Interferon Regulatory Factor 9 Promotes Lung Cancer Progression via Regulation of Versican. <i>Cancers</i> , 2021 , 13,	6.6	2
143	Identification of tumor-associated macrophage subsets that are associated with breast cancer prognosis. <i>Clinical and Translational Medicine</i> , 2020 , 10, e239	5.7	7
142	Reprogramming of tumor-associated macrophages by targeting E-cadherin/FOSL2/ARID5A signaling: A potential treatment of lung cancer. <i>Science Advances</i> , 2020 , 6, eaaz6105	14.3	35
141	Histone Deacetylation Inhibitors as Modulators of Regulatory T Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	19
140	Ceramide Synthase 5 Deficiency Aggravates Dextran Sodium Sulfate-Induced Colitis and Colon Carcinogenesis and Impairs T-Cell Activation. <i>Cancers</i> , 2020 , 12,	6.6	7
139	The Specific IKK β /TBK1 Inhibitor Amlexanox Suppresses Human Melanoma by the Inhibition of Autophagy, NF- κ B and MAP Kinase Pathways. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
138	Sphingosine Kinases are Involved in Macrophage NLRP3 Inflammasome Transcriptional Induction. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
137	Cyp2c44 regulates prostaglandin synthesis, lymphangiogenesis, and metastasis in a mouse model of breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 5923-5930	11.5	5
136	S1PR4-dependent CCL2 production promotes macrophage recruitment in a murine psoriasis model. <i>European Journal of Immunology</i> , 2020 , 50, 839-845	6.1	7
135	Wheat Consumption Aggravates Colitis in Mice via Amylase Trypsin Inhibitor-mediated Dysbiosis. <i>Gastroenterology</i> , 2020 , 159, 257-272.e17	13.3	22
134	Microenvironmental Th9 and Th17 lymphocytes induce metastatic spreading in lung cancer. <i>Journal of Clinical Investigation</i> , 2020 , 130, 3560-3575	15.9	46
133	S1PR4 ablation reduces tumor growth and improves chemotherapy via CD8+ T cell expansion. <i>Journal of Clinical Investigation</i> , 2020 , 130, 5461-5476	15.9	14

132	IL-36 family cytokines in protective versus destructive inflammation. <i>Cellular Signalling</i> , 2020 , 75, 109773.	4.9	7
131	The iron load of lipocalin-2 (LCN-2) defines its pro-tumour function in clear-cell renal cell carcinoma. <i>British Journal of Cancer</i> , 2020 , 122, 421-433	8.7	18
130	Immune Checkpoint Blockade Improves Chemotherapy in the PyMT Mammary Carcinoma Mouse Model. <i>Frontiers in Oncology</i> , 2020 , 10, 1771	5.3	2
129	Alox12/15 Deficiency Exacerbates, While Lipoxin A Ameliorates Hepatic Inflammation in Murine Alcoholic Hepatitis. <i>Frontiers in Immunology</i> , 2020 , 11, 1447	8.4	2
128	Spatial Density and Distribution of Tumor-Associated Macrophages Predict Survival in Non-Small Cell Lung Carcinoma. <i>Cancer Research</i> , 2020 , 80, 4414-4425	10.1	27
127	Fibroblast Growth Factor-14 Acts as Tumor Suppressor in Lung Adenocarcinomas. <i>Cells</i> , 2020 , 9,	7.9	4
126	The Lipid Receptor G2A (GPR132) Mediates Macrophage Migration in Nerve Injury-Induced Neuropathic Pain. <i>Cells</i> , 2020 , 9,	7.9	3
125	Metastasis-Associated Protein 2 Represses NF- κ B to Reduce Lung Tumor Growth and Inflammation. <i>Cancer Research</i> , 2020 , 80, 4199-4211	10.1	3
124	Tax1BP1 limits hepatic inflammation and reduces experimental hepatocarcinogenesis. <i>Scientific Reports</i> , 2020 , 10, 16264	4.9	2
123	Dysregulated Adaptive Immunity Is an Early Event in Liver Cirrhosis Preceding Acute-on-Chronic Liver Failure. <i>Frontiers in Immunology</i> , 2020 , 11, 534731	8.4	6
122	Bacterial and Fungal Toll-Like Receptor Activation Elicits Type I IFN Responses in Mast Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 607048	8.4	5
121	Phenotypic Plasticity of Fibroblasts during Mammary Carcinoma Development. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
120	IL-22 and IL-22-Binding Protein Are Associated With Development of and Mortality From Acute-on-Chronic Liver Failure. <i>Hepatology Communications</i> , 2019 , 3, 392-405	6	21
119	Sphingosine kinase 2 is a negative regulator of inflammatory macrophage activation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 1235-1246	5	17
118	HVEM, a cosignaling molecular switch, and its interactions with BTLA, CD160 and LIGHT. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 679-682	15.4	15
117	The NADPH Oxidase Nox4 Controls Macrophage Polarization in an NF- κ B-Dependent Manner. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 3264858	6.7	19
116	PGE in fibrosis and cancer: Insights into fibroblast activation. <i>Prostaglandins and Other Lipid Mediators</i> , 2019 , 143, 106339	3.7	12
115	IL-38 Ameliorates Skin Inflammation and Limits IL-17 Production from $\gamma\delta$ T Cells. <i>Cell Reports</i> , 2019 , 27, 835-846.e5	10.6	44

114	Apoptotic tumor cell-derived microRNA-375 uses CD36 to alter the tumor-associated macrophage phenotype. <i>Nature Communications</i> , 2019 , 10, 1135	17.4	69
113	Tolerizing CTL by Sustained Hepatic PD-L1 Expression Provides a New Therapy Approach in Mouse Sepsis. <i>Theranostics</i> , 2019 , 9, 2003-2016	12.1	7
112	The polarity protein Scrib limits atherosclerosis development in mice. <i>Cardiovascular Research</i> , 2019 , 115, 1963-1974	9.9	5
111	The histone demethylase PHF8 facilitates alternative splicing of the histocompatibility antigen HLA-G. <i>FEBS Letters</i> , 2019 , 593, 487-498	3.8	5
110	The Multi-Modal Effect of the Anti-fibrotic Drug Pirfenidone on NSCLC. <i>Frontiers in Oncology</i> , 2019 , 9, 1550	5.3	13
109	Sphingosine-1-Phosphate and Macrophage Biology-How the Sphinx Tames the Big Eater. <i>Frontiers in Immunology</i> , 2019 , 10, 1706	8.4	36
108	Comparisons of Solder Joints Fatigue Life Predictions and Several Long-Term Testing Results 2019 ,		1
107	Nitric oxide maintains endothelial redox homeostasis through PKM2 inhibition. <i>EMBO Journal</i> , 2019 , 38, e100938	13	24
106	Macrophage S1PR1 Signaling Alters Angiogenesis and Lymphangiogenesis During Skin Inflammation. <i>Cells</i> , 2019 , 8,	7.9	9
105	Myeloid-Specific Deletion of the AMPK α Subunit Alters Monocyte Protein Expression and Atherogenesis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
104	IL27R β Deficiency Alters Endothelial Cell Function and Subverts Tumor Angiogenesis in Mammary Carcinoma. <i>Frontiers in Oncology</i> , 2019 , 9, 1022	5.3	4
103	Cancer-induced inflammation and inflammation-induced cancer in colon: a role for S1P lyase. <i>Oncogene</i> , 2019 , 38, 4788-4803	9.2	21
102	Large expert-curated database for benchmarking document similarity detection in biomedical literature search. <i>Database: the Journal of Biological Databases and Curation</i> , 2019 , 2019,	5	4
101	Macrophages attenuate the transcription of CYP1A1 in breast tumor cells and enhance their proliferation. <i>PLoS ONE</i> , 2019 , 14, e0209694	3.7	5
100	VASP regulates leukocyte infiltration, polarization, and vascular repair after ischemia. <i>Journal of Cell Biology</i> , 2018 , 217, 1503-1519	7.3	16
99	Redox-signals and macrophage biology. <i>Molecular Aspects of Medicine</i> , 2018 , 63, 70-87	16.7	31
98	IL-6 augments IL-4-induced polarization of primary human macrophages through synergy of STAT3, STAT6 and BATF transcription factors. <i>OncImmunology</i> , 2018 , 7, e1494110	7.2	24
97	The portal vein as a distinct immunological compartment - A comprehensive immune phenotyping study. <i>Human Immunology</i> , 2018 , 79, 716-723	2.3	2

96	NoxO1 Controls Proliferation of Colon Epithelial Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 973	8.4	18
95	Downregulation of BTLA on NKT Cells Promotes Tumor Immune Control in a Mouse Model of Mammary Carcinoma. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
94	The prostaglandin E2 receptor EP3 controls CC-chemokine ligand 2-mediated neuropathic pain induced by mechanical nerve damage. <i>Journal of Biological Chemistry</i> , 2018 , 293, 9685-9695	5.4	15
93	Selective targeting of tumor associated macrophages in different tumor models. <i>PLoS ONE</i> , 2018 , 13, e0193015	3.7	14
92	An in vitro test system for compounds that modulate human inflammatory macrophage polarization. <i>European Journal of Pharmacology</i> , 2018 , 833, 328-338	5.3	20
91	Apoptotic Cancer Cells Suppress 5-Lipoxygenase in Tumor-Associated Macrophages. <i>Journal of Immunology</i> , 2018 , 200, 857-868	5.3	24
90	Macrophage-derived lipocalin-2 transports iron in the tumor microenvironment. <i>Oncotmunology</i> , 2018 , 7, e1408751	7.2	50
89	The NADPH oxidizers NoxO1 and p47phox are both mediators of diabetes-induced vascular dysfunction in mice. <i>Redox Biology</i> , 2018 , 15, 12-21	11.3	28
88	IL-38 Restricts Skin Inflammation and Anti-Tumor Immunity by Limiting IL-17 Production from T Cells. <i>SSRN Electronic Journal</i> , 2018 ,	1	1
87	The G2A Receptor Controls Polarization of Macrophage by Determining Their Localization Within the Inflamed Tissue. <i>Frontiers in Immunology</i> , 2018 , 9, 2261	8.4	16
86	mPGES-1 and ALOX5/-15 in tumor-associated macrophages. <i>Cancer and Metastasis Reviews</i> , 2018 , 37, 317-334	9.6	11
85	Hypoxia Causes Downregulation of Dicer in Hepatocellular Carcinoma, Which Is Required for Upregulation of Hypoxia-Inducible Factor 1 and Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2017 , 23, 3896-3905	12.9	25
84	Ceramide synthase 2 deficiency aggravates AOM-DSS-induced colitis in mice: role of colon barrier integrity. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 3039-3055	10.3	27
83	Cancer cell and macrophage cross-talk in the tumor microenvironment. <i>Current Opinion in Pharmacology</i> , 2017 , 35, 12-19	5.1	122
82	THP-1 and human peripheral blood mononuclear cell-derived macrophages differ in their capacity to polarize in vitro. <i>Molecular Immunology</i> , 2017 , 88, 58-68	4.3	67
81	Beyond Immune Cell Migration: The Emerging Role of the Sphingosine-1-phosphate Receptor S1PR4 as a Modulator of Innate Immune Cell Activation. <i>Mediators of Inflammation</i> , 2017 , 2017, 6059203	4.3	32
80	S1P Provokes Tumor Lymphangiogenesis via Macrophage-Derived Mediators Such as IL-1 or Lipocalin-2. <i>Mediators of Inflammation</i> , 2017 , 2017, 7510496	4.3	14
79	GM-CSF in murine psoriasiform dermatitis: Redundant and pathogenic roles uncovered by antibody-induced neutralization and genetic deficiency. <i>PLoS ONE</i> , 2017 , 12, e0182646	3.7	9

78	Redirecting tumor-associated macrophages to become tumoricidal effectors as a novel strategy for cancer therapy. <i>Oncotarget</i> , 2017 , 8, 48436-48452	3.3	153
77	Elevated intrathymic sphingosine-1-phosphate promotes thymus involution during sepsis. <i>Molecular Immunology</i> , 2017 , 90, 255-263	4.3	6
76	The RNA-binding protein HuR inhibits expression of CCL5 and limits recruitment of macrophages into tumors. <i>Molecular Carcinogenesis</i> , 2017 , 56, 2620-2629	5	14
75	Apoptotic Diminution of Immature Single and Double Positive Thymocyte Subpopulations Contributes to Thymus Involution During Murine Polymicrobial Sepsis. <i>Shock</i> , 2017 , 48, 215-226	3.4	8
74	Lung cancer-associated pulmonary hypertension: Role of microenvironmental inflammation based on tumor cell-immune cell cross-talk. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	50
73	Macrophage NOS2 in Tumor Leukocytes. <i>Antioxidants and Redox Signaling</i> , 2017 , 26, 1023-1043	8.4	12
72	Blocking mTOR Signalling with Rapamycin Ameliorates Imiquimod-induced Psoriasis in Mice. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1087-1094	2.2	22
71	Iron Handling in Tumor-Associated Macrophages-Is There a New Role for Lipocalin-2?. <i>Frontiers in Immunology</i> , 2017 , 8, 1171	8.4	33
70	S1PR1 on tumor-associated macrophages promotes lymphangiogenesis and metastasis via NLRP3/IL-1. <i>Journal of Experimental Medicine</i> , 2017 , 214, 2695-2713	16.6	127
69	Killing Is Not Enough: How Apoptosis Hijacks Tumor-Associated Macrophages to Promote Cancer Progression. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 930, 205-39	3.6	19
68	IL-1 family cytokines in cancer immunity - a matter of life and death. <i>Biological Chemistry</i> , 2016 , 397, 1125-1134	4.5	14
67	Lipocalin 2 from macrophages stimulated by tumor cell-derived sphingosine 1-phosphate promotes lymphangiogenesis and tumor metastasis. <i>Science Signaling</i> , 2016 , 9, ra64	8.8	60
66	Tumour stroma-derived lipocalin-2 promotes breast cancer metastasis. <i>Journal of Pathology</i> , 2016 , 239, 274-85	9.4	53
65	Cellular analysis of the histamine H4 receptor in human myeloid cells. <i>Biochemical Pharmacology</i> , 2016 , 103, 74-84	6	20
64	S1PR4 Signaling Attenuates ILT 7 Internalization To Limit IFN- γ Production by Human Plasmacytoid Dendritic Cells. <i>Journal of Immunology</i> , 2016 , 196, 1579-90	5.3	20
63	Interleukin-38 is released from apoptotic cells to limit inflammatory macrophage responses. <i>Journal of Molecular Cell Biology</i> , 2016 , 8, 426-438	6.3	88
62	Hypoxia Potentiates Palmitate-induced Pro-inflammatory Activation of Primary Human Macrophages. <i>Journal of Biological Chemistry</i> , 2016 , 291, 413-24	5.4	54
61	Dedicated immunosensing of the mouse intestinal epithelium facilitated by a pair of genetically coupled lectin-like receptors. <i>Mucosal Immunology</i> , 2015 , 8, 232-42	9.2	10

60	Response to letter regarding article, "Vitamin D promotes vascular regeneration". <i>Circulation</i> , 2015 , 131, e515-6	16.7	
59	Loss of Nrf2 in bone marrow-derived macrophages impairs antigen-driven CD8(+) T cell function by limiting GSH and Cys availability. <i>Free Radical Biology and Medicine</i> , 2015 , 83, 77-88	7.8	27
58	Characterization of RA839, a Noncovalent Small Molecule Binder to Keap1 and Selective Activator of Nrf2 Signaling. <i>Journal of Biological Chemistry</i> , 2015 , 290, 28446-28455	5.4	62
57	Macrophage Polarization In The Tumor Microenvironment. <i>Redox Biology</i> , 2015 , 5, 419	11.3	9
56	MPGES-1-derived PGE2 suppresses CD80 expression on tumor-associated phagocytes to inhibit anti-tumor immune responses in breast cancer. <i>Oncotarget</i> , 2015 , 6, 10284-96	3.3	38
55	Immune and Inflammatory Cell Composition of Human Lung Cancer Stroma. <i>PLoS ONE</i> , 2015 , 10, e0139037	3.7	66
54	S1PR4 is required for plasmacytoid dendritic cell differentiation. <i>Biological Chemistry</i> , 2015 , 396, 775-82	4.5	11
53	Smac Mimetic-Induced Upregulation of CCL2/MCP-1 Triggers Migration and Invasion of Glioblastoma Cells and Influences the Tumor Microenvironment in a Paracrine Manner. <i>Neoplasia</i> , 2015 , 17, 481-9	6.4	24
52	Macrophage and cancer cell cross-talk via CCR2 and CX3CR1 is a fundamental mechanism driving lung cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 437-47	10.2	121
51	Resveratrol-induced potentiation of the antitumor effects of oxaliplatin is accompanied by an altered cytokine profile of human monocyte-derived macrophages. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014 , 19, 1136-47	5.4	13
50	Nox2-dependent signaling between macrophages and sensory neurons contributes to neuropathic pain hypersensitivity. <i>Pain</i> , 2014 , 155, 2161-70	8	41
49	PGE2/EP4 signaling in peripheral immune cells promotes development of experimental autoimmune encephalomyelitis. <i>Biochemical Pharmacology</i> , 2014 , 87, 625-35	6	20
48	Prostacyclin mediates neuropathic pain through interleukin 1 β -expressing resident macrophages. <i>Pain</i> , 2014 , 155, 545-555	8	25
47	Smac mimetic and glucocorticoids synergize to induce apoptosis in childhood ALL by promoting ripoptosome assembly. <i>Blood</i> , 2014 , 124, 240-50	2.2	38
46	Response to Sympathoinhibitory effect of diltiazem and prevention of aneurysm formation. <i>Hypertension</i> , 2014 , 63, e13	8.5	
45	Vitamin D promotes vascular regeneration. <i>Circulation</i> , 2014 , 130, 976-86	16.7	82
44	Identification of IRF1 as critical dual regulator of Smac mimetic-induced apoptosis and inflammatory cytokine response. <i>Cell Death and Disease</i> , 2014 , 5, e1562	9.8	24
43	Sphingosine-1 phosphate promotes thymic atrophy during sepsis progression. <i>Critical Care</i> , 2014 , 18,	10.8	7

42	The role of TRKA signaling in IL-10 production by apoptotic tumor cell-activated macrophages. <i>Oncogene</i> , 2013 , 32, 631-40	9.2	33
41	Inhibition of GTP cyclohydrolase attenuates tumor growth by reducing angiogenesis and M2-like polarization of tumor associated macrophages. <i>International Journal of Cancer</i> , 2013 , 132, 591-604	7.5	40
40	Apoptotic cells enhance sphingosine-1-phosphate receptor 1 dependent macrophage migration. <i>European Journal of Immunology</i> , 2013 , 43, 3306-13	6.1	47
39	L-type calcium channel inhibitor diltiazem prevents aneurysm formation by blood pressure-independent anti-inflammatory effects. <i>Hypertension</i> , 2013 , 62, 1098-104	8.5	16
38	Endo-PDI is required for TNF α -induced angiogenesis. <i>Free Radical Biology and Medicine</i> , 2013 , 65, 1398-1408	7.8	19
37	RNAi screen in apoptotic cancer cell-stimulated human macrophages reveals co-regulation of IL-6/IL-10 expression. <i>Immunobiology</i> , 2013 , 218, 40-51	3.4	12
36	Redox control of inflammation in macrophages. <i>Antioxidants and Redox Signaling</i> , 2013 , 19, 595-637	8.4	236
35	Depletion of tristetraprolin in breast cancer cells increases interleukin-16 expression and promotes tumor infiltration with monocytes/macrophages. <i>Carcinogenesis</i> , 2013 , 34, 850-7	4.6	40
34	Necrosis in DU145 prostate cancer spheroids induces COX-2/mPGES-1-derived PGE2 to promote tumor growth and to inhibit T cell activation. <i>International Journal of Cancer</i> , 2013 , 133, 1578-88	7.5	19
33	HIF-1 α is a negative regulator of plasmacytoid DC development in vitro and in vivo. <i>Blood</i> , 2012 , 120, 3001-6	2.2	27
32	Inhibition of GTP cyclohydrolase reduces cancer pain in mice and enhances analgesic effects of morphine. <i>Journal of Molecular Medicine</i> , 2012 , 90, 1473-86	5.5	15
31	The multi-faceted roles of prostaglandin E2 in cancer-infiltrating mononuclear phagocyte biology. <i>Immunobiology</i> , 2012 , 217, 1225-32	3.4	19
30	Apoptotic tumor cells induce IL-27 release from human DCs to activate Treg cells that express CD69 and attenuate cytotoxicity. <i>European Journal of Immunology</i> , 2012 , 42, 1585-98	6.1	41
29	IRES-dependent translation of egr2 is induced under inflammatory conditions. <i>Rna</i> , 2012 , 18, 1910-20	5.8	20
28	Interleukin-10-induced neutrophil gelatinase-associated lipocalin production in macrophages with consequences for tumor growth. <i>Molecular and Cellular Biology</i> , 2012 , 32, 3938-48	4.8	56
27	Sulforaphane potentiates oxaliplatin-induced cell growth inhibition in colorectal cancer cells via induction of different modes of cell death. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 1167-78	3.5	40
26	Apoptotic cell-derived factors induce arginase II expression in murine macrophages by activating ERK5/CREB. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 1815-27	10.3	15
25	Sphingosine-1-phosphate signalling induces the production of Lcn-2 by macrophages to promote kidney regeneration. <i>Journal of Pathology</i> , 2011 , 225, 597-608	9.4	52

24	Peroxisome proliferator-activated receptor β -induced T cell apoptosis reduces survival during polymicrobial sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 64-74	10.2	108
23	S1P regulation of macrophage functions in the context of cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2011 , 11, 818-29	2.2	17
22	Anti-inflammatory role of microsomal prostaglandin E synthase-1 in a model of neuroinflammation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 2331-42	5.4	54
21	Macrophages programmed by apoptotic cells promote angiogenesis via prostaglandin E ₂ . <i>FASEB Journal</i> , 2011 , 25, 2408-17	0.9	54
20	Inflammation-induced loss of Pdcd4 is mediated by phosphorylation-dependent degradation. <i>Carcinogenesis</i> , 2011 , 32, 1427-33	4.6	31
19	Technical advance: Generation of human pDC equivalents from primary monocytes using Flt3-L and their functional validation under hypoxia. <i>Journal of Leukocyte Biology</i> , 2010 , 88, 413-24	6.5	6
18	Knockout of HIF-1 α in tumor-associated macrophages enhances M2 polarization and attenuates their pro-angiogenic responses. <i>Carcinogenesis</i> , 2010 , 31, 1863-72	4.6	114
17	Neuromediators in inflammation--a macrophage/nerve connection. <i>Immunobiology</i> , 2010 , 215, 674-84	3.4	15
16	Cleavage of sphingosine kinase 2 by caspase-1 provokes its release from apoptotic cells. <i>Blood</i> , 2010 , 115, 3531-40	2.2	62
15	The liaison between apoptotic cells and macrophages--the end programs the beginning. <i>Biological Chemistry</i> , 2009 , 390, 379-90	4.5	29
14	Heme oxygenase-1 contributes to an alternative macrophage activation profile induced by apoptotic cell supernatants. <i>Molecular Biology of the Cell</i> , 2009 , 20, 1280-8	3.5	133
13	Hypoxia enhances sphingosine kinase 2 activity and provokes sphingosine-1-phosphate-mediated chemoresistance in A549 lung cancer cells. <i>Molecular Cancer Research</i> , 2009 , 7, 393-401	6.6	89
12	Sphingosine kinase 2 deficient tumor xenografts show impaired growth and fail to polarize macrophages towards an anti-inflammatory phenotype. <i>International Journal of Cancer</i> , 2009 , 125, 2114-21	7.5	87
11	Regulation of macrophage function by sphingosine-1-phosphate. <i>Immunobiology</i> , 2009 , 214, 748-60	3.4	85
10	Tumor-associated macrophages as targets for tumor immunotherapy. <i>Immunotherapy</i> , 2009 , 1, 83-95	3.8	37
9	The supernatant of apoptotic cells causes transcriptional activation of hypoxia-inducible factor-1 α in macrophages via sphingosine-1-phosphate and transforming growth factor- β . <i>Blood</i> , 2009 , 114, 2140-8	2.2	44
8	Nitric oxide, apoptosis and macrophage polarization during tumor progression. <i>Nitric Oxide - Biology and Chemistry</i> , 2008 , 19, 95-102	5	115
7	Apoptotic cell-derived sphingosine-1-phosphate promotes HuR-dependent cyclooxygenase-2 mRNA stabilization and protein expression. <i>Journal of Immunology</i> , 2008 , 180, 1239-48	5.3	49

6	Hypoxia stimulus: An adaptive immune response during dendritic cell maturation. <i>Kidney International</i> , 2008 , 73, 816-25	9.9	56
5	Apoptotic cells induce arginase II in macrophages, thereby attenuating NO production. <i>FASEB Journal</i> , 2007 , 21, 2704-12	0.9	54
4	PPARgamma1 attenuates cytosol to membrane translocation of PKCalpha to desensitize monocytes/macrophages. <i>Journal of Cell Biology</i> , 2007 , 176, 681-94	7.3	69
3	Tumor cell apoptosis polarizes macrophages role of sphingosine-1-phosphate. <i>Molecular Biology of the Cell</i> , 2007 , 18, 3810-9	3.5	126
2	PPAR δ attenuates cytosol to membrane translocation of PKC δ to desensitize monocytes/macrophages. <i>Journal of Experimental Medicine</i> , 2007 , 204, i5-i5	16.6	
1	Apoptotic cells promote macrophage survival by releasing the antiapoptotic mediator sphingosine-1-phosphate. <i>Blood</i> , 2006 , 108, 1635-42	2.2	211