Joao C Seixas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5999335/publications.pdf

Version: 2024-02-01

520 papers 21,855 citations

9756 73 h-index 20307 116 g-index

540 all docs

540 docs citations

540 times ranked

10012 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	1.6	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\$ sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in protonae proton collisions at $s=0 $ at $s=0 $ and $s=0 $ for all proton European Physical Journal C, 2015, 75, 235.	1.4	320
9	First Measurement of the <mark>ls</mark> pectral Function in High-Energy Nuclear Collisions. Physical Review Letters, 2006, 96, 162302.	2.9	306
10	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
11	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
12	Suppression of non-prompt J/lˆr, prompt J/lˆr, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
13	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
14	Measurement of the differential cross section for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
15	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ mbox TeV . European Physical Journal C, 2012, 72, 1.	1.4	181
16	Search for heavy neutrinos and $\$$ mathrm $\{W\}$ \$\$ W bosons with right-handed couplings in protonâ \in "proton collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
17			

#	Article	IF	CITATIONS
19	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
20	Search for dark matter and large extra dimensions in monojet events in pp collisions at $\$$ sqrt $\{s\}$ = $\{7\}$ $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
21	Measurement of the inclusive W and Z production cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	1.6	158
22	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	154
23	Search for supersymmetry in hadronic final states with missing transverse energy using the variables \hat{l}_{\pm} T and b-quark multiplicity in pp collisions at $\frac{1}{s} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	1.4	147
24	Strange particle production in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	139
25	Prompt and non-prompt J/ $\hat{\Gamma}$ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	135
26	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ mbox} $ European Physical Journal C, 2012, 72, 1.	1.4	129
27	Measurement of differential top-quark-pair production cross sections in pp collisions at $q = 7 \text{ mathrm{TeV}}$. European Physical Journal C, 2013, 73, 1.	1.4	125
28	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
29	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
30	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
31	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192. Study of the electromagnetic transition form-factors in <mml:math< td=""><td>1.4</td><td>120</td></mml:math<>	1.4	120
32	xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> <mml:mi>i-</mml:mi> <mml:mo>and <mml:math altimg="si2.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>i/4</mml:mi><mml:mo>and <mml:math altimg="si2.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>i/4</mml:mi><mml:mi><mml:mo>and <mml:msup><mml:mi>i/4</mml:mi></mml:msup></mml:mo></mml:mi></mml:math></mml:mo></mml:math></mml:mo>	1.0	11)
33	Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 677, 260-266. Searches for long-lived charged particles in pp collisions at \$ sqrt{s} \$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
34	Towards the experimental clarification ofÂquarkoniumÂpolarization. European Physical Journal C, 2010, 69, 657-673.	1.4	117
35	Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
36	<pre><mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>J</mml:mi><mml:mi>/ <mml:mi>j^</mml:mi></mml:mi></mml:math>Production in Indium-Indium Collisions at<mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mn>158</mml:mn><mml:mtext> </mml:mtext><mml:mtext>?m</mml:mtext></mml:math></pre>	2.9 ml:mi>GeV	110 V <r< td=""></r<>

#	Article	IF	CITATIONS
37	Charged particle multiplicities in pp interactions at sqrt s} = 0.9 5, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
38	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm}N\}$; mathrm $\{N\}\}$ = $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
39	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
40	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
41	NA60 results on thermal dimuons. European Physical Journal C, 2009, 61, 711-720.	1.4	99
42	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	99
43	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
44	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
45	Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
46	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
47	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
48	Measurements of differential and double-differential Drellâ \in "Yan cross sections in protonâ \in "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88
49	Evidence for the production of thermal muon pairs with masses above 1 GeV/c 2 in 158 A GeV indium-indium collisions. European Physical Journal C, 2009, 59, 607-623.	1.4	86
50	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
51	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
52	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $q = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
53	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
54	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt{s_{NN}} =; $\$$ s N N = 5.02 $\$$,ext {TeV} $\$$ \$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85

#	Article	IF	CITATIONS
55	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < /i > = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
56	Measurement of the single-top-quark t-channel cross section in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
57	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $\mbox{mathrm } \{p\}$ in the differential cross section and charge $mathrm $	1.4	83
58	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	1.4	83
59	Suppression and azimuthal anisotropy of prompt and nonprompt $\$ (mathrm{J}}/psi \$\$ J / $\ddot{\Gamma}$ production in PbPb collisions at \$\$sqrt{ $s_{ext} = 2.76$ \$ s NN = 2.76 \$\$, mathrm{TeV}\$ TeV. European Physical Journal C, 2017, 77, 252.	1.4	82
60	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	1.6	82
61	Evidence for Radial Flow of Thermal Dileptons in High-Energy Nuclear Collisions. Physical Review Letters, 2008, 100, 022302.	2.9	81
62	J/î and î (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	81
63	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
64	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
65	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
66	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
67	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q=1$ sqrt{{ $q=1$ sqrt{ $q=1$ s	1.6	77
68	Quarkonium production in the LHC era: A polarized perspective. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 736, 98-109.	1.5	77
69	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
70	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{\infty}}{1.02}$ s NN = 5.02 $\frac{TeV}{s}$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
71	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\$ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
72	Measurement of the X(3872) production cross section via decays to J/Ï˙Ï€ + Ï€ − in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73

#	Article	IF	CITATIONS
73	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	7 3
74	Search for additional neutral MSSM Higgs bosons in the $\ddot{\text{I}}$, $\ddot{\text{I}}$, final state in proton-proton collisions at \$\$ sqrt_s =13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
75	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
76	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	1.4	70
77	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
78	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
79	Search for anomalous production of multilepton events in pp collisions at sqrt s} = 7,TeV 5. Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
80	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
81	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt{s} = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	68
82	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
83	Measurement of the f mathrm f werline mathrm f to f to f production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
84	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}$ \$ $\hat{a}\in \infty=\hat{a}\in \infty$ 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
85	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}=7$,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
86	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	1.4	64
87	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
88	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
89	Measurement of the W+W \hat{a} ° cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WW \hat{l} 3 and WWZ couplings. European Physical Journal C, 2013, 73, 1.	1.4	62
90	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62

#	Article	IF	CITATIONS
91	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
92	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
93	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $sqrts = 7 mathrm{TeV}$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
94	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\$$ = 7; $\{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
95	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
96	Jet production rates in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\} = 7 $ {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
97	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
98	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{5}{5}$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
99	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58

#	Article	IF	CITATIONS
109	Measurement of associated W + charm production in pp collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
110	Measurement of the double-differential inclusive jet cross section in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
111	Rotation-Invariant Relations in Vector Meson Decays into Fermion Pairs. Physical Review Letters, 2010, 105, 061601.	2.9	54
112	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ s = 7 $\$$,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
113	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
114	Search for charged Higgs bosons in the H± â†' \ddot{l} , \ddot{A} ± \dot{l} ½ \ddot{l} , decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
115	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
116	Measurement of the $\{m t\}$ froduction cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt} \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	53
117	Measurement of prompt and nonprompt $\mbox{mathrm{J}}{psi}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}}$ p Pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
118	Measurement of the $\$ toverline $\{t\}$ $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
119	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=0.5$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
120	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p ât' Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{nd} \{Z\}$ 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
121	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
122	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
123	First measurement of the underlying event activity at \hat{A} the \hat{A} LHC \hat{A} with \hat{A} \hat{A} sqrt \hat{A} = 0.9\$ \hat{A} TeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50
124	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
125	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$\$qrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	1.4	50
126	Search for new physics with jets and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	49

#	Article	IF	CITATIONS
127	Search for leptonic decays of $W\hat{a}\in^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
128	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
129	Study of Ï^′ and χ _{<i></i>}	1.6	48
130	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
131	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
132	Search for vector-like quarks in events with two oppositely charged leptons and jets in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
133	New approach to quarkonium polarization studies. Physical Review D, 2010, 81, .	1.6	47
134	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $ = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47
135	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
136	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	46
137	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
138	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
139	Search for heavy bottom-like quarks in 4.9 fbâ 1 of pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
140	Search for microscopic black holes in pp collisions at $ \sqrt{s}=8 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
141	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
142	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
143	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
144	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$\$qrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43

#	Article	IF	Citations
145	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
146	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in "proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
147	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
148	Measurement of the top-quark mass in $methrm{t}$ overline $methrm{t}$ events with dilepton final states in pp collisions at $qetarrow equal 1000000000000000000000000000000000000$	1.4	42
149	Evidence for exclusive $\hat{1}^3\hat{1}^3$ \hat{a}^4 W + W \hat{a}^2 production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
150	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
151	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
152	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
153	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the el\(^1\)/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
154	Measurement of the $\frac{t}{\sigma}$ mathrm{t}overline{{mathrm{t}}}\$\$ t t \hat{A}^- production cross section in the all-jets final state in pp collisions at $\frac{s}{\sigma}$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
155	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
156	Search for same-sign top-quark pair production at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	40
157	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} /4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
158	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$\$qrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40
159	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
160	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
161	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{5}{100} = 13$, ext $\frac{7}{100} = 13$, ext $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, and $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, and $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, and $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, where $\frac{7}{100} = 13$, and	1.4	40
162	<pre><mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>J</mml:mi><mml:mo>/</mml:mo> <mml:mi>i^</mml:mi></mml:math>Polarization from Fixed-Target to Collider Energies. Physical Review Letters, 2009, 102, 151802.</pre>	2.9	39

#	Article	IF	CITATIONS
163	Search for resonances in the dilepton mass distribution in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	39
164	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
165	Measurement of the Z γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
166	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 1.	1.6	39
167	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,, "′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
168	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
169	Precision study of the η → μ + μ â~' γ and ω → μ + μ â~' Ï€ O electromagnetic transition form-factors and line shape in NA60. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 437-444.	of the Ï•â† 1.5	' μ + μ ã 39
170	Measurement of differential cross sections for $\{Z\}$ Z boson production in association with jets in proton-proton collisions at $\{x\}$ = 13,ext $\{x\}$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
171	Search for heavy stable charged particles in pp collisions at	1.6	38
172	Measurement of the top-quark mass in $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
173	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
174	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
175	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying Ï,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
176	First measurement of the $\ddot{l}\pm$ spectral function in nuclear collisions. European Physical Journal C, 2007, 49, 235-241.	1.4	37
177	Measurement of the $\frac{t}{t}}$ production cross section in pp collisions at $\frac{s}{t}$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
178	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
179	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
180	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37

#	Article	IF	CITATIONS
181	Measurement of the Drell-Yan cross section in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
182	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " \hat{l} ½ \hat{a} ," \hat{l} ½ \hat{s} \$ mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	36
183	Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ t \hat{A}^- events in pp collisions at $\frac{\hat{A}^-}{ar}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	1.4	35
184	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm +$ jets and $e\hat{A}\pm \hat{l}$ \hat{l} 4 $\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
185	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
186	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	35
187	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	1.4	35
188	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
189	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
190	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{s\} = \{ext\{7TeV\}\} \$\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
191	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3% 43 b-quark jets in 7 TeV pp collisions using the variable $1\pm$ T. Journal of High Energy Physics, 2013, 2013, 1.	1.6	34
192	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
193	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$\$qrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
194	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t \hat{A}^- production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 \hat{A} \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
195	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{\text{l}}$, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
196	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	1.4	34
197	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
198	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	1.4	34

#	Article	IF	CITATIONS
199	Measurement of the underlying event in the Drellâ \in "Yan process in protonâ \in "proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
200	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
201	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
202	Measurement of exclusive $\{{\{uprho _{}^{}}\} _{}^{}\{\{left({770}ight) }{\}_{}^{}}\}$ $\{0\}$ \$\$\$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	1.4	33
203	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$\$qrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
204	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext $\{TeV\}$ \$. European Physical Journal C, 2021, 81, 3.	1.4	33
205	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}}\$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C. 2020, 80, 1.	1.4	33
206	Measurement of $\ \{ext\{B\}\}\$ angular correlations based on secondary vertex reconstruction at $\$ sqrt $\$ = 7, $\$ ext $\$ = 0. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
207	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
208	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
209	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
210	Measurements of the \frac{Z} Z \frac{Z} production cross sections in the \frac{Z} Q production cross sections in the \frac{Z} and $\frac{Z}{S}$ Channel in protona collisions at $\frac{S}{S}$ = 7\$ s = 7 and \$8~. European Physical Journal C, 2015, 75, 511.	1.4	32
211	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
212	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV $q=$	1.6	31
213	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at sqrts9 = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
214	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
215	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
216	Search for top squark pair production in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31

#	Article	IF	Citations
217	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
218	A multi-dimensional search for new heavy resonances decaying to boosted $\$\text{W}_{}$ \$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	1.4	31
219	Measurement of Bose-Einstein correlations in pp collisions at sqrt s = 0.9 s and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	30
220	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $ sqrt {s} = 7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
221	Search for a Higgs boson in the decay channel H \hat{a} †' $ZZ(*)$ \hat{a} †' q \$ overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
222	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
223	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
224	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," $\hat{l}\frac{1}{2}$ b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
225	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{sqrt\{s\}\} = 8,ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
226	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	29
227	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$sqrt\{s_{mathrm} \{NN\}\}\} = 5.02$, mathrm{TeV} \\$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
228	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $\{s_{NN}\}=2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
229	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}\{T\}$ $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
230	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
231	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
232	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
233	Measurements of $\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
234	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ decay channel with leptonic $\$$ mathrm{t}overline{mathrm{t}} $\$$ decays in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28

#	Article	IF	CITATIONS
235	A fixed-target programme at the LHC: Physics case and projected performances for heavy-ion, hadron, spin and astroparticle studies. Physics Reports, 2021, 911, 1-83.	10.3	28
236	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
237	Model-independent constraints on the shape parameters of dilepton angular distributions. Physical Review D, $2011, 83, \ldots$	1.6	27
238	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{mathrm}\{NN\}\}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
239	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
240	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
241	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
242	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le i\rangle \le i\rangle = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
243	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
244	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at	1.6	26
245	Determination of <a 1998="" display="inline" href="mailto:mmi:math.xmins:mmi=" http:="" math="" ml"="" www.w3.org=""><mml:msub></mml:msub> <a \$.="" 1.<="" 2012,="" 2ν="" channel="" collisions="{7};{ext{TeV}}" energy="" high="" href="mailto:mi><a hre</td><td>1.6</td><td>26</td></tr><tr><td>246</td><td>Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.</td><td>1.6</td><td>26</td></tr><tr><td>247</td><td>Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.</td><td>1.4</td><td>26</td></tr><tr><td>248</td><td>Search for the standard model Higgs boson in the H â†' ZZ â†' 2â,," in="" journal="" of="" physics,="" pp="" td=""><td>at \$ sqrt</td><td>{ext{s}}</td>	at \$ sqrt	{ext{s}}
249	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ {s} = 7;TeV \\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
250	Search for $W\hat{a}\in \hat{a}$ \hat{a} to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
251	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
252	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26

#	Article	IF	CITATIONS
253	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	26
254	Strong intermittency in momentum space. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 250, 161-163.	1.5	25
255	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
256	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
257	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
258	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{\}$,+jets channel in pp collisions at $q=1$ mbox $q=1$ mb	1.4	24
259	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
260	Search for third-generation scalar leptoquarks in the $t\ddot{i}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
261	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
262	Measurements of $f^{p}} {\mathrm{p}} {\mathrm{p}$	1.4	24
263	Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	23
264	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
265	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
266	Measurement of the jet mass in highly boosted $f(t)=0$ boosted $f(t)=0$ where $f(t)=0$ collisions at $f(t)=0$ boosted $f(t)=$	1.4	23
267	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
268	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are 8 ATeV. European Physical Journal C, 2017, 77, 354.	1.4	23
269	Measurement of the triple-differential dijet cross section in proton-proton collisions at $$$ sqrt ${s}=8$,ext ${TeV}$ $$$ s = 8 ${TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
270	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23

#	Article	IF	Citations
271	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
272	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
273	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{5}=13$, [ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	1.4	23
274	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
275	Patterns of symmetry restoration in gauge-scalar theories: A Monte Carlo simulation of the SU(2) Georgi-Glashow model. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1985, 157, 209-215.	1.5	22
276	Anomalous suppression in In-In collisions at 158 GeV/nucleon. Nuclear Physics A, 2006, 774, 711-714.	0.6	22
277	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	1.6	22
278	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{1}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
279	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
280	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
281	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
282	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
283	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}}\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22
284	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in proton collisions at $\frac{1}{s}=13$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
285	Formation and stability of quantised (non-abelian) magnetic monopoles: A lattice Monte Carlo study. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1985, 151, 69-76.	1.5	21
286	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
287	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
288	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21

#	Article	IF	Citations
289	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
290	First measurement of the ϕspectral function in nuclear collisions. Nuclear Physics A, 2006, 774, 715-718.	0.6	20
291	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt sqrt and TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
292	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
293	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
294	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $\mbox{sqrt{s}} $ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
295	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
296	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
297	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
298	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
299	Search for rare decays of $\mbox{\$mathrm } \{Z\}$ and Higgs bosons to $\mbox{\$\{mathrm } \{J\}/psi \} \mbox{\$} / \ddot{\Gamma}$ and a photon in proton-proton collisions at $\mbox{\$sqrt} \mbox{\$s} = 13 \mbox{\$,ext } \{TeV\} \mbox{\$ TeV}$. European Physical Journal C, 2019, 79, 94.	1.4	20
300	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
301	NA60 results on <i>p_T</i> spectra and the ï•spectral function in In–In collisions. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, S1023-S1027.	1.4	19
302	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
303	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
304	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	19
305	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19
306	First Results on Angular Distributions of Thermal Dileptons in Nuclear Collisions. Physical Review Letters, 2009, 102, 222301.	2.9	18

#	Article	IF	CITATIONS
307	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	18
308	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ sqrt $\{s\}$ = 8;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
309	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
310	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
311	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
312	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt{s} = 13,ext {TeV} $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
313	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
314	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
315	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
316	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
317	φ production in In–In collisions at 158ÂA GeV. European Physical Journal C, 2009, 64, 1-18.	1.4	17
318	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} 5. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
319	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
320	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$ sqrt{ s }= $8 $ \$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
321	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ± â€‱→ J∫切.	1.4 Â+	17
322	and B± â†' J/ſrK ± and â,,¬Bc ± â†'J/Ïr Ï€ ± Ï€ ± Ï€ â*"/â,,¬Bc ± â†'J/Ïr Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm}{pi}^{pm} Tj ETQq0 0 0 rg		ock 10 Tf 50
323	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
324	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17

#	Article	IF	CITATIONS
325	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
326	Measurement of electroweak-induced production of $W\hat{I}^3$ with two jets in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
327	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
328	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
329	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
330	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
331	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
332	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
333	Electroweak production of two jets in association with a Z boson in protonâ \in proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
334	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
335	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	1.6	16
336	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
337	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
338	Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
339	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
340	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
341	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
342	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16

#	Article	IF	CITATIONS
343	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
344	Quarkonium production at the LHC: A data-driven analysis of remarkably simple experimental patterns. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 476-486.	1.5	16
345	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
346	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
347	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	1.4	16
348	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
349	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
350	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\frac{1}{5}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
351	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
352	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
353	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
354	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
355	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
356	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ s = 8 \$\$,ext $\{Te\}$ ext $\{V\}$ \$ TeV. European Physical Journal C, 2018, 78, 457.	1.4	15
357	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
358	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
359	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ\hat{I}^3$ and $Z\hat{I}^3I^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
360	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14

#	Article	IF	CITATIONS
361	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
362	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
363	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
364	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
365	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
366	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
379	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
380	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
381	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
382	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
383	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
384	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
385	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
386	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
387	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
388	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
389	Heavy-Ion Physics at a Fixed-Target Experiment Using the LHC Proton and Lead Beams (AFTER@LHC): Feasibility Studies for Quarkonium and Drell–Yan Production. Few-Body Systems, 2017, 58, 1.	0.7	12
390	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
391	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
392	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
393	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , \hat{I}_3 , \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
394	From identical S- and P-wave $p_{T} = T \cdot T$ spectra to maximally distinct polarizations: probing NRQCD with $\phi = T \cdot T$. European Physical Journal C, 2018, 78, 268.	1.4	12
395	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
396	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12

#	Article	IF	CITATIONS
397	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ $\$$ \$. European Physical Journal C, 2019, 79, 893.	1.4	12
398	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
399	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
400	On the behavior of the adjoint Wilson line and susceptibility around deconfinement in SU (2) lattice gauge theory. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 248, 347-352.	1.5	11
401	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
402	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $q=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	11
403	Search for the standard model Higgs boson in the H → ZZ → â,"+â,"−Ï,,+Ï,,− decay channel in pp collisions at \$ {s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	S sart 1.6	11
404	Measurement of the $Z^{\hat{1}3}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
405	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
406	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
407	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
408	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11
409	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} sqrt{s} $= 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
410	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
411	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
412	Dinâmicas sociogeográficas e polÃŧicas na Ãŧea Metropolitana de Lisboa em tempos de crise e de austeridade. Cadernos Metrópole, 2015, 17, 371-399.	0.1	11
413	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at	1.6	10
414	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10

#	Article	IF	CITATIONS
415	Measurements of the pp \hat{a}^{\dagger} $\hat{W}^{\hat{I}\hat{I}\hat{I}\hat{I}\hat{I}\hat{I}\hat{I}\hat{I}\hat{I}I$	⁶ 1.6	10
416	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
417	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
418	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $$\$qrt{s}=7$, ext {TeV}\$. European Physical Journal C, 2018, 78, 242.	1.4	10
419	Measurement of the \$\$mathrm {Z}/gamma * ightarrow au au \$\$ Z / \hat{I}^3 â $^-$ â†' \hat{I} , \hat{I} , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	1.4	10
420	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
421	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a 1 2 final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	10
422	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
423	Large-deviation analysis of multiplicity fluctuations. Nuclear Physics B, 1992, 383, 622-642.	0.9	9
424	Latest results from NA60. Journal of Physics G: Nuclear and Particle Physics, 2006, 32, S51-S60.	1.4	9
425	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
426	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\hat{1}\frac{1}{4}$ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
427	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13-hbox $\{TeV\}$ \$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	1.4	9
428	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
429	Search for a heavy vector resonance decaying to a $f(Z)_{\text{mathrm}}^{\text{mathrm}}$ Aboson and a Higgs boson in proton-proton collisions at $f(Z) = 13$, ext $f(Z) = 13$, European Physical Journal C, 2021, 81, 688.	1.4	9
430	Rotation-invariant observables in parity-violating decays of vector particles to fermion pairs. Physical Review D, 2010, 82, .	1.6	8
431	Observation of http://www.w3.org/1998/Math/MathML display="inline"> <mml:msub><mml:mi>imml:mi>c</mml:mi>c</mml:msub> and mml:msxmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>/mml:mi>/mml:mi>/mml:mi>/mml:mi>/mml:mi>/mml:msub>nuclear</mml:mi>	ath 1.6	8
432	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	Article	IF	CITATIONS
433	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
434	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
435	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
436	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8
437	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, Accomparative measurement of <mml:math <="" altimg="si1.gif" overflow="scroll" td=""><td>1.6</td><td>8</td></mml:math>	1.6	8
438	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd"	1.5	7
439	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
440	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
441	Search for high-mass $Z\hat{I}^3$ resonances in e+eâ ⁻² \hat{I}^3 and $\hat{I}^4/4 + \hat{I}^4/4$ â ⁻² \hat{I}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
442	Universal kinematic scaling as a probe of factorized long-distance effects in high-energy quarkonium production. European Physical Journal C, 2018, 78, 1.	1.4	7
443	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV via Higgs boson decays to Ï,, leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	7
444	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
445	Lisboa em transição profunda e desequilibrada. Habitação, imobiliário e polÃŧica urbana no sul da Europa e na era digital. Cadernos Metrópole, 2019, 21, 221-251.	0.1	7
446	Adjoint charges in a deconfined SU(2) gauge field system. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1988, 208, 291-296.	1.5	6
447	A dynamical characterization of the small world phase. Physics Letters, Section A: General, Atomic and Solid State Physics, 2003, 319, 285-289.	0.9	6
448	Measurement of the cross section for production of $\$$ boverline b X \$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6
449	Comparison of the $Z \hat{1}^3 = -+$ jets to $\hat{1}^3 +$ jets cross sections in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
450	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6

#	Article	IF	Citations
451	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
452	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
453	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\mbox{smathrm}_{p}=0.00000000000000000000000000000000000$	1.4	6
454	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
455	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
456	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
457	INTERMITTENCY AND THE ONE-DIMENSIONAL ISING SYSTEM. Modern Physics Letters A, 1991, 06, 1237-1247.	0.5	5
458	Cherenkov ring recognition using a non-adaptable network. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 317, 335-338.	0.7	5
459	The NA60 silicon pixel telescope. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 549, 20-26.	0.7	5
460	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
461	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
462	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
463	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
464	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
465	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
466	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}^{1}/4\hat{a}^{**}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
467	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
468	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5

#	Article	IF	CITATIONS
469	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
470	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\$\$$ sqrt $\{\$\}$ $\$\$$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
471	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
472	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
473	Testing a simple criterion for the critical temperature. Physical Review B, 1997, 55, 6356-6359.	1.1	4
474	Absorption and J/r̂ suppression in heavy ion collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 430, 363-367.	1.5	4
475	Feigenbaum networks. Physica D: Nonlinear Phenomena, 1999, 126, 27-37.	1.3	4
476	A new ultra radiation hard cryogenic silicon tracker for heavy ion beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 325-329.	0.7	4
477	Charged particle multiplicity measurements in NA60. Journal of Physics: Conference Series, 2005, 5, 55-63.	0.3	4
478	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
479	Physics perspectives with AFTER@LHC (A Fixed Target ExpeRiment at LHC). EPJ Web of Conferences, 2018, 171, 10001.	0.1	4
480	Measurement of differential cross sections in the kinematic angular variable i^* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
481	Search for ZZ resonances in the 2â,, "2ν final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
482	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
483	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
484	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
485	φ meson production in NA60. European Physical Journal C, 2007, 49, 255-260.	1.4	3
486	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3

#	Article	IF	CITATIONS
487	Search for $W\hat{a}\in 2$ $\hat{a}\uparrow$ to in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
488	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
489	Search for excited leptons in \hat{a} , " \hat{a} ," " \hat{a} " final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
490	Calibration of the CMS hadron calorimeters using proton-proton collision data at \hat{a} is = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
491	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3
492	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
493	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
494	Magnetic monopoles: From classical to quantum physics. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1986, 171, 95-98.	1.5	2
495	First results of the NA60 experiment at the CERN SPS. Nuclear Physics A, 2005, 749, 251-256.	0.6	2
496	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
497	A fixed-target programme at the LHC for heavy-ion, hadron, spin and astroparticle physics: AFTER@LHC. Nuclear Physics A, 2019, 982, 971-974.	0.6	2
498	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
499	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt\{s\}=8$) TeV. , 2013, 2013, 1.		2
500	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
501	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
502	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
503	On the existence of additional zero temperature phase transitions in SU(2) lattice gauge theory. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1988, 206, 295-298.	1.5	1
504	A new method for fast track recognition at present and future colliders. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 332, 284-287.	0.7	1

#	Article	IF	CITATIONS
505	Using neural networks to learn energy corrections in hadronic calorimeters. , 1999, , 170-188.		1
506	φ Production in Proton-Nucleus and Indium-Indium Collisions at the CERN SPS. AIP Conference Proceedings, 2006, , .	0.3	1
507	φ production in In–In collisions at 158 A GeV. Journal of Physics G: Nuclear and Particle Physics, 2010, 37, 094030.	1.4	1
508	Quarkonium polarization in pp and p-nucleus collisions. Nuclear Physics A, 2011, 855, 116-124.	0.6	1
509	Quarkonium polarization measurements. Nuclear Physics, Section B, Proceedings Supplements, 2011, 214, 97-102.	0.5	1
510	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
511	Nuclear dependence of light neutral meson production in p–A collisions at 400ÂGeV with NA60. European Physical Journal C, 2019, 79, 1.	1.4	1
512	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
513	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
514	Results from NA60 experiment at the CERN SPS. AIP Conference Proceedings, 2006, , .	0.3	0
515	A simple and robust method to measure and polarizations. Nuclear Physics, Section B, Proceedings Supplements, 2011, 214, 107-109. Angular characterization of the <mml:math <="" altimg="si1.gif" overflow="scroll" td=""><td>0.5</td><td>0</td></mml:math>	0.5	0
516	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	1.5	0
517	xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/. Minimal physical constraints on the angular distributions of two-body boson decays. Physical Review D, 2013, 88, .	1.6	0
518	A change of perspective in quarkonium production: All data are equal, but some are more equal than others. Nuclear Physics A, 2014, 932, 466-471.	0.6	0
519	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0
520	Mudar de casa em Lisboa: perfis socioeconÃ′micos da recente mobilidade residencial. Cadernos Metrópole, 2018, 20, 123-149.	0.1	0