

Zhong-Hua Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5999444/zhong-hua-chen-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

5,720
citations

41
h-index

72
g-index

167
ext. papers

7,434
ext. citations

5.9
avg. IF

5.84
L-index

#	Paper	IF	Citations
146	Root plasma membrane transporters controlling K ⁺ /Na ⁺ homeostasis in salt-stressed barley. <i>Plant Physiology</i> , 2007 , 145, 1714-25	6.6	357
145	Screening plants for salt tolerance by measuring K ⁺ flux: a case study for barley. <i>Plant, Cell and Environment</i> , 2005 , 28, 1230-1246	8.4	354
144	Compatible solute accumulation and stress-mitigating effects in barley genotypes contrasting in their salt tolerance. <i>Journal of Experimental Botany</i> , 2007 , 58, 4245-55	7	284
143	Potassium and sodium relations in salinised barley tissues as a basis of differential salt tolerance. <i>Functional Plant Biology</i> , 2007 , 34, 150-162	2.7	222
142	Tibet is one of the centers of domestication of cultivated barley. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 16969-73	11.5	173
141	Xylem ionic relations and salinity tolerance in barley. <i>Plant Journal</i> , 2010 , 61, 839-53	6.9	159
140	Tissue metabolic responses to salt stress in wild and cultivated barley. <i>PLoS ONE</i> , 2013 , 8, e55431	3.7	152
139	Energy costs of salt tolerance in crop plants. <i>New Phytologist</i> , 2020 , 225, 1072-1090	9.8	144
138	A tripartite SNARE-K ⁺ channel complex mediates in channel-dependent K ⁺ nutrition in Arabidopsis. <i>Plant Cell</i> , 2009 , 21, 2859-77	11.6	135
137	Molecular and Evolutionary Mechanisms of Cuticular Wax for Plant Drought Tolerance. <i>Frontiers in Plant Science</i> , 2017 , 8, 621	6.2	125
136	OnGuard, a computational platform for quantitative kinetic modeling of guard cell physiology. <i>Plant Physiology</i> , 2012 , 159, 1026-42	6.6	125
135	Systems dynamic modeling of the stomatal guard cell predicts emergent behaviors in transport, signaling, and volume control. <i>Plant Physiology</i> , 2012 , 159, 1235-51	6.6	120
134	Molecular Evolution of Grass Stomata. <i>Trends in Plant Science</i> , 2017 , 22, 124-139	13.1	119
133	Reduced tonoplast fast-activating and slow-activating channel activity is essential for conferring salinity tolerance in a facultative halophyte, quinoa. <i>Plant Physiology</i> , 2013 , 162, 940-52	6.6	119
132	Evolutionary Conservation of ABA Signaling for Stomatal Closure. <i>Plant Physiology</i> , 2017 , 174, 732-747	6.6	100
131	Dynamic regulation of guard cell anion channels by cytosolic free Ca ²⁺ concentration and protein phosphorylation. <i>Plant Journal</i> , 2010 , 61, 816-25	6.9	99
130	The trafficking protein SYP121 of Arabidopsis connects programmed stomatal closure and K ⁺ channel activity with vegetative growth. <i>Plant Journal</i> , 2012 , 69, 241-51	6.9	97

129	Zinc alleviates growth inhibition and oxidative stress caused by cadmium in rice. <i>Journal of Plant Nutrition and Soil Science</i> , 2005 , 168, 255-261	2.3	95
128	Ionic responses and correlations between elements and metabolites under salt stress in wild and cultivated barley. <i>Plant and Cell Physiology</i> , 2013 , 54, 1976-88	4.9	94
127	A chloroplast retrograde signal, 3-phosphoadenosine 5-phosphate, acts as a secondary messenger in abscisic acid signaling in stomatal closure and germination. <i>ELife</i> , 2017 , 6,	8.9	90
126	A novel motif essential for SNARE interaction with the K(+) channel KC1 and channel gating in Arabidopsis. <i>Plant Cell</i> , 2010 , 22, 3076-92	11.6	85
125	Differential activity of plasma and vacuolar membrane transporters contributes to genotypic differences in salinity tolerance in a Halophyte Species, Chenopodium quinoa. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9267-85	6.3	78
124	Genome-wide transcriptome and functional analysis of two contrasting genotypes reveals key genes for cadmium tolerance in barley. <i>BMC Genomics</i> , 2014 , 15, 611	4.5	77
123	A fast brassinolide-regulated response pathway in the plasma membrane of Arabidopsis thaliana. <i>Plant Journal</i> , 2011 , 66, 528-40	6.9	76
122	Evolution of chloroplast retrograde signaling facilitates green plant adaptation to land. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 5015-5020	11.5	74
121	Oscillations in plant membrane transport: model predictions, experimental validation, and physiological implications. <i>Journal of Experimental Botany</i> , 2006 , 57, 171-84	7	73
120	Genetic variation of HvCBF genes and their association with salinity tolerance in Tibetan annual wild barley. <i>PLoS ONE</i> , 2011 , 6, e22938	3.7	70
119	Nitrate reductase mutation alters potassium nutrition as well as nitric oxide-mediated control of guard cell ion channels in Arabidopsis. <i>New Phytologist</i> , 2016 , 209, 1456-69	9.8	70
118	Linking salinity stress tolerance with tissue-specific Na(+) sequestration in wheat roots. <i>Frontiers in Plant Science</i> , 2015 , 6, 71	6.2	65
117	PYR/PYL/RCAR abscisic acid receptors regulate K+ and Cl- channels through reactive oxygen species-mediated activation of Ca2+ channels at the plasma membrane of intact Arabidopsis guard cells. <i>Plant Physiology</i> , 2013 , 163, 566-77	6.6	65
116	The energy cost of the tonoplast futile sodium leak. <i>New Phytologist</i> , 2020 , 225, 1105-1110	9.8	54
115	Transcriptome profiling reveals mosaic genomic origins of modern cultivated barley. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13403-8	11.5	53
114	Leaf mesophyll K+, H+ and Ca2+ fluxes are involved in drought-induced decrease in photosynthesis and stomatal closure in soybean. <i>Environmental and Experimental Botany</i> , 2014 , 98, 1-12	5.9	52
113	Na+ extrusion from the cytosol and tissue-specific Na+ sequestration in roots confer differential salt stress tolerance between durum and bread wheat. <i>Journal of Experimental Botany</i> , 2018 , 69, 3987-4001	7	46
112	Na-K transport in roots under salt stress. <i>Plant Signaling and Behavior</i> , 2008 , 3, 401-3	2.5	45

111	QTLs for stomatal and photosynthetic traits related to salinity tolerance in barley. <i>BMC Genomics</i> , 2017 , 18, 9	4.5	43
110	GORK Channel: A Master Switch of Plant Metabolism?. <i>Trends in Plant Science</i> , 2020 , 25, 434-445	13.1	43
109	A Sodium Transporter HvHKT1;1 Confers Salt Tolerance in Barley via Regulating Tissue and Cell Ion Homeostasis. <i>Plant and Cell Physiology</i> , 2018 , 59, 1976-1989	4.9	43
108	Hypoxia Sensing in Plants: On a Quest for Ion Channels as Putative Oxygen Sensors. <i>Plant and Cell Physiology</i> , 2017 , 58, 1126-1142	4.9	43
107	Combining Ability of Salinity Tolerance on the Basis of NaCl-Induced K ⁺ Flux from Roots of Barley. <i>Crop Science</i> , 2008 , 48, 1382-1388	2.4	43
106	Tissue-specific root ion profiling reveals essential roles of the CAX and ACA calcium transport systems in response to hypoxia in Arabidopsis. <i>Journal of Experimental Botany</i> , 2016 , 67, 3747-62	7	42
105	Genome-Wide Association Study Reveals a New QTL for Salinity Tolerance in Barley (<i>Hordeum vulgare</i> L.). <i>Frontiers in Plant Science</i> , 2016 , 7, 946	6.2	40
104	Melatonin improves rice salinity stress tolerance by NADPH oxidase-dependent control of the plasma membrane K transporters and K homeostasis. <i>Plant, Cell and Environment</i> , 2020 , 43, 2591-2605	8.4	37
103	Effects of light irradiance on stomatal regulation and growth of tomato. <i>Environmental and Experimental Botany</i> , 2014 , 98, 65-73	5.9	37
102	Genomic adaptation to drought in wild barley is driven by edaphic natural selection at the Tabigha Evolution Slope. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 5223-5228	11.5	35
101	Physiological and cytological response of salt-tolerant and non-tolerant barley to salinity during germination and early growth. <i>Australian Journal of Experimental Agriculture</i> , 2006 , 46, 555		35
100	Linking stomatal traits and expression of slow anion channel genes HvSLAH1 and HvSLAC1 with grain yield for increasing salinity tolerance in barley. <i>Frontiers in Plant Science</i> , 2014 , 5, 634	6.2	33
99	Revealing the roles of GORK channels and NADPH oxidase in acclimation to hypoxia in Arabidopsis. <i>Journal of Experimental Botany</i> , 2017 , 68, 3191-3204	7	33
98	Assembly and analysis of a qingke reference genome demonstrate its close genetic relation to modern cultivated barley. <i>Plant Biotechnology Journal</i> , 2018 , 16, 760-770	11.6	33
97	Analysis of gas exchange, stomatal behaviour and micronutrients uncovers dynamic response and adaptation of tomato plants to monochromatic light treatments. <i>Plant Physiology and Biochemistry</i> , 2014 , 82, 105-15	5.4	31
96	K ⁺ Uptake, H ⁺ -ATPase pumping activity and Ca ²⁺ efflux mechanism are involved in drought tolerance of barley. <i>Environmental and Experimental Botany</i> , 2016 , 129, 57-66	5.9	30
95	Evolution of Abscisic Acid Signaling for Stress Responses to Toxic Metals and Metalloids. <i>Frontiers in Plant Science</i> , 2020 , 11, 909	6.2	30
94	Halophytic NHXs confer salt tolerance by altering cytosolic and vacuolar K ⁺ and Na ⁺ in Arabidopsis root cell. <i>Plant Growth Regulation</i> , 2017 , 82, 333-351	3.2	28

93	Morpho-physiological and micrographic characterization of maize hybrids under NaCl and Cd stress. <i>Plant Growth Regulation</i> , 2015 , 75, 115-122	3.2	28
92	Genetic Diversity of Individual Phenolic Acids in Barley and Their Correlation with Barley Malt Quality. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7051-7	5.7	27
91	HvAKT2 and HvHAK1 confer drought tolerance in barley through enhanced leaf mesophyll H homeostasis. <i>Plant Biotechnology Journal</i> , 2020 , 18, 1683-1696	11.6	27
90	Back to the Wild: On a Quest for Donors Toward Salinity Tolerant Rice. <i>Frontiers in Plant Science</i> , 2020 , 11, 323	6.2	27
89	Comparative proteomic analysis of aluminum tolerance in tibetan wild and cultivated barleys. <i>PLoS ONE</i> , 2013 , 8, e63428	3.7	26
88	Protected Cropping in Warm Climates: A Review of Humidity Control and Cooling Methods. <i>Energies</i> , 2019 , 12, 2737	3.1	23
87	Tissue-Specific Regulation of Na and K Transporters Explains Genotypic Differences in Salinity Stress Tolerance in Rice. <i>Frontiers in Plant Science</i> , 2019 , 10, 1361	6.2	22
86	Zinc alleviates cadmium toxicity by modulating photosynthesis, ROS homeostasis, and cation flux kinetics in rice. <i>Environmental Pollution</i> , 2020 , 265, 114979	9.3	21
85	Calmodulin HvCaM1 Negatively Regulates Salt Tolerance via Modulation of HvHKT1s and HvCAMTA4. <i>Plant Physiology</i> , 2020 , 183, 1650-1662	6.6	21
84	Speedy Grass Stomata: Emerging Molecular and Evolutionary Features. <i>Molecular Plant</i> , 2017 , 10, 912-914	14.4	20
83	Identification of new QTL for salt tolerance from rice variety Pokkali. <i>Journal of Agronomy and Crop Science</i> , 2020 , 206, 202-213	3.9	20
82	Cadmium-zinc cross-talk delineates toxicity tolerance in rice via differential genes expression and physiological / ultrastructural adjustments. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 190, 110076	7	20
81	DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in barley grains. <i>BMC Plant Biology</i> , 2015 , 15, 259	5.3	19
80	Molecular mechanisms of salinity tolerance in rice. <i>Crop Journal</i> , 2021 , 9, 506-520	4.6	19
79	Identification of Mild Freezing Shock Response Pathways in Barley Based on Transcriptome Profiling. <i>Frontiers in Plant Science</i> , 2016 , 7, 106	6.2	18
78	Stomatal traits as a determinant of superior salinity tolerance in wild barley. <i>Journal of Plant Physiology</i> , 2020 , 245, 153108	3.6	17
77	The loss of RBOHD function modulates root adaptive responses to combined hypoxia and salinity stress in Arabidopsis. <i>Environmental and Experimental Botany</i> , 2019 , 158, 125-135	5.9	17
76	An ATP binding cassette transporter HvABC25 confers aluminum detoxification in wild barley. <i>Journal of Hazardous Materials</i> , 2021 , 401, 123371	12.8	17

75	Loss of nitrate reductases NIA1 and NIA2 impairs stomatal closure by altering genes of core ABA signaling components in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2016 , 11, e1183088	2.5	16
74	Leaf epidermis transcriptome reveals drought-Induced hormonal signaling for stomatal regulation in wild barley. <i>Plant Growth Regulation</i> , 2019 , 87, 39-54	3.2	16
73	Expressing Arabidopsis thaliana V-ATPase subunit C in barley (<i>Hordeum vulgare</i>) improves plant performance under saline condition by enabling better osmotic adjustment. <i>Functional Plant Biology</i> , 2017 , 44, 1147-1159	2.7	15
72	QTL Mapping Combined With Bulk Segregant Analysis Identify SNP Markers Linked to Leaf Shape Traits in Using SLAF Sequencing. <i>Frontiers in Genetics</i> , 2018 , 9, 615	4.5	15
71	Evolution of rapid blue-light response linked to explosive diversification of ferns in angiosperm forests. <i>New Phytologist</i> , 2021 , 230, 1201-1213	9.8	14
70	A comparative analysis of stomatal traits and photosynthetic responses in closely related halophytic and glycophytic species under saline conditions. <i>Environmental and Experimental Botany</i> , 2021 , 181, 104300	5.9	14
69	PpVIN2, an acid invertase gene family member, is sensitive to chilling temperature and affects sucrose metabolism in postharvest peach fruit. <i>Plant Growth Regulation</i> , 2018 , 86, 169-180	3.2	14
68	Resource allocation to growth or luxury consumption drives mycorrhizal responses. <i>Ecology Letters</i> , 2019 , 22, 1757-1766	10	13
67	Heterosis in CMS hybrids of cotton for photosynthetic and chlorophyll fluorescence parameters. <i>Euphytica</i> , 2005 , 144, 353-361	2.1	13
66	Leaf mesophyll K ⁺ and Cl ⁻ fluxes and reactive oxygen species production predict rice salt tolerance at reproductive stage in greenhouse and field conditions. <i>Plant Growth Regulation</i> , 2020 , 92, 53-64	3.2	12
65	Roles of Chloroplast Retrograde Signals and Ion Transport in Plant Drought Tolerance. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	12
64	Identification of aluminium transport-related genes via genome-wide phenotypic screening of <i>Saccharomyces cerevisiae</i> . <i>Metallomics</i> , 2014 , 6, 1558-64	4.5	12
63	Differences in physiological features associated with aluminum tolerance in Tibetan wild and cultivated barleys. <i>Plant Physiology and Biochemistry</i> , 2014 , 75, 36-44	5.4	12
62	Chlorophyll and carbohydrate metabolism in developing silique and seed are prerequisite to seed oil content of <i>Brassica napus</i> L. <i>Botanical Studies</i> , 2014 , 55, 34	2.3	12
61	Combining ability of barley flour pasting properties. <i>Journal of Cereal Science</i> , 2008 , 48, 789-793	3.8	12
60	Genetic diversity and QTL mapping of thermostability of limit dextrinase in barley. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 3778-83	5.7	11
59	A bicistronic, Ubiquitin-10 promoter-based vector cassette for transient transformation and functional analysis of membrane transport demonstrates the utility of quantitative voltage clamp studies on intact Arabidopsis root epidermis. <i>Plant, Cell and Environment</i> , 2011 , 34, 554-64	8.4	11
58	Molecular Evolution and Interaction of Membrane Transport and Photoreception in Plants. <i>Frontiers in Genetics</i> , 2019 , 10, 956	4.5	11

57	Metalloid hazards: From plant molecular evolution to mitigation strategies. <i>Journal of Hazardous Materials</i> , 2021 , 409, 124495	12.8	11
56	Distinct Evolutionary Origins of Intron Retention Splicing Events in Antiporter Transcripts Relate to Sequence Specific Distinctions in Species. <i>Frontiers in Plant Science</i> , 2020 , 11, 267	6.2	10
55	Protocol: optimised electrophysiological analysis of intact guard cells from Arabidopsis. <i>Plant Methods</i> , 2012 , 8, 15	5.8	10
54	Overexpression of HvAKT1 improves drought tolerance in barley by regulating root ion homeostasis and ROS and NO signaling. <i>Journal of Experimental Botany</i> , 2020 , 71, 6587-6600	7	10
53	Ion Transport at the Plant Plasma Membrane1-16		10
52	Transient silencing of an expansin HvEXPA1 inhibits root cell elongation and reduces Al accumulation in root cell wall of Tibetan wild barley. <i>Environmental and Experimental Botany</i> , 2019 , 165, 120-128	5.9	9
51	Microhair on the adaxial leaf surface of salt secreting halophytic <i>Oryza coarctata</i> Roxb. show distinct morphotypes: Isolation for molecular and functional analysis. <i>Plant Science</i> , 2019 , 285, 248-257	5.3	9
50	HvHOX9, a novel homeobox leucine zipper transcription factor, positively regulates aluminum tolerance in Tibetan wild barley. <i>Journal of Experimental Botany</i> , 2020 , 71, 6057-6073	7	9
49	Changes in Expression Level of Alters Activity of Membrane Transporters Involved in K and Ca Acquisition and Homeostasis in Salinized Rice Roots. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
48	Light-altering cover materials and sustainable greenhouse production of vegetables: a review. <i>Plant Growth Regulation</i> , 2021 , 95, 1-17	3.2	8
47	Comparative life cycle assessment for conventional and organic coffee cultivation in Vietnam. <i>International Journal of Environmental Science and Technology</i> , 2020 , 17, 1307-1324	3.3	8
46	Chloride transport at plant-soil Interface modulates barley cd tolerance. <i>Plant and Soil</i> , 2019 , 441, 409-421	4.2	7
45	Response of Tibetan Wild Barley Genotypes to Drought Stress and Identification of Quantitative Trait Loci by Genome-Wide Association Analysis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
44	The Barley Gene Positively Regulates the Tolerance to Combined Drought and Salinity Stress in Tibetan Wild Barley. <i>Cells</i> , 2020 , 9,	7.9	7
43	Diversification and evolution of the SDG gene family in Brassica rapa after the whole genome triplication. <i>Scientific Reports</i> , 2015 , 5, 16851	4.9	7
42	Association of HvLDI with limit dextrinase activity and malt quality in barley. <i>Biotechnology Letters</i> , 2013 , 35, 639-45	3	7
41	Effect of high light on canopy-level photosynthesis and leaf mesophyll ion flux in tomato. <i>Planta</i> , 2020 , 252, 80	4.7	7
40	Salinity Effects on Guard Cell Proteome in. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7

39	Sustainable Protected Cropping: A Case Study of Seasonal Impacts on Greenhouse Energy Consumption during Capsicum Production. <i>Energies</i> , 2020 , 13, 4468	3.1	6
38	Sodium sequestration confers salinity tolerance in an ancestral wild rice. <i>Physiologia Plantarum</i> , 2021 , 172, 1594-1608	4.6	6
37	Molecular Interaction and Evolution of Jasmonate Signaling With Transport and Detoxification of Heavy Metals and Metalloids in Plants. <i>Frontiers in Plant Science</i> , 2021 , 12, 665842	6.2	6
36	Genotype-dependent effects of phosphorus supply on physiological and biochemical responses to Al-stress in cultivated and Tibetan wild barley. <i>Plant Growth Regulation</i> , 2017 , 82, 259-270	3.2	5
35	A β -ketoacyl carrier protein reductase confers heat tolerance via the regulation of fatty acid biosynthesis and stress signaling in rice. <i>New Phytologist</i> , 2021 , 232, 655-672	9.8	5
34	Sugar Beet () Guard Cells Responses to Salinity Stress: A Proteomic Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
33	Genotypic difference in the influence of aluminum and low pH on ion flux, rhizospheric pH and ATPase activity between Tibetan wild and cultivated barley. <i>Environmental and Experimental Botany</i> , 2018 , 156, 16-24	5.9	5
32	Environmental Impact and Carbon Footprint Assessment of Taiwanese Agricultural Products: A Case Study on Taiwanese Dongshan Tea. <i>Energies</i> , 2019 , 12, 138	3.1	4
31	Prior exposure of Arabidopsis seedlings to mechanical stress heightens jasmonic acid-mediated defense against necrotrophic pathogens. <i>BMC Plant Biology</i> , 2020 , 20, 548	5.3	4
30	Does Molecular and Structural Evolution Shape the Speedy Grass Stomata?. <i>Frontiers in Plant Science</i> , 2020 , 11, 333	6.2	4
29	To exclude or to accumulate? Revealing the role of the sodium HKT1;5 transporter in plant adaptive responses to varying soil salinity. <i>Plant Physiology and Biochemistry</i> , 2021 , 169, 333-342	5.4	4
28	Origins and Stepwise Expansion of R2R3-MYB Transcription Factors for the Terrestrial Adaptation of Plants. <i>Frontiers in Plant Science</i> , 2020 , 11, 575360	6.2	4
27	Smart glass impacts stomatal sensitivity of greenhouse Capsicum through altered light. <i>Journal of Experimental Botany</i> , 2021 , 72, 3235-3248	7	3
26	Multi-Omics Analysis Reveals the Mechanism Underlying the Edaphic Adaptation in Wild Barley at Evolution Slope (Tabigha). <i>Advanced Science</i> , 2021 , 8, e2101374	13.6	3
25	Genotypic differences in cadmium transport in developing barley grains. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 7009-7015	5.1	2
24	Isolation of high purity guard cell protoplasts of Arabidopsis thaliana for omics research. <i>Plant Growth Regulation</i> , 2019 , 89, 37-47	3.2	2
23	The conceptual approach to quantitative modeling of guard cells. <i>Plant Signaling and Behavior</i> , 2013 , 8, e22747	2.5	2
22	Molecular evolution and functional modification of plant miRNAs with CRISPR.. <i>Trends in Plant Science</i> , 2022 ,	13.1	2

21	Molecular Evolution of Calcium Signaling and Transport in Plant Adaptation to Abiotic Stress. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
20	Highly Conserved Evolution of Aquaporin PIPs and TIPs Confers Their Crucial Contribution to Flowering Process in Plants.. <i>Frontiers in Plant Science</i> , 2021 , 12, 761713	6.2	2
19	Precise exogenous insertion and sequence replacements in poplar by simultaneous HDR overexpression and NHEJ suppression using CRISPR-Cas9		2
18	Membrane Transport in Guard Cells		2
17	Genetics and Genomics of Stomatal Traits for Improvement of Abiotic Stress Tolerance in Cereals. <i>Sustainable Development and Biodiversity</i> , 2019 , 1-20	2.1	1
16	Potassium transporters and their evolution in plants under salt stress 2022 , 63-83		1
15	Smart Film Impacts Stomatal Sensitivity of Greenhouse Capsicum Through Altered Light		1
14	Identification of novel microRNAs for cold deacclimation in barley. <i>Plant Growth Regulation</i> , 2020 , 92, 389-400	3.2	1
13	Revealing the Role of the Calcineurin B-Like Protein-Interacting Protein Kinase 9 (CIPK9) in Rice Adaptive Responses to Salinity, Osmotic Stress, and K Deficiency. <i>Plants</i> , 2021 , 10,	4.5	1
12	Molecular evolution and genome-wide analysis of the SBP-box family in cucumber (<i>Cucumis sativus</i>). <i>Plant Growth Regulation</i> , 2021 , 93, 175-187	3.2	1
11	Evolutionary Significance of NHX Family and NHX1 in Salinity Stress Adaptation in the Genus .. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
10	A novel cover material improves cooling energy and fertigation efficiency for glasshouse eggplant production. <i>Energy</i> , 2022 , 123871	7.9	1
9	Stress signaling convergence and nutrient crosstalk determine zinc-mediated amelioration against cadmium toxicity in rice.. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 230, 113128	7	0
8	Proto Kranz-like leaf traits and cellular ionic regulation are associated with salinity tolerance in a halophytic wild rice. <i>Stress Biology</i> , 2022 , 2, 1		0
7	Adopting Life Cycle Assessment for Various Greenhouse Typologies in Multiple Cropping Environment in Australia. <i>Sustainable Production, Life Cycle Engineering and Management</i> , 2021 , 347-360 ^{0.4}		0
6	Molecular response and evolution of plant anion transport systems to abiotic stress. <i>Plant Molecular Biology</i> , 2021 , 1	4.6	0
5	Triangulation of methods using insect cell lines to investigate insecticidal mode-of-action. <i>Pest Management Science</i> , 2021 , 77, 492-501	4.6	0
4	Energy Minimisation in a Protected Cropping Facility Using Multi-Temperature Acquisition Points and Control of Ventilation Settings. <i>Energies</i> , 2021 , 14, 6014	3.1	0

- 3 The genome and gene editing system of sea barleygrass provide a novel platform for cereal domestication and stress tolerance studies. *Plant Communications*, **2022**, 100333 9 0
- 2 Studying plant salt tolerance with the voltage clamp technique. *Methods in Molecular Biology*, **2012**, 913, 19-33 1.4
- 1 Process Modelling for an Efficient and Dynamic Energy Consumption for Fresh Produce in Protected Cropping. *Sustainable Production, Life Cycle Engineering and Management*, **2021**, 361-370 0.4