

Dianne M Bryant

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6001623/dianne-m-bryant-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

5,116
citations

36
h-index

69
g-index

136
ext. papers

6,051
ext. citations

4.3
avg, IF

5.34
L-index

#	Paper	IF	Citations
125	Randomized trials stopped early for benefit: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 2203-9	27.4	455
124	Operative versus nonoperative treatment of acute Achilles tendon ruptures: a multicenter randomized trial using accelerated functional rehabilitation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92, 2767-75	5.6	373
123	Validity of composite end points in clinical trials. <i>BMJ, The</i> , 2005 , 330, 594-6	5.9	303
122	Problems with use of composite end points in cardiovascular trials: systematic review of randomised controlled trials. <i>BMJ, The</i> , 2007 , 334, 786	5.9	261
121	A comparison of pain, strength, range of motion, and functional outcomes after hemiarthroplasty and total shoulder arthroplasty in patients with osteoarthritis of the shoulder. A systematic review and meta-analysis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005 , 87, 1947-56	5.6	236
120	Lateral trunk lean explains variation in dynamic knee joint load in patients with medial compartment knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 591-9	6.2	162
119	Lateral Extra-articular Tenodesis Reduces Rotational Laxity When Combined With Anterior Cruciate Ligament Reconstruction: A Systematic Review of the Literature. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015 , 31, 2022-34	5.4	152
118	Lateral Extra-articular Tenodesis Reduces Failure of Hamstring Tendon Autograft Anterior Cruciate Ligament Reconstruction: 2-Year Outcomes From the STABILITY Study Randomized Clinical Trial. <i>American Journal of Sports Medicine</i> , 2020 , 48, 285-297	6.8	146
117	Methodologic discussions for using and interpreting composite endpoints are limited, but still identify major concerns. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 651-7; discussion 658-62	5.7	140
116	The familial predisposition toward tearing the anterior cruciate ligament: a case control study. <i>American Journal of Sports Medicine</i> , 2005 , 33, 23-8	6.8	134
115	A prospective, double-blind, randomized clinical trial comparing subacromial injection of betamethasone and xylocaine to xylocaine alone in chronic rotator cuff tendinosis. <i>American Journal of Sports Medicine</i> , 2005 , 33, 255-62	6.8	128
114	Medial opening wedge high tibial osteotomy: a prospective cohort study of gait, radiographic, and patient-reported outcomes. <i>Arthritis and Rheumatism</i> , 2009 , 61, 648-57		119
113	Development and validation of the short form of a urinary quality of life questionnaire: SF-Qualiveen. <i>Journal of Urology</i> , 2008 , 180, 2592-8	2.5	91
112	Reply to Letter to Editor: Orthopaedic Surgeons Prefer to Participate in Expertise-based Randomized Trials. <i>Clinical Orthopaedics and Related Research</i> , 2009 , 467, 301-302	2.2	78
111	The relationship between expectations and satisfaction in patients undergoing primary total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2012 , 27, 490-2	4.4	77
110	Minimal detectable change in quadriceps strength and voluntary muscle activation in patients with knee osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1447-51	2.8	75
109	Systematic review to determine whether participation in a trial influences outcome. <i>BMJ, The</i> , 2005 , 330, 1175	5.9	75

108	How many patients? How many limbs? Analysis of patients or limbs in the orthopaedic literature: a systematic review. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006 , 88, 41-5	5.6	71
107	The average cost of pressure ulcer management in a community dwelling spinal cord injury population. <i>International Wound Journal</i> , 2013 , 10, 431-40	2.6	68
106	Outcomes of patients who participate in randomized controlled trials compared to similar patients receiving similar interventions who do not participate. <i>The Cochrane Library</i> , 2008 , MR000009	5.2	67
105	A randomized controlled trial comparing the effectiveness of functional knee brace and neoprene sleeve use after anterior cruciate ligament reconstruction. <i>American Journal of Sports Medicine</i> , 2008 , 36, 648-55	6.8	66
104	Biomechanical effects of valgus knee bracing: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 178-88	6.2	61
103	A guide to health measurement. <i>Clinical Orthopaedics and Related Research</i> , 2003 , 80-9	2.2	59
102	Are patients satisfied with a web-based followup after total joint arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 1972-81	2.2	50
101	Resistance training for medial compartment knee osteoarthritis and malalignment. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1376-84	1.2	50
100	Qualiveen: a urinary disorder-specific instrument for use in clinical trials in multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1661-3	2.8	50
99	Older patients can accurately recall their preoperative health status six weeks following total hip arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91, 2827-37	5.6	47
98	Blinding of outcomes in trials of orthopaedic trauma: an opportunity to enhance the validity of clinical trials. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 1026-33	5.6	47
97	Principles of designing a cohort study in orthopaedics. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91 Suppl 3, 10-4	5.6	46
96	The rotator cuff quality-of-life index predicts the outcome of nonoperative treatment of patients with a chronic rotator cuff tear. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, 1883-8	5.6	45
95	Valgus bracing for knee osteoarthritis: a meta-analysis of randomized trials. <i>Arthritis Care and Research</i> , 2015 , 67, 493-501	4.7	44
94	Effectiveness of bioabsorbable arrows compared with inside-out suturing for vertical, reparable meniscal lesions: a randomized clinical trial. <i>American Journal of Sports Medicine</i> , 2007 , 35, 889-96	6.8	44
93	Economic evaluation of web-based compared with in-person follow-up after total joint arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, 1910-6	5.6	43
92	Measuring quality of life in multiple sclerosis patients with urinary disorders using the Qualiveen questionnaire. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 1317-23	2.8	42
91	Patients undergoing knee surgery provided accurate ratings of preoperative quality of life and function 2 weeks after surgery. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 984-93	5.7	40

90	Feasibility, effectiveness and costs associated with a web-based follow-up assessment following total joint arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 1723-8	4.4	39
89	Selection of outcome measures for patients with hip fracture. <i>Journal of Orthopaedic Trauma</i> , 2009 , 23, 434-41	3.1	36
88	Factors affecting transfusion requirement after hip fracture: can we reduce the need for blood?. <i>Canadian Journal of Surgery</i> , 2014 , 57, 342-8	2	34
87	Perioperative Antibiotic Prophylaxis in Total Joint Arthroplasty: A Systematic Review and Meta-Analysis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 828-842	5.6	34
86	A Multicenter Randomized Control Trial Comparing a Novel Intramedullary Device (InterTAN) Versus Conventional Treatment (Sliding Hip Screw) of Geriatric Hip Fractures. <i>Journal of Orthopaedic Trauma</i> , 2017 , 31, 1-8	3.1	33
85	Prophylactic antibiotic regimens in tumour surgery (PARITY): protocol for a multicentre randomised controlled study. <i>BMJ Open</i> , 2012 , 2,	3	33
84	Quality of life in multiple sclerosis patients with urinary disorders: discriminative validation of the English version of Qualiveen. <i>Quality of Life Research</i> , 2005 , 14, 425-31	3.7	33
83	Rotational Laxity Control by the Anterolateral Ligament and the Lateral Meniscus Is Dependent on Knee Flexion Angle: A Cadaveric Biomechanical Study. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2401-2408	2.2	32
82	Ultrasound-Guided Motor-Sparing Knee Blocks for Postoperative Analgesia Following Total Knee Arthroplasty: A Randomized Blinded Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 1274-1281	5.6	31
81	Orthopaedic surgeons prefer to participate in expertise-based randomized trials. <i>Clinical Orthopaedics and Related Research</i> , 2008 , 466, 1734-44	2.2	31
80	Do Performance Measures of Strength, Balance, and Mobility Predict Quality of Life and Community Reintegration After Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 713-719	2.8	29
79	Clinical Assessment of Physical Examination Maneuvers for Rotator Cuff Lesions. <i>American Journal of Sports Medicine</i> , 2014 , 42, 1911-9	6.8	29
78	A retrospective comparative study with historical control to determine the effectiveness of platelet-rich plasma as part of nonoperative treatment of acute achilles tendon rupture. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014 , 30, 1139-45	5.4	28
77	Changes in biomechanical risk factors for knee osteoarthritis and their association with 5-year clinically important improvement after limb realignment surgery. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1999-2006	6.2	27
76	The use of the impingement test as a predictor of outcome following subacromial decompression for rotator cuff tendinosis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2002 , 18, 8-15	5.4	27
75	Exercise to improve functional outcomes in persons with osteoporosis: a systematic review and meta-analysis. <i>Osteoporosis International</i> , 2018 , 29, 265-286	5.3	26
74	All-arthroscopic versus mini-open repair of small or moderate-sized rotator cuff tears: a protocol for a randomized trial [NCT00128076]. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 25	2.8	26
73	MRI T2 and T1ρ relaxation in patients at risk for knee osteoarthritis: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 182	2.8	25

72	A randomized clinical trial to compare the effectiveness of rotator cuff repair with or without augmentation using porcine small intestine submucosa for patients with moderate to large rotator cuff tears: a pilot study. <i>Journal of Shoulder and Elbow Surgery</i> , 2016 , 25, 1623-33	4.3	25
71	Outcomes of patients who participate in randomised controlled trials compared to similar patients receiving similar interventions who do not participate. <i>Cochrane Database of Systematic Reviews</i> , 2007 , MR000009		24
70	MONOCRYL and DERMABOND vs Staples in Total Hip Arthroplasty Performed Through a Lateral Skin Incision: A Randomized Controlled Trial Using a Patient-Centered Assessment Tool. <i>Journal of Arthroplasty</i> , 2017 , 32, 2431-2435	4.4	23
69	Assessing outcomes in individuals undergoing fasciotomy for chronic exertional compartment syndrome of the leg. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015 , 31, 707-713.e5	5.4	22
68	No Difference in Functional Outcomes When Lateral Extra-Articular Tenodesis Is Added to Anterior Cruciate Ligament Reconstruction in Young Active Patients: The Stability Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020 , 36, 1690-1701	5.4	22
67	Patients respond similarly to paper and electronic versions of the WOMAC and SF-12 following total joint arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 670-3	4.4	22
66	Validity and Internal Consistency of the New Knee Society Knee Scoring System. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 77-84	2.2	21
65	The Stability study: a protocol for a multicenter randomized clinical trial comparing anterior cruciate ligament reconstruction with and without Lateral Extra-articular Tenodesis in individuals who are at high risk of graft failure. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 216	2.8	20
64	The use of platelet-rich plasma in orthopedic injuries. <i>Sports Medicine and Arthroscopy Review</i> , 2013 , 21, 225-30	2.5	19
63	Italian version of Qualiveen-30: cultural adaptation of a neurogenic urinary disorder-specific instrument. <i>Neurourology and Urodynamics</i> , 2011 , 30, 354-9	2.3	18
62	The effect of 22.5 kHz low-frequency contact ultrasound debridement (LFCUD) on lower extremity wound healing for a vascular surgery population: A randomised controlled trial. <i>International Wound Journal</i> , 2018 , 15, 460-472	2.6	17
61	Use of alternative medicines by patients with OA that adversely interact with commonly prescribed medications. <i>Clinical Orthopaedics and Related Research</i> , 2009 , 467, 2705-22	2.2	17
60	Incorporating patient preferences into orthopaedic practice: should the orthopaedic encounter change?. <i>Injury</i> , 2006 , 37, 328-34	2.5	17
59	Qualiveen, a urinary-disorder specific instrument: 0.5 corresponds to the minimal important difference. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 505-10	5.7	16
58	Outcomes for patients with the same disease treated inside and outside of randomized trials: a systematic review and meta-analysis. <i>Cmaj</i> , 2014 , 186, E596-609	3.5	15
57	The effectiveness of surgical vs conservative interventions on pain and function in patients with shoulder impingement syndrome. A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0216961 ³⁻⁷		14
56	Preoperative strength training for patients undergoing high tibial osteotomy: a prospective cohort study with historical controls. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 52-9	4.2	13
55	Internal consistency reliability is a poor predictor of responsiveness. <i>Health and Quality of Life Outcomes</i> , 2005 , 3, 33	3	13

54	Optimizing outpatient total hip arthroplasty: perspectives of key stakeholders. <i>Canadian Journal of Surgery</i> , 2018 , 61, 370-376	2	13
53	Are we missing the target? Are we aiming too low? What are the aerobic exercise prescriptions and their effects on markers of cardiovascular health and systemic inflammation in patients with knee osteoarthritis? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 771-775	10.3	13
52	Trends in knee arthroscopy utilization: a gap in knowledge translation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 439-447	5.5	13
51	A randomised trial comparing spatio-temporal gait parameters after total hip arthroplasty between the direct anterior and direct lateral surgical approaches. <i>HIP International</i> , 2018 , 28, 478-484	1.7	13
50	A preference-based single-item measure of quality of life following medial opening wedge high tibial osteotomy: large improvements similar to arthroplasty. <i>Knee</i> , 2014 , 21, 456-61	2.6	12
49	Measuring patient outcomes: a primer. <i>Injury</i> , 2011 , 42, 232-5	2.5	12
48	Impact of medial opening or lateral closing tibial osteotomy on bone resection and posterior cruciate ligament integrity during knee arthroplasty. <i>Journal of Arthroplasty</i> , 2009 , 24, 979-89	4.4	12
47	Effect of an e-Learning Tool on Expectations and Satisfaction Following Total Knee Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2018 , 33, 2153-2158	4.4	10
46	Effects of arthroscopic vs. mini-open rotator cuff repair on function, pain & range of motion. A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0222953	3.7	10
45	Predictors of Graft Failure in Young Active Patients Undergoing Hamstring Autograft Anterior Cruciate Ligament Reconstruction With or Without a Lateral Extra-articular Tenodesis: The Stability Experience.. <i>American Journal of Sports Medicine</i> , 2022 , 3635465211061150	6.8	10
44	Composite endpoints in clinical trials: the trees and the forest. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 660-661	5.7	9
43	Clinical Assessment of Physical Examination Maneuvers for Superior Labral Anterior to Posterior Lesions. <i>The Surgery Journal</i> , 2017 , 3, e154-e162	0.9	8
42	Comparison of intra and post-operative complication rates among surgical approaches in Total Hip Arthroplasty: A systematic review and meta-analysis. <i>Journal of Orthopaedics</i> , 2020 , 20, 310-325	1.6	8
41	The influence of display and statistical factors on the interpretation of metaanalysis results by physicians. <i>Medical Care</i> , 2005 , 43, 1242-9	3.1	8
40	Effect of Medial Soft Tissue Releases During Posterior-Stabilized Total Knee Arthroplasty on Contact Kinematics and Patient-Reported Outcomes. <i>Journal of Arthroplasty</i> , 2019 , 34, 1110-1115	4.4	7
39	Protocol for a randomized controlled clinical trial investigating the effectiveness of Fast muscle Activation and Stepping Training (FAST) for improving balance and mobility in sub-acute stroke. <i>BMC Neurology</i> , 2014 , 14, 187	3.1	7
38	Protocol for determining the diagnostic validity of physical examination maneuvers for shoulder pathology. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 60	2.8	6
37	Complementary and Alternative Medicine Use in Patients with Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2007 , 463, 173-178	2.2	6

36	The development and validation of a multivariable model to predict whether patients referred for total knee replacement are suitable surgical candidates at the time of initial consultation. <i>Canadian Journal of Surgery</i> , 2016 , 59, 407-414	2	6
35	Short Versus Long InterTAN Fixation for Geriatric Intertrochanteric Hip Fractures: A Multicentre Head-to-Head Comparison. <i>Journal of Orthopaedic Trauma</i> , 2019 , 33, 169-174	3.1	6
34	The star excursion balance test is a reliable and valid outcome measure for patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 580-585	6.2	6
33	Effect of Wii Fit Exercise on Balance of Older Adults with Neurocognitive Disorders: A Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 817-826	4.3	5
32	Association of Ligamentous Laxity, Male Sex, Chronicity, Meniscal Injury, and Posterior Tibial Slope With a High-Grade Preoperative Pivot Shift: A Post Hoc Analysis of the STABILITY Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211000038	3.5	5
31	The effect of conjoint tendon release on gait after direct anterior total hip arthroplasty. <i>HIP International</i> , 2019 , 29, 578-583	1.7	5
30	The concept of risk in comparative effectiveness research. <i>New England Journal of Medicine</i> , 2015 , 372, 884	59.2	4
29	Interpretation and content validity of the items of the numeric rating version short-WORC to evaluate outcomes in management of rotator cuff pathology: a cognitive interview approach. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 88	3	4
28	Problems with use of composite end points in cardiovascular trials: systematic review of randomised controlled trials		4
27	Total knee replacement after high tibial osteotomy: time-to-event analysis and predictors. <i>Cmaj</i> , 2021 , 193, E158-E166	3.5	4
26	Effectiveness of Client-Centered "Tune-Ups" on Community Reintegration, Mobility, and Quality of Life After Stroke: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1325-1332	2.8	3
25	Development of a Clinician-Rated Drop Vertical Jump Scale for Patients Undergoing Rehabilitation After Anterior Cruciate Ligament Reconstruction: A Delphi Approach. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 557-564	4.2	3
24	Patients can provide a valid assessment of quality of life, functional status, and general health on the day they undergo knee surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 264-70	5.6	3
23	Interpreting Patient-Reported Outcome Measures in Orthopaedic Surgery: A Systematic Review. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, 185-190	5.6	3
22	Diagnostic Validity of Patient-Reported History for Shoulder Pathology. <i>The Surgery Journal</i> , 2017 , 3, e79-e87	0.9	2
21	Implementation of Outpatient Total Joint Arthroplasty in Canada: Where We are and Where We Need to Go. <i>Orthopedic Research and Reviews</i> , 2020 , 12, 1-8	2.1	2
20	Five- and six-strand hamstring grafts consistently produce appropriate graft diameters for anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 2940-2947	5.5	2
19	Heath-PRIOR: An Intelligent Ensemble Architecture to Identify Risk Cases in Healthcare. <i>IEEE Access</i> , 2020 , 8, 217150-217168	3.5	2

18	Validation of a Risk Calculator to Personalize Graft Choice and Reduce Rupture Rates for Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021 , 49, 1777-1785	6.8	2
17	The Impact of Resident Involvement on Surgical Outcomes following Anterior Cruciate Ligament Reconstruction. <i>Journal of Knee Surgery</i> , 2021 , 34, 287-292	2.4	2
16	Arthroscopic Versus Mini-open Rotator Cuff Repair: A Randomized Trial and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2021 , 49, 3184-3195	6.8	2
15	Cross-cultural adaptations and measurement properties of the WORC (Western Ontario rotator cuff index): a systematic review. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 17	3	1
14	A protocol for a randomized controlled trial investigating the safety and cost-effectiveness of outpatient total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 663	2.8	1
13	Fall Hazard Identification: A Scoping Review. <i>Physical and Occupational Therapy in Geriatrics</i> , 2021 , 39, 96-111	1.1	1
12	Assessment of Informal Caregiver Assistance and Strain With Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 2424-2430.e1	4.4	1
11	Perioperative gait analysis after total hip arthroplasty: Does outpatient surgery compromise patient outcomes?. <i>Canadian Journal of Surgery</i> , 2021 , 64, E407-E413	2	1
10	A qualitative dominant mixed methods exploration of novel educational material for patients considering total knee arthroplasty. <i>Disability and Rehabilitation</i> , 2020 , 1-8	2.4	0
9	Same knee, different goals: patients and surgeons have different priorities related to ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 4286-4295	5.5	0
8	Wait times, resource use and health-related quality of life across the continuum of care for patients referred for total knee replacement surgery. <i>Canadian Journal of Surgery</i> , 2021 , 64, E253-E264	2	0
7	Infographic. Sex differences and ACL injuries. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1313-1314	10.3	0
6	Can Met Expectations Moderate the Relationship Between Pain/Function and Satisfaction in Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2021 , 36, 1942-1946	4.4	0
5	Gait biomechanics after combined HTO-ACL reconstruction versus HTO alone: A matched cohort study. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 124-130	3.8	0
4	Meniscal repair at the time of primary ACLR does not negatively influence short term knee stability, graft rupture rates, or patient-reported outcome measures: the STABILITY experience.. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022 , 1	5.5	0
3	eWound-PRIOR: An Ensemble Framework for Cases Prioritization After Orthopedic Surgeries. <i>Lecture Notes in Networks and Systems</i> , 2021 , 113-125	0.5	
2	Hands-Up program: protocol for a feasibility randomised controlled trial of a combined 6-week exercise and education intervention in adults aged 50-65 with a distal radius fracture. <i>BMJ Open</i> , 2021 , 11, e046122	3	
1	An Evaluation of the Structural Validity of the Work Limitation Questionnaire Using the Rasch Model. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 633-644	2.8	

