

Zhi-Tao Liang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6001717/zhi-tao-liang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

931
citations

17
h-index

30
g-index

39
ext. papers

1,085
ext. citations

4.4
avg, IF

3.92
L-index

#	Paper	IF	Citations
38	Antifibrotic activities of Scutellariae Radix extracts and flavonoids: Comparative proteomics reveals distinct and shared mechanisms.. <i>Phytomedicine</i> , 2022 , 100, 154049	6.5	0
37	Tissue-based metabolite profiling and qualitative comparison of two species of roots by use of UHPLC-QTOF MS and laser micro-dissection. <i>Journal of Pharmaceutical Analysis</i> , 2018 , 8, 10-19	14	8
36	Tissue-Specific Analysis of Secondary Metabolites Creates a Reliable Morphological Criterion for Quality Grading of Polygoni Multiflori Radix. <i>Molecules</i> , 2018 , 23,	4.8	6
35	Tissue-specific chemical profiling and quantitative analysis of bioactive components of Cinnamomum cassia by combining laser-microdissection with UPLC-Q/TOF-MS. <i>Chemistry Central Journal</i> , 2018 , 12, 71		5
34	Determination of ginsenosides in Asian and American ginsengs by liquid chromatography-quadrupole/time-of-flight MS: assessing variations based on morphological characteristics. <i>Journal of Ginseng Research</i> , 2017 , 41, 10-22	5.8	33
33	Tissue-specific metabolite profiling of benzylisoquinoline alkaloids in the root of Macleaya cordata by combining laser microdissection with ultra-high-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2017 , 31, 397-410	2.2	10
32	Characterization and quantitation of aristolochic acid analogs in different parts of Aristolochiae Fructus, using UHPLC-Q/TOF-MS and UHPLC-QqQ-MS. <i>Chinese Journal of Natural Medicines</i> , 2017 , 15, 392-400	2.8	9
31	Comparison of chemical profiles between the root and aerial parts from three Bupleurum species based on a UHPLC-QTOF-MS metabolomics approach. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 305	4.7	39
30	Botanical drugs in Ayurveda and Traditional Chinese Medicine. <i>Journal of Ethnopharmacology</i> , 2016 , 194, 245-259	5	53
29	Tissues-based chemical profiling and semi-quantitative analysis of bioactive components in the root of Salvia miltiorrhiza Bunge by using laser microdissection system combined with UPLC-q-TOF-MS. <i>Chemistry Central Journal</i> , 2016 , 10, 42		10
28	Distributive and Quantitative Analysis of the Main Active Saponins in Panax notoginseng by UHPLC-QTOF/MS Combining with Fluorescence Microscopy and Laser Microdissection. <i>Planta Medica</i> , 2016 , 82, 263-72	3.1	5
27	Rapid differentiation of from the three species by UPLC-ESI-QTOF-MS/MS and chemometrics analysis. <i>Chinese Medicine</i> , 2016 , 11, 48	4.7	3
26	Metabolite profiling of tissues of Acorus calamus and Acorus tatarinowii rhizomes by using LMD, UHPLC-QTOF MS, and GC-MS. <i>Planta Medica</i> , 2015 , 81, 333-41	3.1	10
25	Fingerprint analysis of processed Rhizoma Chuanxiong by high-performance liquid chromatography coupled with diode array detection. <i>Chinese Medicine</i> , 2015 , 10, 2	4.7	17
24	Whole transverse section and specific-tissue analysis of secondary metabolites in seven different grades of root of Paeonia lactiflora using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 100, 7-16	3.5	14
23	Chemical differentiation and quality evaluation of commercial Asian and American ginsengs based on a UHPLC-QTOF/MS/MS metabolomics approach. <i>Phytochemical Analysis</i> , 2015 , 26, 145-60	3.4	40
22	Histochemical evaluation of alkaloids in rhizome of Coptis chinensis using laser microdissection and liquid chromatography/mass spectrometry. <i>Drug Testing and Analysis</i> , 2015 , 7, 519-30	3.5	9

21	Ingredient authentication of commercial Xihuangcao herbal tea by a microscopic technique combined with UPLC-ESI-QTOF-MS/MS. <i>Analytical Methods</i> , 2015 , 7, 4257-4268	3.2	3
20	Tissue-specific metabolite profiling and quantitative analysis of ginsenosides in <i>Panax quinquefolium</i> using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Chemistry Central Journal</i> , 2015 , 9, 66		5
19	Comparison of ten major constituents in seven types of processed tea using HPLC-DAD-MS followed by principal component and hierarchical cluster analysis. <i>LWT - Food Science and Technology</i> , 2015 , 62, 194-201	5.4	98
18	Localization of ginsenosides in the rhizome and root of <i>Panax ginseng</i> by laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 105, 121-133	3.5	37
17	Distribution of toxic alkaloids in tissues from three herbal medicine <i>Aconitum</i> species using laser micro-dissection, UHPLC-QTOF MS and LC-MS/MS techniques. <i>Phytochemistry</i> , 2014 , 107, 155-74	4	20
16	<i>Rabdosia japonica</i> var. <i>glaucocalyx</i> Flavonoids Fraction Attenuates Lipopolysaccharide-Induced Acute Lung Injury in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 894515	2.3	8
15	An integrated strategy based on UPLC-DAD-QTOF-MS for metabolism and pharmacokinetic studies of herbal medicines: Tibetan "Snow Lotus" herb (<i>Saussurea laniceps</i>), a case study. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 701-13	5	39
14	Cell type-specific qualitative and quantitative analysis of saikosaponins in three <i>Bupleurum</i> species using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 97, 157-65	3.5	28
13	Chemical profiling and histochemical analysis of <i>Bupleurum marginatum</i> roots from different growing areas of Hubei province. <i>Acta Pharmaceutica Sinica B</i> , 2013 , 3, 193-204	15.5	7
12	Profiling of secondary metabolites in tissues from <i>Rheum palmatum</i> L. using laser microdissection and liquid chromatography mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 4199-212	4.4	28
11	Characterization of secondary metabolites from the raphides of calcium oxalate contained in three araceae family plants using laser microdissection and ultra-high performance liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2013 , 19, 195-210	1.1	7
10	Tissue-specific metabolite profiling of alkaloids in <i>Sinomenii Caulis</i> using laser microdissection and liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1248, 93-103	4.5	49
9	Quality evaluation of various commercial specifications of <i>Polygoni Multiflori Radix</i> and its dregs by determination of active compounds. <i>Chemistry Central Journal</i> , 2012 , 6, 53		14
8	Histochemical analysis of the root tuber of <i>Polygonum multiflorum</i> Thunb. (Fam. Polygonaceae). <i>Microscopy Research and Technique</i> , 2011 , 74, 488-95	2.8	15
7	A unique issue in the standardization of Chinese materia medica: processing. <i>Planta Medica</i> , 2010 , 76, 1975-86	3.1	138
6	Comparison of raw and processed <i>Radix Polygoni Multiflori</i> (Heshouwu) by high performance liquid chromatography and mass spectrometry. <i>Chinese Medicine</i> , 2010 , 5, 29	4.7	38
5	A comparable, chemical and pharmacological analysis of the traditional Chinese medicinal herbs <i>Oldenlandia diffusa</i> and <i>O. corymbosa</i> and a new valuation of their biological potential. <i>Phytomedicine</i> , 2008 , 15, 259-67	6.5	28
4	In vivo analysis and spatial profiling of phytochemicals in herbal tissue by matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2007 , 79, 2745-55	7.8	44

3	Comparative analysis of <i>Oldenlandia diffusa</i> and its substitutes by high performance liquid chromatographic fingerprint and mass spectrometric analysis. <i>Planta Medica</i> , 2007 , 73, 1502-8	3.1	10
2	Distinguishing the medicinal herb <i>Oldenlandia diffusa</i> from similar species of the same genus using fluorescence microscopy. <i>Microscopy Research and Technique</i> , 2006 , 69, 277-82	2.8	28
1	Determination of iridoid glucosides for quality assessment of <i>Herba Oldenlandiae</i> by high-performance liquid chromatography. <i>Chemical and Pharmaceutical Bulletin</i> , 2006 , 54, 1131-7	1.9	15