

William B Terzaghi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6001966/publications.pdf>

Version: 2024-02-01

67
papers

5,493
citations

101543

36
h-index

110387

64
g-index

67
all docs

67
docs citations

67
times ranked

6707
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of the Ethylene Gas Response Pathway in Arabidopsis by the Nuclear Protein ETHYLENE-INSENSITIVE3 and Related Proteins. <i>Cell</i> , 1997, 89, 1133-1144.	28.9	928
2	Light-Regulated Transcription. <i>Annual Review of Plant Biology</i> , 1995, 46, 445-474.	14.3	424
3	<i>Arabidopsis</i> noncoding RNA mediates control of photomorphogenesis by red light. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10359-10364.	7.1	317
4	Genome-Wide Analysis of DNA Methylation and Gene Expression Changes in Two <i>Arabidopsis</i> Ecotypes and Their Reciprocal Hybrids. <i>Plant Cell</i> , 2012, 24, 875-892.	6.6	297
5	High-Resolution Mapping of Epigenetic Modifications of the Rice Genome Uncovers Interplay between DNA Methylation, Histone Methylation, and Gene Expression. <i>Plant Cell</i> , 2008, 20, 259-276.	6.6	281
6	DWA1 and DWA2, Two <i>Arabidopsis</i> DWD Protein Components of CUL4-Based E3 Ligases, Act Together as Negative Regulators in ABA Signal Transduction. <i>Plant Cell</i> , 2010, 22, 1716-1732.	6.6	230
7	Characterization of <i>Arabidopsis</i> and Rice DWD Proteins and Their Roles as Substrate Receptors for CUL4-RING E3 Ubiquitin Ligases. <i>Plant Cell</i> , 2008, 20, 152-167.	6.6	217
8	<i>Arabidopsis</i> CULLIN4-Damaged DNA Binding Protein 1 Interacts with CONSTITUTIVELY PHOTOMORPHOGENIC1-SUPPRESSOR OF PHYA Complexes to Regulate Photomorphogenesis and Flowering Time. <i>Plant Cell</i> , 2010, 22, 108-123.	6.6	182
9	Genome-wide associated study identifies NAC42-activated nitrate transporter conferring high nitrogen use efficiency in rice. <i>Nature Communications</i> , 2019, 10, 5279.	12.8	153
10	<i>Arabidopsis</i> SAURs are critical for differential light regulation of the development of various organs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6071-6076.	7.1	127
11	Knockout of two <i>Bna</i> MAX1 homologs by CRISPR/Cas9-targeted mutagenesis improves plant architecture and increases yield in rapeseed (<i>Brassica napus</i> L.). <i>Plant Biotechnology Journal</i> , 2020, 18, 644-654.	8.3	117
12	<i>Arabidopsis</i> DE-ETIOLATED1 Represses Photomorphogenesis by Positively Regulating Phytochrome-Interacting Factors in the Dark. <i>Plant Cell</i> , 2014, 26, 3630-3645.	6.6	116
13	SLG controls grain size and leaf angle by modulating brassinosteroid homeostasis in rice. <i>Journal of Experimental Botany</i> , 2016, 67, 4241-4253.	4.8	103
14	A large-scale circular RNA profiling reveals universal molecular mechanisms responsive to drought stress in maize and Arabidopsis. <i>Plant Journal</i> , 2019, 98, 697-713.	5.7	99
15	The PP6 Phosphatase Regulates ABI5 Phosphorylation and Abscisic Acid Signaling in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 517-534.	6.6	98
16	A PP6-Type Phosphatase Holoenzyme Directly Regulates PIN Phosphorylation and Auxin Efflux in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 2497-2514.	6.6	84
17	Genomic basis for light control of plant development. <i>Protein and Cell</i> , 2012, 3, 106-116.	11.0	78
18	Genomic Features and Regulatory Roles of Intermediate-Sized Non-Coding RNAs in Arabidopsis. <i>Molecular Plant</i> , 2014, 7, 514-527.	8.3	77

#	ARTICLE	IF	CITATIONS
19	Intracellular localization of GBF proteins and blue light-induced import of GBF2 fusion proteins into the nucleus of cultured Arabidopsis and soybean cells. <i>Plant Journal</i> , 1997, 11, 967-982.	5.7	74
20	WHITE PANICLE1, a Val-tRNA Synthetase Regulating Chloroplast Ribosome Biogenesis in Rice, Is Essential for Early Chloroplast Development. <i>Plant Physiology</i> , 2016, 170, 2110-2123.	4.8	74
21	Genome-wide association study dissects the genetic bases of salt tolerance in maize seedlings. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 658-674.	8.5	72
22	The Maize ABA Receptors ZmPYL8, 9, and 12 Facilitate Plant Drought Resistance. <i>Frontiers in Plant Science</i> , 2018, 9, 422.	3.6	69
23	PHYTOCHROME-INTERACTING FACTORS Interact with the ABA Receptors PYL8 and PYL9 to Orchestrate ABA Signaling in Darkness. <i>Molecular Plant</i> , 2020, 13, 414-430.	8.3	69
24	MYB30 Is a Key Negative Regulator of Arabidopsis Photomorphogenic Development That Promotes PIF4 and PIF5 Protein Accumulation in the Light. <i>Plant Cell</i> , 2020, 32, 2196-2215.	6.6	67
25	UV-B-induced photomorphogenesis in Arabidopsis. <i>Protein and Cell</i> , 2013, 4, 485-492.	11.0	61
26	Modulation of BIN2 kinase activity by HY5 controls hypocotyl elongation in the light. <i>Nature Communications</i> , 2020, 11, 1592.	12.8	61
27	Low and High Temperature Limits to PSII. <i>Plant Physiology</i> , 1989, 91, 1494-1500.	4.8	60
28	OsPPR6, a pentatricopeptide repeat protein involved in editing and splicing chloroplast RNA, is required for chloroplast biogenesis in rice. <i>Plant Molecular Biology</i> , 2017, 95, 345-357.	3.9	60
29	<scp>TSV</scp>, a putative plastidic oxidoreductase, protects rice chloroplasts from cold stress during development by interacting with plastidic thioredoxin Z. <i>New Phytologist</i> , 2017, 215, 240-255.	7.3	58
30	<i>DEFORMED FLORAL ORGAN1</i> (<i>DFO1</i>) regulates floral organ identity by epigenetically repressing the expression of <i>OsMADS58</i> in rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2015, 206, 1476-1490.	7.3	56
31	DWA3, an Arabidopsis DWD protein, acts as a negative regulator in ABA signal transduction. <i>Plant Science</i> , 2011, 180, 352-357.	3.6	49
32	TANDEM ZINC-FINGER/PLUS3 Is a Key Component of Phytochrome A Signaling. <i>Plant Cell</i> , 2018, 30, 835-852.	6.6	49
33	The cold response regulator CBF1 promotes <i>Arabidopsis</i> hypocotyl growth at ambient temperatures. <i>EMBO Journal</i> , 2020, 39, e103630.	7.8	49
34	Sequence of the fourth and fifth Photosystem II Type I chlorophyll a/b-binding protein genes of Arabidopsis thaliana and evidence for the presence of a full complement of the extended CAB gene family. <i>Plant Molecular Biology</i> , 1992, 19, 725-733.	3.9	47
35	Enhanced Vitamin C Production Mediated by an ABA-Induced PTP-like Nucleotidase Improves Plant Drought Tolerance in Arabidopsis and Maize. <i>Molecular Plant</i> , 2020, 13, 760-776.	8.3	47
36	Using high-throughput multiple optical phenotyping to decipher the genetic architecture of maize drought tolerance. <i>Genome Biology</i> , 2021, 22, 185.	8.8	47

#	ARTICLE	IF	CITATIONS
37	Pedigree-based analysis of derivation of genome segments of an elite rice reveals key regions during its breeding. <i>Plant Biotechnology Journal</i> , 2016, 14, 638-648.	8.3	38
38	Photomorphogenesis: Seeing the light in plant development. <i>Current Biology</i> , 1995, 5, 466-468.	3.9	33
39	Cis-regulated alternative splicing divergence and its potential contribution to environmental responses in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2019, 97, 555-570.	5.7	33
40	<i>Arabidopsis</i> DET1 Represses Photomorphogenesis in Part by Negatively Regulating DELLA Protein Abundance in Darkness. <i>Molecular Plant</i> , 2015, 8, 622-630.	8.3	26
41	OsPK ± 1 encodes a plastidic pyruvate kinase that affects starch biosynthesis in the rice endosperm. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 1097-1118.	8.5	26
42	CRISPR/Cas9-targeted mutagenesis of the <i>BnaA03.BP</i> gene confers semi-dwarf and compact architecture to rapeseed (<i>Brassica napus</i> L.). <i>Plant Biotechnology Journal</i> , 2021, 19, 2383-2385.	8.3	26
43	Three <i>BnaIAA7</i> homologs are involved in auxin/brassinosteroid-mediated plant morphogenesis in rapeseed (<i>Brassica napus</i> L.). <i>Plant Cell Reports</i> , 2019, 38, 883-897.	5.6	25
44	Integration of light and temperature signaling pathways in plants. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 393-411.	8.5	25
45	Detection of Six Genetically Modified Maize Lines Using Optical Thin-Film Biosensor Chips. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 8490-8494.	5.2	22
46	Hinge region of <i>Arabidopsis</i> phyA plays an important role in regulating phyA function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11864-E11873.	7.1	22
47	COP1 positively regulates ABA signaling during <i>Arabidopsis</i> seedling growth in darkness by mediating ABA-induced ABI5 accumulation. <i>Plant Cell</i> , 2022, 34, 2286-2308.	6.6	17
48	A System for Manipulating the Membrane Fatty Acid Composition of Soybean Cell Cultures by Adding Tween-Fatty Acid Esters to Their Growth Medium. <i>Plant Physiology</i> , 1986, 82, 771-779.	4.8	16
49	Integrated strategies for increasing rapeseed yield. <i>Trends in Plant Science</i> , 2022, 27, 742-745.	8.8	16
50	Metabolism of Tween-Fatty Acid Esters by Cultured Soybean Cells. <i>Plant Physiology</i> , 1986, 82, 780-786.	4.8	15
51	Manipulating Membrane Fatty Acid Compositions of Whole Plants with Tween-Fatty Acid Esters. <i>Plant Physiology</i> , 1989, 91, 203-212.	4.8	15
52	Plant Cell Transfection by Electroporation. , 1997, 62, 453-462.		15
53	Integration of Cytological Features with Molecular and Epigenetic Properties of Rice Chromosome 4. <i>Molecular Plant</i> , 2008, 1, 816-829.	8.3	15
54	Multifaceted roles of <i>Arabidopsis</i> PP6 phosphatase in regulating cellular signaling and plant development. <i>Plant Signaling and Behavior</i> , 2013, 8, e22508.	2.4	14

#	ARTICLE	IF	CITATIONS
55	<i>Arabidopsis</i> PP6 phosphatases dephosphorylate PIF proteins to repress photomorphogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 20218-20225.	7.1	14
56	Highly efficient genotyping of rice biparental populations by GoldenGate assays based on parental resequencing. Theoretical and Applied Genetics, 2014, 127, 297-307.	3.6	13
57	Multiple photomorphogenic repressors work in concert to regulate <i>Arabidopsis</i> seedling development. Plant Signaling and Behavior, 2015, 10, e1011934.	2.4	13
58	Mutual upregulation of HY5 and TZP in mediating phytochrome A signaling. Plant Cell, 2022, 34, 633-654.	6.6	13
59	Isolation of sodium dependent variants from haploid soybean cell culture. Plant Cell Reports, 1981, 1, 48-51.	5.6	12
60	A Copper(II) Macrocyclic Complex for Sensing Biologically Relevant Organic Anions in a Competitive Fluorescence Assay: Oxalate Sensor or Urate Sensor?. ACS Omega, 2020, 5, 19469-19477.	3.5	11
61	The Effects of Earthworms on Fungal Diversity and Community Structure in Farmland Soil With Returned Straw. Frontiers in Microbiology, 2020, 11, 594265.	3.5	9
62	Simultaneous expression of ClopHensor and SLC26A3 reveals the nature of endogenous oxalate transport in CHO cells. Biology Open, 2019, 8, .	1.2	4
63	A minus-end directed kinesin motor directs gravitropism in <i>Physcomitrella patens</i> . Nature Communications, 2021, 12, 4470.	12.8	4
64	Earthworms accelerate rice straw decomposition and maintenance of soil organic carbon dynamics in rice agroecosystems. PeerJ, 2020, 8, e9870.	2.0	3
65	A new family of plant E3 ubiquitin ligases. Plant Signaling and Behavior, 2008, 3, 1049-1052.	2.4	1
66	Toward Magnetosomes for Breast Cancer Theranostics. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2020, 4, 194-199.	3.4	0
67	Manipulating Membrane Fatty Acid Compositions of Soybean Plants. , 1987, , 209-211.		0