
AleÅ; Blinc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6002709/publications.pdf

Version: 2024-02-01



Δι εΔ: Βιινς

#	Article	IF	CITATIONS
1	UEMS training requirements for angiology/vascular medicine. European standards of postgraduate medical specialist training. 2022 up-dated version. International Angiology, 2022, , .	0.9	2
2	Preclinical atherosclerosis and cardiovascular events: Do we have a consensus about the role of preclinical atherosclerosis in the prediction of cardiovascular events?. Atherosclerosis, 2022, 348, 25-35.	0.8	18
3	Clinical Outcomes after Endovascular Revascularisation of the Femoropopliteal Arterial Segment in Patients with Anticoagulant versus Antiplatelet Therapy: A Single-Centre Retrospective Cohort Study. Journal of Cardiovascular Development and Disease, 2022, 9, 207.	1.6	2
4	How to manage patients with polyvascular atherosclerotic disease. Position paper of the International Union of Angiology. International Angiology, 2021, 40, 29-41.	0.9	6
5	Galectin-3 is not predictive of cardiovascular events in patients with peripheral artery disease. Vasa - European Journal of Vascular Medicine, 2021, 50, 244-245.	1.4	1
6	Do we have a unified consensus on antithrombotic management of PAD?. International Angiology, 2021, 40, 229-239.	0.9	1
7	Characteristics of atherosclerosis in femoropopliteal artery and its clinical relevance. Atherosclerosis, 2021, 335, 31-40.	0.8	13
8	Arteriosclerosis and atherosclerosis of the lower limbs and cardiovascular risk. Atherosclerosis, 2021, 340, 44-45.	0.8	3
9	LPA Genotypes and Haplotypes Are Associated with Lipoprotein(a) Levels but Not Arterial Wall Properties in Stable Post-Coronary Event Patients with Very High Lipoprotein(a) Levels. Journal of Cardiovascular Development and Disease, 2021, 8, 181.	1.6	6
10	Progression of coronary calcium burden and carotid stiffness in patients with essential thrombocythemia associated with JAK2 V617F mutation. Atherosclerosis, 2020, 296, 25-31.	0.8	7
11	Distal embolization during percutaneous revascularization of the lower extremity arteries. Vasa - European Journal of Vascular Medicine, 2020, 49, 389-394.	1.4	6
12	Aneurysms and dissections - What is new in the literature of 2019/2020 - a European Society of Vascular Medicine annual review. Vasa - European Journal of Vascular Medicine, 2020, 49, 1-36.	1.4	1
13	Patients' radiation doses during percutaneous endovascular procedures in arteries of the lower limbs. Vasa - European Journal of Vascular Medicine, 2019, 48, 167-174.	1.4	5
14	Diabetes and smoking are more important for prognosis of patients with peripheral arterial disease than some genetic polymorphisms. Vasa - European Journal of Vascular Medicine, 2019, 48, 229-235.	1.4	6
15	Increased Plasma Cathepsin S at the Time of Percutaneous Transluminal Angioplasty is Associated with 6-Months' Restenosis of the Femoropopliteal Artery. Journal of Medical Biochemistry, 2018, 37, 54-61.	1.7	2
16	Arterial Function Deterioration Is Accelerated in Patients with Essential Thrombocythemia. Blood, 2018, 132, 2417-2417.	1.4	0
17	Carotid artery stiffness, digital endothelial function, and coronary calcium in patients with essential thrombocytosis, free of overt atherosclerotic disease. Radiology and Oncology, 2017, 51, 203-210.	1.7	9
18	Survival and event-free survival of patients with peripheral arterial disease undergoing prevention of cardiovascular disease. International Angiology, 2017, 36, 216-227.	0.9	11

AleÅi Blinc

#	Article	IF	CITATIONS
19	Risk of Thromboembolic Events in Patients with Non-Valvular Atrial Fibrillation After Dabigatran or Rivaroxaban Discontinuation – Data from the Ljubljana Registry. PLoS ONE, 2016, 11, e0156943.	2.5	28
20	Ex vivo neutralization of unfractionated heparin for assessing overall haemostatic potential in patient plasma. Thrombosis Research, 2015, 135, 1042-1044.	1.7	1
21	Nonischemic ST segment elevation in hypertrophic cardiomyopathy due to chest wall deformity from kyphoscoliosis. International Medical Case Reports Journal, 2010, 3, 43-7.	0.8	Ο
22	Concurrent thalidomide and radiation therapy for extensive arterio-venous malformations. Thrombosis and Haemostasis, 2008, 99, 235-237.	3.4	6
23	Low-grade haemostatic activation and increased fibrin turnover due to a retained central venous guide wire, found accidentally after eight years. Thrombosis and Haemostasis, 2006, 96, 852-3.	3.4	1
24	Effectiveness and safety of anticoagulant versus antiplatelet therapy in patients after endovascular revascularisation of the lower limb. ZdravniÅįki Vestnik, 0, , .	0.1	1