

Tove Agner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6005472/tove-agner-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

6,254
citations

45
h-index

76
g-index

169
ext. papers

7,288
ext. citations

3
avg, IF

5.82
L-index

#	Paper	IF	Citations
158	Validation of the Danish version of the Quality of Life in Hand Eczema Questionnaire (QOLHEQ).. <i>British Journal of Dermatology</i> , 2022 ,	4	1
157	Temporal and Spatial Variation of the Skin-Associated Bacteria from Healthy Participants and Atopic Dermatitis Patients.. <i>MSphere</i> , 2022 , 7, e0091721	5	1
156	Hand eczema, wet work exposure, and quality of life in healthcare workers in Denmark during the COVID-19 pandemic.. <i>JAAD International</i> , 2022 ,	0.9	0
155	Skin Microbiome in Patients with Hand Eczema and Healthy Controls: A Three-week Prospective Study. <i>Acta Dermato-Venereologica</i> , 2021 ,	2.2	1
154	Topical corticosteroids reduce the density of Staphylococcus aureus in hand eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 ,	4.6	
153	An update on the prevalence and risk exposures associated with hand eczema in Danish hospital employees: A cross-sectional questionnaire-based study. <i>Contact Dermatitis</i> , 2021 ,	2.7	1
152	Chronic Hand Eczema Guidelines From an Expert Panel of the International Eczema Council. <i>Dermatitis</i> , 2021 , 32, 319-326	2.6	4
151	New evidence on the minimal important change (MIC) for the Hand Eczema Severity Index (HECSI). <i>Contact Dermatitis</i> , 2021 , 85, 164	2.7	0
150	Hand eczema and temporal variation of Staphylococcus aureus clonal complexes: A prospective observational study. <i>Journal of the American Academy of Dermatology</i> , 2021 ,	4.5	1
149	Childhood atopic dermatitis is associated with a decreased chance of completing education later in life: a register-based cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1849-1858	4.6	1
148	Changes in Skin and Nasal Microbiome and Staphylococcal Species Following Treatment of Atopic Dermatitis with Dupilumab. <i>Microorganisms</i> , 2021 , 9,	4.9	3
147	Value of photo assessment in late patch test readings-A multicenter study from six European patch test clinics. <i>Contact Dermatitis</i> , 2021 , 84, 283-289	2.7	2
146	Disease severity and trigger factors in Danish children with atopic dermatitis: a nationwide study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 948-957	4.6	3
145	Healthcare utilization in Danish children with atopic dermatitis and parental topical corticosteroid phobia. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 331-341	4.2	4
144	Epidermal biomarker levels differentiate lesional from non-lesional skin and show variation across anatomical locations in patients with atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e325-e327	4.6	0
143	Tape-strips provide a minimally invasive approach to track therapeutic response to topical corticosteroids in atopic dermatitis patients. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 576-579.e3	5.4	7
142	Disease burden and treatment history among adults with atopic dermatitis receiving systemic therapy: baseline characteristics of participants on the EUROSTAD prospective observational study. <i>Journal of Dermatological Treatment</i> , 2021 , 32, 164-173	2.8	1

141	Staphylococcal Communities on Skin Are Associated with Atopic Dermatitis and Disease Severity. <i>Microorganisms</i> , 2021 , 9,	4.9	10
140	Immunoinflammatory Biomarkers in Serum Are Associated with Disease Severity in Atopic Dermatitis. <i>Dermatology</i> , 2021 , 237, 513-520	4.4	1
139	Transcriptomic Profiling of Tape-Strips From Moderate to Severe Atopic Dermatitis Patients Treated With Dupilumab. <i>Dermatitis</i> , 2021 , 32, S71-S80	2.6	1
138	Targeted Screening of Lactic Acid Bacteria With Antibacterial Activity Toward Clonal Complex Type 1 Associated With Atopic Dermatitis. <i>Frontiers in Microbiology</i> , 2021 , 12, 733847	5.7	2
137	Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , 2021 ,	2.7	8
136	Cytokine concentration across the stratum corneum in atopic dermatitis and healthy controls. <i>Scientific Reports</i> , 2020 , 10, 21895	4.9	5
135	Skin barrier function after repeated short-term application of alcohol-based hand rub following intervention with water immersion or occlusion. <i>Contact Dermatitis</i> , 2020 , 83, 215-219	2.7	3
134	The Skin Microbiome in Inflammatory Skin Diseases. <i>Current Dermatology Reports</i> , 2020 , 9, 141-151	1.5	10
133	Systemic therapy and the use of complementary and alternative medicine in patients with recognized occupational hand eczema in Denmark: A cross-sectional questionnaire-based study. <i>Contact Dermatitis</i> , 2020 , 82, 272-278	2.7	1
132	Risk of work-related hand eczema in relation to wet work exposure. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 437-445	4.3	8
131	Comparing DADA2 and OTU clustering approaches in studying the bacterial communities of atopic dermatitis. <i>Journal of Medical Microbiology</i> , 2020 , 69, 1293-1302	3.2	5
130	Dupilumab for prurigo nodularis: Case series and review of the literature. <i>Dermatologic Therapy</i> , 2020 , 33, e13222	2.2	21
129	Sodium lauryl sulfate: a never ending story?. <i>British Journal of Dermatology</i> , 2020 , 183, 13	4	
128	Hand eczema: epidemiology, prognosis and prevention. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34 Suppl 1, 4-12	4.6	35
127	Hand eczema: treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34 Suppl 1, 13-21	4.6	20
126	Colonization with Staphylococcus aureus in patients with hand eczema: Prevalence and association with severity, atopic dermatitis, subtype and nasal colonization. <i>Contact Dermatitis</i> , 2020 , 83, 442-449	2.7	5
125	The Efficacy to Prevent Irritant Hand Eczema: an Overview of the Interventional Procedures. <i>Current Treatment Options in Allergy</i> , 2020 , 7, 274-290	1	1
124	The epidemic of methylisothiazolinone contact allergy in Europe: follow-up on changing exposures. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 333-339	4.6	32

123	Atopic dermatitis is associated with increased use of social benefits: a register-based cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 549-557	4.6	3
122	A job-exposure matrix addressing hand exposure to wet work. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 959-966	3.2	7
121	Factors influencing prognosis for occupational hand eczema: new trends. <i>British Journal of Dermatology</i> , 2019 , 181, 1280-1286	4	18
120	Hand eczema patients' knowledge of skin protection following a guided talk-A retrospective study with a follow-up questionnaire. <i>Contact Dermatitis</i> , 2019 , 81, 117-123	2.7	4
119	Treatment of atopic dermatitis with dupilumab: experience from a tertiary referral centre. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1562-1568	4.6	38
118	Use of Complementary and Alternative Therapies in Outpatients with Atopic Dermatitis from a Dermatological University Department. <i>Dermatology</i> , 2019 , 235, 189-195	4.4	5
117	Determinants of disease severity among patients with atopic dermatitis: association with components of the atopic march. <i>Archives of Dermatological Research</i> , 2019 , 311, 173-182	3.3	7
116	Temporal variation of Staphylococcus aureus clonal complexes in atopic dermatitis: a follow-up study. <i>British Journal of Dermatology</i> , 2019 , 180, 181-186	4	12
115	The inhabitants of our skin. <i>British Journal of Dermatology</i> , 2019 , 181, 661-662	4	
114	Advancement through epidermis using tape stripping technique and Reflectance Confocal Microscopy. <i>Scientific Reports</i> , 2019 , 9, 12217	4.9	11
113	Tattoos and skin barrier function: Measurements of TEWL, stratum corneum conductance and capacitance, pH, and filaggrin. <i>Skin Research and Technology</i> , 2019 , 25, 382-388	1.9	5
112	Hand eczema and wet work: dose-response relationship and effect of leaving the profession. <i>Contact Dermatitis</i> , 2018 , 78, 341-347	2.7	19
111	Long-lasting allergic contact dermatitis caused by methylisothiazolinone in wall paint: A case report. <i>Contact Dermatitis</i> , 2018 , 79, 112-113	2.7	5
110	A long-term follow-up study of the Hand Eczema Trial (HET): a randomized clinical trial of a secondary preventive programme introduced to Danish healthcare workers. <i>Contact Dermatitis</i> , 2018 , 78, 329-334	2.7	13
109	Impact of hand eczema on quality of life: metropolitan versus non-metropolitan areas. <i>Contact Dermatitis</i> , 2018 , 78, 348-354	2.7	10
108	Is atopic dermatitis associated with obesity? A systematic review of observational studies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1246-1255	4.6	27
107	Association of Disease Severity With Skin Microbiome and Filaggrin Gene Mutations in Adult Atopic Dermatitis. <i>JAMA Dermatology</i> , 2018 , 154, 293-300	5.1	62
106	Allergic contact dermatitis caused by nail acrylates in Europe. An EECDRG study. <i>Contact Dermatitis</i> , 2018 , 78, 254-260	2.7	53

105	Hyperkeratotic hand eczema compared to other subgroups of hand eczema—a retrospective study with a follow-up questionnaire. <i>Contact Dermatitis</i> , 2018 , 78, 216-222	2.7	10
104	Occupational hand eczema and/or contact urticaria: factors associated with change of profession or not remaining in the workforce. <i>Contact Dermatitis</i> , 2018 , 78, 55-63	2.7	31
103	Job change facilitates healing in a cohort of patients with occupational hand eczema. <i>British Journal of Dermatology</i> , 2018 , 179, 80-87	4	17
102	The impact of atopic dermatitis on work life - a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 23-38	4.6	25
101	Prevention of hand eczema: effect of an educational program versus treatment as usual - results of the randomized clinical PREVEX trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 212-218	4.3	4
100	Simple, low-cost group-counselling programme vs treatment as usual for patients with newly notified occupational hand eczema-Exploratory analyses of effects on knowledge, behaviour and personal resources of the randomized PREVEX clinical trial. <i>Contact Dermatitis</i> , 2018 , 79, 127-135	2.7	12
99	Omalizumab for atopic dermatitis: case series and a systematic review of the literature. <i>International Journal of Dermatology</i> , 2017 , 56, 18-26	1.7	44
98	The influence of probiotics for preterm neonates on the incidence of atopic dermatitis-results from a historically controlled cohort study. <i>Archives of Dermatological Research</i> , 2017 , 309, 259-264	3.3	9
97	Hand eczema is to be taken seriously □ <i>British Journal of Dermatology</i> , 2017 , 176, 854-855	4	2
96	Current knowledge on biomarkers for contact sensitization and allergic contact dermatitis. <i>Contact Dermatitis</i> , 2017 , 77, 1-16	2.7	49
95	Staphylococcus aureus colonization in atopic eczema and its association with filaggrin gene mutations. <i>British Journal of Dermatology</i> , 2017 , 177, 1394-1400	4	63
94	The epidemic of methylisothiazolinone: a European prospective study. <i>Contact Dermatitis</i> , 2017 , 76, 272-279	2.7	66
93	Diagnostic properties of provocation tests for cold, heat, and delayed-pressure urticaria. <i>European Journal of Dermatology</i> , 2017 , 27, 406-408	0.8	1
92	Metal arc welding and the risk of skin cancer. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 873-881	3.2	12
91	Associations between lifestyle factors and hand eczema severity: are tobacco smoking, obesity and stress significantly linked to eczema severity?. <i>Contact Dermatitis</i> , 2017 , 76, 138-145	2.7	30
90	Factors associated with combined hand and foot eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 828-832	4.6	14
89	Hand Eczema: Treatment Options. <i>Current Treatment Options in Allergy</i> , 2017 , 4, 401-410	1	
88	Biomarkers in contact dermatitis. <i>British Journal of Dermatology</i> , 2017 , 176, 1434-1435	4	

87	Prevalence of delayed-type and immediate-type hypersensitivity in healthcare workers with hand eczema. <i>Contact Dermatitis</i> , 2016 , 75, 223-9	2.7	32
86	Tape Stripping Technique for Stratum Corneum Protein Analysis. <i>Scientific Reports</i> , 2016 , 6, 19918	4.9	43
85	European EADV network on assessment of severity and burden of Pruritus (PruNet): first meeting on outcome tools. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1144-7	4.6	28
84	Occupational allergic contact dermatitis in a 2-year follow-up study: how well does the patient remember the result of patch testing?. <i>Contact Dermatitis</i> , 2016 , 75, 41-7	2.7	9
83	Quality of life and disease severity in patients with atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1760-1767	4.6	61
82	In vivo expression of antimicrobial peptides in atopic dermatitis. <i>Experimental Dermatology</i> , 2016 , 25, 3-9	4	22
81	The European Status Quo in legal recognition and patient-care services of occupational skin cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30 Suppl 3, 46-51	4.6	32
80	Effect of glove occlusion on the skin barrier. <i>Contact Dermatitis</i> , 2016 , 74, 2-10	2.7	39
79	Guidelines for diagnosis, prevention and treatment of hand eczema--short version. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 77-85	1.2	40
78	Hand eczema and stratum corneum ceramides. <i>Clinical and Experimental Dermatology</i> , 2015 , 40, 243-6	1.8	5
77	Tobacco smoking and hand eczema - is there an association?. <i>Contact Dermatitis</i> , 2015 , 73, 326-35	2.7	37
76	European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. <i>Contact Dermatitis</i> , 2015 , 73, 195-221	2.7	725
75	Outbreak of eczema and rhinitis in a group of office workers in Greenland. <i>International Journal of Circumpolar Health</i> , 2015 , 74, 27919	1.7	2
74	Skin Barrier Dysfunction and the Atopic March. <i>Current Treatment Options in Allergy</i> , 2015 , 2, 218-227	1	7
73	Guidelines for diagnosis, prevention and treatment of hand eczema. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, e1-22	1.2	118
72	Classification of hand eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2417-22	4.6	54
71	Leitlinie für die Diagnose, Prävention und Behandlung des Handekzems [Kurzversion]. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 77-85	1.2	1
70	Outcome of treatment with azathioprine in severe atopic dermatitis: a 5-year retrospective study of adult outpatients. <i>British Journal of Dermatology</i> , 2015 , 172, 1122-4	4	15

69	Two-year follow-up survey of patients with allergic contact dermatitis from an occupational cohort: is the prognosis dependent on the omnipresence of the allergen?. <i>British Journal of Dermatology</i> , 2014 , 170, 1100-5	4	20
68	Hand eczema and tobacco: lifting the smoke screen. <i>British Journal of Dermatology</i> , 2014 , 171, 933-4	4	1
67	A survey of exposures related to recognized occupational contact dermatitis in Denmark in 2010. <i>Contact Dermatitis</i> , 2014 , 70, 56-62	2.7	70
66	International guidelines for the in vivo assessment of skin properties in non-clinical settings: Part 2. transepidermal water loss and skin hydration. <i>Skin Research and Technology</i> , 2013 , 19, 265-78	1.9	120
65	Wet work--home and away□ <i>British Journal of Dermatology</i> , 2013 , 168, 1153-4	4	2
64	Protocol for a randomised trial on the effect of group education on skin-protective behaviour versus treatment as usual among individuals with newly notified occupational hand eczema - the Prevention of Hand Eczema (PREVEX) Trial. <i>BMC Dermatology</i> , 2013 , 13, 16	2.1	8
63	Recognized occupational skin cancer in Denmark -- data from the last ten years. <i>Acta Dermato-Venereologica</i> , 2013 , 93, 369-71	2.2	7
62	International guidelines for the in vivo assessment of skin properties in non-clinical settings: part 1. pH. <i>Skin Research and Technology</i> , 2013 , 19, 59-68	1.9	37
61	Comparison of four methods for assessment of severity of hand eczema. <i>Contact Dermatitis</i> , 2013 , 69, 107-11	2.7	30
60	Exposures related to hand eczema: a study of healthcare workers. <i>Contact Dermatitis</i> , 2012 , 66, 247-53	2.7	56
59	Hand eczema: prevalence and risk factors of hand eczema in a population of 2274 healthcare workers. <i>Contact Dermatitis</i> , 2012 , 67, 200-7	2.7	97
58	Skin care education and individual counselling versus treatment as usual in healthcare workers with hand eczema: randomised clinical trial. <i>BMJ, The</i> , 2012 , 345, e7822	5.9	87
57	Quality of life in a population of patients with hand eczema: a six-month follow-up study. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 484-6	2.2	12
56	Skin barrier response to occlusion of healthy and irritated skin: differences in trans-epidermal water loss, erythema and stratum corneum lipids. <i>Contact Dermatitis</i> , 2010 , 63, 313-9	2.7	35
55	Staphylococcal-mediated worsening of atopic dermatitis: many players involved. <i>British Journal of Dermatology</i> , 2010 , 163, 1147	4	9
54	Stratum corneum lipids, skin barrier function and filaggrin mutations in patients with atopic eczema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 911-8	9.3	249
53	Canadian hand dermatitis management guidelines. <i>Journal of Cutaneous Medicine and Surgery</i> , 2010 , 14, 267-84	1.6	38
52	The Hand Eczema Trial (HET): Design of a randomised clinical trial of the effect of classification and individual counselling versus no intervention among health-care workers with hand eczema. <i>BMC Dermatology</i> , 2010 , 10, 8	2.1	9

51	Hand eczema classification: a cross-sectional, multicentre study of the aetiology and morphology of hand eczema. <i>British Journal of Dermatology</i> , 2009 , 160, 353-8	4	161
50	Staphylococcus aureus and hand eczema severity. <i>British Journal of Dermatology</i> , 2009 , 161, 772-7	4	50
49	Contact sensitisation in hand eczema patients-relation to subdiagnosis, severity and quality of life: a multi-centre study. <i>Contact Dermatitis</i> , 2009 , 61, 291-6	2.7	48
48	Hand eczema severity and quality of life: a cross-sectional, multicentre study of hand eczema patients. <i>Contact Dermatitis</i> , 2008 , 59, 43-7	2.7	151
47	FS03.1The hand eczema severity index (HECSI). A study of inter- and intraobserver reliability. <i>Contact Dermatitis</i> , 2008 , 50, 133-133	2.7	
46	FS07.1A survey of occupational hand eczema in Denmark. <i>Contact Dermatitis</i> , 2008 , 50, 149-150	2.7	
45	Heritability of hand eczema is not explained by comorbidity with atopic dermatitis. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1632-40	4.3	59
44	Incidence of hand eczema in a population-based twin cohort: genetic and environmental risk factors. <i>British Journal of Dermatology</i> , 2007 , 157, 552-7	4	95
43	Filaggrin null alleles are not associated with hand eczema or contact allergy. <i>British Journal of Dermatology</i> , 2007 , 157, 1199-204	4	63
42	Management of chronic hand eczema. <i>Contact Dermatitis</i> , 2007 , 57, 203-10	2.7	179
41	Development of atopic dermatitis during the first 3 years of life: the Copenhagen prospective study on asthma in childhood cohort study in high-risk children. <i>Archives of Dermatology</i> , 2006 , 142, 561-6		75
40	Prognosis of occupational hand eczema: a follow-up study. <i>Archives of Dermatology</i> , 2006 , 142, 305-11		97
39	Quality of life and depression in a population of occupational hand eczema patients. <i>Contact Dermatitis</i> , 2006 , 54, 106-11	2.7	131
38	The hand eczema severity index (HECSI): a scoring system for clinical assessment of hand eczema. A study of inter- and intraobserver reliability. <i>British Journal of Dermatology</i> , 2005 , 152, 302-7	4	167
37	Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema. <i>British Journal of Dermatology</i> , 2005 , 152, 93-8	4	151
36	Compliance among patients with atopic eczema. <i>Acta Dermato-Venereologica</i> , 2005 , 33-5	2.2	7
35	Augmentation of skin response by exposure to a combination of allergens and irritants - a review. <i>Contact Dermatitis</i> , 2004 , 50, 265-73	2.7	60
34	A survey of occupational hand eczema in Denmark. <i>Contact Dermatitis</i> , 2004 , 51, 159-66	2.7	175

33	Relation between vesicular eruptions on the hands and tinea pedis, atopic dermatitis and nickel allergy. <i>Acta Dermato-Venereologica</i> , 2003 , 83, 186-8	2.2	39
32	Risk factors influencing the development of hand eczema in a population-based twin sample. <i>British Journal of Dermatology</i> , 2003 , 149, 1214-20	4	141
31	Combined effects of irritants and allergens. Synergistic effects of nickel and sodium lauryl sulfate in nickel-sensitized individuals. <i>Contact Dermatitis</i> , 2002 , 47, 21-6	2.7	72
30	Skin protection programmes. <i>Contact Dermatitis</i> , 2002 , 47, 253-6	2.7	88
29	Prevention of work related skin problems: an intervention study in wet work employees. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 556-61	2.1	100
28	Effect of different moisturizers on SLS-irritated human skin. <i>Contact Dermatitis</i> , 2001 , 44, 229-34	2.7	89
27	Prevention of work-related skin problems in student auxiliary nurses: an intervention study. <i>Contact Dermatitis</i> , 2001 , 44, 297-303	2.7	74
26	Comparison between 2 test models in evaluating the effect of a moisturizer on irritated human skin. <i>Contact Dermatitis</i> , 1999 , 40, 261-8	2.7	48
25	Comparison between visual score and erythema index (DermaSpectrometer) in evaluation of allergic patch tests. <i>Skin Research and Technology</i> , 1998 , 4, 188-91	1.9	13
24	Iodopropynyl butylcarbamate: a new contact allergen. <i>Contact Dermatitis</i> , 1997 , 36, 156-8	2.7	38
23	Threshold for occluded formaldehyde patch test in formaldehyde-sensitive patients. Relationship to repeated open application test with a product containing formaldehyde releaser. <i>Contact Dermatitis</i> , 1997 , 36, 26-33	2.7	68
22	Effect of water on experimentally irritated human skin. <i>British Journal of Dermatology</i> , 1997 , 136, 364-367		5
21	Effect of glove occlusion on human skin. (I). short-term experimental exposure. <i>Contact Dermatitis</i> , 1996 , 34, 1-5	2.7	76
20	Effect of glove occlusion on human skin (II). Long-term experimental exposure. <i>Contact Dermatitis</i> , 1996 , 34, 258-62	2.7	92
19	Efficacy of topical corticosteroids on irritant skin reactions. <i>Contact Dermatitis</i> , 1995 , 32, 293-7	2.7	31
18	Sodium lauryl sulphate penetration in an in vitro model using human skin. <i>Contact Dermatitis</i> , 1994 , 30, 222-5	2.7	28
17	Sensitization to acrylates in a dental patient. <i>Contact Dermatitis</i> , 1994 , 30, 249-50	2.7	19
16	Time course of occlusive effects on skin evaluated by measurement of transepidermal water loss (TEWL). Including patch tests with sodium lauryl sulphate and water. <i>Contact Dermatitis</i> , 1993 , 28, 6-9	2.7	59

15	Noninvasive measuring methods for the investigation of irritant patch test reactions. A study of patients with hand eczema, atopic dermatitis and controls. <i>Acta Dermato-venereologica Supplementum</i> , 1992 , 173, 1-26		5
14	The relation between lichen planus and hepatitis C: a case report. <i>Acta Dermato-Venereologica</i> , 1992 , 72, 380	2.2	2
13	An experimental study of irritant effects of urea in different vehicles. <i>Acta Dermato-venereologica Supplementum</i> , 1992 , 177, 44-6		1
12	Skin susceptibility in uninvolved skin of hand eczema patients and healthy controls. <i>British Journal of Dermatology</i> , 1991 , 125, 140-6	4	58
11	Basal transepidermal water loss, skin thickness, skin blood flow and skin colour in relation to sodium-lauryl-sulphate-induced irritation in normal skin. <i>Contact Dermatitis</i> , 1991 , 25, 108-14	2.7	61
10	Susceptibility of atopic dermatitis patients to irritant dermatitis caused by sodium lauryl sulphate. <i>Acta Dermato-Venereologica</i> , 1991 , 71, 296-300	2.2	6
9	Individual and instrumental variations in irritant patch-test reactions--clinical evaluation and quantification by bioengineering methods. <i>Clinical and Experimental Dermatology</i> , 1990 , 15, 29-33	1.8	95
8	Transepidermal water loss and air convection. <i>Contact Dermatitis</i> , 1990 , 22, 120-1	2.7	7
7	Sodium lauryl sulphate in irritant patch testing. <i>Contact Dermatitis</i> , 1990 , 23, 294-294	2.7	
6	Different skin irritation abilities of different qualities of sodium lauryl sulphate. <i>Contact Dermatitis</i> , 1989 , 21, 184-8	2.7	39
5	Seasonal variation of skin resistance to irritants. <i>British Journal of Dermatology</i> , 1989 , 121, 323-8	4	128
4	Thyroid disease in pustulosis palmoplantaris. <i>British Journal of Dermatology</i> , 1989 , 121, 487-91	4	11
3	Contact thermography for assessment of skin damage due to experimental irritants. <i>Acta Dermato-Venereologica</i> , 1988 , 68, 192-5	2.2	4
2	Skin reactions to irritants assessed by polysulfide rubber replica. <i>Contact Dermatitis</i> , 1987 , 17, 205-11	2.7	24
1	Pituitary-thyroid function and thyrotropin, prolactin and growth hormone responses to TRH in patients with chronic alcoholism. <i>Acta Medica Scandinavica</i> , 1986 , 220, 57-62		15