
Hassan Rezadoost

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6006159/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Î ³ -Aminobutyric acid confers cadmium tolerance in maize plants by concerted regulation of polyamine metabolism and antioxidant defense systems. Scientific Reports, 2020, 10, 3356.	3.3	68
2	lsolation and characterization of Stemphylium sedicola SBU-16 as a new endophytic taxol-producing fungus from Taxus baccata grown in Iran. FEMS Microbiology Letters, 2012, 328, 122-129.	1.8	54
3	A comparative quality study of saffron constituents through HPLC and HPTLC methods followed by isolation of crocins and picrocrocin. LWT - Food Science and Technology, 2017, 84, 1-9.	5.2	52
4	Proteomics of hot-wet and cold-dry temperaments proposed in Iranian traditional medicine: a Network-based Study. Scientific Reports, 2016, 6, 30133.	3.3	40
5	Quantitative HPLC-based metabolomics of some Iranian saffron (Crocus sativus L.) accessions. Industrial Crops and Products, 2018, 118, 26-29.	5.2	38
6	Analysis of 6-methoxy podophyllotoxin and podophyllotoxin in hairy root cultures of Linum album Kotschy ex Boiss. Medicinal Chemistry Research, 2013, 22, 745-752.	2.4	32
7	Untargeted metabolomic profiling of seminal plasma in nonobstructive azoospermia men: A noninvasive detection of spermatogenesis. Biomedical Chromatography, 2017, 31, e3931.	1.7	29
8	Efficacy of Persian medicine herbal formulations (capsules andÂdecoction) compared to standard care in patients with <scp>COVID</scp> â€19, a multicenter openâ€labeled, randomized, controlled clinical trial. Phytotherapy Research, 2021, 35, 6295-6309.	5.8	29
9	Effect of photoperiod and plant growth regulators on in vitro mass bulblet proliferation of Narcissus tazzeta L. (Amaryllidaceae), a potential source of galantamine. Plant Cell, Tissue and Organ Culture, 2020, 142, 187-199.	2.3	26
10	A bioassay-guided fractionation scheme for characterization of new antibacterial compounds from Prosopis cineraria aerial parts. Iranian Journal of Microbiology, 2016, 8, 1-7.	0.8	26
11	Identification of bacteria using volatile organic compounds. Cellular and Molecular Biology, 2017, 63, 112.	0.9	23
12	Seasons Study of Four Important Taxanes and Purification of 10-Deacetylbaccatin III from the Needles of <i>Taxus baccata</i> L. by Two-Dimensional Liquid Chromatography. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 1434-1447.	1.0	19
13	Identification and antioxidant of polyhydroxylated naphthoquinone pigments fromÂsea urchin pigments of Echinometra mathaei. Medicinal Chemistry Research, 2016, 25, 1476-1483.	2.4	19
14	Antitrypanosomal Isothiocyanate and Thiocarbamate Glycosides from Moringa peregrina. Planta Medica, 2014, 80, 86-89.	1.3	18
15	In vitro study of antioxidant and antibacterial activities of Lactobacillus probiotic spp Folia Microbiologica, 2018, 63, 31-42.	2.3	17
16	Twoâ€dimensional Hydrophilic Interaction/Reversedâ€phase Liquid Chromatography for the Preparative Separation of Polar and Nonâ€polar Taxanes. Phytochemical Analysis, 2012, 23, 164-170.	2.4	16
17	Morphological and yield related traits, essential oil and oil production of different landraces of black cumin (Nigella sativa) in Iran. Scientia Horticulturae, 2018, 233, 1-8.	3.6	15
18	Proteomics and Traditional Medicine: New Aspect in Explanation of Temperaments. Research in Complementary Medicine, 2014, 21, 250-253.	2.2	14

HASSAN REZADOOST

#	Article	IF	CITATIONS
19	Evaluation of hydrophilic interaction liquid chromatography stationary phases for analysis of opium alkaloids. Journal of Chromatography A, 2017, 1511, 77-84.	3.7	14
20	Comparative essential oil composition and fatty acid profiling of some Iranian black cumin landraces. Industrial Crops and Products, 2019, 140, 111628.	5.2	13
21	Optimization of effective parameters in cold pasteurization of pomegranate juice by response surface methodology and evaluation of physicochemical characteristics. LWT - Food Science and Technology, 2021, 147, 111679.	5.2	13
22	Evaluation of a method for the simultaneous quantification of <i>N</i> â€nitrosamines in water samples based on stir bar sorptive extraction combined with highâ€performance liquid chromatography and diode array detection. Journal of Separation Science, 2015, 38, 1601-1609.	2.5	12
23	A click tyrosine zwitterionic stationary phases for hydrophilic interaction liquid chromatography. Journal of Chromatography A, 2020, 1621, 461045.	3.7	11
24	Initial study of three different pathogenic microorganisms by gas chromatography-mass spectrometry. F1000Research, 2017, 6, 1415.	1.6	10
25	Enantioseparation of mandelic acid on vancomycin column: Experimental and docking study. Chirality, 2020, 32, 1289-1298.	2.6	10
26	Resistant/susceptible classification of respiratory tract pathogenic bacteria based on volatile organic compounds profiling. Cellular and Molecular Biology, 2018, 64, 6-15.	0.9	10
27	Quantification of galantamine in <i>Narcissus tazetta</i> and <i>Galanthus nivalis</i> (Amaryllidaceae) populations growing wild in Iran. Plant Genetic Resources: Characterisation and Utilisation, 2018, 16, 188-192.	0.8	9
28	Identification of Celecoxib-Targeted Proteins Using Label-Free Thermal Proteome Profiling on Rat Hippocampus. Molecular Pharmacology, 2021, 99, 308-318.	2.3	9
29	Introducing <i>Alternaria tenuissima</i> SBUp1, as an endophytic fungus of <i>Ferula assaâ€foetida</i> from Iran, which is a rich source of rosmarinic acid. Letters in Applied Microbiology, 2021, 73, 569-578.	2.2	9
30	Diagnosis of three different pathogenic microorganisms by gas chromatography-mass spectrometry. F1000Research, 2017, 6, 1415.	1.6	9
31	Drought tolerant maize cultivar accumulates putrescine in roots. Rhizosphere, 2020, 16, 100260.	3.0	8
32	Metabolomic signature of amino acids in plasma of patients with non-segmental Vitiligo. Metabolomics, 2021, 17, 92.	3.0	8
33	Carcinogenic and non-carcinogenic risk assessment induced by pesticide residues in honey of Iran based on Monte Carlo simulation. Journal of Food Composition and Analysis, 2022, 109, 104521.	3.9	8
34	Production of the Anticancer Compound Withaferin A from Genetically Transformed Hairy Root Cultures of <i>Withania Somnifera</i> . Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	7
35	Flower Biomass, Essential Oil Production and Chemotype Identification of Some Iranian <i>Matricaria chamomilla</i> Var. <i>recutita</i> (L.) Accessions and Commercial Varieties. Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 1228-1240.	1.9	7
36	Serum metabolomics study of women with different annual decline rates of anti-Müllerian hormone: an untargeted gas chromatography–mass spectrometry-based study. Human Reproduction, 2021, 36, 721-733.	0.9	7

HASSAN REZADOOST

#	Article	IF	CITATIONS
37	Polarityâ€based fractionation in proteomics: hydrophilic interaction vs reversedâ€phase liquid chromatography. Biomedical Chromatography, 2016, 30, 1036-1041.	1.7	6
38	Variation of growth characters and rosmarinic acid content of cultivated Satureja rechingeri clones. South African Journal of Botany, 2019, 124, 320-328.	2.5	6
39	Simultaneous characterization of nine isolated flavonoids in Iranian Dracocephalum species and in silico study of their inhibitory properties against MTH1 enzyme. South African Journal of Botany, 2022, 146, 254-261.	2.5	6
40	Comprehensive proteomics and sialiomics of the anti-proliferative activity of safranal on triple negative MDA-MB-231 breast cancer cell lines. Journal of Proteomics, 2022, 259, 104539.	2.4	6
41	Biocatalysts screening of Papaver bracteatum flora for thebaine transformation to codeine and morphine. Biocatalysis and Agricultural Biotechnology, 2017, 9, 127-133.	3.1	5
42	Isolation, characterization, and antioxidant activity of neutral carbohydrates from Astragalus arbusculinus gum. South African Journal of Botany, 2022, 146, 669-675.	2.5	5
43	Analysis of Annulated Sea Snake Venom, Hydrophis Cyanocinctus, Using Liquid Chromatography and MALDI-TOF/TOF. Current Proteomics, 2015, 12, 45-55.	0.3	4
44	A comparative study on the essential oil composition and antibacterial activities of different organs of wild growingPaeonia dauricasubsp.tomentosafrom Iran. Natural Product Research, 2019, 33, 3153-3156.	1.8	4
45	Initial study of three different pathogenic microorganisms by gas chromatography-mass spectrometry. F1000Research, 0, 6, 1415.	1.6	4
46	The Combination Process for Preparative Separation and Purification of Paclitaxel and 10-Deacetylbaccatin III Using Diaion® Hp-20 Followed by Hydrophilic Interaction Based Solid Phase Extraction. Iranian Journal of Pharmaceutical Research, 2017, 16, 1396-1404.	0.5	4
47	Monitoring of Paclitaxel, Taxine B and 10-Deacethylbaccatin III in Taxus baccata L. by Nano LC–FTMS and NMR Spectroscopy. Chromatographia, 2010, 72, 833-839.	1.3	3
48	Coelomic fluid of Echinometra mathaei: The new prospects for medicinal antioxidants. Fish and Shellfish Immunology, 2021, 117, 311-319.	3.6	3
49	Evaluation of morphophysiological traits and essential oil production in Iranian genotypes and foreign varieties of Chamomile (Matricaria chamomilla L.) through multivariate analyses. Scientia Horticulturae, 2021, 282, 110017.	3.6	2
50	A New Approach for Determining the Minimum Concentration of Proanthocyanidin for Preservation of Collagen in H Dentin. European journal of prosthodontics and restorative dentistry, The, 2019, 27, 154-163.	0.4	2
51	Quantification of galantamine in Narcissus tazetta and Galanthus nivalis (Amaryllidaceae) populations growing wild in Iran– CORRIGENDUM. Plant Genetic Resources: Characterisation and Utilisation, 2018, 16, 288-288.	0.8	1
52	Serum metabolomics study of the association between dairy intake and the anti-müllerian hormone annual decline rate. Nutrition and Metabolism, 2021, 18, 66.	3.0	1
53	Phytochemical Investigation of Iphiona aucheri. Structural Revision of Donine. Chemistry of Natural Compounds, 2019, 55, 902-907.	0.8	0
54	Extraction and Isolation of Antioxidant-Antibacterial Compounds From Lactobacillus casei Strain K1C by Thin-Layer Chromatography. Jundishapur Journal of Natural Pharmaceutical Products, 2021, 16, .	0.6	0

#	Article	IF	CITATIONS
55	Comprehensive HPLC-DAD based metabolomics analysis of Tanacetum species from Iran. Planta Medica, 2016, 81, S1-S381.	1.3	Ο
56	Quantitative metabolomics of Iranian saffron based on their HPLC-DAD and MALDI-TOF-MS. Planta Medica, 2019, 85, .	1.3	0