

Shoshana H Ballew

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6007220/publications.pdf>

Version: 2024-02-01

99
papers

28,741
citations

61687

45
h-index

38517

99
g-index

101
all docs

101
docs citations

101
times ranked

42524
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Race, <i>APOL1</i> Risk Variants, and Clinical Outcomes among Older Adults: The ARIC Study. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 155-163. | 1.3 | 9 |
| 2 | Association Between Midlife Physical Activity and Incident Kidney Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2021, 77, 74-81. | 2.1 | 26 |
| 3 | Estimating Kidney Failure Risk Using Electronic Medical Records. <i>Kidney360</i> , 2021, 2, 415-424. | 0.9 | 9 |
| 4 | Conventional and Novel Lipid Measures and Risk of Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1229-1238. | 1.1 | 19 |
| 5 | Risk of peripheral artery disease according to race and sex: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2021, 324, 52-57. | 0.4 | 12 |
| 6 | Serum albumin and risks of hospitalization and death: Findings from the Atherosclerosis Risk in Communities study. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2865-2876. | 1.3 | 15 |
| 7 | Chronic Kidney Disease Testing Among Primary Care Patients With Type 2 Diabetes Across 24 U.S. Health Care Organizations. <i>Diabetes Care</i> , 2021, 44, 2000-2009. | 4.3 | 50 |
| 8 | Retinopathy and Risk of Kidney Disease in Persons With Diabetes. <i>Kidney Medicine</i> , 2021, 3, 808-815.e1. | 1.0 | 9 |
| 9 | Albuminuria and Prognosis Among Individuals With Atherosclerotic Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2021, 78, 87-89. | 1.2 | 8 |
| 10 | A Practical Guide to Interpret Individual Participant Data Meta-analysis of Observational Studies. <i>American Journal of Kidney Diseases</i> , 2021, 78, 464-467. | 2.1 | 0 |
| 11 | New Creatinine- and Cystatin C-Based Equations to Estimate GFR without Race. <i>New England Journal of Medicine</i> , 2021, 385, 1737-1749. | 13.9 | 1,236 |
| 12 | Chronic kidney disease measures for cardiovascular risk prediction. <i>Atherosclerosis</i> , 2021, 335, 110-118. | 0.4 | 17 |
| 13 | Albuminuria Testing in Hypertension and Diabetes: An Individual-Participant Data Meta-Analysis in a Global Consortium. <i>Hypertension</i> , 2021, 78, 1042-1052. | 1.3 | 52 |
| 14 | Ankle-brachial index and subsequent risk of incident and recurrent cardiovascular events in older adults: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2021, 336, 39-47. | 0.4 | 11 |
| 15 | Ankle-Brachial Index and Subsequent Risk of Severe Ischemic Leg Outcomes: The ARIC Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021801. | 1.6 | 5 |
| 16 | 2017 ACC/AHA blood pressure classification and incident peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 51-59. | 0.8 | 25 |
| 17 | Change in Albuminuria and GFR as End Points for Clinical Trials in Early Stages of CKD: A Scientific Workshop Sponsored by the National Kidney Foundation in Collaboration With the US Food and Drug Administration and European Medicines Agency. <i>American Journal of Kidney Diseases</i> , 2020, 75, 84-104. | 2.1 | 311 |
| 18 | Retinal microvascular findings and risk of incident peripheral artery disease: An analysis from the Atherosclerosis Risk in Communities (ARIC) Study. <i>Atherosclerosis</i> , 2020, 294, 62-71. | 0.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Endothelial dysfunction and the risk of heart failure in a community-based study: the Multi-Ethnic Study of Atherosclerosis. <i>ESC Heart Failure</i> , 2020, 7, 4231-4240. | 1.4 | 13 |
| 20 | Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249. | 6.3 | 3,928 |
| 21 | Diabetes, its duration, and the long-term risk of abdominal aortic aneurysm: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Atherosclerosis</i> , 2020, 313, 137-143. | 0.4 | 9 |
| 22 | The FDA Metformin Label Change and Racial and Sex Disparities in Metformin Prescription among Patients with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1847-1858. | 3.0 | 28 |
| 23 | Conversion of Urine Protein-to-Creatinine Ratio or Urine Dipstick Protein to Urine Albumin-to-Creatinine Ratio for Use in Chronic Kidney Disease Screening and Prognosis. <i>Annals of Internal Medicine</i> , 2020, 173, 426-435. | 2.0 | 144 |
| 24 | Fibrosis and Inflammatory Markers and Long-Term Risk of Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2322-2331. | 1.1 | 27 |
| 25 | Incorporating kidney disease measures into cardiovascular risk prediction: Development and validation in 9 million adults from 72 datasets. <i>EClinicalMedicine</i> , 2020, 27, 100552. | 3.2 | 50 |
| 26 | Albuminuria, Kidney Function, and Cancer Risk in the Community. <i>American Journal of Epidemiology</i> , 2020, 189, 942-950. | 1.6 | 26 |
| 27 | Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 709-733. | 6.3 | 2,858 |
| 28 | Dyskalemia, its patterns, and prognosis among patients with incident heart failure: A nationwide study of US veterans. <i>PLoS ONE</i> , 2019, 14, e0219899. | 1.1 | 9 |
| 29 | Novel "Predictor Patch" Method for Adding Predictors Using Estimates From Outside Datasets—A Proof-of-Concept Study Adding Kidney Measures to Cardiovascular Mortality Prediction. <i>Circulation Journal</i> , 2019, 83, 1876-1882. | 0.7 | 10 |
| 30 | Evaluating Glomerular Filtration Rate Slope as a Surrogate End Point for ESKD in Clinical Trials: An Individual Participant Meta-Analysis of Observational Data. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1746-1755. | 3.0 | 109 |
| 31 | Hospitalization Risk among Older Adults with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2019, 50, 212-220. | 1.4 | 13 |
| 32 | Cigarette Smoking, Smoking Cessation, and Long-Term Risk of 3 Major Atherosclerotic Diseases. <i>Journal of the American College of Cardiology</i> , 2019, 74, 498-507. | 1.2 | 145 |
| 33 | Short-Term Prognostic Impact of Arterial Stiffness in Older Adults Without Prevalent Cardiovascular Disease. <i>Hypertension</i> , 2019, 74, 1373-1382. | 1.3 | 40 |
| 34 | Development of Risk Prediction Equations for Incident Chronic Kidney Disease. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 2104. | 3.8 | 124 |
| 35 | Physical Activity and Subsequent Risk of Hospitalization With Peripheral Artery Disease and Critical Limb Ischemia in the ARIC Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013534. | 1.6 | 11 |
| 36 | Lifetime Risk of Lower-Extremity Peripheral Artery Disease Defined by Ankle-Brachial Index in the United States. <i>Journal of the American Heart Association</i> , 2019, 8, e012177. | 1.6 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Premorbid levels of high-sensitivity cardiac troponin T and natriuretic peptide and prognosis after incident myocardial infarction. <i>American Heart Journal</i> , 2019, 216, 62-73. | 1.2 | 4 |
| 38 | Albuminuria as a Predictor of Cardiovascular Outcomes in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019, 8, e010546. | 1.6 | 25 |
| 39 | APOL1 Kidney Risk Variants and Cardiovascular Disease: An Individual Participant Data Meta-Analysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2027-2036. | 3.0 | 26 |
| 40 | Socioeconomic status and risk of kidney dysfunction: the Atherosclerosis Risk in Communities study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1361-1368. | 0.4 | 16 |
| 41 | Adiposity and risk of decline in glomerular filtration rate: meta-analysis of individual participant data in a global consortium. <i>BMJ: British Medical Journal</i> , 2019, 364, k5301. | 2.4 | 139 |
| 42 | Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 115-127. | 5.5 | 199 |
| 43 | Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217. | 2.1 | 49 |
| 44 | American Heart Association's Life's Simple 7 at Middle Age and Prognosis After Myocardial Infarction in Later Life. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 42 |
| 45 | Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018, 93, 1281-1292. | 2.6 | 69 |
| 46 | Traditional and nontraditional glycemic markers and risk of peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2018, 274, 86-93. | 0.4 | 20 |
| 47 | Predicting timing of clinical outcomes in patients with chronic kidney disease and severely decreased glomerular filtration rate. <i>Kidney International</i> , 2018, 93, 1442-1451. | 2.6 | 124 |
| 48 | High-sensitivity cardiac troponin and natriuretic peptide with risk of lower-extremity peripheral artery disease: the Atherosclerosis Risk in Communities (ARIC) Study. <i>European Heart Journal</i> , 2018, 39, 2412-2419. | 1.0 | 46 |
| 49 | Serum potassium and adverse outcomes across the range of kidney function: a CKD Prognosis Consortium meta-analysis. <i>European Heart Journal</i> , 2018, 39, 1535-1542. | 1.0 | 218 |
| 50 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994. | 6.3 | 3,269 |
| 51 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858. | 6.3 | 8,569 |
| 52 | Prevalence of Opioid, Gabapentinoid, and NSAID Use in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1886-1888. | 2.2 | 21 |
| 53 | Chronic kidney disease measures and the risk of abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2018, 279, 107-113. | 0.4 | 32 |
| 54 | Kidney Function, Polypharmacy, and Potentially Inappropriate Medication Use in a Community-Based Cohort of Older Adults. <i>Drugs and Aging</i> , 2018, 35, 735-750. | 1.3 | 54 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Associations Between Kidney Disease Measures and Regional Pulse Wave Velocity in a Large Community-Based Cohort: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2018, 72, 682-690. | 2.1 | 51 |
| 56 | International Validation of the Thrombolysis in Myocardial Infarction (TIMI) Risk Score for Secondary Prevention in Post-AMI Patients: A Collaborative Analysis of the Chronic Kidney Disease Prognosis Consortium and the Risk Validation Scientific Committee. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 17 |
| 57 | Cardiovascular Risk Prediction in CKD. <i>Seminars in Nephrology</i> , 2018, 38, 208-216. | 0.6 | 35 |
| 58 | Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2167-2179. | 3.0 | 194 |
| 59 | Glucose Peaks and the Risk of Dementia and 20-Year Cognitive Decline. <i>Diabetes Care</i> , 2017, 40, 879-886. | 4.3 | 75 |
| 60 | Race, Serum Potassium, and Associations With ESRD and Mortality. <i>American Journal of Kidney Diseases</i> , 2017, 70, 244-251. | 2.1 | 28 |
| 61 | Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. <i>Kidney International</i> , 2017, 91, 244-251. | 2.6 | 104 |
| 62 | Kidney Function, Proteinuria, and Cancer Incidence: The Korean Heart Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 512-521. | 2.1 | 31 |
| 63 | Kidney function, bone-mineral metabolism markers, and future risk of peripheral artery disease. <i>Atherosclerosis</i> , 2017, 267, 167-174. | 0.4 | 9 |
| 64 | Socioeconomic Status and Incidence of Hospitalization With Lower Extremity Peripheral Artery Disease: Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 66 |
| 65 | Kidney Disease Measures and Left Ventricular Structure and Function: The Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 32 |
| 66 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422. | 6.3 | 1,879 |
| 67 | Measures of chronic kidney disease and risk of incident peripheral artery disease: a collaborative meta-analysis of individual participant data. <i>Lancet Diabetes and Endocrinology, the</i> , 2017, 5, 718-728. | 5.5 | 110 |
| 68 | Hyperkalemia After Initiating Renin-Angiotensin System Blockade: The Stockholm Creatinine Measurements (SCREAM) Project. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 123 |
| 69 | Frailty, Kidney Function, and Polypharmacy: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2017, 69, 228-236. | 2.1 | 92 |
| 70 | Ankle-brachial index and physical function in older individuals: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2017, 257, 208-215. | 0.4 | 37 |
| 71 | Prognostic Value of Chronic Kidney Disease Measures in Patients With Cardiac Disease. <i>Circulation Journal</i> , 2017, 81, 1075-1084. | 0.7 | 11 |
| 72 | Association of Kidney Disease Measures with Cause-Specific Mortality: The Korean Heart Study. <i>PLoS ONE</i> , 2016, 11, e0153429. | 1.1 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Cardiovascular risk prediction in people with chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2016, 25, 518-523. | 1.0 | 33 |
| 74 | Antihypertensive Medications and the Prevalence of Hyperkalemia in a Large Health System. <i>Hypertension</i> , 2016, 67, 1181-1188. | 1.3 | 99 |
| 75 | Carotid Intima-Media Thickness and Incident ESRD: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1197-1205. | 2.2 | 14 |
| 76 | Risk of end-stage renal disease in Japanese patients with chronic kidney disease increases proportionately to decline in estimated glomerular filtration rate. <i>Kidney International</i> , 2016, 90, 1109-1114. | 2.6 | 47 |
| 77 | Serum Potassium, Mortality, and Kidney Outcomes in the Atherosclerosis Risk in Communities Study. <i>Mayo Clinic Proceedings</i> , 2016, 91, 1403-1412. | 1.4 | 45 |
| 78 | Past Decline Versus Current eGFR and Subsequent ESRD Risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2447-2455. | 3.0 | 78 |
| 79 | Candidate Surrogate End Points for ESRD after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2851-2859. | 3.0 | 47 |
| 80 | Kidney-Failure Risk Projection for the Living Kidney-Donor Candidate. <i>New England Journal of Medicine</i> , 2016, 374, 411-421. | 13.9 | 354 |
| 81 | Acute Kidney Injury After Major Surgery: A Retrospective Analysis of Veterans Health Administration Data. <i>American Journal of Kidney Diseases</i> , 2016, 67, 872-880. | 2.1 | 216 |
| 82 | Kidney Function and Fracture Risk: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2016, 67, 218-226. | 2.1 | 54 |
| 83 | Kidney Measures with Diabetes and Hypertension on Cardiovascular Disease: The Atherosclerosis Risk in Communities Study. <i>American Journal of Nephrology</i> , 2015, 41, 409-417. | 1.4 | 16 |
| 84 | Influence of Chronic Kidney Disease on Cardiac Structure and Function. <i>Current Hypertension Reports</i> , 2015, 17, 581. | 1.5 | 23 |
| 85 | Kidney Failure and ESRD in the Atherosclerosis Risk in Communities (ARIC) Study: Comparing Ascertainment of Treated and Untreated Kidney Failure in a Cohort Study. <i>American Journal of Kidney Diseases</i> , 2015, 66, 231-239. | 2.1 | 42 |
| 86 | A Meta-analysis of the Association of Estimated GFR, Albuminuria, Diabetes Mellitus, and Hypertension With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015, 66, 602-612. | 2.1 | 210 |
| 87 | A Meta-analysis of the Association of Estimated GFR, Albuminuria, Age, Race, and Sex With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015, 66, 591-601. | 2.1 | 138 |
| 88 | Association of Kidney Function and Albuminuria With Prevalent and Incident Hypertension: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 58-66. | 2.1 | 28 |
| 89 | Subclinical Atherosclerosis Measures for Cardiovascular Prediction in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 439-447. | 3.0 | 106 |
| 90 | GFR Decline and Subsequent Risk of Established Kidney Outcomes: A Meta-analysis of 37 Randomized Controlled Trials. <i>American Journal of Kidney Diseases</i> , 2014, 64, 860-866. | 2.1 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Performance and Limitations of Administrative Data in the Identification of AKI. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 682-689. | 2.2 | 148 |
| 92 | Decline in Estimated Glomerular Filtration Rate and Subsequent Risk of End-Stage Renal Disease and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 2518. | 3.8 | 760 |
| 93 | Identification of Incident CKD Stage 3 in Research Studies. <i>American Journal of Kidney Diseases</i> , 2014, 64, 214-221. | 2.1 | 56 |
| 94 | Cardiac and Kidney Markers for Cardiovascular Prediction in Individuals With Chronic Kidney Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1770-1777. | 1.1 | 57 |
| 95 | Cohort Profile: The Chronic Kidney Disease Prognosis Consortium. <i>International Journal of Epidemiology</i> , 2013, 42, 1660-1668. | 0.9 | 69 |
| 96 | CKD and Cardiovascular Disease in the Atherosclerosis Risk in Communities (ARIC) Study: Interactions With Age, Sex, and Race. <i>American Journal of Kidney Diseases</i> , 2013, 62, 691-702. | 2.1 | 76 |
| 97 | The Role of Spiritual Experiences and Activities in the Relationship Between Chronic Illness and Psychological Well-Being. <i>Journal of Religion and Health</i> , 2012, 51, 1386-1396. | 0.8 | 23 |
| 98 | Cluster-Randomized Trial of a Mobile Phone Personalized Behavioral Intervention for Blood Glucose Control. <i>Diabetes Care</i> , 2011, 34, 1934-1942. | 4.3 | 584 |
| 99 | Repeat falls and the recovery of social participation in the year post-hip fracture. <i>Age and Ageing</i> , 2009, 38, 570-575. | 0.7 | 29 |