

Piet Geusens

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6007464/piet-geusens-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

8,331
citations

45
h-index

89
g-index

176
ext. papers

9,585
ext. citations

5.8
avg, IF

5.84
L-index

#	Paper	IF	Citations
165	Effect of risedronate on the risk of hip fracture in elderly women. Hip Intervention Program Study Group. <i>New England Journal of Medicine</i> , 2001 , 344, 333-40	59.2	1530
164	Risk of new vertebral fracture in the year following a fracture. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 320-3	27.4	1290
163	Clinical assessment of the long-term risk of fracture in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3104-12		427
162	Effects of teriparatide and risedronate on new fractures in post-menopausal women with severe osteoporosis (VERO): a multicentre, double-blind, double-dummy, randomised controlled trial. <i>Lancet, The</i> , 2018 , 391, 230-240	40	244
161	Epidemiology of fractures in the United Kingdom 1988-2012: Variation with age, sex, geography, ethnicity and socioeconomic status. <i>Bone</i> , 2016 , 87, 19-26	4.7	196
160	Alendronate or alfacalcidol in glucocorticoid-induced osteoporosis. <i>New England Journal of Medicine</i> , 2006 , 355, 675-84	59.2	161
159	Ankylosing spondylitis and the risk of fracture: results from a large primary care-based nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1839-42	2.4	130
158	Performance of risk indices for identifying low bone density in postmenopausal women. <i>Mayo Clinic Proceedings</i> , 2002 , 77, 629-37	6.4	122
157	Fracture liaison service: impact on subsequent nonvertebral fracture incidence and mortality. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, e29	5.6	118
156	A simple score for estimating the long-term risk of fracture in patients using oral glucocorticoids. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005 , 98, 191-8	2.7	112
155	Denosumab versus risedronate in glucocorticoid-induced osteoporosis: a multicentre, randomised, double-blind, active-controlled, double-dummy, non-inferiority study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018 , 6, 445-454	18.1	103
154	Osteoporosis, frailty and fracture: implications for case finding and therapy. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 163-72	8.1	95
153	Musculoskeletal effects of the recombinant human IGF-I/IGF binding protein-3 complex in osteoporotic patients with proximal femoral fracture: a double-blind, placebo-controlled pilot study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1593-9	5.6	94
152	Osteoporosis and vertebral fractures in ankylosing spondylitis. <i>Current Opinion in Rheumatology</i> , 2007 , 19, 335-9	5.3	92
151	High-resolution in vivo imaging of bone and joints: a window to microarchitecture. <i>Nature Reviews Rheumatology</i> , 2014 , 10, 304-13	8.1	91
150	Risk of new clinical fractures within 2 years following a fracture. <i>Osteoporosis International</i> , 2006 , 17, 348-54	5.3	89
149	Contributors to secondary osteoporosis and metabolic bone diseases in patients presenting with a clinical fracture. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1360-7	5.6	88

148	Osteoimmunology and osteoporosis. <i>Arthritis Research and Therapy</i> , 2011 , 13, 242	5.7	87
147	Inflammatory diseases and bone fragility. <i>Osteoporosis International</i> , 2017 , 28, 3301-3314	5.3	86
146	NSAIDs and fracture healing. <i>Current Opinion in Rheumatology</i> , 2013 , 25, 524-31	5.3	86
145	Prevalence and annual incidence of vertebral fractures in patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2006 , 26, 234-9	3.6	85
144	Methotrexate in combination with other DMARDs is not superior to methotrexate alone for remission induction with moderate-to-high-dose glucocorticoid bridging in early rheumatoid arthritis after 16 weeks of treatment: the CareRA trial. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 27-34	2.4	82
143	Baseline RANKL:OPG ratio and markers of bone and cartilage degradation predict annual radiological progression over 11 years in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1623-8	2.4	81
142	OR13-05 Romosozumab Treatment Lowers the Incidence of New Vertebral Fractures Across All Fracture Severity Grades Among Postmenopausal Women with Osteoporosis. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
141	The role of RANK ligand/osteoprotegerin in rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2012 , 4, 225-33	3.8	78
140	OR13-03 Understanding Why Older People with Low Trauma Fractures Die Prematurely. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
139	Bone and fall-related fracture risks in women and men with a recent clinical fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 241-8	5.6	76
138	Effect of alendronate on the age-specific incidence of symptomatic osteoporotic fractures. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 971-6	6.3	72
137	Clinical vertebral fractures in patients with ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2004 , 31, 1981-5	4.1	72
136	The relationship among history of falls, osteoporosis, and fractures in postmenopausal women. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 903-6	2.8	68
135	Non-linear increase in vertebral density induced by a synthetic steroid (Org OD 14) in women with established osteoporosis. <i>Maturitas</i> , 1991 , 13, 155-62	5	68
134	EULAR/EFORT recommendations for management of patients older than 50 years with a fragility fracture and prevention of subsequent fractures. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 802-810	2.4	64
133	Assessment of individual fracture risk: FRAX and beyond. <i>Current Osteoporosis Reports</i> , 2010 , 8, 131-7	5.4	62
132	Occupational cadmium exposure and calcium excretion, bone density, and osteoporosis in men. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1441-5	6.3	61
131	Effects of Teriparatide Compared with Risedronate on the Risk of Fractures in Subgroups of Postmenopausal Women with Severe Osteoporosis: The VERO Trial. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 783-794	6.3	59

130	Timing of subsequent fractures after an initial fracture. <i>Current Osteoporosis Reports</i> , 2010 , 8, 118-22	5.4	59
129	Denosumab Versus Risedronate in Glucocorticoid-Induced Osteoporosis: Final Results of a Twenty-Four-Month Randomized, Double-Blind, Double-Dummy Trial. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1174-1184	9.5	59
128	Effectiveness of methotrexate with step-down glucocorticoid remission induction (COBRA Slim) versus other intensive treatment strategies for early rheumatoid arthritis in a treat-to-target approach: 1-year results of CareRA, a randomised pragmatic open-label superiority trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 511-520	2.4	58
127	Secukinumab for Long-Term Treatment of Psoriatic Arthritis: A Two-Year Followup From a Phase III, Randomized, Double-Blind Placebo-Controlled Study. <i>Arthritis Care and Research</i> , 2017 , 69, 347-355	4.7	57
126	Persistence, adherence, and medication-taking behavior in women with postmenopausal osteoporosis receiving denosumab in routine practice in Germany, Austria, Greece, and Belgium: 12-month results from a European non-interventional study. <i>Osteoporosis International</i> , 2015 , 26, 2479-89	5.3	57
125	Determinants of hyperkyphosis in patients with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 770-4	2.4	55
124	Effect of Secukinumab on Patient-Reported Outcomes in Patients With Active Ankylosing Spondylitis: A Phase III Randomized Trial (MEASURE 1). <i>Arthritis and Rheumatology</i> , 2016 , 68, 2901-2910	9.5	53
123	The epidemiology of osteoporosis and fractures in ankylosing spondylitis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2012 , 4, 287-92	3.8	50
122	Association of markers of bone- and cartilage-degradation with radiological changes at baseline and after 2 years follow-up in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2008 , 47, 1219-22	3.9	48
121	Osteoporosis and osteoarthritis: shared mechanisms and epidemiology. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 97-103	5.3	47
120	Assessment of the healing process in distal radius fractures by high resolution peripheral quantitative computed tomography. <i>Bone</i> , 2014 , 64, 65-74	4.7	41
119	Integrating a gender dimension into osteoporosis and fracture risk research. <i>Gender Medicine</i> , 2007 , 4 Suppl B, S147-61		38
118	A simple clinical score for estimating the long-term risk of fracture in post-menopausal women. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006 , 99, 673-82	2.7	37
117	Hip and non-spine fracture risk reductions differ among antiresorptive agents: Evidence from randomised controlled trials. <i>International Journal of Clinical Practice</i> , 2006 , 60, 1394-400	2.9	36
116	Serum 25(OH)D response to vitamin D3 supplementation: a meta-regression analysis. <i>Nutrition</i> , 2014 , 30, 975-85	4.8	35
115	The prevalence of vertebral fractures in spondyloarthritis: relation to disease characteristics, bone mineral density, syndesmophytes and history of back pain and trauma. <i>Arthritis Research and Therapy</i> , 2015 , 17, 294	5.7	35
114	Increased fracture risk in patients with type 2 diabetes mellitus: an overview of the underlying mechanisms and the usefulness of imaging modalities and fracture risk assessment tools. <i>Maturitas</i> , 2014 , 79, 265-74	5	34
113	Impact of guideline implementation by a fracture nurse on subsequent fractures and mortality in patients presenting with non-vertebral fractures. <i>Injury</i> , 2011 , 42 Suppl 4, S39-43	2.5	33

112	Patients lacking classical poor prognostic markers might also benefit from a step-down glucocorticoid bridging scheme in early rheumatoid arthritis: week 16 results from the randomized multicenter CareRA trial. <i>Arthritis Research and Therapy</i> , 2015 , 17, 97	5.7	32
111	Persistence of Excess Mortality Following Individual Nonhip Fractures: A Relative Survival Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3205-3214	5.6	32
110	Population-Wide Impact of Non-Hip Non-Vertebral Fractures on Mortality. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1802-1810	6.3	31
109	Optimal use of vitamin D when treating osteoporosis. <i>Current Osteoporosis Reports</i> , 2011 , 9, 36-42	5.4	31
108	Progress in osteoporosis and fracture prevention: focus on postmenopausal women. <i>Arthritis Research and Therapy</i> , 2009 , 11, 251	5.7	29
107	Osteoporosis and the growth hormone-insulin-like growth factor axis. <i>Hormone Research in Paediatrics</i> , 2002 , 58 Suppl 3, 49-55	3.3	29
106	Fracture Repair in the Distal Radius in Postmenopausal Women: A Follow-Up 2 Years Postfracture Using HRpQCT. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1114-22	6.3	29
105	Individualizing fracture risk prediction. <i>Maturitas</i> , 2010 , 65, 143-8	5	28
104	Factors associated with high 24-month persistence with denosumab: results of a real-world, non-interventional study of women with postmenopausal osteoporosis in Germany, Austria, Greece, and Belgium. <i>Archives of Osteoporosis</i> , 2017 , 12, 58	2.9	27
103	Evaluation of patients with a recent clinical fracture and osteoporosis, a multidisciplinary approach. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 109	2.8	26
102	Emerging treatments for postmenopausal osteoporosis - focus on denosumab. <i>Clinical Interventions in Aging</i> , 2009 , 4, 241-50	4	25
101	Drug Insight: choosing a drug treatment strategy for women with osteoporosis-an evidence--based clinical perspective. <i>Nature Clinical Practice Rheumatology</i> , 2008 , 4, 240-8		25
100	High prevalence of thoracic vertebral deformities and discal wedging in ankylosing spondylitis patients with hyperkyphosis. <i>Journal of Rheumatology</i> , 2001 , 28, 1856-61	4.1	25
99	Review and evaluation of the Dutch guidelines for osteoporosis. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 539-48	2.5	24
98	Comparing morphometric X-ray absorptiometry and radiography in defining vertebral wedge fractures in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2007 , 46, 1667-71	3.9	23
97	Influence of physical mobility and season on 25-hydroxyvitamin D-parathyroid hormone interaction and bone remodelling in the elderly. <i>European Journal of Endocrinology</i> , 2000 , 143, 673-9	6.5	23
96	Secondary osteoporosis and metabolic bone disease in patients 50 years and older with osteoporosis or with a recent clinical fracture: a clinical perspective. <i>Current Opinion in Rheumatology</i> , 2014 , 26, 430-9	5.3	22
95	Bisphosphonates for postmenopausal osteoporosis: determining duration of treatment. <i>Current Osteoporosis Reports</i> , 2009 , 7, 12-7	5.4	21

94	Early changes in bone density, microarchitecture, bone resorption, and inflammation predict the clinical outcome 12 weeks after conservatively treated distal radius fractures: an exploratory study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 2065-73	6.3	20
93	Timing and risk factors for clinical fractures among postmenopausal women: a 5-year prospective study. <i>BMC Medicine</i> , 2006 , 4, 24	11.4	20
92	Calcium and vitamin D supplementation: state of the art for daily practice. <i>Food and Nutrition Research</i> , 2014 , 58,	3.1	19
91	Effectiveness of different combinations of DMARDs and glucocorticoid bridging in early rheumatoid arthritis: two-year results of CareRA. <i>Rheumatology</i> , 2019 , 58, 2284-2294	3.9	18
90	New insights into treatment of osteoporosis in postmenopausal women. <i>RMD Open</i> , 2015 , 1, e000051	5.9	18
89	Naproxinod, a new cyclooxygenase-inhibiting nitric oxide donator (CINOD). <i>Expert Opinion on Biological Therapy</i> , 2009 , 9, 649-57	5.4	18
88	Review of guidelines for testing and treatment of osteoporosis. <i>Current Osteoporosis Reports</i> , 2003 , 1, 59-65	5.4	18
87	The utility of absolute risk prediction using FRAX [®] and Garvan Fracture Risk Calculator in daily practice. <i>Maturitas</i> , 2014 , 77, 174-9	5	17
86	Suboptimal effect of different vitamin D3 supplementations and doses adapted to baseline serum 25(OH)D on achieved 25(OH)D levels in patients with a recent fracture: a prospective observational study. <i>European Journal of Endocrinology</i> , 2013 , 169, 597-604	6.5	17
85	Autoantibodies to two novel peptides in seronegative and early rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 1431-6	3.9	17
84	Mortality risk reduction differs according to bisphosphonate class: a 15-year observational study. <i>Osteoporosis International</i> , 2019 , 30, 817-828	5.3	17
83	The Effect of 1 Year of Romosozumab on the Incidence of Clinical Vertebral Fractures in Postmenopausal Women With Osteoporosis: Results From the FRAME Study. <i>JBMR Plus</i> , 2019 , 3, e10211	3.9	16
82	Fracture prevention in COPD patients; a clinical 5-step approach. <i>Respiratory Research</i> , 2015 , 16, 32	7.3	16
81	Secukinumab Provides Sustained Improvements in the Signs and Symptoms of Psoriatic Arthritis: Final 5-year Results from the Phase 3 FUTURE 1 Study. <i>ACR Open Rheumatology</i> , 2020 , 2, 18-25	3.5	16
80	Fracture liaison services: do they reduce fracture rates?. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2017 , 9, 157-164	3.8	15
79	Performance of statistical models of shape and appearance for semiautomatic segmentations of spinal vertebrae T4-L4 on digitized vertebral fracture assessment images. <i>Spine Journal</i> , 2015 , 15, 1248-54	4.4	15
78	Vascular channels in metacarpophalangeal joints: a comparative histologic and high-resolution imaging study. <i>Scientific Reports</i> , 2017 , 7, 8966	4.9	15
77	Effect of a Cast on Short-Term Reproducibility and Bone Parameters Obtained from HR-pQCT Measurements at the Distal End of the Radius. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016 , 98, 356-62	5.6	14

76	Visual detection of cortical breaks in hand joints: reliability and validity of high-resolution peripheral quantitative CT compared to microCT. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 271	2.8	13
75	Assessment of Cortical Interruptions in the Finger Joints of Patients With Rheumatoid Arthritis Using HR-pQCT, Radiography, and MRI. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1676-1685	6.3	13
74	Reduced Bone Loss Is Associated With Reduced Mortality Risk in Subjects Exposed to Nitrogen Bisphosphonates: A Mediation Analysis. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 2001-2011	6.3	13
73	Noninvasive diagnosis of ruptured peripheral atherosclerotic lesions and myocardial infarction by antibody profiling. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2979-85	15.9	13
72	Consensus approach for 3D joint space width of metacarpophalangeal joints of rheumatoid arthritis patients using high-resolution peripheral quantitative computed tomography. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020 , 10, 314-325	3.6	12
71	Gastrointestinal symptoms and association with medication use patterns, adherence, treatment satisfaction, quality of life, and resource use in osteoporosis: baseline results of the MUSIC-OS study. <i>Osteoporosis International</i> , 2016 , 27, 1227-1238	5.3	12
70	Efficacy and tolerability of lumiracoxib, a highly selective cyclo-oxygenase-2 (COX2) inhibitor, in the management of pain and osteoarthritis. <i>Therapeutics and Clinical Risk Management</i> , 2008 , 4, 337-44	2.9	12
69	Feasibility of rigid 3D image registration of high-resolution peripheral quantitative computed tomography images of healing distal radius fractures. <i>PLoS ONE</i> , 2017 , 12, e0179413	3.7	12
68	Prospective Follow-Up of Cortical Interruptions, Bone Density, and Micro-structure Detected on HR-pQCT: A Study in Patients with Rheumatoid Arthritis and Healthy Subjects. <i>Calcified Tissue International</i> , 2019 , 104, 571-581	3.9	11
67	Distal radius plate of CFR-PEEK has minimal effect compared to titanium plates on bone parameters in high-resolution peripheral quantitative computed tomography: a pilot study. <i>BMC Medical Imaging</i> , 2017 , 17, 18	2.9	11
66	Impact of systematic implementation of a clinical case finding strategy on diagnosis and therapy of postmenopausal osteoporosis. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 812-8	6.3	11
65	Heterogeneity of Cortical Breaks in Hand Joints of Patients with Rheumatoid Arthritis and Healthy Controls Imaged by High-resolution Peripheral Quantitative Computed Tomography. <i>Journal of Rheumatology</i> , 2016 , 43, 1914-1920	4.1	11
64	Fracture liaison programs. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 278-289	5.3	10
63	Reliability of HR-pQCT-Derived Cortical Bone Structural Parameters When Using Uncorrected Instead of Corrected Automatically Generated Endocortical Contours in a Cross-Sectional Study: The Maastricht Study. <i>Calcified Tissue International</i> , 2018 , 103, 252-265	3.9	10
62	An automated algorithm for the detection of cortical interruptions and its underlying loss of trabecular bone; a reproducibility study. <i>BMC Medical Imaging</i> , 2018 , 18, 13	2.9	9
61	The Reliability of a Semi-automated Algorithm for Detection of Cortical Interruptions in Finger Joints on High Resolution CT Compared to MicroCT. <i>Calcified Tissue International</i> , 2017 , 101, 132-140	3.9	9
60	Fracture prevention in men. <i>Nature Reviews Rheumatology</i> , 2009 , 5, 497-504	8.1	9
59	The Phenotype of Patients with a Recent Fracture: A Literature Survey of the Fracture Liaison Service. <i>Calcified Tissue International</i> , 2017 , 101, 248-258	3.9	8

58	An automated algorithm for the detection of cortical interruptions on high resolution peripheral quantitative computed tomography images of finger joints. <i>PLoS ONE</i> , 2017 , 12, e0175829	3.7	8
57	Vertebral fractures in women aged 50 years and older with clinical risk factors for fractures in primary care. <i>Maturitas</i> , 2011 , 70, 74-9	5	8
56	Newer drug treatments: their effects on fracture prevention. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 983-9	5.3	8
55	The role of the Fracture Liaison Service (FLS) in subsequent fracture prevention in the extreme elderly. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1105-1111	4.8	8
54	High-resolution peripheral quantitative CT in rheumatology. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 123	8.1	7
53	Efficacy of teriparatide compared with risedronate on FRAX-defined major osteoporotic fractures: results of the VERO clinical trial. <i>Osteoporosis International</i> , 2020 , 31, 1935-1942	5.3	7
52	The Emperor's New Clothes: What Randomized Controlled Trials Don't Cover. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1394-1396	6.3	7
51	Clinical fractures cluster in time after initial fracture. <i>Maturitas</i> , 2010 , 67, 339-42	5	7
50	Strategies for treatment to prevent fragility fractures in postmenopausal women. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009 , 23, 727-40	5.3	7
49	A Risk Assessment Tool for Predicting Fragility Fractures and Mortality in the Elderly. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 1923-1934	6.3	6
48	Structural damage and inflammation on radiographs or magnetic resonance imaging are associated with cortical interruptions on high-resolution peripheral quantitative computed tomography: a study in finger joints of patients with rheumatoid arthritis and healthy subjects. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 431-439	1.9	5
47	On epidemiology of fractures and variation with age and ethnicity. <i>Bone</i> , 2016 , 93, 230-231	4.7	5
46	OsteoRheumatology: a new discipline?. <i>RMD Open</i> , 2015 , 1, e000083	5.9	5
45	Femoral Neck Trabecular Microstructure in Ovariectomized Ewes Treated With Calcitonin: MRI Microscopic Evaluation 2005 , 20, 125		5
44	Serum 25-hydroxy-vitamin D and the risk of fractures in the teriparatide versus risedronate VERO clinical trial. <i>Archives of Osteoporosis</i> , 2019 , 14, 10	2.9	4
43	Hypophosphatemic osteomalacia: an unusual clinical presentation of multiple myeloma. <i>Osteoporosis International</i> , 2015 , 26, 2039-42	5.3	4
42	Development of a scoring method to visually score cortical interruptions on high-resolution peripheral quantitative computed tomography in rheumatoid arthritis and healthy controls. <i>PLoS ONE</i> , 2018 , 13, e0200331	3.7	4
41	Cardiovascular risk factor analysis in patients with a recent clinical fracture at the fracture liaison service. <i>BioMed Research International</i> , 2014 , 2014, 710945	3	4

40	The Association of Oral Bisphosphonate Use With Mortality Risk Following a Major Osteoporotic Fracture in the United Kingdom: Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 811-816	5.9	4
39	Cognitive decline is associated with an accelerated rate of bone loss and increased fracture risk in women: a prospective study from the Canadian Multicentre Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 2106-2115	6.3	4
38	Psychotropic medications and proton pump inhibitors and the risk of fractures in the teriparatide versus risedronate VERO clinical trial. <i>Bone</i> , 2020 , 130, 115113	4.7	4
37	Rationale and design of MUSIC OS-EU: an international observational study of the treatment of postmenopausal women for osteoporosis in Europe and Canada. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 537-44	2.2	4
36	Contra-lateral bone loss at the distal radius in postmenopausal women after a distal radius fracture: A two-year follow-up HRpQCT study. <i>Bone</i> , 2017 , 101, 245-251	4.7	3
35	Distribution of Prevalent and Incident Vertebral Fractures and Their Association with Bone Mineral Density in Postmenopausal Women in the Teriparatide Versus Risedronate VERO Clinical Trial. <i>Calcified Tissue International</i> , 2020 , 106, 646-654	3.9	3
34	Improved Detection of Scaphoid Fractures with High-Resolution Peripheral Quantitative CT Compared with Conventional CT. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 2138-2145	5.6	3
33	The impact of GI events on persistence and adherence to osteoporosis treatment: 3-, 6-, and 12-month findings in the MUSIC-OS study. <i>Osteoporosis International</i> , 2018 , 29, 329-337	5.3	3
32	Osteoporosis: clinical features. <i>Minerva Medica</i> , 2008 , 99, 167-75	2.2	3
31	Bone Microarchitecture and Distal Radius Fracture Pattern Complexity. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 1690-1697	3.8	2
30	SAT0410 Secukinumab Improves Physical Function and Quality of Life in Patients with Active Ankylosing Spondylitis: 2-Year Data from Measure 1, A Phase 3 Randomised Trial. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 818.1-818	2.4	2
29	The risk of new fragility fractures in patients with chronic kidney disease and hip fracture-a population-based cohort study in the UK. <i>Osteoporosis International</i> , 2020 , 31, 1487-1497	5.3	2
28	Balancing benefits and risks in the era of biologics. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2019 , 11, 1759720X19883973	3.8	2
27	Association of gastrointestinal events with quality of life and treatment satisfaction in osteoporosis patients: results from the Medication Use Patterns, Treatment Satisfaction, and Inadequate Control of Osteoporosis Study (MUSIC OS). <i>Osteoporosis International</i> , 2017 , 28, 2867-2876	5.3	2
26	The Prevalence of Celiac Disease in a Fracture Liaison Service Population. <i>Calcified Tissue International</i> , 2020 , 107, 327-334	3.9	2
25	The Effect of Bolus Vitamin D Supplementation on Distal Radius Fracture Healing: A Randomized Controlled Trial Using HR-pQCT. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1492-1501	6.3	2
24	The Role of the Immune System in the Development of Osteoporosis and Fracture Risk 2016 , 187-214		2
23	The use of pulse-echo ultrasound in women with a recent non-vertebral fracture to identify those without osteoporosis and/or a subclinical vertebral fracture: a pilot study. <i>Archives of Osteoporosis</i> , 2020 , 15, 56	2.9	2

22	Fracture Liaison Service 2018 , 405-411		2
21	Association between bone shape and the presence of a fracture in patients with a clinically suspected scaphoid fracture. <i>Journal of Biomechanics</i> , 2021 , 128, 110726	2.9	2
20	Secondary fracture prevention: Drug treatment, fall prevention and nutrition requirements. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 290-300	5.3	1
19	Complementarity of Cohort Studies and Randomized Controlled Trials. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1769-1770	6.3	1
18	A Case Report of Abnormal Fracture Healing as Detected With High-Resolution Peripheral Quantitative Computed Tomography. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 486-489	3.5	1
17	Spinal fractures in ankylosing spondylitis: prevalence, prevention and management. <i>International Journal of Clinical Rheumatology</i> , 2013 , 8, 597-608	1.5	1
16	The isotype repertoire of antibodies against novel UH-RA peptides in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016 , 18, 130	5.7	1
15	Comments on Kanis et al.: Characteristics of recurrent fractures. <i>Osteoporosis International</i> , 2019 , 30, 529-530	5.3	1
14	Teriparatide vs risedronate for osteoporosis - Authors' reply. <i>Lancet, The</i> , 2018 , 391, 1896	4.0	1
13	Associations between bone attenuation and prevalent vertebral fractures on chest CT scans differ with vertebral fracture locations. <i>Osteoporosis International</i> , 2021 , 32, 1869-1877	5.3	0
12	Romosozumab reduces incidence of new vertebral fractures across severity grades among postmenopausal women with osteoporosis. <i>Bone</i> , 2022 , 154, 116209	4.7	0
11	AB0742 Intravenous Loading and Subcutaneous Maintenance with Secukinumab Provides Sustained Improvement in Multiple Measures of Disease Activity in Subjects with Active Ankylosing Spondylitis: 52-Week Data From the Randomized, Double-Blind, Placebo-Controlled, Phase 3 Study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1162-1167	2.4	
10	SAT0263 The Prevalence of Vertebral Fractures in Spondyloarthropathies: Relation to Disease Characteristics, Bone Mineral Density, Syndesmophytes and History of Back Pain and Trauma. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 754.1-754	2.4	
9	THU0398 Most Patients with a Recent Fracture after the Age of 50 Years are not Predicted to be at High Risk: The Fracture Prevention Paradox. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A300.1-A300	2.4	
8	Glucocorticoid-induced osteoporosis: an indication for anabolic therapy. <i>Current Osteoporosis Reports</i> , 2009 , 7, 71-2	5.4	
7	Effect of high-dose once-yearly bolus of oral vitamin D on falls and fractures in older women. <i>Current Osteoporosis Reports</i> , 2010 , 8, 115-7	5.4	
6	Comment on: Comparing morphometric X-ray absorptiometry and radiography in defining vertebral wedge fractures in patients with ankylosing spondylitis: reply. <i>Rheumatology</i> , 2008 , 47, 1108-1109	3.0	
5	Response to Boonen et al. Assessing the relative efficacy of different osteoporosis agents based on the outcomes from meta-analyses. <i>International Journal of Clinical Practice</i> , 2007 , 62, 165-166	2.9	

4 Diagnostic Approach: Vertebral Fracture Assessments **2010**, 565-575

3 Osteoporose en fractuurpreventie **2013**, 215-226

2 Letter to the Editor: "Comparison of Teriparatide and Denosumab in Patients Switching from Long-Term Bisphosphonate Use". *Journal of Clinical Endocrinology and Metabolism*, **2020**, 105, 5.6

1 The association between cognitive decline and bone loss and fracture risk is not affected by medication with anticholinergic effect.. *Journal of Bone and Mineral Research*, **2022**, 6.3