

Ashraf Aminorroaya

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6008479/ashraf-aminorroaya-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

1,247
citations

19
h-index

31
g-index

105
ext. papers

1,505
ext. citations

2.9
avg, IF

4.59
L-index

#	Paper	IF	Citations
97	Prevalence of vitamin D deficiency among adult population of Isfahan City, Iran. <i>Journal of Health, Population and Nutrition</i> , 2011 , 29, 149-55	2.5	128
96	Prevalence of vitamin D deficiency in Isfahani high school students in 2004. <i>Hormone Research in Paediatrics</i> , 2005 , 64, 144-8	3.3	74
95	The prevalence of comorbid depression in patients with type 2 diabetes: an updated systematic review and meta-analysis on huge number of observational studies. <i>Acta Diabetologica</i> , 2019 , 56, 631-650 ^{3.9}	3.9	73
94	Effect of zinc supplementation on microalbuminuria in patients with type 2 diabetes: a double blind, randomized, placebo-controlled, cross-over trial. <i>Review of Diabetic Studies</i> , 2008 , 5, 102-9	3.6	60
93	Adequacy of androgen replacement influences bone density response to testosterone in androgen-deficient men. <i>European Journal of Endocrinology</i> , 2005 , 152, 881-6	6.5	53
92	Vitamin D deficiency among pregnant women and their newborns in Isfahan, Iran. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008 , 116, 352-6	2.3	48
91	Salsalate improves glycemic control in patients with newly diagnosed type 2 diabetes. <i>Acta Diabetologica</i> , 2013 , 50, 537-43	3.9	46
90	Urinary iodine excretion in pregnant women residing in areas with adequate iodine intake. <i>Public Health Nutrition</i> , 2003 , 6, 95-8	3.3	44
89	The effects of probiotics and synbiotic supplementation on glucose and insulin metabolism in adults with prediabetes: a double-blind randomized clinical trial. <i>Acta Diabetologica</i> , 2018 , 55, 1019-1028 ^{3.9}	3.9	36
88	Probiotic and synbiotic supplementation could improve metabolic syndrome in prediabetic adults: A randomized controlled trial. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019 , 13, 2991-2996	8.9	31
87	Comparison of the effect of pentoxifylline and captopril on proteinuria in patients with type 2 diabetes mellitus. <i>Nephron Clinical Practice</i> , 2005 , 99, c73-7		27
86	Effect of zinc supplementation on serum homocysteine in type 2 diabetic patients with microalbuminuria. <i>Review of Diabetic Studies</i> , 2009 , 6, 64-70	3.6	25
85	Does bromocriptine improve glycemic control of obese type-2 diabetics?. <i>Hormone Research in Paediatrics</i> , 2004 , 62, 55-9	3.3	23
84	Comparison of Different Obesity Indices for Predicting Incident Hypertension. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017 , 24, 157-166	2.9	22
83	Reduction of insulin resistance and plasma glucose level by salsalate treatment in persons with prediabetes. <i>Endocrine Practice</i> , 2012 , 18, 826-33	3.2	22
82	Effect of metformin on thyroid stimulating hormone and thyroid volume in patients with prediabetes: A randomized placebo-controlled clinical trial. <i>Journal of Research in Medical Sciences</i> , 2014 , 19, 1019-26	1.6	20
81	The effects of probiotic and synbiotic supplementation on metabolic syndrome indices in adults at risk of type 2 diabetes: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 148	2.8	19

80	Cerebral vein and sinus thrombosis in Isfahan-Iran: a changing profile. <i>Canadian Journal of Neurological Sciences</i> , 2004 , 31, 474-7	1	19
79	Alendronate improves fasting plasma glucose and insulin sensitivity, and decreases insulin resistance in prediabetic osteopenic postmenopausal women: A randomized triple-blind clinical trial. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 731-737	3.9	19
78	Lovastatin effects on bone mineral density in postmenopausal women with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2007 , 44, 76-82	3.9	18
77	Incidence, risk factors, and pregnancy outcomes of gestational diabetes mellitus using one-step versus two-step diagnostic approaches: A population-based cohort study in Isfahan, Iran. <i>Diabetes Research and Clinical Practice</i> , 2018 , 140, 288-294	7.4	17
76	Prevalence and risk factors of diabetes mellitus in the Isfahan city population (aged 40 or over) in 1993. <i>Diabetes Research and Clinical Practice</i> , 1997 , 38, 185-90	7.4	17
75	The effects of oral vitamin D on insulin resistance in pre-diabetic patients. <i>Journal of Research in Medical Sciences</i> , 2013 , 18, 47-51	1.6	16
74	High prevalence of goiter in an iodine replete area: do thyroid auto-antibodies play a role?. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2007 , 16, 403-10	1	16
73	The prevalence of thyroid dysfunction in an iodine-sufficient area in Iran. <i>Archives of Iranian Medicine</i> , 2009 , 12, 262-70	2.4	16
72	Utility of the Visceral Adiposity Index and Hypertriglyceridemic Waist Phenotype for Predicting Incident Hypertension. <i>Endocrinology and Metabolism</i> , 2017 , 32, 221-229	3.5	15
71	Prevalence of polycystic ovary syndrome in reproductive-aged women with type 2 diabetes. <i>Gynecological Endocrinology</i> , 2008 , 24, 423-7	2.4	15
70	The Effect of Levothyroxine and Selenium versus Levothyroxine Alone on Reducing the Level of Anti-thyroid Peroxidase Antibody in Autoimmune Hypothyroid Patients. <i>Advanced Biomedical Research</i> , 2018 , 7, 1	1.2	15
69	Risk of diabetes according to the metabolic health status and degree of obesity. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 1, S439-S444	8.9	14
68	Effects of iodized salt consumption on goiter prevalence in Isfahan: the possible role of goitrogens. <i>Endocrine Practice</i> , 2001 , 7, 95-8	3.2	14
67	The effects of 6 mo of supplementation with probiotics and synbiotics on gut microbiota in the adults with prediabetes: A double blind randomized clinical trial. <i>Nutrition</i> , 2020 , 79-80, 110854	4.8	13
66	Diabetes and all-cause mortality, a 18-year follow-up study. <i>Scientific Reports</i> , 2020 , 10, 3183	4.9	12
65	The incidence of microalbuminuria and its associated risk factors in type 2 diabetic patients in isfahan, iran. <i>Review of Diabetic Studies</i> , 2007 , 4, 242-8	3.6	12
64	Incidence of thyroid dysfunction in an Iranian adult population: the predictor role of thyroid autoantibodies: results from a prospective population-based cohort study. <i>European Journal of Medical Research</i> , 2017 , 22, 21	4.8	10
63	Thyroid size and iodine intake in iodine-repleted pregnant women in Isfahan, Iran. <i>Endocrine Practice</i> , 2002 , 8, 23-8	3.2	10

62	Assessment of the Early and Late Complication after Thyroidectomy. <i>Advanced Biomedical Research</i> , 2019 , 8, 14	1.2	10
61	Effect of Vitamin D deficiency treatment on thyroid function and autoimmunity markers in Hashimoto's thyroiditis: A double-blind randomized placebo-controlled clinical trial. <i>Journal of Research in Medical Sciences</i> , 2017 , 22, 103	1.6	10
60	Low-density lipoprotein cholesterol and risk of type 2 diabetes: The Isfahan diabetes prevention study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018 , 12, 715-719	8.9	9
59	Comparison of urinary iodine excretion in neonates and their mothers in Isfahan, Iran. <i>Endocrine Practice</i> , 2002 , 8, 347-50	3.2	9
58	Prevalence of goitre in Isfahan, Iran, fifteen years after initiation of universal salt iodization. <i>Journal of Health, Population and Nutrition</i> , 2010 , 28, 351-8	2.5	9
57	Comparing the quality of life in insulin recipient and refusal patients with type 2 diabetes. <i>Iranian Journal of Nursing and Midwifery Research</i> , 2016 , 21, 351-6	1.3	9
56	Does the intramuscular injection of vitamin D increase insulin resistance?. <i>Journal of Research in Pharmacy Practice</i> , 2012 , 1, 60-5	1.3	9
55	Body mass index and the all-cause mortality rate in patients with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2018 , 55, 569-577	3.9	8
54	Goiter persistence after iodine replenishment, the potential role of selenium deficiency in goitrous schoolchildren of Semirom, Iran. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008 , 116, 75-9	2.3	8
53	Different metabolic/obesity phenotypes are differentially associated with development of prediabetes in adults: Results from a 14-year cohort study. <i>World Journal of Diabetes</i> , 2019 , 10, 350-361	4.7	8
52	Iron deficiency in goitrous schoolchildren of Semirom, Iran. <i>Hormone Research in Paediatrics</i> , 2006 , 66, 45-50	3.3	7
51	People with impaired glucose tolerance and impaired fasting glucose are similarly susceptible to cardiovascular disease: a study in first-degree relatives of type 2 diabetic patients. <i>Annals of Nutrition and Metabolism</i> , 2010 , 56, 267-72	4.5	6
50	Thyroid function abnormalities among first-degree relatives of Iranian congenital hypothyroidism neonates. <i>Pediatrics International</i> , 2010 , 52, 467-71	1.2	6
49	The prevalence of hypogonadism in diabetic men in Isfahan Endocrine and Metabolism Research Center, Isfahan, Iran. <i>Journal of Research in Medical Sciences</i> , 2012 , 17, 602-6	1.6	6
48	Effects of probiotics and synbiotic on lipid profiles in adults at risk of type 2 diabetes: A double-blind randomized controlled clinical trial. <i>Functional Foods in Health and Disease</i> , 2019 , 9, 494	2.5	6
47	Effects of Vitamin D deficiency treatment on metabolic markers in Hashimoto thyroiditis patients. <i>Journal of Research in Medical Sciences</i> , 2017 , 22, 5	1.6	6
46	Growth charts of heights and weights of male children and adolescents of Isfahan, Iran. <i>Journal of Health, Population and Nutrition</i> , 2003 , 21, 341-6	2.5	6
45	Effect of dexamethasone on glucose homeostasis in normal and prediabetic subjects with a first-degree relative with type 2 diabetes mellitus. <i>Endocrine Practice</i> , 2012 , 18, 855-63	3.2	5

44	An open-label pilot study of the combination therapy of metformin and fluoxetine for weight reduction. <i>International Journal of Obesity</i> , 2007 , 31, 713-7	5.5	5
43	Should the first degree relatives of type 2 diabetic patients with isolated impaired fasting glucose be considered for a diabetes primary prevention program?. <i>Journal of Research in Medical Sciences</i> , 2010 , 15, 264-9	1.6	5
42	Reference Intervals for Thyroid Hormones During the First Trimester of Gestation: A Report from an Area with a Sufficient Iodine Level. <i>Hormone and Metabolic Research</i> , 2019 , 51, 165-171	3.1	4
41	Thyroid-stimulating hormone (TSH) serum levels and risk of spontaneous abortion: A prospective population-based cohort study. <i>Clinical Endocrinology</i> , 2019 , 91, 163-169	3.4	4
40	Prevalence of palpable thyroid nodule in Isfahan, Iran, 2006: a population based study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009 , 117, 209-13	2.3	4
39	Increased heights and weights of Isfahani female children and adolescents in Iran. <i>Journal of Tropical Pediatrics</i> , 2002 , 48, 377-9	1.2	4
38	Zinc status in goitrous school children of Semirom, Iran. <i>Journal of Research in Medical Sciences</i> , 2009 , 14, 165-70	1.6	4
37	Pharmacogenomics of Sulfonylureas Response in Relation to rs7754840 Polymorphisms in Cyclin-Dependent Kinase 5 Regulatory Subunit-associated Protein 1-like (CDKAL1) Gene in Iranian Type 2 Diabetes Patients. <i>Advanced Biomedical Research</i> , 2018 , 7, 96	1.2	4
36	Cross-sectional and longitudinal assessments of risk factors associated with hypertension and moderately increased albuminuria comorbidity in patients with type 2 diabetes: a 9-year open cohort study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 1123-1139	3.4	3
35	Carney complex presenting with a unilateral adrenocortical nodule: a case report. <i>Journal of Medical Case Reports</i> , 2014 , 8, 38	1.2	3
34	Comparison of ox-LDL Levels in Diabetic Patients with Normo-, Micro-, and Macroalbuminuria with Their First Degree Relatives and the Healthy Control Group. <i>International Journal of Endocrinology</i> , 2012 , 2012, 167154	2.7	3
33	Value of Sonography in Determining the Nature of Thyroid Nodules: Evaluation of the Sonographic Characteristics. <i>Journal of Diagnostic Medical Sonography</i> , 2005 , 21, 38-44	0.4	3
32	Antioxidant effects of astaxanthin and metformin combined therapy in type 2 diabetes mellitus patients: a randomized double-blind controlled clinical trial.. <i>Research in Pharmaceutical Sciences</i> , 2022 , 17, 219-230	2.6	3
31	Thyroid function test reference ranges in the first trimester of gestation and pregnancy outcomes: Protocol and preliminary results for cohort population-based study Isfahan, Iran. <i>Journal of Research in Medical Sciences</i> , 2018 , 23, 99	1.6	3
30	Effects of somatostatin analog treatment on cardiovascular parameters in patients with acromegaly: A systematic review. <i>Journal of Research in Medical Sciences</i> , 2019 , 24, 29	1.6	3
29	Prevalence of hyperthyroidism in Isfahan-Iran, in the ear 2006, fifteen years after universal salt iodization: a community based study. <i>Acta Endocrinologica</i> , 2008 , 4, 273-285	0.9	3
28	Alleviating neuropathy of diabetic foot ulcer by co-delivery of venlafaxine and matrix metalloproteinase drug-loaded cellulose nanofiber sheets: production, in vitro characterization and clinical trial. <i>Pharmacological Reports</i> , 2021 , 73, 806-819	3.9	3
27	Relationship Between Serum Uric Acid and Incident Hypertension in Patients with Type 2 Diabetes. <i>Review of Diabetic Studies</i> , 2018 , 14, 354-363	3.6	2

26	Severe cognitive dysfunction in a patient with polyendocrinopathy. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007 , 115, 334-8	2.3	2
25	Prevalence and predictors of prediabetes and its coexistence with high blood pressure in first-degree relatives of patients with type 2 diabetes: A 9-year cohort study. <i>Journal of Research in Medical Sciences</i> , 2020 , 25, 31	1.6	2
24	Quality of care for first-degree relatives of type 2 diabetes patients diagnosed with diabetes at a screening program one year after diagnosis. <i>Review of Diabetic Studies</i> , 2008 , 5, 52-8	3.6	2
23	Iodine repletion, thyrotoxicosis and atrial fibrillation in Isfahan, Iran. <i>Annals of Saudi Medicine</i> , 2004 , 24, 13-7	1.6	2
22	Cause-Specific Risk Factors of Death in Individuals with Diabetes: A Competing Risks Modeling. <i>International Journal of Endocrinology and Metabolism</i> , 2019 , 17, e69419	1.8	2
21	Two rare manifestations of primary hyperparathyroidism: paralysis and peptic ulcer bleeding. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2017 , 2017,	1.4	2
20	Association of Lipid Profile with Type 2 Diabetes in First-Degree Relatives: A 14-Year Follow-Up Study in Iran. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 2743-2750	3.4	2
19	A 16-year prospective cohort study to evaluate effects of long-term fluctuations in obesity indices of prediabetics on the incidence of future diabetes. <i>Scientific Reports</i> , 2021 , 11, 11635	4.9	2
18	Patterns of changes in fasting plasma glucose, hemoglobin A1c and the area under the curve during oral glucose tolerance tests in prediabetic subjects: results from a 16-year prospective cohort study among first-degree relatives of type 2 diabetic patients. <i>Acta Diabetologica</i> , 2021 , 58, 371-381	3.9	2
17	The TSH levels and risk of hypothyroidism: Results from a population based prospective cohort study in an Iranian adultS population. <i>European Journal of Internal Medicine</i> , 2017 , 41, 55-61	3.9	1
16	Multistate Models to Predict Development of Late Complications of Type 2 Diabetes in an Open Cohort Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 1863-1872	3.4	1
15	DEXAMETHASONE STRESS TEST: A PILOT CLINICAL STUDY FOR IDENTIFICATION OF INDIVIDUALS HIGHLY PRONE TO DEVELOP TYPE 2 DIABETES. <i>Endocrine Practice</i> , 2018 , 24, 894-899	3.2	1
14	Hypertension in Non-Type 2 Diabetes in Isfahan, Iran: Incidence and Risk Factors. <i>International Journal of Hypertension</i> , 2017 , 2017, 3132729	2.4	1
13	Endemic goiter in Semirrom; there is no difference in vitamin A status between goitrous and nongoitrous children. <i>Journal of Nutritional Science and Vitaminology</i> , 2008 , 54, 430-4	1.1	1
12	Thyroid volume and nodular and diffuse thyroid diseases by ultrasonography in pregnant women: A case-control study. <i>Journal of Research in Medical Sciences</i> , 2020 , 25, 13	1.6	1
11	Low Levels of High-Density Lipoprotein Cholesterol Do Not Predict the Incidence of Type 2 Diabetes in an Iranian High-Risk Population: The Isfahan Diabetes Prevention Study. <i>Review of Diabetic Studies</i> , 2016 , 13, 187-196	3.6	1
10	Patterns of changes in serum lipid profiles in prediabetic subjects: results from a 16-year prospective cohort study among first-degree relatives of type 2 diabetic patients. <i>Lipids in Health and Disease</i> , 2020 , 19, 193	4.4	1
9	Severity of the metabolic syndrome as a predictor of prediabetes and type 2 diabetes in first degree relatives of type 2 diabetic patients: A 15-year prospective cohort study. <i>World Journal of Diabetes</i> , 2020 , 11, 202-212	4.7	0

8	A Thyroid Stimulating Hormone Reference Range: Iranian Thyroid Cohort study. <i>Acta Biomedica</i> , 2021 , 92, e2021283	3.2	0
7	Risk modeling in prospective diabetes studies: Association and predictive value of anthropometrics. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018 , 12, 563-567	8.9	
6	Residual goiter in Semirom; iodine status and thiocyanate overload do not play a role. <i>Journal of Tropical Pediatrics</i> , 2010 , 56, 216-7	1.2	
5	Isfahan Thyroid Cohort Study (ITCS). <i>Archives of Iranian Medicine</i> , 2021 , 24, 788-795	2.4	
4	Efficacy of bromocriptine on glycemic and metabolic control of prediabetic patients. <i>Advanced Biomedical Research</i> , 2015 , 4, 253	1.2	
3	The Role of Intraoperative Thyroglobuline Level of Lymph Node in the Management of Papillary Thyroid Cancer (Determination of a Cutoff Point). <i>Advanced Biomedical Research</i> , 2017 , 6, 99	1.2	
2	The effect of alendronate on lipid profile of postmenopausal women with osteopenia and prediabetes: A randomized triple-blind clinical trial. <i>Journal of Research in Medical Sciences</i> , 2021 , 26, 52	1.6	
1	Reference Intervals for Thyroid Hormones During the First Trimester of Gestation: A Report from an Area with a Sufficient Iodine Level. <i>Hormone and Metabolic Research</i> , 2021 , 53, 634-637	3.1	