

Xuexin Duan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6008617/xuexin-duan-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

1,983
citations

22
h-index

40
g-index

130
ext. papers

2,505
ext. citations

7.1
avg, IF

5.2
L-index

#	Paper	IF	Citations
110	Simultaneously-Engineered Composition and Spatial Position of Metal/Metal-Oxide Nanowires for Hydrogen Sensing Applications. <i>ACS Applied Nano Materials</i> , 2022 , 5, 3667-3675	5.6	0
109	A prototype portable instrument employing micro-preconcentrator and FBAR sensor for the detection of chemical warfare agents. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2022 , 5, 013005	2.4	0
108	On chip manipulation of carbon dots via gigahertz acoustic streaming for enhanced bioimaging and biosensing.. <i>Talanta</i> , 2022 , 245, 123462	6.2	
107	Manipulations of micro/nanoparticles using gigahertz acoustic streaming tweezers. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2022 , 5, 023001	2.4	1
106	Deep Learning Assisted Microfluidic Impedance Flow Cytometry for Label-free Foodborne Bacteria Analysis and Classification. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 7087-7090	0.9	0
105	Multifunctional Soft Robotic Finger Based on a Nanoscale Flexible Temperature-Pressure Tactile Sensor for Material Recognition. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 55756-55765	9.5	7
104	Notched-ring structured microfluidic contact lens for intraocular pressure monitoring. <i>Applied Physics Letters</i> , 2021 , 119, 193701	3.4	1
103	PEDOT:PSS: From conductive polymers to sensors. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2021 , 4, 045004	2.4	8
102	A combined virtual impactor and field-effect transistor microsystem for particulate matter separation and detection. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2021 , 4, 013003	2.4	0
101	Mixing during Trapping Enabled a Continuous-Flow Microfluidic Smartphone Immunoassay Using Acoustic Streaming. <i>ACS Sensors</i> , 2021 , 6, 2386-2394	9.2	9
100	Phase separation of a nonionic surfactant aqueous solution in a standing surface acoustic wave for submicron particle manipulation. <i>Lab on A Chip</i> , 2021 , 21, 660-667	7.2	4
99	Ultra-rapid modulation of neurite outgrowth in a gigahertz acoustic streaming system. <i>Lab on A Chip</i> , 2021 , 21, 1948-1955	7.2	2
98	Hypersound-Assisted Size Sorting of Microparticles on Inkjet-Patterned Protein Films. <i>Langmuir</i> , 2021 , 37, 2826-2832	4	1
97	Plasmon mediated spectrally selective and sensitivity-enhanced uncooled near-infrared detector. <i>Journal of Colloid and Interface Science</i> , 2021 , 586, 67-74	9.3	1
96	An intelligent face mask integrated with high density conductive nanowire array for directly exhaled coronavirus aerosols screening. <i>Biosensors and Bioelectronics</i> , 2021 , 186, 113286	11.8	16
95	Esophageal Cancer-Derived Extracellular Vesicle miR-21-5p Contributes to EMT of ESCC Cells by Disorganizing Macrophage Polarization. <i>Cancers</i> , 2021 , 13,	6.6	3
94	Mechanism and stability investigation of a nozzle-free droplet-on-demand acoustic ejector. <i>Analyst, The</i> , 2021 , 146, 5650-5657	5	1

93	Controllable Cell Deformation Using Acoustic Streaming for Membrane Permeability Modulation. <i>Advanced Science</i> , 2021 , 8, 2002489	13.6	8
92	Acoustofluidic Based Wireless Micropump for Portable Drug Delivery Applications. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 1276-1279	0.9	
91	100% Single Cell Encapsulation via Acoustofluidic Printing Based on a Gigahertz Acoustic Resonator. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 1172-1175	0.9	
90	A Highly Aligned Nanowire-Based Strain Sensor for Ultrasensitive Monitoring of Subtle Human Motion. <i>Small</i> , 2020 , 16, e2001363	11	36
89	An impedance-coupled microfluidic device for single-cell analysis of primary cell wall regeneration. <i>Biosensors and Bioelectronics</i> , 2020 , 165, 112374	11.8	8
88	Cytosolic Delivery of Functional Proteins through Tunable Gigahertz Acoustics. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15823-15829	9.5	7
87	Dimension-reconfigurable bubble film nanochannel for wetting based sensing. <i>Nature Communications</i> , 2020 , 11, 814	17.4	8
86	Surface Engineering of Metal-Organic Framework Prepared on Film Bulk Acoustic Resonator for Vapor Detection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 10009-10017	9.5	8
85	Simultaneously Optimize the Response Speed and Sensitivity of Low Dimension Conductive Polymers for Epidermal Temperature Sensing Applications. <i>Frontiers in Chemistry</i> , 2020 , 8, 194	5	10
84	Supramolecular Interface for Biochemical Sensing Applications 2020 , 1277-1316		
83	Recent advances in micro/nanoscale intracellular delivery. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2020 , 3, 18-31	2.4	16
82	State-of-the-art and recent developments in micro/nanoscale pressure sensors for smart wearable devices and health monitoring systems. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2020 , 3, 43-52	2.4	17
81	Rapid response flexible humidity sensor for respiration monitoring using nano-confined strategy. <i>Nanotechnology</i> , 2020 , 31, 125302	3.4	32
80	Contactless and Simultaneous Measurement of Water and Acid Contaminations in Oil Using a Flexible Microstrip Sensor. <i>ACS Sensors</i> , 2020 , 5, 171-179	9.2	12
79	Liquid-Phase and Ultrahigh-Frequency-Acoustofluidics-Based Solid-Phase Synthesis of Biotin-Tagged 6'-Sialyl-N-Acetylglucosamine by Sequential One-Pot Multienzyme System. <i>Catalysts</i> , 2020 , 10, 1347	4	1
78	Composites, Fabrication and Application of Polyvinylidene Fluoride for Flexible Electromechanical Devices: A Review. <i>Micromachines</i> , 2020 , 11,	3.3	17
77	Three-dimensional biosensor surface based on novel thorns-like polyelectrolytes. <i>Biosensors and Bioelectronics</i> , 2020 , 167, 112504	11.8	0
76	A portable nucleic acid extraction system based on gigahertz acoustic tweezers. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2020 , 2020, 6147-6150	0.9	

75	Label-Free and Simultaneous Mechanical and Electrical Characterization of Single Plant Cells Using Microfluidic Impedance Flow Cytometry. <i>Analytical Chemistry</i> , 2020 , 92, 14568-14575	7.8	7
74	Dual Functions of Ghz Frequency Acoustic Resonator System for Biosamples Capture and Sensing. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2020 , 2020, 3994-3997	0.9	
73	Nanostrip flexible microwave enzymatic biosensor for noninvasive epidermal glucose sensing. <i>Nanoscale Horizons</i> , 2020 , 5, 934-943	10.8	22
72	Printed Highly Ordered Conductive Polymer Nanowires Doped with Biotinylated Polyelectrolytes for Biosensing Applications. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900671	4.6	9
71	Hypersonic poration of supported lipid bilayers. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 782-790	7.8	11
70	Trapping of sub-100 nm nanoparticles using gigahertz acoustofluidic tweezers for biosensing applications. <i>Nanoscale</i> , 2019 , 11, 14625-14634	7.7	19
69	Detection and Discrimination of Volatile Organic Compounds using a Single Film Bulk Acoustic Wave Resonator with Temperature Modulation as a Multiparameter Virtual Sensor Array. <i>ACS Sensors</i> , 2019 , 4, 1524-1533	9.2	22
68	Hypersound-Enhanced Intracellular Delivery of Drug-Loaded Mesoporous Silica Nanoparticles in a Non-Endosomal Pathway. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 19734-19742	9.5	7
67	Theoretical and experimental characterizations of gigahertz acoustic streaming in microscale fluids. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2019 , 2, 15-22	2.4	15
66	Recent advances in micro detectors for micro gas chromatography. <i>Science China Materials</i> , 2019 , 62, 611-623	7.1	8
65	A Fully Integrated Wireless Flexible Ammonia Sensor Fabricated by Soft Nano-Lithography. <i>ACS Sensors</i> , 2019 , 4, 726-732	9.2	53
64	Programmable multi-DNA release from multilayered polyelectrolytes using gigahertz nano-electromechanical resonator. <i>Journal of Nanobiotechnology</i> , 2019 , 17, 86	9.4	4
63	. <i>IEEE Access</i> , 2019 , 7, 101117-101124	3.5	3
62	Supramolecular Interface for Biochemical Sensing Applications 2019 , 1-40		
61	Nanowires: Printed Highly Ordered Conductive Polymer Nanowires Doped with Biotinylated Polyelectrolytes for Biosensing Applications Adv. Mater. Interfaces 18(2019). <i>Advanced Materials Interfaces</i> , 2019 , 6, 1970118	4.6	2
60	Hydrophobin-functionalized film bulk acoustic wave resonators for sensitive and polarity-sensitive sensing of volatile organic compounds. <i>Applied Physics Letters</i> , 2019 , 115, 163502	3.4	1
59	Regulating the differentiation of PC12 by acoustic fluid stimulation 2019 ,		1
58	Miniature Gigahertz Acoustic Resonator and On-Chip Electrochemical Sensor: An Emerging Combination for Electroanalytical Microsystems. <i>Analytical Chemistry</i> , 2019 , 91, 15959-15966	7.8	2

57	Controlled and Tunable Loading and Release of Vesicles by Using Gigahertz Acoustics. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 159-163	16.4	16
56	Controlled and Tunable Loading and Release of Vesicles by Using Gigahertz Acoustics. <i>Angewandte Chemie</i> , 2019 , 131, 165-169	3.6	2
55	Real-Time Detection of Nanoparticles Interaction with Lipid Membranes Using an Integrated Acoustical and Electrical Multimode Biosensor. <i>Particle and Particle Systems Characterization</i> , 2019 , 36, 1800370	3.1	2
54	Hierarchical assembly of gold nanorod stripe patterns for sensing and cells alignment. <i>Nanotechnology</i> , 2019 , 30, 175302	3.4	3
53	Liquid phase mass production of air-stable black phosphorus/phospholipids nanocomposite with ultralow tunneling barrier. <i>2D Materials</i> , 2018 , 5, 025012	5.9	4
52	Cellphone-Enabled Microwell-Based Microbead Aggregation Assay for Portable Biomarker Detection. <i>ACS Sensors</i> , 2018 , 3, 432-440	9.2	12
51	Graphene Oxide-Doped Conducting Polymer Nanowires Fabricated by Soft Lithography for Gas Sensing Applications. <i>IEEE Sensors Journal</i> , 2018 , 18, 7765-7771	4	11
50	Miniaturized polymer coated film bulk acoustic wave resonator sensor array for quantitative gas chromatographic analysis. <i>Sensors and Actuators B: Chemical</i> , 2018 , 274, 419-426	8.5	19
49	Solid-State Microfluidics with Integrated Thin-Film Acoustic Sensors. <i>ACS Sensors</i> , 2018 , 3, 1584-1591	9.2	6
48	Dual-Mode Gas Sensor Composed of a Silicon Nanoribbon Field Effect Transistor and a Bulk Acoustic Wave Resonator: A Case Study in Freons. <i>Sensors</i> , 2018 , 18,	3.8	9
47	An on-demand femtoliter droplet dispensing system based on a gigahertz acoustic resonator. <i>Lab on A Chip</i> , 2018 , 18, 2540-2546	7.2	12
46	Hypersonic-Induced 3D Hydrodynamic Tweezers for Versatile Manipulations of Micro/Nanoscale Objects. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1800068	3.1	12
45	Acoustic Streaming and Microparticle Enrichment within a Microliter Droplet Using a Lamb-Wave Resonator Array. <i>Physical Review Applied</i> , 2018 , 9,	4.3	11
44	Detection and discrimination of volatile organic compounds using a single multi-resonance mode piezotransduced silicon bulk acoustic wave resonator (PSBAR) as virtual sensor array. <i>Sensors and Actuators B: Chemical</i> , 2018 , 254, 1191-1199	8.5	18
43	On-chip acoustic mixer integration of electro-microfluidics towards in-situ and efficient mixing in droplets. <i>Microfluidics and Nanofluidics</i> , 2018 , 22, 1	2.8	13
42	A chemiresistive sensor array from conductive polymer nanowires fabricated by nanoscale soft lithography. <i>Nanoscale</i> , 2018 , 10, 20578-20586	7.7	43
41	A Universal Biomolecular Concentrator To Enhance Biomolecular Surface Binding Based on Acoustic NEMS Resonator. <i>ACS Central Science</i> , 2018 , 4, 899-908	16.8	6
40	Comparative analysis of static and non-static assays for biochemical sensing using on-chip integrated field effect transistors and solidly mounted resonators. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 775-783	8.5	13

39	Biofunctional polyelectrolytes assembling on biosensors - A versatile surface coating method for protein detections. <i>Analytica Chimica Acta</i> , 2017 , 964, 170-177	6.6	27
38	Hypersonic Poration: A New Versatile Cell Poration Method to Enhance Cellular Uptake Using a Piezoelectric Nano-Electromechanical Device. <i>Small</i> , 2017 , 13, 1602962	11	35
37	Biomolecular stiffness detection based on positive frequency shift of CMOS compatible gigahertz solidly mounted resonators. <i>Biosensors and Bioelectronics</i> , 2017 , 96, 206-212	11.8	8
36	On-chip integrated multiple microelectromechanical resonators to enable the local heating, mixing and viscosity sensing for chemical reactions in a droplet. <i>Sensors and Actuators B: Chemical</i> , 2017 , 248, 280-287	8.5	18
35	Smartphone-Enabled Colorimetric Trinitrotoluene Detection Using Amine-Trapped Polydimethylsiloxane Membranes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14445-14452	9.5	21
34	Conductive polymer nanowire gas sensor fabricated by nanoscale soft lithography. <i>Nanotechnology</i> , 2017 , 28, 485301	3.4	33
33	A flexible, gigahertz, and free-standing thin film piezoelectric MEMS resonator with high figure of merit. <i>Applied Physics Letters</i> , 2017 , 111, 023505	3.4	19
32	Biofouling Removal and Protein Detection Using a Hypersonic Resonator. <i>ACS Sensors</i> , 2017 , 2, 1175-1183	3.2	22
31	Wireless Controlled Local Heating and Mixing Multiple Droplets Using Micro-Fabricated Resonator Array for Micro-Reactor Applications. <i>IEEE Access</i> , 2017 , 5, 25987-25992	3.5	5
30	A Highly Sensitive Humidity Sensor Based on Ultrahigh-Frequency Microelectromechanical Resonator Coated with Nano-Assembled Polyelectrolyte Thin Films. <i>Micromachines</i> , 2017 , 8, 116	3.3	13
29	Mechanical Vibration Measurement of Solidly Mounted Resonator in Fluid by Atomic Force Microscopy. <i>Micromachines</i> , 2017 , 8,	3.3	2
28	Novel Gas Sensor Arrays Based on High-Q SAM-Modified Piezotransduced Single-Crystal Silicon Bulk Acoustic Resonators. <i>Sensors</i> , 2017 , 17,	3.8	4
27	Chemiresistive and Gravimetric Dual-Mode Gas Sensor toward Target Recognition and Differentiation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 21742-9	9.5	11
26	Detection of Volatile Organic Compounds by Self-assembled Monolayer Coated Sensor Array with Concentration-independent Fingerprints. <i>Scientific Reports</i> , 2016 , 6, 23970	4.9	69
25	Microchip based electrochemical-piezoelectric integrated multi-mode sensing system for continuous glucose monitoring. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 83-88	8.5	31
24	A Microfluidic-Based Fabry-Pérot Gas Sensor. <i>Micromachines</i> , 2016 , 7,	3.3	3
23	Acoustically Triggered Disassembly of Multilayered Polyelectrolyte Thin Films through Gigahertz Resonators for Controlled Drug Release Applications. <i>Micromachines</i> , 2016 , 7,	3.3	5
22	Fabrications, Applications and Challenges of Solid-State Nanopores: A Mini Review. <i>Nanomaterials and Nanotechnology</i> , 2016 , 6, 35	2.9	18

21	Wireless gas sensing based on a passive piezoelectric resonant sensor array through near-field induction. <i>Applied Physics Letters</i> , 2016 , 109, 263503	3.4	8
20	Localized ultrahigh frequency acoustic fields induced micro-vortices for submillisecond microfluidic mixing. <i>Applied Physics Letters</i> , 2016 , 109, 253503	3.4	35
19	Detection of Volatile Organic Compounds Using Microfabricated Resonator Array Functionalized with Supramolecular Monolayers. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17893-903	9.5	62
18	Kinetic studies of microfabricated biosensors using local adsorption strategy. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 8-15	11.8	20
17	Mechanical and Electrical Anisotropy of Few-Layer Black Phosphorus. <i>ACS Nano</i> , 2015 , 9, 11362-70	16.7	199
16	On-chip surface modified nanostructured ZnO as functional pH sensors. <i>Nanotechnology</i> , 2015 , 26, 355204	9.4	14
15	Dynamics of Electrowetting Droplet Motion in Digital Microfluidics Systems: From Dynamic Saturation to Device Physics. <i>Micromachines</i> , 2015 , 6, 778-789	3.3	19
14	Functionalized Polyelectrolytes Assembling on Nano-BioFETs for Biosensing Applications. <i>Advanced Functional Materials</i> , 2015 , 25, 2279-2286	15.6	38
13	Design and fabrication of aluminum nitride Lamb wave resonators towards high figure of merit for intermediate frequency filter applications. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 035016	2	22
12	Monolithic integrated system with an electrowetting-on-dielectric actuator and a film-bulk-acoustic-resonator sensor. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 025002	2	16
11	Tuning the resonant frequency of resonators using molecular surface self-assembly approach. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 950-8	9.5	19
10	Limit of detection of field effect transistor biosensors: Effects of surface modification and size dependence. <i>Applied Physics Letters</i> , 2014 , 104, 084106	3.4	47
9	Highly specific and sensitive non-enzymatic determination of uric acid in serum and urine by extended gate field effect transistor sensors. <i>Biosensors and Bioelectronics</i> , 2014 , 51, 225-31	11.8	56
8	Performance limitations for nanowire/nanoribbon biosensors. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2013 , 5, 629-45	9.2	34
7	Quantitative probing of surface charges at dielectric-electrolyte interfaces. <i>Lab on A Chip</i> , 2013 , 13, 1431-6	17.6	23
6	Regenerative electronic biosensors using supramolecular approaches. <i>ACS Nano</i> , 2013 , 7, 4014-21	16.7	39
5	Complementary metal oxide semiconductor-compatible silicon nanowire biofield-effect transistors as affinity biosensors. <i>Nanomedicine</i> , 2013 , 8, 1839-51	5.6	15
4	Quantification of the affinities and kinetics of protein interactions using silicon nanowire biosensors. <i>Nature Nanotechnology</i> , 2012 , 7, 401-7	28.7	273

3	Metal nanoparticle wires formed by an integrated nanomolding-chemical assembly process: fabrication and properties. <i>ACS Nano</i> , 2010 , 4, 7660-6	16.7	18
2	Large-Area Nanoscale Patterning of Functional Materials by Nanomolding in Capillaries. <i>Advanced Functional Materials</i> , 2010 , 20, 2519-2526	15.6	20
1	High-Resolution Contact Printing with Chemically Patterned Flat Stamps Fabricated by Nanoimprint Lithography. <i>Advanced Materials</i> , 2009 , 21, 2798-2802	24	21