Brenda M Birmann

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6008698/brenda-m-birmann-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 papers	2,215 citations	23 h-index	46 g-index
70 ext. papers	2,691 ext. citations	7 avg, IF	4.11 L-index

#	Paper	IF	Citations
66	Willingness to receive an annual COVID-19 booster vaccine in the German-speaking D-A-CH region in Europe: A cross-sectional study. *Lancet Regional Health - Europe, The*, **2022**, 18, 100414		4
65	Comment on Alley, S.J., et al. As the Pandemic Progresses, How Does Willingness to Vaccinate against COVID-19 Evolve? 2021, , 797. *International Journal of Environmental Research and Public Health*, **2021**, 18,	4.6	3
64	Statin use and survival in 16 098 patients with non-Hodgkin lymphoma or chronic lymphocytic leukaemia treated in the rituximab era. *British Journal of Haematology*, **2021**, 195, 552-560	4.5	1
63	Association between yogurt consumption and plasma soluble CD14 in two prospective cohorts of US adults. *European Journal of Nutrition*, **2021**, 60, 929-938	5.2	2
62	Circulating Biomarkers of Inflammation and Ovarian Cancer Risk in the NursesTHealth Studies. *Cancer Epidemiology Biomarkers and Prevention*, **2021**, 30, 710-718	4	1
61	Statin use is associated with improved survival in multiple myeloma: A Swedish population-based study of 4315 patients. *American Journal of Hematology*, **2020**, 95, 652-661	7.1	11
60	Rotating Nightshift Work and Hematopoietic Cancer Risk in US Female Nurses. *JNCI Cancer Spectrum*, **2020**, 4, pkz106	4.6	1
59	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. *Nature Communications*, **2020**, 11, 3353	17.4	32
58	Prediagnosis dietary pattern and survival in patients with multiple myeloma. *International Journal of Cancer*, **2020**, 147, 1823-1830	7.5	10
57	Dissecting racial disparities in multiple myeloma. *Blood Cancer Journal*, **2020**, 10, 19	7	34
56	Red blood cell membrane trans fatty acid levels and risk of non-Hodgkin lymphoma: a prospective nested case-control study. *American Journal of Clinical Nutrition*, **2020**, 112, 1576-1583	7	3
55	Association Between Intake of Fruits and Vegetables by Pesticide Residue Status and Total Cancer Risk. *Current Developments in Nutrition*, **2020**, 4, 349-349	0.4	1
54	Personal use of permanent hair dyes and cancer risk and mortality in US women: prospective cohort study. *BMJ, The*, **2020**, 370, m2942	5.9	8
53	Trends in cause of death among patients with multiple myeloma in Puerto Rico and the United States SEER population, 1987-2013. *International Journal of Cancer*, **2020**, 146, 35-43	7.5	7
52	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. *Human Molecular Genetics*, **2020**, 29, 70-79	5.6	12
51	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. *Cancer Epidemiology Biomarkers and Prevention*, **2020**, 29, 1074-1078	4	4
50	Elucidating Under-Studied Aspects of the Link Between Obesity and Multiple Myeloma: Weight Pattern, Body Shape Trajectory, and Body Fat Distribution. *JNCI Cancer Spectrum*, **2019**, 3, pkz044	4.6	8

49	Rising cancer incidence in younger adults: is obesity to blame?. *Lancet Public Health, The*, **2019**, 4, e119-e120	12.4	2
48	Dietary Pattern and Risk of Multiple Myeloma in Two Large Prospective US Cohort Studies. *JNCI Cancer Spectrum*, **2019**, 3, pkz025	4.6	15
47	Presentation and survival of multiple myeloma patients in Ghana: a review of 169 cases. *Ghana Medical Journal*, **2019**, 53, 52-58	0.6	8
46	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. *Genetic Epidemiology*, **2019**, 43, 844-863	2.6	15
45	A Network Analysis of Biomarkers for Type 2 Diabetes. *Diabetes*, **2019**, 68, 281-290	0.9	17
44	Risk factors for Burkitt lymphoma: a nested case-control study in the UK Clinical Practice Research Datalink. *British Journal of Haematology*, **2018**, 181, 505-514	4.5	9
43	Body mass index throughout adulthood, physical activity, and risk of multiple myeloma: a prospective analysis in three large cohorts. *British Journal of Cancer*, **2018**, 118, 1013-1019	8.7	20
42	Pre-diagnosis plasma immune markers and risk of non-Hodgkin lymphoma in two prospective cohort studies. *Haematologica*, **2018**, 103, 1679-1687	6.6	7
41	A prospective analysis of circulating saturated and monounsaturated fatty acids and risk of non-Hodgkin lymphoma. *International Journal of Cancer*, **2018**, 143, 1914-1922	7.5	7
40	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). *Cancer Epidemiology Biomarkers and Prevention*, **2017**, 26, 876-885	4	21
39	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. *Nature Communications*, **2017**, 8, 14175	17.4	54
38	Elevated Serum Levels of sCD30 and IL6 and Detectable IL10 Precede Classical Hodgkin Lymphoma Diagnosis. *Cancer Epidemiology Biomarkers and Prevention*, **2017**, 26, 1114-1123	4	14
37	Influence of Dietary Patterns on Plasma Soluble CD14, a Surrogate Marker of Gut Barrier Dysfunction. *Current Developments in Nutrition*, **2017**, 1,	0.4	16
36	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. *British Journal of Cancer*, **2017**, 117, 1241-1245	8.7	7
35	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. *Lupus Science and Medicine*, **2017**, 4, e000187	4.6	10
34	Dietary fat intake and risk of non-Hodgkin lymphoma in 2 large prospective cohorts. *American Journal of Clinical Nutrition*, **2017**, 106, 650-656	7	14
33	Periodontal disease and risk of non-Hodgkin lymphoma in the Health Professionals Follow-Up Study. *International Journal of Cancer*, **2017**, 140, 1020-1026	7.5	22
32	Epidemiology of Hematologic Malignancies **2017**, 543-569		7

31	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. *Nature Communications*, **2016**, 7, 10933	17.4	70
30	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. *Cancer Research*, **2016**, 76, 1935-41	10.1	23
29	A Meta-analysis of Multiple Myeloma Risk Regions in African and European Ancestry Populations Identifies Putatively Functional Loci. *Cancer Epidemiology Biomarkers and Prevention*, **2016**, 25, 1609-1618	4	13
28	NursesTHealth Study Contributions on the Epidemiology of Less Common Cancers: Endometrial, Ovarian, Pancreatic, and Hematologic. *American Journal of Public Health*, **2016**, 106, 1608-15	5.1	11
27	A pooled analysis of cigarette smoking and risk of multiple myeloma from the international multiple myeloma consortium. *Cancer Epidemiology Biomarkers and Prevention*, **2015**, 24, 631-4	4	11
26	Associations of non-Hodgkin Lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. *American Journal of Epidemiology*, **2015**, 181, 406-21	3.8	42
25	Dietary pattern and risk of hodgkin lymphoma in a population-based case-control study. *American Journal of Epidemiology*, **2015**, 182, 405-16	3.8	13
24	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. *Journal of the National Cancer Institute*, **2015**, 107, djv279	9.7	107
23	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. *Nature Communications*, **2015**, 6, 5751	17.4	44
22	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. *Journal of the National Cancer Institute Monographs*, **2014**, 2014, 130-44	4.8	199
21	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. *Nature Genetics*, **2014**, 46, 1233-8	36.3	108
20	Medical history, lifestyle, family history, and occupational risk factors for sporadic Burkitt lymphoma/leukemia: the Interlymph Non-Hodgkin Lymphoma Subtypes Project. *Journal of the National Cancer Institute Monographs*, **2014**, 2014, 106-14	4.8	24
19	Genome-wide association study identifies five susceptibility loci for follicular lymphoma outside the HLA region. *American Journal of Human Genetics*, **2014**, 95, 462-71	11	74
18	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. *British Journal of Haematology*, **2014**, 166, 667-76	4.5	63
17	Regular aspirin use and risk of multiple myeloma: a prospective analysis in the health professionals follow-up study and nursesThealth study. *Cancer Prevention Research*, **2014**, 7, 33-41	3.2	22
16	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. *Nature Genetics*, **2013**, 45, 868-76	36.3	147
15	Temporal stability of serum concentrations of cytokines and soluble receptors measured across two years in low-risk HIV-seronegative men. *Cancer Epidemiology Biomarkers and Prevention*, **2013**, 22, 2009-15	4	36
14	A pooled analysis of alcohol consumption and risk of multiple myeloma in the international multiple myeloma consortium. *Cancer Epidemiology Biomarkers and Prevention*, **2013**, 22, 1620-7	4	17

13	A prospective analysis of body size during childhood, adolescence, and adulthood and risk of non-Hodgkin lymphoma. *Cancer Prevention Research*, **2013**, 6, 864-73	3.2	35
12	Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. *Leukemia and Lymphoma*, **2013**, 54, 1221-7	1.9	34
11	Prediagnosis biomarkers of insulin-like growth factor-1, insulin, and interleukin-6 dysregulation and multiple myeloma risk in the Multiple Myeloma Cohort Consortium. *Blood*, **2012**, 120, 4929-37	2.2	37
10	Consumption of artificial sweetener- and sugar-containing soda and risk of lymphoma and leukemia in men and women. *American Journal of Clinical Nutrition*, **2012**, 96, 1419-28	7	74
9	Antibody titers against EBNA1 and EBNA2 in relation to Hodgkin lymphoma and history of infectious mononucleosis. *International Journal of Cancer*, **2012**, 130, 2886-91	7.5	12
8	Recreational physical activity, leisure sitting time and risk of non-Hodgkin lymphoid neoplasms in the American Cancer Society Cancer Prevention Study II Cohort. *International Journal of Cancer*, **2012**, 131, 1912-20	7.5	24
7	Insulin-like growth factor-1- and interleukin-6-related gene variation and risk of multiple myeloma. *Cancer Epidemiology Biomarkers and Prevention*, **2009**, 18, 282-8	4	34
6	Population differences in immune marker profiles associated with human T-lymphotropic virus type I infection in Japan and Jamaica. *International Journal of Cancer*, **2009**, 124, 614-21	7.5	19
5	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. *Blood*, **2008**, 111, 4029-38	2.2	429
4	Body mass index, physical activity, and risk of multiple myeloma. *Cancer Epidemiology Biomarkers and Prevention*, **2007**, 16, 1474-8	4	67
3	Patterns of serum type 1 and type 2 immune markers in healthy carriers of HTLV-I. *Journal of Medical Virology*, **2006**, 78, 847-52	19.7	6
2	Infectious Agents **2006**, 507-548		8
1	Serologic assessment of type 1 and type 2 immunity in healthy Japanese adults. *Cancer Epidemiology Biomarkers and Prevention*, **2004**, 13, 1385-91	4	4