

Mengdi Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6009758/publications.pdf>

Version: 2024-02-01

92
papers

6,849
citations

50276

46
h-index

60623

81
g-index

108
all docs

108
docs citations

108
times ranked

6409
citing authors

#	ARTICLE	IF	CITATIONS
1	A transparent single-friction-surface triboelectric generator and self-powered touch sensor. <i>Energy and Environmental Science</i> , 2013, 6, 3235.	30.8	367
2	Three-dimensional piezoelectric polymer microsystems for vibrational energy harvesting, robotic interfaces and biomedical implants. <i>Nature Electronics</i> , 2019, 2, 26-35.	26.0	322
3	Morphable 3D mesostructures and microelectronic devices by multistable buckling mechanics. <i>Nature Materials</i> , 2018, 17, 268-276.	27.5	297
4	All-in-one self-powered flexible microsystems based on triboelectric nanogenerators. <i>Nano Energy</i> , 2018, 47, 410-426.	16.0	249
5	Controlled Mechanical Buckling for Origami-Inspired Construction of 3D Microstructures in Advanced Materials. <i>Advanced Functional Materials</i> , 2016, 26, 2629-2639.	14.9	231
6	r-Shaped Hybrid Nanogenerator with Enhanced Piezoelectricity. <i>ACS Nano</i> , 2013, 7, 8554-8560.	14.6	225
7	Flexible fiber-based hybrid nanogenerator for biomechanical energy harvesting and physiological monitoring. <i>Nano Energy</i> , 2017, 38, 43-50.	16.0	201
8	Mechanical assembly of complex, 3D mesostructures from releasable multilayers of advanced materials. <i>Science Advances</i> , 2016, 2, e1601014.	10.3	200
9	Portable and wearable self-powered systems based on emerging energy harvesting technology. <i>Microsystems and Nanoengineering</i> , 2021, 7, 25.	7.0	194
10	Two-dimensional materials in functional three-dimensional architectures with applications in photodetection and imaging. <i>Nature Communications</i> , 2018, 9, 1417.	12.8	189
11	Catheter-integrated soft multilayer electronic arrays for multiplexed sensing and actuation during cardiac surgery. <i>Nature Biomedical Engineering</i> , 2020, 4, 997-1009.	22.5	175
12	Self-Powered Analogue Smart Skin. <i>ACS Nano</i> , 2016, 10, 4083-4091.	14.6	153
13	Implantable and self-powered blood pressure monitoring based on a piezoelectric thinfilm: Simulated, in vitro and in vivo studies. <i>Nano Energy</i> , 2016, 22, 453-460.	16.0	149
14	A flexible and implantable piezoelectric generator harvesting energy from the pulsation of ascending aorta: in vitro and in vivo studies. <i>Nano Energy</i> , 2015, 12, 296-304.	16.0	148
15	Inorganic semiconducting materials for flexible and stretchable electronics. <i>Npj Flexible Electronics</i> , 2017, 1, .	10.7	144
16	Single-Step Fluorocarbon Plasma Treatment-Induced Wrinkle Structure for High-Performance Triboelectric Nanogenerator. <i>Small</i> , 2016, 12, 229-236.	10.0	134
17	Multimodal Sensing with a Three-Dimensional Piezoresistive Structure. <i>ACS Nano</i> , 2019, 13, 10972-10979.	14.6	134
18	Three-dimensional mesostructures as high-temperature growth templates, electronic cellular scaffolds, and self-propelled microrobots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9455-E9464.	7.1	129

#	ARTICLE	IF	CITATIONS
19	Three-dimensional, multifunctional neural interfaces for cortical spheroids and engineered assembloids. <i>Science Advances</i> , 2021, 7, .	10.3	128
20	Wearable electrode-free triboelectric generator for harvesting biomechanical energy. <i>Nano Energy</i> , 2015, 12, 19-25.	16.0	127
21	Fingertip-inspired electronic skin based on triboelectric sliding sensing and porous piezoresistive pressure detection. <i>Nano Energy</i> , 2017, 40, 65-72.	16.0	120
22	Integrated self-charging power unit with flexible supercapacitor and triboelectric nanogenerator. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14298-14306.	10.3	117
23	Photocurable bioresorbable adhesives as functional interfaces between flexible bioelectronic devices and soft biological tissues. <i>Nature Materials</i> , 2021, 20, 1559-1570.	27.5	114
24	A wave-shaped hybrid piezoelectric and triboelectric nanogenerator based on P(VDF-TrFE) nanofibers. <i>Nanoscale</i> , 2017, 9, 1263-1270.	5.6	111
25	Self-powered flexible printed circuit board with integrated triboelectric generator. <i>Nano Energy</i> , 2013, 2, 1101-1106.	16.0	108
26	Wireless multilateral devices for optogenetic studies of individual and social behaviors. <i>Nature Neuroscience</i> , 2021, 24, 1035-1045.	14.8	98
27	Wireless sensors for continuous, multimodal measurements at the skin interface with lower limb prostheses. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	93
28	Self-powered wireless smart patch for healthcare monitoring. <i>Nano Energy</i> , 2017, 32, 479-487.	16.0	90
29	Magnetic-assisted triboelectric nanogenerators as self-powered visualized omnidirectional tilt sensing system. <i>Scientific Reports</i> , 2014, 4, 4811.	3.3	89
30	Design, manufacturing and applications of wearable triboelectric nanogenerators. <i>Nano Energy</i> , 2021, 81, 105627.	16.0	86
31	Self-Powered Noncontact Electronic Skin for Motion Sensing. <i>Advanced Functional Materials</i> , 2018, 28, 1704641.	14.9	83
32	Battery-free, wireless soft sensors for continuous multi-site measurements of pressure and temperature from patients at risk for pressure injuries. <i>Nature Communications</i> , 2021, 12, 5008.	12.8	83
33	Design and Fabrication of Integrated Magnetic MEMS Energy Harvester for Low Frequency Applications. <i>Journal of Microelectromechanical Systems</i> , 2014, 23, 204-212.	2.5	82
34	Buckling and twisting of advanced materials into morphable 3D mesostructures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13239-13248.	7.1	81
35	Hybrid energy cells based on triboelectric nanogenerator: From principle to system. <i>Nano Energy</i> , 2020, 75, 104980.	16.0	71
36	Guided Formation of 3D Helical Mesostructures by Mechanical Buckling: Analytical Modeling and Experimental Validation. <i>Advanced Functional Materials</i> , 2016, 26, 2909-2918.	14.9	70

#	ARTICLE	IF	CITATIONS
37	Deterministic assembly of 3D mesostructures in advanced materials via compressive buckling: A short review of recent progress. <i>Extreme Mechanics Letters</i> , 2017, 11, 96-104.	4.1	68
38	Low-frequency wide-band hybrid energy harvester based on piezoelectric and triboelectric mechanism. <i>Science China Technological Sciences</i> , 2013, 56, 1835-1841.	4.0	66
39	Miniaturized electromechanical devices for the characterization of the biomechanics of deep tissue. <i>Nature Biomedical Engineering</i> , 2021, 5, 759-771.	22.5	65
40	Synergistic photoactuation of bilayered spiropyran hydrogels for predictable origami-like shape change. <i>Matter</i> , 2021, 4, 1377-1390.	10.0	57
41	Submillimeter-scale multimaterial terrestrial robots. <i>Science Robotics</i> , 2022, 7, .	17.6	57
42	Self-Powered Multifunctional Electronic Skin for a Smart Anti-Counterfeiting Signature System. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 22357-22364.	8.0	51
43	Coupling of Piezoelectric and Triboelectric Effects: from Theoretical Analysis to Experimental Verification. <i>Advanced Electronic Materials</i> , 2015, 1, 1500187.	5.1	50
44	Engineered Elastomer Substrates for Guided Assembly of Complex 3D Mesostructures by Spatially Nonuniform Compressive Buckling. <i>Advanced Functional Materials</i> , 2017, 27, 1604281.	14.9	50
45	Self-powered digital-analog hybrid electronic skin for noncontact displacement sensing. <i>Nano Energy</i> , 2019, 58, 121-129.	16.0	48
46	Single-friction-surface triboelectric generator with human body conduit. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	47
47	Wireless, implantable catheter-type oximeter designed for cardiac oxygen saturation. <i>Science Advances</i> , 2021, 7, .	10.3	45
48	Asymmetrical Triboelectric Nanogenerator with Controllable Direct Electrostatic Discharge. <i>Advanced Functional Materials</i> , 2016, 26, 5524-5533.	14.9	43
49	3D Tunable, Multiscale, and Multistable Vibrational Micro-Platforms Assembled by Compressive Buckling. <i>Advanced Functional Materials</i> , 2017, 27, 1605914.	14.9	43
50	Complex 3D microfluidic architectures formed by mechanically guided compressive buckling. <i>Science Advances</i> , 2021, 7, eabj3686.	10.3	41
51	Electrification based devices with encapsulated liquid for energy harvesting, multifunctional sensing, and self-powered visualized detection. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7382-7388.	10.3	39
52	Three-dimensional electronic scaffolds for monitoring and regulation of multifunctional hybrid tissues. <i>Extreme Mechanics Letters</i> , 2020, 35, 100634.	4.1	38
53	Nanofabrication approaches for functional three-dimensional architectures. <i>Nano Today</i> , 2020, 30, 100825.	11.9	37
54	Fabric-based self-powered noncontact smart gloves for gesture recognition. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20277-20288.	10.3	36

#	ARTICLE	IF	CITATIONS
55	A flexible large-area triboelectric generator by low-cost roll-to-roll process for location-based monitoring. <i>Sensors and Actuators A: Physical</i> , 2016, 247, 206-214.	4.1	35
56	Low frequency wide bandwidth MEMS energy harvester based on spiral-shaped PVDF cantilever. <i>Science China Technological Sciences</i> , 2014, 57, 1068-1072.	4.0	34
57	Semiconductor Nanomembrane Materials for High-Performance Soft Electronic Devices. <i>Journal of the American Chemical Society</i> , 2018, 140, 9001-9019.	13.7	34
58	Self-Powered Tactile Sensor for Gesture Recognition Using Deep Learning Algorithms. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 25629-25637.	8.0	34
59	Compliant 3D frameworks instrumented with strain sensors for characterization of millimeter-scale engineered muscle tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	30
60	Analysis of an in-plane electromagnetic energy harvester with integrated magnet array. <i>Sensors and Actuators A: Physical</i> , 2014, 219, 38-46.	4.1	29
61	Mechanics of buckled serpentine structures formed via mechanics-guided, deterministic three-dimensional assembly. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 125, 736-748.	4.8	29
62	Fabrication and Deformation of 3D Multilayered Kirigami Microstructures. <i>Small</i> , 2018, 14, e1703852.	10.0	28
63	Soft Human-Machine Interface with Triboelectric Patterns and Archimedes Spiral Electrodes for Enhanced Motion Detection. <i>Advanced Functional Materials</i> , 2021, 31, 2103075.	14.9	26
64	3D Temporary-Magnetized Soft Robotic Structures for Enhanced Energy Harvesting. <i>Advanced Materials</i> , 2021, 33, e2102691.	21.0	23
65	Self-Powered Intelligent Human-Machine Interaction for Handwriting Recognition. <i>Research</i> , 2021, 2021, 4689869.	5.7	21
66	An unmovable single-layer triboelectric generator driven by sliding friction. <i>Nano Energy</i> , 2014, 9, 401-407.	16.0	18
67	Deterministic Integration of Biological and Soft Materials onto 3D Microscale Cellular Frameworks. <i>Advanced Biology</i> , 2017, 1, 1700068.	3.0	18
68	Mechanically Guided Hierarchical Assembly of 3D Mesostructures. <i>Advanced Materials</i> , 2022, 34, e2109416.	21.0	17
69	Integrated, Transparent Silicon Carbide Electronics and Sensors for Radio Frequency Biomedical Therapy. <i>ACS Nano</i> , 2022, 16, 10890-10903.	14.6	17
70	A cubic triboelectric generator as a self-powered orientation sensor. <i>Science China Technological Sciences</i> , 2015, 58, 842-847.	4.0	16
71	A single-electrode wearable triboelectric nanogenerator based on conductive & stretchable fabric. , 2016, , .		13
72	Highly compression-tolerant folded carbon nanotube/paper as solid-state supercapacitor electrode. <i>Micro and Nano Letters</i> , 2016, 11, 586-590.	1.3	12

#	ARTICLE	IF	CITATIONS
73	Thin, Millimeter Scale Fingernail Sensors for Thermal Characterization of Nail Bed Tissue. <i>Advanced Functional Materials</i> , 2018, 28, 1801380.	14.9	12
74	The effect of defects on the cyclic behavior of polymeric 3D kirigami structures. <i>Extreme Mechanics Letters</i> , 2020, 36, 100650.	4.1	11
75	An analytic model of two-level compressive buckling with applications in the assembly of free-standing 3D mesostructures. <i>Soft Matter</i> , 2018, 14, 8828-8837.	2.7	10
76	Mechanics of encapsulated three-dimensional structures for simultaneous sensing of pressure and shear stress. <i>Journal of the Mechanics and Physics of Solids</i> , 2021, 151, 104400.	4.8	10
77	Investigation and characterization of an arc-shaped piezoelectric generator. <i>Science China Technological Sciences</i> , 2013, 56, 2636-2641.	4.0	9
78	Note: A cubic electromagnetic harvester that convert vibration energy from all directions. <i>Review of Scientific Instruments</i> , 2014, 85, 076109.	1.3	9
79	Fabrication and Mechanical Cycling of Polymer Microscale Architectures for 3D MEMS Sensors. <i>Advanced Engineering Materials</i> , 2019, 21, 1801254.	3.5	9
80	Soft Sign Language Interpreter on Your Skin. <i>Matter</i> , 2020, 3, 337-338.	10.0	8
81	Magnetic, conductive textile for multipurpose protective clothing and hybrid energy harvesting. <i>Applied Physics Letters</i> , 2021, 118, .	3.3	7
82	Thermal Conductivity of Graphene Nanoribbons with Regular Isotopic Modification. <i>Journal of Computational and Theoretical Nanoscience</i> , 2014, 11, 348-352.	0.4	6
83	Springless cubic harvester for converting three dimensional vibration energy. , 2014, , .		5
84	A high-efficiency transparent electrification-based generator for harvesting droplet energy. , 2015, , .		5
85	Nanomaterials based flexible devices for monitoring and treatment of cardiovascular diseases (CVDs). <i>Nano Research</i> , 2023, 16, 3939-3955.	10.4	5
86	Fabrication of silicon hierarchical nanopillar arrays based on nanosphere lithography. <i>Micro and Nano Letters</i> , 2014, 9, 655-659.	1.3	3
87	High-density stretchable microelectrode array based on multilayer serpentine interconnections. <i>Journal of Micromechanics and Microengineering</i> , 2022, 32, 084002.	2.6	3
88	Jagged discharge electrodes powered by triboelectric generator. <i>Micro and Nano Letters</i> , 2015, 10, 537-540.	1.3	2
89	A Keyboard-Based r-Shaped Triboelectric Generator for Active Noise-Free Recording. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1782, 29-34.	0.1	0
90	Wafer-level fabrication of a triboelectric energy harvester. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
91	A novel discharge system based on jagged electrodes with controllable spacing. , 2015, , .		0
92	Efficient Manufacturing of Microdome Array for Advanced Electronic and Optical Devicesâ€. , 2021, , .		0