

Scott R Weich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6009768/publications.pdf>

Version: 2024-02-01

88
papers

10,007
citations

61984

43
h-index

51608

86
g-index

90
all docs

90
docs citations

90
times ranked

11963
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrating physical activity into the treatment of depression in adults: A qualitative enquiry. <i>Health and Social Care in the Community</i> , 2022, 30, 1006-1017.	1.6	5
2	Does nature make us happier? A spatial error model of greenspace types and mental wellbeing. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2021, 48, 655-670.	2.0	6
3	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.7	6
4	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.	0.7	4
5	Improving sleep quality leads to better mental health: A meta-analysis of randomised controlled trials. <i>Sleep Medicine Reviews</i> , 2021, 60, 101556.	8.5	240
6	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.	1.4	5
7	How do recovery-oriented interventions contribute to personal mental health recovery? A systematic review and logic model. <i>Clinical Psychology Review</i> , 2020, 76, 101815.	11.4	60
8	Is social media use associated with children's well-being? Results from the UK Household Longitudinal Study. <i>Journal of Adolescence</i> , 2020, 80, 73-83.	2.4	30
9	Use of community treatment orders and their outcomes: an observational study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-76.	1.4	2
10	Understanding the experience of initiating community-based group physical activity by people with serious mental illness: A systematic review using a meta-ethnographic approach. <i>European Psychiatry</i> , 2020, 63, e95.	0.2	16
11	Using patient experience data to support improvements in inpatient mental health care: the EURIPIDES multimethod study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-338.	1.4	6
12	A spatial analysis of proximate greenspace and mental wellbeing in London. <i>Applied Geography</i> , 2019, 109, 102036.	3.7	56
13	Prevalence of non-suicidal self-harm and service contact in England, 2000-14: repeated cross-sectional surveys of the general population. <i>Lancet Psychiatry</i> , 2019, 6, 573-581.	7.4	268
14	Experiences of in-patient mental health services: systematic review. <i>British Journal of Psychiatry</i> , 2019, 214, 329-338.	2.8	79
15	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.	2.2	10
16	A Virtual Agent to Support Individuals Living With Physical and Mental Comorbidities: Co-Design and Acceptability Testing. <i>Journal of Medical Internet Research</i> , 2019, 21, e12996.	4.3	55
17	Evaluating the effects of community treatment orders (CTOs) in England using the Mental Health Services Dataset (MHSDS): protocol for a national, population-based study. <i>BMJ Open</i> , 2018, 8, e024193.	1.9	4
18	The relationship between greenspace and the mental wellbeing of adults: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0203000.	2.5	241

#	ARTICLE	IF	CITATIONS
19	A realist approach to the evaluation of complex mental health interventions. <i>British Journal of Psychiatry</i> , 2018, 213, 451-453.	2.8	23
20	Affective instability in those with and without mental disorders: A case control study. <i>Journal of Affective Disorders</i> , 2018, 241, 492-498.	4.1	16
21	Realist Evaluation of the Use of Patient Experience Data to Improve the Quality of Inpatient Mental Health Care (EURIPIDES) in England: study protocol. <i>BMJ Open</i> , 2018, 8, e021013.	1.9	3
22	Variation in compulsory psychiatric inpatient admission in England: a cross-classified, multilevel analysis. <i>Lancet Psychiatry</i> , 2017, 4, 619-626.	7.4	69
23	A cross-sectional analysis of green space prevalence and mental wellbeing in England. <i>BMC Public Health</i> , 2017, 17, 460.	2.9	44
24	The association between first-episode psychosis and abnormal glycaemic control: systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016, 3, 1049-1058.	7.4	172
25	Rates of voluntary and compulsory psychiatric in-patient treatment in England: An ecological study investigating associations with deprivation and demographics. <i>British Journal of Psychiatry</i> , 2016, 209, 157-161.	2.8	44
26	Melatonin, hypnotics and their association with fracture: a matched cohort study. <i>Age and Ageing</i> , 2016, 45, 801-806.	1.6	20
27	Evaluating sustainability: a retrospective cohort analysis of the Oxfordshire therapeutic community. <i>BMC Psychiatry</i> , 2016, 16, 285.	2.6	5
28	Mental well-being: An important outcome for mental health services?. <i>British Journal of Psychiatry</i> , 2015, 207, 195-197.	2.8	35
29	Interventions to improve therapeutic communications between Black and minority ethnic patients and professionals in psychiatric services: Systematic review. <i>British Journal of Psychiatry</i> , 2015, 207, 95-103.	2.8	29
30	Fitness predicts long-term survival after a cardiovascular event: a prospective cohort study. <i>BMJ Open</i> , 2015, 5, e007772.	1.9	19
31	Interventions designed to improve therapeutic communications between black and minority ethnic people and professionals working in psychiatric services: a systematic review of the evidence for their effectiveness. <i>Health Technology Assessment</i> , 2015, 19, 1-174.	2.8	16
32	Effect of anxiolytic and hypnotic drug prescriptions on mortality hazards: retrospective cohort study. <i>BMJ</i> , 2014, 348, g1996-g1996.	6.0	182
33	Aggression in children with behavioural/emotional difficulties: seeing aggression on television and video games. <i>BMC Psychiatry</i> , 2014, 14, 287.	2.6	7
34	Estimated verbal IQ and the odds of problem gambling: a population-based study. <i>Psychological Medicine</i> , 2014, 44, 1739-1749.	4.5	15
35	Preliminary studies of the ICD-11 classification of personality disorder in practice. <i>Personality and Mental Health</i> , 2014, 8, 254-263.	1.2	57
36	Variation in compulsory psychiatric inpatient admission in England: a cross-sectional, multilevel analysis. <i>Health Services and Delivery Research</i> , 2014, 2, 1-90.	1.4	17

#	ARTICLE	IF	CITATIONS
37	Ethnic inequalities in the use of health services for common mental disorders in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 685-692.	3.1	70
38	The relationship between happiness and intelligent quotient: the contribution of socio-economic and clinical factors. <i>Psychological Medicine</i> , 2013, 43, 1303-1312.	4.5	47
39	The population impact of common mental disorders and long-term physical conditions on disability and hospital admission. <i>Psychological Medicine</i> , 2013, 43, 921-931.	4.5	6
40	In England, a peak in poor mental health in middle-aged people is present only among low-income households. <i>Evidence-Based Mental Health</i> , 2012, 15, 8-8.	4.5	0
41	The contribution of work and non-work stressors to common mental disorders in the 2007 Adult Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2012, 42, 829-842.	4.5	72
42	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012, 35, 377-384.	1.1	139
43	Experiences of acute mental health care in an ethnically diverse inner city: qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 119-128.	3.1	25
44	Latent class analysis of co-morbidity in the Adult Psychiatric Morbidity Survey in England 2007: implications for DSM-5 and ICD-11. <i>Psychological Medicine</i> , 2011, 41, 2201-2212.	4.5	39
45	Mental well-being and mental illness: findings from the Adult Psychiatric Morbidity Survey for England 2007. <i>British Journal of Psychiatry</i> , 2011, 199, 23-28.	2.8	117
46	Mixed anxiety and depressive disorder outcomes: prospective cohort study in primary care. <i>British Journal of Psychiatry</i> , 2011, 198, 472-478.	2.8	27
47	Therapist-delivered internet psychotherapy for depression in primary care: a randomised controlled trial. <i>Lancet, The</i> , 2009, 374, 628-634.	13.7	340
48	Family relationships in childhood and common psychiatric disorders in later life: systematic review of prospective studies. <i>British Journal of Psychiatry</i> , 2009, 194, 392-398.	2.8	190
49	Debt, income and mental disorder in the general population. <i>Psychological Medicine</i> , 2008, 38, 1485-1493.	4.5	277
50	Prevalence of common mental disorders in general practice attendees across Europe. <i>British Journal of Psychiatry</i> , 2008, 192, 362-367.	2.8	227
51	Help-seeking preferences for psychological distress in primary care. <i>British Journal of General Practice</i> , 2008, 58, 694-698.	1.4	39
52	Depression and socio-economic risk factors: 7-year longitudinal population study. <i>British Journal of Psychiatry</i> , 2007, 190, 293-298.	2.8	376
53	Attitudes to depression and its treatment in primary care. <i>Psychological Medicine</i> , 2007, 37, 1239-1248.	4.5	29
54	Treatment of depression in primary care. <i>British Journal of Psychiatry</i> , 2007, 191, 164-169.	2.8	28

#	ARTICLE	IF	CITATIONS
55	Social Capital and Mental Health. Edited by Kwame Mc Kenzie & Trudy Harpham. Jessica Kingsley Publishers. 2006. 176pp. £25.00 (pb). ISBN 1843103559. British Journal of Psychiatry, 2007, 190, 278-278.	2.8	0
56	Can the 12-item General Health Questionnaire be used to measure positive mental health?. Psychological Medicine, 2007, 37, 1005-1013.	4.5	152
57	The Stigma Scale: development of a standardised measure of the stigma of mental illness. British Journal of Psychiatry, 2007, 190, 248-254.	2.8	266
58	The Warwick-Edinburgh Mental Well-being Scale (WEMWBS): development and UK validation. Health and Quality of Life Outcomes, 2007, 5, 63.	2.4	2,787
59	Socio-economic position and common mental disorders. British Journal of Psychiatry, 2006, 189, 109-117.	2.8	170
60	Religion, mental health and ethnicity. EMPIRIC – A national survey of England. Journal of Mental Health, 2006, 15, 153-162.	1.9	33
61	Rural/non-rural differences in rates of common mental disorders in Britain. British Journal of Psychiatry, 2006, 188, 51-57.	2.8	101
62	Geographical variation in rates of common mental disorders in Britain: Prospective cohort study. British Journal of Psychiatry, 2005, 187, 29-34.	2.8	62
63	Racism, psychosis and common mental disorder among ethnic minority groups in England. Psychological Medicine, 2005, 35, 1795-1803.	4.5	189
64	Primary group size, social support, gender and future mental health status in a prospective study of people living in private households throughout Great Britain. Psychological Medicine, 2005, 35, 705-714.	4.5	52
65	Psychotic symptoms in the general population of England. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 375-381.	3.1	79
66	Measuring Physical Characteristics of Housing: The Built Environment Site Survey Checklist (BESSC). Environment and Planning B: Planning and Design, 2005, 32, 265-280.	1.7	18
67	Stigma: the feelings and experiences of 46 people with mental illness. British Journal of Psychiatry, 2004, 184, 176-181.	2.8	336
68	Common mental disorders and ethnicity in England: the EMPIRIC Study. Psychological Medicine, 2004, 34, 1543-1551.	4.5	177
69	International and regional variation in the prevalence of common mental disorders: do we need more surveys?. British Journal of Psychiatry, 2004, 184, 289-290.	2.8	35
70	Computerised patient-specific guidelines for management of common mental disorders in primary care: a randomised controlled trial. British Journal of General Practice, 2004, 54, 832-7.	1.4	20
71	Dysfunctional attitudes and the common mental disorders in primary care. Journal of Affective Disorders, 2003, 75, 269-278.	4.1	26
72	Geographic Variation in the Prevalence of Common Mental Disorders in Britain: A Multilevel Investigation. American Journal of Epidemiology, 2003, 157, 730-737.	3.4	95

#	ARTICLE	IF	CITATIONS
73	Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 616-621.	3.7	100
74	Social capital and mental health. <i>British Journal of Psychiatry</i> , 2002, 181, 280-283.	2.8	365
75	Income inequality and self rated health in Britain. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 436-441.	3.7	65
76	Mental health and the built environment: Cross sectional survey of individual and contextual risk factors for depression. <i>British Journal of Psychiatry</i> , 2002, 180, 428-433.	2.8	257
77	Social roles and the gender difference in rates of the common mental disorders in Britain: a 7-year, population-based cohort study. <i>Psychological Medicine</i> , 2001, 31, 1055-1064.	4.5	43
78	Income inequality and the prevalence of common mental disorders in Britain. <i>British Journal of Psychiatry</i> , 2001, 178, 222-227.	2.8	153
79	Measuring the built environment: validity of a site survey instrument for use in urban settings. <i>Health and Place</i> , 2001, 7, 283-292.	3.3	81
80	HIV-associated brain pathology: a comparative international study. <i>Neuropathology and Applied Neurobiology</i> , 1998, 24, 118-124.	3.2	31
81	Social roles and gender difference in the prevalence of common mental disorders. <i>British Journal of Psychiatry</i> , 1998, 173, 489-493.	2.8	57
82	Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain. <i>Journal of Epidemiology and Community Health</i> , 1998, 52, 8-14.	3.7	153
83	The comparison of latent variable models of non-psychotic psychiatric morbidity in four culturally diverse populations. <i>Psychological Medicine</i> , 1998, 28, 145-152.	4.5	52
84	Strategies for the prevention of psychiatric disorder in primary care in south London.. <i>Journal of Epidemiology and Community Health</i> , 1997, 51, 304-309.	3.7	4
85	EDITORIAL. <i>Psychological Medicine</i> , 1997, 27, 757-764.	4.5	52
86	Do socio-economic risk factors predict the incidence and maintenance of psychiatric disorder in primary care?. <i>Psychological Medicine</i> , 1997, 27, 73-80.	4.5	45
87	Effect of Early Life Experiences and Personality on the Reporting of Psychosocial Distress in General Practice: A Preliminary Investigation. <i>British Journal of Psychiatry</i> , 1996, 168, 116-120.	2.8	16
88	Mental health care costs: paucity of measurement. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 70-77.	3.1	19