

Felix K Niggli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6010036/publications.pdf>

Version: 2024-02-01

181
papers

9,655
citations

53794

45
h-index

42399

92
g-index

183
all docs

183
docs citations

183
times ranked

12947
citing authors

#	ARTICLE	IF	CITATIONS
1	CD4 ⁺ T cells are found within endemic Burkitt lymphoma and modulate Burkitt lymphoma precursor cell viability and expression of pathogenically relevant Epstein-Barr virus genes. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 1371-1392.	4.2	3
2	Long-Term Clinical Outcome and Prognostic Factors of Children and Adolescents with Localized Rhabdomyosarcoma Treated on the CWS-2002P Protocol. <i>Cancers</i> , 2022, 14, 899.	3.7	14
3	Inhibition of HDACs reduces Ewing sarcoma tumor growth through EWS-FLI1 protein destabilization. <i>Neoplasia</i> , 2022, 27, 100784.	5.3	3
4	Long-term results from the multicentric European randomized phase 3 trial CWS/RMS-06 for localized high-risk soft tissue sarcoma in children, adolescents, and young adults. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29691.	1.5	11
5	CRISPR activation screen identifies TGF β ² -associated PEG10 as a crucial tumor suppressor in Ewing sarcoma. <i>Scientific Reports</i> , 2022, 12, .	3.3	0
6	Second malignancies after treatment of childhood non-Hodgkin lymphoma: a report of the Berlin-Frankfurt-Muenster study group. <i>Haematologica</i> , 2021, 106, 1390-1400.	3.5	5
7	Support of BCP-ALL-cells by autologous bone marrow Th-cells involves induction of AID expression but not widespread AID off-target mutagenesis. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2275-2289.	4.2	3
8	Treatment and Outcome Analysis of 639 Relapsed Non-Hodgkin Lymphomas in Children and Adolescents and Resulting Treatment Recommendations. <i>Cancers</i> , 2021, 13, 2075.	3.7	23
9	Extraskeletal Ewing sarcoma in children, adolescents, and young adults. An analysis of three prospective studies of the Cooperative Weichteilsarkomstudiengruppe (CWS). <i>Pediatric Blood and Cancer</i> , 2021, 68, e29145.	1.5	11
10	The effect of adjuvant therapies on long-term outcome for primary resected synovial sarcoma in a series of mainly children and adolescents. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3735-3747.	2.5	3
11	Treatment of children with acute lymphoblastic leukemia in Cambodia. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29184.	1.5	2
12	Infantile myofibromatosis: Excellent prognosis but also rare fatal progressive disease. Treatment results of five Cooperative Weichteilsarkom Studiengruppe (CWS) trials and one registry. <i>Pediatric Blood and Cancer</i> , 2021, , e29403.	1.5	5
13	The impact of local control in the treatment of children with advanced infantile and adult-type fibrosarcoma: Experience of the cooperative weichteilsarkom studiengruppe (CWS). <i>Journal of Pediatric Surgery</i> , 2020, 55, 1740-1747.	1.6	16
14	Low-grade fibromyxoid sarcoma: A report of the Cooperative Weichteilsarkom Studiengruppe (CWS). <i>Pediatric Blood and Cancer</i> , 2020, 67, e28009.	1.5	8
15	Randomized post-induction and delayed intensification therapy in high-risk pediatric acute lymphoblastic leukemia: long-term results of the international AIEOP-BFM ALL 2000 trial. <i>Leukemia</i> , 2020, 34, 1694-1700.	7.2	24
16	Endothelial cell malignancies in infants, children and adolescents: Treatment results of three Cooperative Weichteilsarkom Studiengruppe (CWS) trials and one registry. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28095.	1.5	5
17	39.0°C versus 38.5°C ear temperature as fever limit in children with neutropenia undergoing chemotherapy for cancer: a multicentre, cluster-randomised, multiple-crossover, non-inferiority trial. <i>The Lancet Child and Adolescent Health</i> , 2020, 4, 495-502.	5.6	11
18	Malignant peripheral nerve sheath tumors in children, adolescents, and young adults: Treatment results of five Cooperative Weichteilsarkom Studiengruppe (CWS) trials and one registry. <i>Journal of Surgical Oncology</i> , 2020, 122, 1337-1347.	1.7	6

#	ARTICLE	IF	CITATIONS
19	The hematopoietic stem cell marker VNN2 is associated with chemoresistance in pediatric B-cell precursor ALL. <i>Blood Advances</i> , 2020, 4, 4052-4064.	5.2	5
20	Phenotypic profiling with a living biobank of primary rhabdomyosarcoma unravels disease heterogeneity and AKT sensitivity. <i>Nature Communications</i> , 2020, 11, 4629.	12.8	32
21	Dermatofibrosarcoma protuberans in children and adolescents: Primary and Relapsed disease – Experience of the Cooperative Weichteilsarkomstudiengruppe (CWS). <i>Journal of Surgical Oncology</i> , 2020, 122, 263-272.	1.7	6
22	Synovial sarcoma disease characteristics and primary tumor sites differ between patient age groups: a report of the Cooperative Weichteilsarkom Studiengruppe (CWS). <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 953-960.	2.5	10
23	Outcome of adolescent patients with acute lymphoblastic leukaemia aged 10–14 years as compared with those aged 15–17 years: Long-term results of 1094 patients of the AIEOP-BFM ALL 2000 study. <i>European Journal of Cancer</i> , 2019, 122, 61-71.	2.8	14
24	Desmoplastic small round cell tumors: Multimodality treatment and new risk factors. <i>Cancer Medicine</i> , 2019, 8, 527-542.	2.8	39
25	USP19 deubiquitinates EWS-FLI1 to regulate Ewing sarcoma growth. <i>Scientific Reports</i> , 2019, 9, 951.	3.3	28
26	Rhabdomyosarcoma – Diagnosed in the first year of life: Localized, metastatic, and relapsed disease. Outcome data from five trials and one registry of the Cooperative Weichteilsarkom Studiengruppe (CWS). <i>Pediatric Blood and Cancer</i> , 2019, 66, e27652.	1.5	17
27	Bone marrow T helper cells with a Th1 phenotype induce activation and proliferation of leukemic cells in precursor B acute lymphoblastic leukemia patients. <i>Oncogene</i> , 2019, 38, 2420-2431.	5.9	5
28	Localized synovial sarcoma of the foot or ankle: A series of 32 Cooperative Weichteilsarkom Study Group patients. <i>Journal of Surgical Oncology</i> , 2019, 119, 109-119.	1.7	10
29	Incidence of Hypersensitivity Reactions (HSR) to Peg-Asparaginase (PEG-ASP) in 6136 Patients Treated in the AIEOP-BFM ALL 2009 Study Protocol. <i>Blood</i> , 2019, 134, 2589-2589.	1.4	5
30	High-dose treatment for malignant rhabdoid tumor of the kidney: No evidence for improved survival – The Gesellschaft für Pädiatrische Onkologie und Hämatologie (GPOH) experience. <i>Pediatric Blood and Cancer</i> , 2018, 65, e26746.	1.5	35
31	Palliative care in Swiss pediatric oncology settings: a retrospective analysis of medical records. <i>Supportive Care in Cancer</i> , 2018, 26, 2707-2715.	2.2	10
32	Inflammatory myofibroblastic tumors – A retrospective analysis of the Cooperative Weichteilsarkom Studiengruppe. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27012.	1.5	38
33	Spatial clustering of childhood cancers in Switzerland: a nationwide study. <i>Cancer Causes and Control</i> , 2018, 29, 353-362.	1.8	9
34	Excellent outcome with limited treatment in paediatric patients with marginal zone lymphoma. <i>British Journal of Haematology</i> , 2018, 182, 735-739.	2.5	12
35	Reduced-Intensity Delayed Intensification in Standard-Risk Pediatric Acute Lymphoblastic Leukemia Defined by Undetectable Minimal Residual Disease: Results of an International Randomized Trial (AIEOP-BFM ALL 2000). <i>Journal of Clinical Oncology</i> , 2018, 36, 244-253.	1.6	71
36	Addition of dose-intensified doxorubicin to standard chemotherapy for rhabdomyosarcoma (EpSSG) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 19, 1061-1071.	10.7	137

#	ARTICLE	IF	CITATIONS
37	Alveolar soft-part sarcoma: Primary metastatic disease and metastatic relapse occurring during long-term follow-up. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27405.	1.5	16
38	Results for patients with sarcoma not otherwise specified and other diagnoses than Ewing sarcoma treated according to the EuroEWING 99 trial. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26524.	1.5	4
39	Spatial clustering of childhood leukaemia in Switzerland: A nationwide study. <i>International Journal of Cancer</i> , 2017, 141, 1324-1332.	5.1	12
40	Parents' and Physicians' Perceptions of Children's Participation in Decision-making in Paediatric Oncology: A Quantitative Study. <i>Journal of Bioethical Inquiry</i> , 2017, 14, 555-565.	1.5	13
41	Space-Time Clustering of Childhood Leukemia: Evidence of an Association with ETV6-RUNX1 (TEL-AML1) Fusion. <i>PLoS ONE</i> , 2017, 12, e0170020.	2.5	7
42	Ewing's Sarcoma as a Second Malignancy in Long-Term Survivors of Childhood Hematologic Malignancies. <i>Sarcoma</i> , 2016, 2016, 1-11.	1.3	15
43	Risk stratification in febrile neutropenic episodes in adolescent/young adult patients with cancer. <i>European Journal of Cancer</i> , 2016, 64, 101-106.	2.8	15
44	Socioeconomic disparities in childhood cancer survival in Switzerland. <i>International Journal of Cancer</i> , 2016, 138, 2856-2866.	5.1	39
45	Primary Metastatic Synovial Sarcoma: Experience of the CWS Study Group. <i>Pediatric Blood and Cancer</i> , 2016, 63, 1198-1206.	1.5	37
46	Non-Hodgkin lymphoma and pre-existing conditions: spectrum, clinical characteristics and outcome in 213 children and adolescents. <i>Haematologica</i> , 2016, 101, 1581-1591.	3.5	58
47	Dexamethasone vs prednisone in induction treatment of pediatric ALL: results of the randomized trial AIEOP-BFM ALL 2000. <i>Blood</i> , 2016, 127, 2101-2112.	1.4	208
48	Putting patient participation into practice in pediatrics—results from a qualitative study in pediatric oncology. <i>European Journal of Pediatrics</i> , 2016, 175, 1147-1155.	2.7	32
49	Proteasomal Degradation of the EWS-FLI1 Fusion Protein Is Regulated by a Single Lysine Residue. <i>Journal of Biological Chemistry</i> , 2016, 291, 26922-26933.	3.4	23
50	Temporal association between childhood leukaemia and population growth in Swiss municipalities. <i>European Journal of Epidemiology</i> , 2016, 31, 763-774.	5.7	1
51	Pencil Beam Scanning Proton Therapy for Pediatric Parameningeal Rhabdomyosarcomas: Clinical Outcome of Patients Treated at the Paul Scherrer Institute. <i>Pediatric Blood and Cancer</i> , 2016, 63, 1731-1736.	1.5	34
52	Reduced Intensity Delayed Intensification in Standard-Risk Patients Defined By Minimal Residual Disease in Childhood Acute Lymphoblastic Leukemia: Results of an International Randomized Trial in 1164 Patients (Trial AIEOP-BFM ALL 2000). <i>Blood</i> , 2016, 128, 4-4.	1.4	6
53	Targeting the EWS-ETS transcriptional program by BET bromodomain inhibition in Ewing sarcoma. <i>Oncotarget</i> , 2016, 7, 1451-1463.	1.8	48
54	Parents' and patients' experiences with paediatric oncology care in Switzerland—satisfaction and some hurdles. <i>Swiss Medical Weekly</i> , 2016, 146, w14309.	1.6	15

#	ARTICLE	IF	CITATIONS
55	Tumour volume reduction after neoadjuvant chemotherapy impacts outcome in localised embryonal rhabdomyosarcoma. <i>Pediatric Blood and Cancer</i> , 2015, 62, 16-23.	1.5	26
56	Mutations in the SIX1/2 Pathway and the DROSHA/DGCR8 miRNA Microprocessor Complex Underlie High-Risk Blastemal Type Wilms Tumors. <i>Cancer Cell</i> , 2015, 27, 298-311.	16.8	248
57	Decision-making capacity of children and adolescentsâ€™ suggestions for advancing the conceptâ€™s implementation in pediatric healthcare. <i>European Journal of Pediatrics</i> , 2015, 174, 775-782.	2.7	57
58	Genomics and drug profiling of fatal TCF3-HLFâ€”positive acute lymphoblastic leukemia identifies recurrent mutation patterns and therapeutic options. <i>Nature Genetics</i> , 2015, 47, 1020-1029.	21.4	190
59	Background Ionizing Radiation and the Risk of Childhood Cancer: A Census-Based Nationwide Cohort Study. <i>Environmental Health Perspectives</i> , 2015, 123, 622-628.	6.0	107
60	Nonâ€”anaplastic peripheral Tâ€”cell lymphoma in children and adolescents â€” a retrospective analysis of the <sc>NHL</sc>â€”<sc>BFM</sc> study group. <i>British Journal of Haematology</i> , 2015, 168, 835-844.	2.5	42
61	Population mixing and the risk of childhood leukaemia in Switzerland: a census-based cohort study. <i>European Journal of Epidemiology</i> , 2015, 30, 1287-1298.	5.7	9
62	PI3K/AKT signaling modulates transcriptional expression of EWS/FLI1 through specificity protein 1. <i>Oncotarget</i> , 2015, 6, 28895-28910.	1.8	21
63	Pretreatment for Bilateral Nephroblastomatosis is an Independent Risk Factor for Progressive Disease in Patients with Stage V Nephroblastoma. <i>Klinische Padiatrie</i> , 2014, 226, 175-181.	0.6	29
64	FGFR4 signaling couples to Bim and not Bmf to discriminate subsets of alveolar rhabdomyosarcoma cells. <i>International Journal of Cancer</i> , 2014, 135, 1543-1552.	5.1	21
65	Malignant rhabdoid tumor of the kidney: significantly improved response to pre-operative treatment intensified with doxorubicin. <i>Cancer Genetics</i> , 2014, 207, 434-436.	0.4	14
66	A Prospective Multicenter Study of Microbiologically Defined Infections in Pediatric Cancer Patients With Fever and Neutropenia. <i>Pediatric Infectious Disease Journal</i> , 2014, 33, e219-e225.	2.0	32
67	Mental health-care utilization in survivors of childhood cancer and siblings: the Swiss childhood cancer survivor study. <i>Supportive Care in Cancer</i> , 2014, 22, 339-349.	2.2	20
68	Treatment and Outcome of Patients Suffering From Perineal/Perianal Rhabdomyosarcoma. <i>Annals of Surgery</i> , 2014, 259, 1166-1172.	4.2	27
69	Relapsed or Refractory Burkitt Lymphoma in Children and Adolescents after BFM-Type First-Line Therapy - a BFM Group Report. <i>Blood</i> , 2014, 124, 1738-1738.	1.4	2
70	Exploring the Association of Hemoglobin Level and Adverse Events in Children with Cancer Presenting with Fever in Neutropenia. <i>PLoS ONE</i> , 2014, 9, e101696.	2.5	7
71	Invasive Fungal Infections in Pediatric Acute Lymphoblastic Leukemia: Incidence, Characterization, Outcome and Risk Analysis of Study ALL-BFM 2000. <i>Blood</i> , 2014, 124, 3658-3658.	1.4	0
72	Children and adolescents with follicular lymphoma have an excellent prognosis with either limited chemotherapy or with a â€”watch and waitâ€”strategy after complete resection. <i>Annals of Hematology</i> , 2013, 92, 1537-1541.	1.8	65

#	ARTICLE	IF	CITATIONS
73	Use of Allogeneic Hematopoietic Stem-Cell Transplantation Based on Minimal Residual Disease Response Improves Outcomes for Children With Relapsed Acute Lymphoblastic Leukemia in the Intermediate-Risk Group. <i>Journal of Clinical Oncology</i> , 2013, 31, 2736-2742.	1.6	149
74	Incidence and prognostic relevance of genetic variations in T-cell lymphoblastic lymphoma in childhood and adolescence. <i>Blood</i> , 2013, 121, 3153-3160.	1.4	105
75	Port-A-Cath-Related Thrombosis and Postthrombotic Syndrome in Pediatric Oncology Patients. <i>Journal of Pediatrics</i> , 2013, 163, 1340-1346.	1.8	40
76	Prediction of Outcome by Early Response in Childhood Acute Lymphoblastic Leukemia. <i>Klinische Padiatrie</i> , 2013, 225, S50-S56.	0.6	10
77	Key Treatment Questions in Childhood Acute Lymphoblastic Leukemia: Results in 5 Consecutive Trials Performed by the ALL-BFM Study Group From 1981 to 2000. <i>Klinische Padiatrie</i> , 2013, 225, S62-S72.	0.6	36
78	Serum Concentrations of Mannan-Binding Lectin (MBL) and MBL-Associated Serine Protease-2 and the Risk of Adverse Events in Pediatric Patients With Cancer and Fever in Neutropenia. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2013, 2, 155-161.	1.3	3
79	Treatment of Children and Adolescents With Hodgkin Lymphoma Without Radiotherapy for Patients in Complete Remission After Chemotherapy: Final Results of the Multinational Trial GPOH-HD95. <i>Journal of Clinical Oncology</i> , 2013, 31, 1562-1568.	1.6	127
80	Different fever definitions and the rate of fever and neutropenia diagnosed in children with cancer: A retrospective two-center cohort study. <i>Pediatric Blood and Cancer</i> , 2013, 60, 799-805.	1.5	21
81	Cohort Profile: The Swiss Childhood Cancer Survivor Study. <i>International Journal of Epidemiology</i> , 2012, 41, 1553-1564.	1.9	128
82	Lineage Specification of Parietal Epithelial Cells Requires β -Catenin/Wnt Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 63-72.	6.1	66
83	Prediction of outcome by early bone marrow response in childhood acute lymphoblastic leukemia treated in the ALL-BFM 95 trial: differential effects in precursor B-cell and T-cell leukemia. <i>Haematologica</i> , 2012, 97, 1048-1056.	3.5	57
84	Serious medical complications in children with cancer and fever in chemotherapy-induced neutropenia: Results of the prospective multicenter SPOG 2003 FN study. <i>Pediatric Blood and Cancer</i> , 2012, 59, 90-95.	1.5	17
85	First-day step-down to oral outpatient treatment versus continued standard treatment in children with cancer and low-risk fever in neutropenia. A randomized controlled trial within the multicenter SPOG 2003 FN study. <i>Pediatric Blood and Cancer</i> , 2012, 59, 423-430.	1.5	36
86	Small-molecule screen identifies modulators of EWS/FLI1 target gene expression and cell survival in Ewing's sarcoma. <i>International Journal of Cancer</i> , 2012, 131, 2153-2164.	5.1	65
87	Health-Related Quality of Life in Long-Term Survivors of Relapsed Childhood Acute Lymphoblastic Leukemia. <i>PLoS ONE</i> , 2012, 7, e38015.	2.5	36
88	Follow-up care amongst long-term childhood cancer survivors: A report from the Swiss Childhood Cancer Survivor Study. <i>European Journal of Cancer</i> , 2011, 47, 221-229.	2.8	42
89	Antibody levels against tetanus and diphtheria after polychemotherapy for childhood sarcoma: A report from the Late Effects Surveillance System. <i>Vaccine</i> , 2011, 29, 1565-1568.	3.8	12
90	CD133 Positive Embryonal Rhabdomyosarcoma Stem-Like Cell Population Is Enriched in Rhabdospheres. <i>PLoS ONE</i> , 2011, 6, e19506.	2.5	111

#	ARTICLE	IF	CITATIONS
91	Predicting Bacteremia in Children With Cancer and Fever in Chemotherapy-induced Neutropenia. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, e114-e119.	2.0	60
92	Xenografts of highly resistant leukemia recapitulate the clonal composition of the leukemogenic compartment. <i>Blood</i> , 2011, 118, 1854-1864.	1.4	73
93	Non-Hodgkin's lymphoma in adolescents: experiences in 378 adolescent NHL patients treated according to pediatric NHL-BFM protocols. <i>Leukemia</i> , 2011, 25, 153-160.	7.2	86
94	Generation of a novel <i>Pax2</i> transgenic mouse to induce time-controlled, tissue-specific alterations in <i>Pax2</i> -expressing cells. <i>Genesis</i> , 2011, 49, 797-802.	1.6	6
95	Major Improvement of Outcome in Pediatric High-Risk Acute Lymphoblastic Leukemia by Addition of BFM Chemotherapy Element –Phase I: A Comparative Data Analysis of Trials ALL-BFM 95 and ALL-BFM 2000. <i>Blood</i> , 2011, 118, 1504-1504.	1.4	5
96	Mannan-binding lectin (MBL) and MBL-associated serine protease-2 in children with cancer. <i>Swiss Medical Weekly</i> , 2011, 141, w13191.	1.6	19
97	Long-Term Outcome in Children With Relapsed Acute Lymphoblastic Leukemia After Time-Point and Site-of-Relapse Stratification and Intensified Short-Course Multidrug Chemotherapy: Results of Trial ALL-REZ BFM 90. <i>Journal of Clinical Oncology</i> , 2010, 28, 2339-2347.	1.6	265
98	Access to specialized pediatric cancer care in Switzerland. <i>Pediatric Blood and Cancer</i> , 2010, 54, 721-727.	1.5	11
99	Prognostic relevance of <i>dic(9;20)(p11;q13)</i> in childhood B-cell precursor acute lymphoblastic leukaemia treated with Berlin-Frankfurt-Münster (BFM) protocols containing an intensive induction and post-induction consolidation therapy. <i>British Journal of Haematology</i> , 2010, 149, 93-100.	2.5	18
100	p21 Downregulation is an important component of PAX3/FKHR oncogenicity and its reactivation by HDAC inhibitors enhances combination treatment. <i>Oncogene</i> , 2010, 29, 3942-3952.	5.9	29
101	Long-term results of five consecutive trials in childhood acute lymphoblastic leukemia performed by the ALL-BFM study group from 1981 to 2000. <i>Leukemia</i> , 2010, 24, 265-284.	7.2	431
102	Family Characteristics as Risk Factors for Childhood Acute Lymphoblastic Leukemia: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2010, 5, e13156.	2.5	9
103	Predicting Adverse Events in Children With Fever and Chemotherapy-Induced Neutropenia: The Prospective Multicenter SPOG 2003 FN Study. <i>Journal of Clinical Oncology</i> , 2010, 28, 2008-2014.	1.6	140
104	Nuclear Accumulation of β -Catenin Protein Indicates Activation of wnt Signaling in Chemically Induced Rat Nephroblastomas. <i>Pediatric and Developmental Pathology</i> , 2010, 13, 1-8.	1.0	17
105	Immunity Against Tetanus and Diphtheria After Childhood Sarcoma Treatment. <i>Klinische Padiatrie</i> , 2010, 222, 196-196.	0.6	2
106	Molecular response to treatment redefines all prognostic factors in children and adolescents with B-cell precursor acute lymphoblastic leukemia: results in 3184 patients of the AIEOP-BFM ALL 2000 study. <i>Blood</i> , 2010, 115, 3206-3214.	1.4	685
107	Multidisciplinary management of childhood sarcoma: time to expand. <i>Expert Review of Anticancer Therapy</i> , 2010, 10, 1163-1166.	2.4	0
108	Induction of autophagy-dependent necroptosis is required for childhood acute lymphoblastic leukemia cells to overcome glucocorticoid resistance. <i>Journal of Clinical Investigation</i> , 2010, 120, 1310-1323.	8.2	287

#	ARTICLE	IF	CITATIONS
109	Furin Targeted Drug Delivery for Treatment of Rhabdomyosarcoma in a Mouse Model. PLoS ONE, 2010, 5, e10445.	2.5	31
110	Heterogeneity of the MYCN Oncogene in Neuroblastoma. Clinical Cancer Research, 2009, 15, 2085-2090.	7.0	52
111	Non-classical karyotypic features in relapsed childhood B-cell precursor acute lymphoblastic leukemia. Cancer Genetics and Cytogenetics, 2009, 189, 29-36.	1.0	5
112	Identification of a rhabdomyosarcoma targeting peptide by phage display with sequence similarities to the tumour lymphatic-homing peptide LyP α 1. International Journal of Cancer, 2009, 124, 2026-2032.	5.1	28
113	Prognosis in pediatric hematologic malignancies is associated with serum concentration of mannose-binding lectin-associated serine protease-2 (MASP-2). Pediatric Blood and Cancer, 2009, 53, 53-57.	1.5	21
114	Cytogenetic characterization of childhood acute lymphoblastic leukemia in Nicaragua. Pediatric Blood and Cancer, 2009, 53, 1238-1241.	1.5	12
115	Immunohistochemical detection of EGFR, fibrillin-2, P-cadherin and AP2 β as biomarkers for rhabdomyosarcoma diagnostics. Histopathology, 2009, 54, 873-879.	2.9	40
116	The Wnt receptor FZD1 mediates chemoresistance in neuroblastoma through activation of the Wnt/ β -catenin pathway. Oncogene, 2009, 28, 2245-2256.	5.9	163
117	Leukemia-Initiating Cells Are Frequent in Very High Risk Childhood Acute Lymphoblastic Leukemia and Give Rise to Relatively Stable Phenotypes in Immunodeficient Mice.. Blood, 2009, 114, 86-86.	1.4	2
118	A psychoeducational intervention reduces the need for anesthesia during radiotherapy for young childhood cancer patients. Radiation Oncology, 2008, 3, 17.	2.7	35
119	SKY reveals a high frequency of unbalanced translocations involving chromosome 6 in t(12;21)-positive acute lymphoblastic leukemia. Leukemia Research, 2008, 32, 39-43.	0.8	11
120	Minimal residual disease-directed risk stratification using real-time quantitative PCR analysis of immunoglobulin and T-cell receptor gene rearrangements in the international multicenter trial AIEOP-BFM ALL 2000 for childhood acute lymphoblastic leukemia. Leukemia, 2008, 22, 771-782.	7.2	339
121	An efficient and versatile system for acute and chronic modulation of renal tubular function in transgenic mice. Nature Medicine, 2008, 14, 979-984.	30.7	253
122	Karyotypic characterization of infant embryonal rhabdomyosarcoma. Cancer Genetics and Cytogenetics, 2008, 180, 145-148.	1.0	0
123	Phosphorylation Regulates Transcriptional Activity of PAX3/FKHR and Reveals Novel Therapeutic Possibilities. Cancer Research, 2008, 68, 3767-3776.	0.9	49
124	Initial Patient Characteristics Can Predict Pattern and Risk of Relapse in Localized Rhabdomyosarcoma. Journal of Clinical Oncology, 2008, 26, 406-413.	1.6	101
125	Anemia and survival in childhood acute lymphoblastic leukemia. Haematologica, 2008, 93, 1652-1657.	3.5	14
126	Risk-adjusted therapy of acute lymphoblastic leukemia can decrease treatment burden and improve survival: treatment results of 2169 unselected pediatric and adolescent patients enrolled in the trial ALL-BFM 95. Blood, 2008, 111, 4477-4489.	1.4	511

#	ARTICLE	IF	CITATIONS
127	Conservative Management of Acute Appendicitis in Children With Hematologic Malignancies During Chemotherapy-induced Neutropenia. <i>Journal of Pediatric Hematology/Oncology</i> , 2008, 30, 464-467.	0.6	39
128	Dexamethasone in Induction Can Eliminate One Third of All Relapses in Childhood Acute Lymphoblastic Leukemia (ALL): Results of An International Randomized Trial in 3655 Patients (Trial AIEOP-BFM ALL) <i>Tj ETQq0 0 0 rgt /Overbook 10 Tf 5</i>	0.8	10
129	Prevalence, Clinical Pattern, and Outcome of CNS Involvement in Childhood and Adolescent Non-Hodgkin's Lymphoma Differ by Non-Hodgkin's Lymphoma Subtype: A Berlin-Frankfurt-MÃ¼nster Group Report. <i>Journal of Clinical Oncology</i> , 2007, 25, 3915-3922.	1.6	99
130	Low-dose arsenic trioxide sensitizes glucocorticoid-resistant acute lymphoblastic leukemia cells to dexamethasone via an Akt-dependent pathway. <i>Blood</i> , 2007, 110, 2084-2091.	1.4	53
131	Characterization of high-hyperdiploidy in childhood acute lymphoblastic leukemia with gain of a single chromosome 21. <i>Leukemia and Lymphoma</i> , 2007, 48, 2457-2460.	1.3	2
132	Loss of i(8)(q10) at relapse in two cases of childhood acute myeloid leukaemia. <i>Leukemia and Lymphoma</i> , 2007, 48, 1045-1047.	1.3	1
133	Spot-scanning proton therapy for malignant soft tissue tumors in childhood: First experiences at the Paul Scherrer Institute. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 497-504.	0.8	75
134	Comparative expression profiling identifies an in vivo target gene signature with TFAP2B as a mediator of the survival function of PAX3/FKHR. <i>Oncogene</i> , 2007, 26, 7267-7281.	5.9	84
135	Immune activation suppresses initiation of lytic Epstein-Barr virus infection. <i>Cellular Microbiology</i> , 2007, 9, 2055-2069.	2.1	30
136	Clinical characteristics and treatment outcome of infants with non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2007, 139, 070916051811006-???	2.5	26
137	Array comparative genomic hybridization reveals unbalanced gain of the MYCN region in Wilms tumors. <i>Cancer Genetics and Cytogenetics</i> , 2007, 172, 61-65.	1.0	23
138	The prognostic significance of cytogenetic aberrations in childhood acute myeloid leukaemia. A study of the Swiss Paediatric Oncology Group (SPOG). <i>European Journal of Haematology</i> , 2007, 78, 468-476.	2.2	39
139	Real-time broad-range PCR versus blood culture. A prospective pilot study in pediatric cancer patients with fever and neutropenia. <i>Supportive Care in Cancer</i> , 2007, 15, 637-641.	2.2	12
140	Prognostic Impact of Minimal Residual Disease (MRD) in Children Is Different in B or T Lineage Acute Lymphoblastic Leukemia: Results of Trial AIEOP-BFM ALL 2000.. <i>Blood</i> , 2007, 110, 1425-1425.	1.4	2
141	Quantitative profiling of housekeeping and Epstein-Barr virus gene transcription in Burkitt lymphoma cell lines using an oligonucleotide microarray. <i>Virology Journal</i> , 2006, 3, 43.	3.4	30
142	Health-related quality of life in children with newly diagnosed cancer: a one year follow-up study. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 63.	2.4	110
143	A t(12;17)(p13;q12) identifies a distinct TEL rearrangement-negative subtype of precursor-B acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006, 165, 64-69.	1.0	13
144	Favorable outcome of triploid neuroblastomas: a contribution to the special oncogenesis of neuroblastoma. <i>Cancer Genetics and Cytogenetics</i> , 2006, 167, 51-56.	1.0	33

#	ARTICLE	IF	CITATIONS
145	Cytogenetics of pineoblastoma: four new cases and a literature review. <i>Cancer Genetics and Cytogenetics</i> , 2006, 170, 175-179.	1.0	28
146	Subtype and Prognostic Classification of Rhabdomyosarcoma by Immunohistochemistry. <i>Journal of Clinical Oncology</i> , 2006, 24, 816-822.	1.6	133
147	Impact of Cranial Radiotherapy on Central Nervous System Prophylaxis in Children and Adolescents With Central Nervous System "Negative Stage III or IV Lymphoblastic Lymphoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 491-499.	1.6	146
148	Superiority of Allogeneic Hematopoietic Stem-Cell Transplantation Compared With Chemotherapy Alone in High-Risk Childhood T-Cell Acute Lymphoblastic Leukemia: Results From ALL-BFM 90 and 95. <i>Journal of Clinical Oncology</i> , 2006, 24, 5742-5749.	1.6	118
149	Real-Time Quantitative Broad-Range PCR Assay for Detection of the 16S rRNA Gene Followed by Sequencing for Species Identification. <i>Journal of Clinical Microbiology</i> , 2006, 44, 2750-2759.	3.9	77
150	Clonal expansion of a new MLL rearrangement in the absence of leukemia. <i>Blood</i> , 2005, 105, 4151-4152.	1.4	20
151	The impact of age and gender on biology, clinical features and treatment outcome of non-Hodgkin lymphoma in childhood and adolescence. <i>British Journal of Haematology</i> , 2005, 131, 39-49.	2.5	278
152	Cytogenetic characterization of Ewing tumors with high-ploidy. <i>Cancer Genetics and Cytogenetics</i> , 2005, 159, 160-163.	1.0	6
153	Characterization of karyotypic events and evolution in neuroblastoma. <i>Pediatric Blood and Cancer</i> , 2005, 44, 147-157.	1.5	20
154	Gene Expression Signatures Identify Rhabdomyosarcoma Subtypes and Detect a Novel t(2;2)(q35;p23) Translocation Fusing PAX3 to NCOA1. <i>Cancer Research</i> , 2004, 64, 5539-5545.	0.9	224
155	Human tonsillar tissue block cultures differ from autologous tonsillar cell suspension cultures in lymphocyte subset activation and cytokine gene expression. <i>Journal of Immunological Methods</i> , 2004, 289, 179-190.	1.4	17
156	Aberrations involving 13q12-q14 are frequent secondary events in childhood acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2004, 151, 157-161.	1.0	9
157	Withholding initial vancomycin in febrile neutropenia despite implanted catheters. <i>European Journal of Pediatrics</i> , 2004, 163, 422-3.	2.7	4
158	Solitary infantile choriocarcinoma of the liver: MRI findings. <i>Pediatric Radiology</i> , 2004, 34, 820-823.	2.0	20
159	The impact of the methotrexate administration schedule and dose in the treatment of children and adolescents with B-cell neoplasms: a report of the BFM Group Study NHL-BFM95. <i>Blood</i> , 2004, 105, 948-958.	1.4	304
160	Gene expression profiles and risk stratification in childhood acute lymphoblastic leukemia. <i>Haematologica</i> , 2004, 89, 801-8.	3.5	17
161	Burkitt's lymphoma with bilateral cavernous sinus and mediastinal involvement in a child. <i>Pediatric Radiology</i> , 2003, 33, 719-721.	2.0	36
162	Paraneoplastic syndromes in ganglioneuroblastoma: contrasting symptoms of constipation and diarrhoea. <i>European Journal of Pediatrics</i> , 2003, 162, 511-513.	2.7	21

#	ARTICLE	IF	CITATIONS
163	Quantitative cytokine gene expression in human tonsils at excision and during histoculture assessed by standardized and calibrated real-time PCR and novel data processing. <i>Journal of Immunological Methods</i> , 2003, 283, 27-43.	1.4	34
164	Abnormal constitutional karyotypes in patients with neuroblastoma: a report of four new cases and review of 47 others in the literature. <i>Cancer Genetics and Cytogenetics</i> , 2003, 147, 89-98.	1.0	45
165	Nuclear accumulation of β -catenin protein in Wilms' tumours. <i>Journal of Pathology</i> , 2003, 199, 68-76.	4.5	66
166	Induction of Long-Term Remission of a Relapsed Childhood B α Acute Lymphoblastic Leukemia With Rituximab Chimeric Anti-CD20 Monoclonal Antibody and Autologous Stem Cell Transplantation. <i>Journal of Pediatric Hematology/Oncology</i> , 2003, 25, 327-329.	0.6	33
167	Interphase fluorescence in situ hybridization detection of chromosome 17 and 17q region gains in neuroblastoma. <i>Cancer Genetics and Cytogenetics</i> , 2002, 137, 95-101.	1.0	10
168	The Investigation of Karyotypic Instability in the High-Hyperdiploidy Subgroup of Acute Lymphoblastic Leukemia. <i>Leukemia and Lymphoma</i> , 2001, 42, 187-193.	1.3	9
169	Constitutional Balanced Chromosomal Rearrangements and Neoplasm in Children. <i>The American Journal of Pediatric Hematology/Oncology</i> , 2001, 23, 582-584.	1.3	11
170	Detection of unidentified chromosome abnormalities in human neuroblastoma by spectral karyotyping (SKY). <i>Genes Chromosomes and Cancer</i> , 2001, 31, 201-208.	2.8	21
171	Loss of X chromosome in childhood acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2001, 125, 27-29.	1.0	14
172	Cloning and Characterization of the Human PAX7 Promoter. <i>Biological Chemistry</i> , 2000, 381, 331-5.	2.5	10
173	Trisomy 1q Generating Translocations in Wilms Tumor. <i>Cancer Genetics and Cytogenetics</i> , 1999, 112, 138-143.	1.0	12
174	Clustered organization of S100 genes in human and mouse. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1448, 254-263.	4.1	74
175	A Further Case of a t(11;20)(p15;q11.2) Translocation in an Acute Myeloid Leukemia (FAB M2). <i>Journal of Pediatric Hematology/Oncology</i> , 1998, 20, 91-93.	0.6	5
176	Routine Karyotyping in Wilms Tumor. <i>Cancer Genetics and Cytogenetics</i> , 1997, 96, 151-156.	1.0	33
177	A childhood fibrolamellar hepatocellular carcinoma with increased aromatase activity and a near triploid karyotype. , 1997, 28, 136-138.		27
178	Cytogenetic analysis in a case of intraocular medulloepithelioma. <i>Cancer Genetics and Cytogenetics</i> , 1996, 92, 144-146.	1.0	15
179	Outcome of relapses of nephroblastoma in patients registered in the SIOP/GPOH trials and studies. <i>Oncology Reports</i> , 1994, 20, 463.	2.6	11
180	Spectrum Of Peritoneal Mesothelioma In Childhood: Clinical And Histopathologic Features, Including Dna Cytometry. <i>Pediatric Hematology and Oncology</i> , 1994, 11, 399-408.	0.8	23

#	ARTICLE	IF	CITATIONS
181	Pre-operative radiotherapy is associated with superior local relapse-free survival in advanced synovial sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 0, , .	2.5	0