Carol Hudon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6010504/publications.pdf

Version: 2024-02-01

516710 501196 33 807 16 28 h-index citations g-index papers 34 34 34 1256 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Efficacy of a cognitive training programme for mild cognitive impairment: Results of a randomised controlled study. Neuropsychological Rehabilitation, 2010, 20, 377-405.	1.6	80
2	The assessment of recognition memory using the Remember/Know procedure in amnestic mild cognitive impairment and probable Alzheimer's disease. Brain and Cognition, 2009, 70, 171-179.	1.8	79
3	MEMO+: Efficacy, Durability and Effect of Cognitive Training and Psychosocial Intervention in Individuals with Mild Cognitive Impairment. Journal of the American Geriatrics Society, 2018, 66, 655-663.	2.6	71
4	Memory for gist and detail information in Alzheimer's disease and mild cognitive impairment Neuropsychology, 2006, 20, 566-577.	1.3	70
5	DNA methylation and single nucleotide variants in the brain-derived neurotrophic factor (BDNF) and oxytocin receptor (OXTR) genes are associated with anxiety/depression in older women. Frontiers in Genetics, 2015, 6, 230.	2.3	70
6	Factors involved in sleep efficiency: a population-based study of community-dwelling elderly persons. Sleep, 2019, 42, .	1.1	41
7	The association between depressive and cognitive symptoms in amnestic mild cognitive impairment. International Psychogeriatrics, 2008, 20, 710-723.	1.0	40
8	Normalisation du <i>Mini-Mental State Examination</i> (MMSE) chez les Québécois francophones âgés de 65 ans et plus et résidant dans la communauté. Canadian Journal on Aging, 2009, 28, 347-357.	1.1	33
9	Anxiety disorders, depressive episodes and cognitive impairment no dementia in communityâ€dwelling older men and women. International Journal of Geriatric Psychiatry, 2011, 26, 1080-1088.	2.7	30
10	The Relation Between Depressive Symptoms and Semantic Memory in Amnestic Mild Cognitive Impairment and in Late-Life Depression. Journal of the International Neuropsychological Society, 2011, 17, 865-874.	1.8	30
11	User-Centered Design and Evaluation of a Web-Based Decision Aid for Older Adults Living With Mild Cognitive Impairment and Their Health Care Providers: Mixed Methods Study. Journal of Medical Internet Research, 2020, 22, e17406.	4.3	26
12	Behavioral and Psychological Symptoms that Predict Cognitive Decline or Impairment in Cognitively Normal Middle-Aged or Older Adults: a Meta-Analysis. Neuropsychology Review, 2020, 30, 558-579.	4.9	24
13	The effect of semantic orientation at encoding on free-recall performance in amnestic mild cognitive impairment and probable Alzheimer's disease. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 631-638.	1.3	23
14	The Consortium for the early identification of Alzheimer's disease–Quebec (CIMAâ€Q). Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 787-796.	2.4	21
15	Measuring the impact of cognitive and psychosocial interventions in persons with mild cognitive impairment with a randomized single-blind controlled trial: rationale and design of the MEMO+ study. International Psychogeriatrics, 2015, 27, 511-525.	1.0	20
16	Impact of Depressive Symptoms on Memory for Emotional Words in Mild Cognitive Impairment and Late-Life Depression. Journal of Alzheimer's Disease, 2016, 52, 451-462.	2.6	18
17	Spatial memory and choice behavior in the radial arm maze after fornix transection. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 1113-1123.	4.8	16
18	Semantic Memory Impairment for Biological and Man-Made Objects in Individuals With Amnestic Mild Cognitive Impairment or Late-Life Depression. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 108-116.	2.3	14

#	Article	IF	CITATIONS
19	Caregivers' emotional distress due to neuropsychiatric symptoms of persons with amnestic mild cognitive impairment or Alzheimer's disease. Aging and Mental Health, 2020, 24, 423-430.	2.8	14
20	Structural Neuroimaging of Concomitant Depressive Symptoms in Amnestic Mild Cognitive Impairment: A Pilot Study. Dementia and Geriatric Cognitive Disorders Extra, 2012, 2, 573-588.	1.3	10
21	Guided self-help for generalized anxiety disorder in older adults. Aging and Mental Health, 2016, 20, 1070-1083.	2.8	10
22	Efficacy of cognitive-behavioural therapy interventions on reducing burden for caregivers of older adults with a neurocognitive disorder: a systematic review and meta-analysis. Cognitive Behaviour Therapy, 2021, 50, 19-46.	3 . 5	10
23	Normative Data for a Tablet-Based Dual-Task Assessment in Healthy Older Adults. Archives of Clinical Neuropsychology, 2021, 36, 1316-1325.	0.5	10
24	Impaired Performance of Fornix-Transected Rats on a Distal, but Not on a Proximal, Version of the Radial-Arm Maze Cue Task Behavioral Neuroscience, 2003, 117, 1353-1362.	1.2	9
25	Body mass index and cognitive decline among community-living older adults: the modifying effect of physical activity. European Review of Aging and Physical Activity, 2022, 19, 3.	2.9	8
26	Memory for emotional images differs according to the presence of depressive symptoms in individuals at risk for dementia. International Psychogeriatrics, 2017, 29, 673-685.	1.0	7
27	Psychological Distress, Cognition, and Functional Disability Trajectory Profiles of Aging in Primary Care Older Adults. Clinical Gerontologist, 2023, 46, 819-831.	2.2	6
28	Evaluating Decision-Making: Validation and Regression-Based Normative Data of the Judgment Assessment Tool. Archives of Clinical Neuropsychology, 2016, 31, acw019.	0.5	5
29	Cognitive decline and alcohol consumption adjusting for functional status over a 3-year period in French speaking community living older adults. Journal of Public Health, 2019, 41, e177-e184.	1.8	4
30	<p>Evaluation of the Effects of an Intervention Intended to Optimize the Sleep Environment Among the Elderly: An Exploratory Study</p> . Clinical Interventions in Aging, 2020, Volume 15, 2117-2127.	2.9	4
31	Selective impairments in rats on an odor-guided continuous delayed nonmatching-to-sample (cDNMS) task after fornix transection. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 1291-1301.	4.8	3
32	Factors associated with late-life psychosis in primary care older adults without a diagnosis of dementia. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	3.1	1
33	Efficacy of cognitiveâ€behavioral interventions for caregivers of individuals with a neurocognitive disorder: A systematic review and metaâ€analysis. Alzheimer's and Dementia, 2020, 16, e037488.	0.8	0