

Ángel Zaballos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6011113/publications.pdf>

Version: 2024-02-01

66
papers

4,855
citations

125106

35
h-index

120465

65
g-index

67
all docs

67
docs citations

67
times ranked

7505
citing authors

#	ARTICLE	IF	CITATIONS
1	Monkeypox outbreak in Madrid (Spain): Clinical and virological aspects. <i>Journal of Infection</i> , 2022, 85, 412-417.	1.7	109
2	Adaptation of the emerging pathogenic yeast <i>Candida auris</i> to high caspofungin concentrations correlates with cell wall changes. <i>Virulence</i> , 2021, 12, 1400-1417.	1.8	15
3	Frequency of low-level and high-level mosaicism in sporadic retinoblastoma: genotype-phenotype relationships. <i>Journal of Human Genetics</i> , 2020, 65, 165-174.	1.1	16
4	High-Risk Sexual Practices Contribute to HIV-1 Double Infection Among Men Who Have Sex with Men in Madrid. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 896-904.	0.5	3
5	Comparative and functional genomics of the protozoan parasite <i>Babesia divergens</i> highlighting the invasion and egress processes. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007680.	1.3	29
6	<i>Cryptococcus neoformans</i> can form titan-like cells in vitro in response to multiple signals. <i>PLoS Pathogens</i> , 2018, 14, e1007007.	2.1	98
7	First Insight into the Genome Sequences of Two Linezolid-Resistant <i>Nocardia farcinica</i> Strains Isolated from Patients with Cystic Fibrosis. <i>Genome Announcements</i> , 2017, 5, .	0.8	2
8	Upregulation of the PatAB Transporter Confers Fluoroquinolone Resistance to <i>Streptococcus pseudopneumoniae</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 2074.	1.5	10
9	Familial retinoblastoma due to intronic LINE-1 insertion causes aberrant and noncanonical mRNA splicing of the RB1 gene. <i>Journal of Human Genetics</i> , 2016, 61, 463-466.	1.1	33
10	Comprehensive clinical and epidemiological assessment of colonisation and infection due to carbapenemase-producing Enterobacteriaceae in Spain. <i>Journal of Infection</i> , 2016, 72, 152-160.	1.7	73
11	Sequence Analysis of In Vivo-Expressed HIV-1 Spliced RNAs Reveals the Usage of New and Unusual Splice Sites by Viruses of Different Subtypes. <i>PLoS ONE</i> , 2016, 11, e0158525.	1.1	9
12	High-Quality Draft Genome Sequence of <i>Babesia divergens</i> , the Etiological Agent of Cattle and Human Babesiosis. <i>Genome Announcements</i> , 2014, 2, .	0.8	28
13	Identification of 88 regulatory small RNAs in the TIGR4 strain of the human pathogen <i>Streptococcus pneumoniae</i> . <i>Rna</i> , 2012, 18, 530-546.	1.6	62
14	Vesicle-related microRNAs in plasma of nonsmall cell lung cancer patients and correlation with survival. <i>European Respiratory Journal</i> , 2011, 37, 617-623.	3.1	260
15	The novel RUNX3/p33 isoform is induced upon monocyte-derived dendritic cell maturation and downregulates IL-8 expression. <i>Immunobiology</i> , 2010, 215, 812-820.	0.8	19
16	CCR6 regulates EAE pathogenesis by controlling regulatory CD4 ⁺ T cell recruitment to target tissues. <i>European Journal of Immunology</i> , 2009, 39, 1671-1681.	1.6	114
17	p85 ² phosphoinositide 3-kinase regulates CD28 coreceptor function. <i>Blood</i> , 2009, 113, 3198-3208.	0.6	34
18	A salt stress-responsive cytokinin receptor homologue isolated from <i>Medicago sativa</i> nodules. <i>Planta</i> , 2008, 227, 769-779.	1.6	28

#	ARTICLE	IF	CITATIONS
19	A cytokinin receptor homologue is induced during root nodule organogenesis and senescence in <i>Lupinus albus</i> L. <i>Plant Physiology and Biochemistry</i> , 2008, 46, 219-225.	2.8	16
20	Co-regulation analysis of closely linked genes identifies a highly recurrent gain on chromosome 17q25.3 in prostate cancer. <i>BMC Cancer</i> , 2008, 8, 315.	1.1	10
21	Statins Induce Regulatory T Cell Recruitment via a CCL1 Dependent Pathway. <i>Journal of Immunology</i> , 2008, 181, 3524-3534.	0.4	81
22	Genomic Profiling of Circulating Plasma RNA for the Analysis of Cancer. <i>Clinical Chemistry</i> , 2007, 53, 1860-1863.	1.5	32
23	Differential Gene Expression Profile in Omental Adipose Tissue in Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 328-337.	1.8	155
24	The NcGRA7 gene encodes the immunodominant 17 kDa antigen of <i>Neospora caninum</i> . <i>Parasitology</i> , 2007, 134, 41-50.	0.7	42
25	Effect of ammonia on ciliary neurotrophic factor mRNA and protein expression and its upstream signalling pathway in cultured rat astroglial cells: possible implication of c-fos, Sp1 and p38MAPK. <i>Neuropathology and Applied Neurobiology</i> , 2007, 33, 420-430.	1.8	7
26	Measurement of the Mass and Rigidity of Adsorbates on a Microcantilever Sensor. <i>Sensors</i> , 2007, 7, 1834-1845.	2.1	27
27	Molecular characterisation of BSR4, a novel bradyzoite-specific gene from <i>Neospora caninum</i> . <i>International Journal for Parasitology</i> , 2007, 37, 887-896.	1.3	32
28	CCR9 Chemokine Receptor. , 2007, , 1-6.		0
29	Possible implication of ciliary neurotrophic factor (CNTF) and β -synuclein in the ammonia effect on cultured rat astroglial cells: A study using DNA and protein microarrays. <i>Neurochemistry International</i> , 2006, 48, 729-738.	1.9	15
30	A highly sensitive microsystem based on nanomechanical biosensors for genomics applications. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 2-10.	4.0	68
31	Identification and molecular cloning of the <i>Neospora caninum</i> SAG4 gene specifically expressed at bradyzoite stage. <i>Molecular and Biochemical Parasitology</i> , 2006, 146, 89-97.	0.5	49
32	Host Response to the Attenuated Poxvirus Vector NYVAC: Upregulation of Apoptotic Genes and NF- κ B-Responsive Genes in Infected HeLa Cells. <i>Journal of Virology</i> , 2006, 80, 985-998.	1.5	33
33	Origin of the response of nanomechanical resonators to bacteria adsorption. <i>Journal of Applied Physics</i> , 2006, 100, 106105.	1.1	106
34	Human Gene Profiling in Response to the Active Protein Kinase, Interferon-induced Serine/threonine Protein Kinase (PKR), in Infected Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 18734-18745.	1.6	30
35	Senescence in premalignant tumours. <i>Nature</i> , 2005, 436, 642-642.	13.7	1,280
36	Control of T helper 2 cell function and allergic airway inflammation by PKC δ . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9866-9871.	3.3	87

#	ARTICLE	IF	CITATIONS
37	Analysis of Post-translational CCR8 Modifications and Their Influence on Receptor Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 14726-14733.	1.6	41
38	Identification on Mouse Chromosome 8 of New \hat{I}^2 -Defensin Genes with Regionally Specific Expression in the Male Reproductive Organ. <i>Journal of Biological Chemistry</i> , 2004, 279, 12421-12426.	1.6	31
39	Leukocyte attraction through the CCR5 receptor controls progress from insulinitis to diabetes in non-obese diabetic mice. <i>European Journal of Immunology</i> , 2004, 34, 548-557.	1.6	90
40	Nanomechanics of the Formation of DNA Self-Assembled Monolayers and Hybridization on Microcantilevers. <i>Langmuir</i> , 2004, 20, 9663-9668.	1.6	97
41	Absence of CCR8 Does Not Impair the Response to Ovalbumin-Induced Allergic Airway Disease. <i>Journal of Immunology</i> , 2003, 170, 2138-2146.	0.4	92
42	Quantitative Detection of <i>Neospora caninum</i> in Bovine Aborted Fetuses and Experimentally Infected Mice by Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1194-1198.	1.8	134
43	Functional Inactivation of CXC Chemokine Receptor 4 \hat{e} mediated Responses through SOCS3 Up-regulation. <i>Journal of Experimental Medicine</i> , 2002, 196, 311-321.	4.2	61
44	Expression of CCR9 \hat{I}^2 -chemokine receptor is modulated in thymocyte differentiation and is selectively maintained in CD8+ T cells from secondary lymphoid organs. <i>Blood</i> , 2001, 97, 850-857.	0.6	101
45	The Transient Expression of C-C Chemokine Receptor 8 in Thymus Identifies a Thymocyte Subset Committed to Become CD4+ Single-Positive T Cells. <i>Journal of Immunology</i> , 2001, 166, 218-225.	0.4	43
46	NMR Solution Structure of Murine CCL20/MIP-3 \hat{I}^2 , a Chemokine That Specifically Chemoattracts Immature Dendritic Cells and Lymphocytes through Its Highly Specific Interaction with the \hat{I}^2 -Chemokine Receptor CCR6. <i>Journal of Biological Chemistry</i> , 2001, 276, 28372-28379.	1.6	77
47	The Association of Aiolos Transcription Factor and Bcl-xL Is Involved in the Control of Apoptosis. <i>Journal of Immunology</i> , 2001, 167, 6366-6373.	0.4	25
48	CCR6-deficient mice have impaired leukocyte homeostasis and altered contact hypersensitivity and delayed-type hypersensitivity responses. <i>Journal of Clinical Investigation</i> , 2001, 107, R37-R45.	3.9	204
49	Bcl-3 Expression Promotes Cell Survival following Interleukin-4 Deprivation and Is Controlled by AP1 and AP1-Like Transcription Factors. <i>Molecular and Cellular Biology</i> , 2000, 20, 3407-3416.	1.1	101
50	Bcl-3 Expression Promotes Cell Survival following Interleukin-4 Deprivation and Is Controlled by AP1 and AP1-Like Transcription Factors. <i>Molecular and Cellular Biology</i> , 2000, 20, 3407-3416.	1.1	19
51	Down-regulation of the \hat{I}^2 -chemokine receptor CCR6 in dendritic cells mediated by TNF- \hat{I}^2 and IL-4. <i>Journal of Leukocyte Biology</i> , 1999, 66, 837-844.	1.5	53
52	The RGD Sequence in Phage \hat{A} ₂₉ Terminal Protein Is Required for Interaction with \hat{A} ₂₉ DNA Polymerase. <i>Virology</i> , 1998, 248, 12-19.	1.1	18
53	Molecular cloning, functional characterization and mRNA expression analysis of the murine chemokine receptor CCR6 and its specific ligand MIP-3 \hat{I}^2 . <i>FEBS Letters</i> , 1998, 440, 188-194.	1.3	80
54	SA-1, a nuclear protein encoded by one member of a novel gene family: molecular cloning and detection in hemopoietic organs. <i>Gene</i> , 1997, 195, 151-159.	1.0	42

#	ARTICLE	IF	CITATIONS
55	The amino-terminal domain of the CCR2 chemokine receptor acts as coreceptor for HIV-1 infection.. Journal of Clinical Investigation, 1997, 100, 497-502.	3.9	101
56	zfx-1:A Novel Mouse Homeodomain Protein Containing Two Zinc-Fingers and Five Homeodomains. Biochemical and Biophysical Research Communications, 1996, 224, 870-876.	1.0	42
57	Molecular Cloning and RNA Expression of Two New Human Chemokine Receptor-like Genes. Biochemical and Biophysical Research Communications, 1996, 227, 846-853.	1.0	60
58	Post-transcriptional induction of β -adrenergic receptor by retinoic acid, but not triiodothyronine, in C6 glioma cells expressing thyroid hormone receptors. European Journal of Endocrinology, 1996, 135, 709-715.	1.9	5
59	Identification of the Mitochondrial NADH Dehydrogenase Subunit-3 as a Thyroid Hormone-Regulated Gene by Whole Genome PCR Analysis. Biochemical and Biophysical Research Communications, 1995, 210, 995-1000.	1.0	57
60	Isolation of genomic DNA fragments corresponding to genes modulated in vivo by a transcription factor. Nucleic Acids Research, 1994, 22, 4132-4138.	6.5	16
61	Bend induced by the phage λ 29 transcriptional activator in the viral late promoter is required for activation. Journal of Molecular Biology, 1990, 211, 713-725.	2.0	64
62	Functional domains in the bacteriophage λ 29 terminal protein for interaction with the λ 29 DNA polymerase and with DNA. Nucleic Acids Research, 1989, 17, 10353-10366.	6.5	51
63	Effects of internal deletions on the priming activity of the phage λ 29 terminal protein. Gene, 1989, 83, 187-195.	1.0	37
64	Initiation of phage λ 29 DNA replication by mutants with deletions at the amino end of the terminal protein. Gene, 1988, 63, 113-121.	1.0	20
65	A set of expression plasmids for the synthesis of fused and unfused polypeptides in Escherichia coli. Gene, 1987, 58, 67-76.	1.0	34
66	Initiation of phage λ 29 DNA replication by mutants with deletions at the carboxyl end of the terminal protein. Gene, 1986, 43, 103-110.	1.0	22