

Francesco S Bersani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6011204/francesco-s-bersani-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

2,295
citations

26
h-index

45
g-index

106
ext. papers

2,826
ext. citations

4
avg, IF

4.59
L-index

#	Paper	IF	Citations
95	Oxidative stress, inflammation and treatment response in major depression. <i>Psychoneuroendocrinology</i> , 2017 , 76, 197-205	5	206
94	Psychiatric disorders and leukocyte telomere length: Underlying mechanisms linking mental illness with cellular aging. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 333-64	9	203
93	Promoting innovation and excellence to face the rapid diffusion of novel psychoactive substances in the EU: the outcomes of the ReDNet project. <i>Human Psychopharmacology</i> , 2013 , 28, 317-23	2.3	133
92	Deep transcranial magnetic stimulation as a treatment for psychiatric disorders: a comprehensive review. <i>European Psychiatry</i> , 2013 , 28, 30-9	6	102
91	Following "the Roots" of Kratom (<i>Mitragyna speciosa</i>): The Evolution of an Enhancer from a Traditional Use to Increase Work and Productivity in Southeast Asia to a Recreational Psychoactive Drug in Western Countries. <i>BioMed Research International</i> , 2015 , 2015, 968786	3	102
90	Circulating cell-free mitochondrial DNA, but not leukocyte mitochondrial DNA copy number, is elevated in major depressive disorder. <i>Neuropsychopharmacology</i> , 2018 , 43, 1557-1564	8.7	82
89	Increased pro-inflammatory milieu in combat related PTSD - A new cohort replication study. <i>Brain, Behavior, and Immunity</i> , 2017 , 59, 260-264	16.6	67
88	25C-NBOMe: preliminary data on pharmacology, psychoactive effects, and toxicity of a new potent and dangerous hallucinogenic drug. <i>BioMed Research International</i> , 2014 , 2014, 734749	3	64
87	Mitochondrial DNA copy number is reduced in male combat veterans with PTSD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 64, 10-7	5.5	56
86	Global arginine bioavailability, a marker of nitric oxide synthetic capacity, is decreased in PTSD and correlated with symptom severity and markers of inflammation. <i>Brain, Behavior, and Immunity</i> , 2016 , 52, 153-160	16.6	53
85	"Spice," "kryptonite," "black mamba": an overview of brand names and marketing strategies of novel psychoactive substances on the web. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 287-94	3.6	51
84	Can mobile phone technology support a rapid sharing of information on novel psychoactive substances among health and other professionals internationally?. <i>Human Psychopharmacology</i> , 2017 , 32, e2580	2.3	42
83	Smoking behaviour and mental health disorders--mutual influences and implications for therapy. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 4790-811	4.6	39
82	Telomerase activation as a possible mechanism of action for psychopharmacological interventions. <i>Drug Discovery Today</i> , 2015 , 20, 1305-9	8.8	35
81	The diffusion of performance and image-enhancing drugs (PIEDs) on the internet: the abuse of the cognitive enhancer piracetam. <i>Substance Use and Misuse</i> , 2014 , 49, 1849-56	2.2	35
80	Drops of madness? Recreational misuse of tropicamide collyrium; early warning alerts from Russia and Italy. <i>General Hospital Psychiatry</i> , 2013 , 35, 571-3	5.6	34
79	Facial expression in patients with bipolar disorder and schizophrenia in response to emotional stimuli: a partially shared cognitive and social deficit of the two disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1137-44	3.1	34

78	Multi-omic biomarker identification and validation for diagnosing warzone-related post-traumatic stress disorder. <i>Molecular Psychiatry</i> , 2020 , 25, 3337-3349	15.1	34
77	Prefronto-cerebellar transcranial direct current stimulation improves sleep quality in euthymic bipolar patients: a brief report. <i>Behavioural Neurology</i> , 2014 , 2014, 876521	3	33
76	Association of dimensional psychological health measures with telomere length in male war veterans. <i>Journal of Affective Disorders</i> , 2016 , 190, 537-542	6.6	31
75	The role of cerebellum in unipolar and bipolar depression: a review of the main neurobiological findings. <i>Rivista Di Psichiatria</i> , 2014 , 49, 124-31	3.1	30
74	P300 component in euthymic patients with bipolar disorder type I, bipolar disorder type II and healthy controls: a preliminary event-related potential study. <i>NeuroReport</i> , 2015 , 26, 206-10	1.7	29
73	L-Acetylcarnitine in dysthymic disorder in elderly patients: a double-blind, multicenter, controlled randomized study vs. fluoxetine. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1219-25	1.2	29
72	Tinnitus: clinical experience of the psychosomatic connection. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 267-75	3.1	28
71	ECT, rTMS, and deepTMS in pharmacoresistant drug-free patients with unipolar depression: a comparative review. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 55-64	3.1	27
70	Metabolomic analysis of male combat veterans with post traumatic stress disorder. <i>PLoS ONE</i> , 2019 , 14, e0213839	3.7	26
69	Leukocyte telomere length predicts SSRI response in major depressive disorder: A preliminary report. <i>Molecular Neuropsychiatry</i> , 2016 , 2, 88-96	4.9	26
68	Increased circulating blood cell counts in combat-related PTSD: Associations with inflammation and PTSD severity. <i>Psychiatry Research</i> , 2017 , 258, 330-336	9.9	26
67	Olanzapine as the ideal "trip terminator"? Analysis of online reports relating to antipsychotics' use and misuse following occurrence of novel psychoactive substance-related psychotic symptoms. <i>Human Psychopharmacology</i> , 2015 , 30, 249-54	2.3	26
66	Prefronto-cerebellar transcranial direct current stimulation improves visuospatial memory, executive functions, and neurological soft signs in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2265-70	3.1	26
65	Maintenance Deep Transcranial Magnetic Stimulation Sessions are Associated with Reduced Depressive Relapses in Patients with Unipolar or Bipolar Depression. <i>Frontiers in Neurology</i> , 2015 , 6, 16	4.1	26
64	Antidepressant effectiveness of deep Transcranial Magnetic Stimulation (dTMS) in patients with Major Depressive Disorder (MDD) with or without Alcohol Use Disorders (AUDs): a 6-month, open label, follow-up study. <i>Journal of Affective Disorders</i> , 2015 , 174, 57-63	6.6	25
63	Sleep and biorythm disturbances in schizophrenia, mood and anxiety disorders: a review. <i>Rivista Di Psichiatria</i> , 2012 , 47, 365-75	3.1	24
62	Add-on deep Transcranial Magnetic Stimulation (dTMS) for the treatment of chronic migraine: A preliminary study. <i>Neuroscience Letters</i> , 2016 , 623, 7-12	3.3	24
61	Mass quarantine measures in the time of COVID-19 pandemic: psychosocial implications for chronic skin conditions and a call for qualitative studies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e293-e294	4.6	22

60	Adverse Psychiatric Effects Associated with Herbal Weight-Loss Products. <i>BioMed Research International</i> , 2015 , 2015, 120679	3	22
59	Epigenetic Age in Male Combat-Exposed War Veterans: Associations with Posttraumatic Stress Disorder Status. <i>Molecular Neuropsychiatry</i> , 2018 , 4, 90-99	4.9	22
58	Deep transcranial magnetic stimulation for treatment-resistant bipolar depression: a case report of acute and maintenance efficacy. <i>Neurocase</i> , 2013 , 19, 451-7	0.8	21
57	Factors affecting interindividual differences in clozapine response: a review and case report. <i>Human Psychopharmacology</i> , 2011 , 26, 177-87	2.3	20
56	The Association among Childhood Trauma, Pathological Dissociation and Gambling Severity in Casino Gamblers. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 203-211	2.9	19
55	Effects of cerebellar transcranial direct current stimulation on attentional processing of the stimulus: Evidence from an event-related potentials study. <i>Neuropsychologia</i> , 2016 , 84, 127-35	3.2	19
54	A population of atypical CD56(-)CD16(+) natural killer cells is expanded in PTSD and is associated with symptom severity. <i>Brain, Behavior, and Immunity</i> , 2016 , 56, 264-70	16.6	19
53	Prefronto-cerebellar tDCS enhances neurocognition in euthymic bipolar patients. Findings from a placebo-controlled neuropsychological and psychophysiological investigation. <i>Journal of Affective Disorders</i> , 2017 , 209, 262-269	6.6	18
52	Psychosis prediction in secondary mental health services. A broad, comprehensive approach to the "at risk mental state" syndrome. <i>European Psychiatry</i> , 2017 , 40, 96-104	6	16
51	Psyclones: a roller coaster of life? Hidden synthetic cannabinoids and stimulants in apparently harmless products. <i>Human Psychopharmacology</i> , 2015 , 30, 265-71	2.3	16
50	Higher serum DHEA concentrations before and after SSRI treatment are associated with remission of major depression. <i>Psychoneuroendocrinology</i> , 2017 , 77, 122-130	5	15
49	Prefrontocerebellar transcranial direct current stimulation increases amplitude and decreases latency of P3b component in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2913-7	3.1	15
48	Pain-processing abnormalities in bipolar I disorder, bipolar II disorder, and schizophrenia: A novel trait marker for psychosis proneness and functional outcome?. <i>Bipolar Disorders</i> , 2016 , 18, 591-601	3.8	14
47	Efficacy of add-on deep transcranial magnetic stimulation in comorbid alcohol dependence and dysthymic disorder: three case reports. <i>primary care companion for CNS disorders, The</i> , 2013 , 15,	1.2	14
46	Novel Pharmacological Targets for Combat PTSD-Metabolism, Inflammation, The Gut Microbiome, and Mitochondrial Dysfunction. <i>Military Medicine</i> , 2020 , 185, 311-318	1.3	12
45	Comparison of facial expression in patients with obsessive-compulsive disorder and schizophrenia using the Facial Action Coding System: a preliminary study. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 537-47	3.1	12
44	Frailty Index as a clinical measure of biological age in psychiatry. <i>Journal of Affective Disorders</i> , 2020 , 268, 183-187	6.6	11
43	Psychoeducational intervention focused on healthy living improves psychopathological severity and lifestyle quality in psychiatric patients: preliminary findings from a controlled study. <i>Journal of Mental Health</i> , 2017 , 26, 271-275	2.7	10

42	Fitspiration on social media: Body-image and other psychopathological risks among young adults. A narrative review. <i>Emerging Trends in Drugs, Addictions, and Health</i> , 2021 , 1, 100010		10
41	Injecting eye-drops: a mini-review on the non-clinical use of tropicamide. <i>Human Psychopharmacology</i> , 2015 , 30, 262-4	2.3	9
40	Accelerated aging in serious mental disorders. <i>Current Opinion in Psychiatry</i> , 2019 , 32, 381-387	4.9	9
39	Bipolar Spectrum Disorders in Patients With Cerebellar Lesions: A Comparison With Parkinson's Disease. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 725-9	1.8	8
38	Capgras-like syndrome in a patient with an acute urinary tract infection. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 139-42	3.1	7
37	Neurophysiological correlates of religious coping to stress: a preliminary EEG power spectra investigation. <i>Neuroscience Letters</i> , 2020 , 728, 134956	3.3	6
36	Deep transcranial magnetic stimulation in a woman with chronic tinnitus: clinical and FMRI findings. Seeking relief from a symptom and finding vivid memories by serendipity. <i>Brain Stimulation</i> , 2014 , 7, 492-4	5.1	6
35	A brain centred view of psychiatric comorbidity in tinnitus: from otology to hodology. <i>Neural Plasticity</i> , 2014 , 2014, 817852	3.3	6
34	Cannabis: a self-medication drug for weight management? The never ending story. <i>Drug Testing and Analysis</i> , 2016 , 8, 177-9	3.5	6
33	Adherence to Mediterranean diet moderates the association between multimorbidity and depressive symptoms in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 88, 104022	4	5
32	Obstetric complications and neurological soft signs in male patients with schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 344-8	3.9	5
31	The relationship between Vitamin D and depressive disorders. <i>Rivista Di Psichiatria</i> , 2019 , 54, 229-234	3.1	5
30	Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016 , 246, 415-420	9.9	5
29	Negative symptoms as key features of depression among cannabis users: a preliminary report. <i>European Review for Medical and Pharmacological Sciences</i> , 2016 , 20, 547-52	2.9	5
28	From neurological soft signs to functional outcome in young individuals in treatment with secondary services for non-psychotic disorders: a path analysis. <i>Psychological Medicine</i> , 2017 , 47, 1192-1203	6.9	4
27	Uses, Effects and Toxicity of Synthetic Cannabinoids from the Perspective of People with Lived Experiences. <i>Journal of Psychoactive Drugs</i> , 2020 , 52, 237-247	3.6	4
26	Effect of Combat Exposure and Posttraumatic Stress Disorder on Telomere Length and Amygdala Volume. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 678-687	3.4	4
25	Impact of synthetic cannabinoids on the duration of opioid-related withdrawal and craving among patients of addiction clinics in Kazakhstan: A prospective case-control study. <i>Human Psychopharmacology</i> , 2017 , 32, e2618	2.3	3

24	Cognitive remediation for the treatment of neuropsychological disturbances in subjects with euthymic bipolar disorder: findings from a controlled study. <i>Journal of Affective Disorders</i> , 2020 , 273, 576-585	6.6	3
23	Mentalization Impairment Is Associated with Problematic Alcohol Use in a Sample of Young Adults: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
22	Dissociative symptoms in female patients with mood and anxiety disorders: a psychopathological and temperamental investigation. <i>European Review for Medical and Pharmacological Sciences</i> , 2014 , 18, 3217-22	2.9	3
21	Seizure threshold variations in ECT-treated chronic patients with schizophrenia: a brief report. <i>Rivista Di Psichiatria</i> , 2014 , 49, 84-8	3.1	3
20	Pre-treatment allostatic load and metabolic dysregulation predict SSRI response in major depressive disorder: a preliminary report. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
19	The association between social media addiction and eating disturbances is mediated by muscle dysmorphia-related symptoms: a cross-sectional study in a sample of young adults. <i>Eating and Weight Disorders</i> , 2021 , 1	3.6	2
18	The association of problematic use of social media and online videogames with aggression is mediated by insomnia severity: A cross-sectional study in a sample of 18- to 24-year-old individuals. <i>Aggressive Behavior</i> , 2021 ,	2.8	2
17	A preliminary study on hot and cool executive functions in bipolar disorder and on their association with emotion regulation strategies. <i>Rivista Di Psichiatria</i> , 2018 , 53, 331-335	3.1	2
16	Clozapine-related extrapyramidal side effects: a case report. <i>Rivista Di Psichiatria</i> , 2017 , 52, 172-173	3.1	2
15	The Outer Dimensions Impulsivity, Anger/Aggressiveness, Activation 2018 , 211-232		1
14	Relationship between the core features of Tellenbach's Typus Melancholicus and unipolar depressive disorders: a cross-sectional study. <i>Rivista Di Psichiatria</i> , 2020 , 55, 191-194	3.1	1
13	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 82-89	2.4	1
12	Legislative differences may influence the characteristics of involuntary hospitalised psychiatric patients. <i>Medicine, Science and the Law</i> , 2020 , 60, 235-236	1.1	1
11	Frailty in Caregivers and Its Relationship with Psychological Stress and Resilience: A Cross-Sectional Study Based on the Deficit Accumulation Model.. <i>Journal of Frailty & Aging, the</i> , 2022 , 11, 59-66	2.6	1
10	Premorbid circadian profile of patients with major depression and panic disorder. <i>Rivista Di Psichiatria</i> , 2012 , 47, 407-12	3.1	1
9	Life-saving electroconvulsive therapy in a patient with near-lethal catatonia. <i>Rivista Di Psichiatria</i> , 2012 , 47, 535-7	3.1	1
8	Problematic Use of the Internet Mediates the Association between Reduced Mentalization and Suicidal Ideation: A Cross-Sectional Study in Young Adults. <i>Healthcare (Switzerland)</i> , 2022 , 10, 948	3.4	1
7	The End Method: Normalization 2021 , 57-64		0

- 6 A Phenotype Of Resiliency? Cross-Sectional Psychobiological Differences Between Caregivers Who Are Vulnerable vs. Resilient To Depression, And Controls. *European Psychiatry*, **2016**, 33, S524-S524 6
- 5 The Performance Enhanced: Clinical Relationships Between Performance- and Image-Enhancing Drugs, Physical Exercise and Mental Disorders **2022**, 151-159
- 4 The Role of Integrated Interventions in Psychosomatic Diseases. *Integrating Psychiatry and Primary Care*, **2019**, 263-277 0.3
- 3 Cerebral perfusional effects of 1-year rivastigmine treatment in Alzheimer disease: a case report. *Rivista Di Psichiatria*, **2015**, 50, 188-91 3.1
- 2 Preliminary findings on the association between attachment patterns and levels of growth hormone in a sample of children with non-organic failure to thrive. *Rivista Di Psichiatria*, **2018**, 53, 49-52 3.1
- 1 Trauma- and stressor-related disorders in survivors from a shipwreck: a short report on forensic implications. *Rivista Di Psichiatria*, **2021**, 56, 171-173 3.1