
## Wagner Luiz Tafuri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6011321/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Accuracy of diagnostic tests for American tegumentary leishmaniasis: a systematic literature review with metaâ€analyses. Tropical Medicine and International Health, 2020, 25, 1168-1181.	2.3	13
2	Immune Complex–Driven Generation of Human Macrophages with Anti-Inflammatory and Growth-Promoting Activity. Journal of Immunology, 2020, 205, 102-112.	0.8	9
3	Therapeutic Efficacy of a Mixed Formulation of Conventional and PEGylated Liposomes Containing Meglumine Antimoniate, Combined with Allopurinol, in Dogs Naturally Infected with Leishmania infantum. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	7
4	Immunohistochemical study of renal fibropoiesis associated with dogs naturally and experimentally infected with two different strains of <i>Leishmania</i> (L.) <i>infantum</i> . International Journal of Experimental Pathology, 2019, 100, 222-233.	1.3	5
5	Assessment of histological liver alterations in dogs naturally infected with Leishmania infantum. Parasites and Vectors, 2019, 12, 487.	2.5	11
6	Immunohistochemical characterization of cutaneous leishmaniasis in cats from Central-west Brazil. Veterinary Parasitology: Regional Studies and Reports, 2019, 17, 100290.	0.5	5
7	Host and parasite responses in human diffuse cutaneous leishmaniasis caused by L. amazonensis. PLoS Neglected Tropical Diseases, 2019, 13, e0007152.	3.0	58
8	Hepatic fibropoiesis in dogs naturally infected with Leishmania (Leishmania) infantum treated with liposome-encapsulated meglumine antimoniate and allopurinol. Veterinary Parasitology, 2018, 250, 22-29.	1.8	8
9	An overview on <i>Leishmania</i> ( <i>Mundinia</i> ) <i>enriettii</i> : biology, immunopathology, LRV and extracellular vesicles during the host–parasite interaction. Parasitology, 2018, 145, 1265-1273.	1.5	19
10	Detection of Leishmania infantum DNA in the non-parasitized lung of dogs with visceral leishmaniasis. BMC Veterinary Research, 2018, 14, 403.	1.9	3
11	SB-83, a 2-Amino-thiophene derivative orally bioavailable candidate for the leishmaniasis treatment. Biomedicine and Pharmacotherapy, 2018, 108, 1670-1678.	5.6	5
12	Monocyte subpopulations as important biomarkers of resistence and susceptibility during experimental infection with Leishmania (Leishmania) major. Biomedicine and Pharmacotherapy, 2018, 107, 1530-1539.	5.6	0
13	Salivary Gland Extract Modulates the Infection of Two Leishmania enriettii Strains by Interfering With Macrophage Differentiation in the Model of Cavia porcellus. Frontiers in Microbiology, 2018, 9, 969.	3.5	8
14	Experimental mixed infection of <i>Leishmania</i> ( <i>Leishmania</i> ) <i>amazonensis</i> and <i>Leishmania</i> ( <i>L</i> .) <i>infantum</i> in hamsters ( <i>Mesocricetus auratus</i> ). Parasitology, 2017, 144, 1191-1202.	1.5	10
15	Leishmania infantum is present in vaginal secretions of naturally infected bitches at lower levels in oestrogenized bitches than in non-oestrogenized bitches. Acta Parasitologica, 2017, 62, 625-629.	1.1	3
16	Effectiveness of an immunohistochemical protocol for Leishmania detection in different clinical forms of American tegumentary leishmaniasis. Parasitology International, 2017, 66, 884-888.	1.3	11
17	Leishmania enriettii (Muniz & Medina, 1948): A highly diverse parasite is here to stay. PLoS Pathogens, 2017, 13, e1006303.	4.7	28
18	Immunohistochemical study of hepatic fibropoiesis associated with canine visceral leishmaniasis. International Journal of Experimental Pathology, 2016, 97, 139-149.	1.3	7

#	Article	IF	CITATIONS
19	Immunoproteomic and bioinformatic approaches to identify secreted Leishmania amazonensis, L. braziliensis, and L. infantum proteins with specific reactivity using canine serum. Veterinary Parasitology, 2016, 223, 115-119.	1.8	17
20	Glycol methacrylate embedding for the histochemical study of the gastrointestinal tract of dogs naturally infected with Leishmania infantum. European Journal of Histochemistry, 2015, 59, 2546.	1.5	3
21	IFN-γ-Dependent Recruitment of CD4 <sup>+</sup> T Cells and Macrophages Contributes to Pathogenesis During <i>Leishmania amazonensis</i> Infection. Journal of Interferon and Cytokine Research, 2015, 35, 935-947.	1.2	34
22	A potential link among antioxidant enzymes, histopathology and trace elements in canine visceral leishmaniasis. International Journal of Experimental Pathology, 2014, 95, 260-270.	1.3	29
23	Expression of Regulatory T Cells in Jejunum, Colon, and Cervical and Mesenteric Lymph Nodes of Dogs Naturally Infected with Leishmania infantum. Infection and Immunity, 2014, 82, 3704-3712.	2.2	27
24	Identification of Virulence Factors in <i>Leishmania infantum</i> Strains by a Proteomic Approach. Journal of Proteome Research, 2014, 13, 1860-1872.	3.7	39
25	Short-term protection conferred by Leishvacin® against experimental Leishmania amazonensis infection in C57BL/6 mice. Parasitology International, 2014, 63, 826-834.	1.3	12
26	Expression of Toll-like receptors 2 and 9 in cells of dog jejunum and colon naturally infected with Leishmania infantum. BMC Immunology, 2013, 14, 22.	2.2	27
27	Canine visceral leishmaniasis as a systemic fibrotic disease. International Journal of Experimental Pathology, 2013, 94, 133-143.	1.3	17
28	Development and validation of methods for the determination of copper and iron in serum of dogs with canine visceral Leishmaniasis using multivariate optimization and GF AAS. Analytical Methods, 2013, 5, 3129.	2.7	3
29	American Tegumentary Leishmaniasis: Effectiveness of an Immunohistochemical Protocol for the Detection of Leishmania in Skin. PLoS ONE, 2013, 8, e63343.	2.5	31
30	Dyarrheal Syndrome in a Patient Co-Infected with <i>Leishmania infantum</i> and <i>Schistosoma mansoni</i> . Case Reports in Medicine, 2012, 2012, 1-4.	0.7	9
31	Ecto-Nucleotidase Activities of Promastigotes from Leishmania (Viannia) braziliensis Relates to Parasite Infectivity and Disease Clinical Outcome. PLoS Neglected Tropical Diseases, 2012, 6, e1850.	3.0	35
32	Efficacy of Combined Therapy with Liposome-Encapsulated Meglumine Antimoniate and Allopurinol in Treatment of Canine Visceral Leishmaniasis. Antimicrobial Agents and Chemotherapy, 2012, 56, 2858-2867.	3.2	47
33	NADPH Phagocyte Oxidase Knockout Mice Control Trypanosoma cruzi Proliferation, but Develop Circulatory Collapse and Succumb to Infection. PLoS Neglected Tropical Diseases, 2012, 6, e1492.	3.0	24
34	Histopathological and parasitological study of the gastrointestinal tract of dogs naturally infected with Leishmania infantum. Acta Veterinaria Scandinavica, 2011, 53, 67.	1.6	26
35	Toll Receptors Type-2 and CR3 Expression of Canine Monocytes and Its Correlation with Immunohistochemistry and Xenodiagnosis in Visceral Leishmaniasis. PLoS ONE, 2011, 6, e27679.	2.5	35
36	Murine immune response induced by Leishmania major during the implantation of paraffin tablets. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 609-618.	2.8	3

WAGNER LUIZ TAFURI

#	Article	IF	CITATIONS
37	Histopathological findings and detection of parasites in the eyes of dogs infected naturally with Leishmania chagasi. Ciencia Rural, 2010, 40, 1141-1147.	O.5	8
38	Ectopic CutaneousSchistosomiasis mansoniin the Sacral Region. Case Reports in Dermatology, 2010, 2, 1-7.	0.8	6
39	Histopathological and parasitological investigations of ear healthy skin of dogs naturally and experimentally infected with Leishmania (Leishmania) chagasi. Histology and Histopathology, 2010, 25, 877-87.	0.7	16
40	Hepatic extracellular matrix alterations in dogs naturally infected with <i>Leishmania (Leishmania) chagasi</i> . International Journal of Experimental Pathology, 2009, 90, 538-548.	1.3	29
41	First report of vertical transmission of Leishmania (Leishmania) infantum in a naturally infected bitch from Brazil. Veterinary Parasitology, 2009, 166, 159-162.	1.8	56
42	Expression of IFN-γ, TNF-α, IL-10 and TGF-β in lymph nodes associates with parasite load and clinical form of disease in dogs naturally infected with Leishmania (Leishmania) chagasi. Veterinary Immunology and Immunopathology, 2009, 128, 349-358.	1.2	100
43	Protective immunity against challenge with Leishmania (Leishmania) chagasi in beagle dogs vaccinated with recombinant A2 protein. Vaccine, 2008, 26, 5888-5895.	3.8	146
44	Reduced Tissue Parasitic Load and Infectivity to Sand Flies in Dogs Naturally Infected by Leishmania () Tj ETQqO Antimicrobial Agents and Chemotherapy, 2008, 52, 2564-2572.	0 0 rgBT /0 3.2	Overlock 10 T 67
45	Cervical, Mandibular, and Parotid Lymph Nodes of Dogs Naturally Infected with Leishmania infantum: A Histopathologic and Immunohistochemistry Study and Its Correlation with Facial Skin Lesions. Veterinary Pathology, 2008, 45, 613-616.	1.7	7
46	Histopathological and immunohistochemical study of type 3 complement receptors (CD11b/CD18) in livers and spleens of asymptomatic and symptomatic dogs naturally infected with Leishmania (Leishmania) chagasi. Veterinary Immunology and Immunopathology, 2007, 117, 129-136.	1.2	26
47	In vitro binding and survival assays of Leishmania parasites to peripherical blood monocytes and monocyte-derived macrophages isolated from dogs naturally and experimentally infected with Leishmania (Leishmania) chagasi. BMC Veterinary Research, 2007, 3, 11.	1.9	7
48	CD8+T cells are not required for vaccine-induced immunity against Leishmania amazonensis in IL-12/23P40â^'/â^' C57BL/6 mice. Microbes and Infection, 2007, 9, 1124-1134.	1.9	3
49	Canine visceral leishmaniasis: a remarkable histopathological picture of one asymptomatic animal reported from Belo Horizonte, Minas Gerais, Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2006, 58, 944-1000.	0.4	9
50	Comparison of paraffin-embedded skin biopsies from different anatomical regions as sampling methods for detection of Leishmania infection in dogs using histological, immunohistochemical and PCR methods. BMC Veterinary Research, 2006, 2, 17.	1.9	60
51	Vaccine-induced protection against Leishmania amazonensis is obtained in the absence of IL-12/23p40. Immunology Letters, 2006, 105, 38-47.	2.5	15
52	A sensitive flow cytometric methodology for studying the binding of L. chagasito canine peritoneal macrophages. BMC Infectious Diseases, 2005, 5, 39.	2.9	17
53	An alternative immunohistochemical method for detecting Leishmania amastigotes in paraffin-embedded canine tissues. Journal of Immunological Methods, 2004, 292, 17-23.	1.4	150
54	Canine visceral leishmaniasis: a histopathological study of lymph nodes. Acta Tropica, 2004, 92, 43-53.	2.0	54

#	Article	IF	CITATIONS
55	Chronic interstitial pneumonitis in dogs naturally infected with Leishmania (Leishmania) chagasi: a histopathological and morphometric study. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2003, 45, 153-158.	1.1	24
56	Leishmania (Leishmania) chagasi is not vertically transmitted in dogs. Veterinary Parasitology, 2002, 103, 71-81.	1.8	40
57	Canine visceral leishmaniosis: a remarkable histopathological picture of one case reported from Brazil. Veterinary Parasitology, 2001, 96, 203-212.	1.8	83
58	Kinetics of an experimental inflammatory reaction induced by Leishmania major during the implantation of paraffin tablets in mice. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2000, 437, 429-435.	2.8	3
59	Histopathology and immunocytochemical study of type 3 and type 4 complement receptors in the liver and spleen of dogs naturally and experimentally infected with Leishmania (Leishmania) chagasi. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1996, 38, 81-89.	1.1	47
60	Delayed hypersensitivity skin-test using Leishvacin® for epidemiological survey of canine cutaneous leishmaniasis in a rural area of Minas Gerais state, Brazil. Memorias Do Instituto Oswaldo Cruz, 1993, 88, 635-636.	1.6	7