

Katrien Devreese

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6012834/katrien-devreese-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

2,520
citations

30
h-index

45
g-index

132
ext. papers

3,235
ext. citations

7.3
avg, IF

5.93
L-index

#	Paper	IF	Citations
123	Direct Oral Anticoagulant removal by a DOAC filter: Impact on lupus anticoagulant testing - Evaluation on spiked and patient samples.. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2022 , 6, e12633	5.1	0
122	Role of antiphospholipid antibodies in the diagnosis of antiphospholipid syndrome. <i>Journal of Translational Autoimmunity</i> , 2021 , 4, 100134	4.1	3
121	Flow cytometric analysis of platelet function to detect high on-treatment residual platelet reactivity in patients on dual antiplatelet therapy. <i>International Journal of Laboratory Hematology</i> , 2021 ,	2.5	
120	Thrombin generation measured by two platforms in patients with a bleeding tendency: Reply. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2899-2901	15.4	
119	Clinical Relevance of Isolated Lupus Anticoagulant Positivity in Patients with Thrombotic Antiphospholipid Syndrome. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1220-1227	7	9
118	Development of a New International Antiphospholipid Syndrome Classification Criteria Phase I/II Report: Generation and Reduction of Candidate Criteria. <i>Arthritis Care and Research</i> , 2021 , 73, 1490-1504	4.7	13
117	Thrombin generation measured by two platforms in patients with a bleeding tendency. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 1460-1471	15.4	3
116	Recommendations for the measurement of thrombin generation: Communication from the ISTH SSC Subcommittee on Lupus Anticoagulant/Antiphospholipid Antibodies. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 1372-1378	15.4	6
115	Evaluation of a commercial set of frozen plasmas for instrument-to-instrument comparability. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 1229-1236	2.5	
114	Antiprothrombin antibodies induce platelet activation: A possible explanation for anti-FXa therapy failure in patients with antiphospholipid syndrome?. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 1776-1782	15.4	2
113	Is monitoring of antiplatelet therapy by light transmission aggregometry dependent on instrument and reagent used?. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 786-794	2.5	1
112	International multicenter, multiplatform study to validate Taipan snake venom time as a lupus anticoagulant screening test with ecarin time as the confirmatory test: Communication from the ISTH SSC Subcommittee on Lupus Anticoagulant/Antiphospholipid Antibodies. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 3177-3192	15.4	5
111	Deciphered coagulation profile to diagnose the antiphospholipid syndrome using artificial intelligence. <i>Thrombosis Research</i> , 2021 , 203, 142-151	8.2	1
110	COVID-19-related laboratory coagulation findings. <i>International Journal of Laboratory Hematology</i> , 2021 , 43 Suppl 1, 36-42	2.5	10
109	Monitoring of anticoagulation in thrombotic antiphospholipid syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 892-908	15.4	3
108	Purpura fulminans: How varicella zoster can result in acquired protein S deficiency. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 146-147	2.5	
107	Belgian rare diseases plan in clinical pathology: identification of key biochemical diagnostic tests and establishment of reference laboratories and financing conditions. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 89	4.2	

106	Laboratory testing for post ChAdOx1 nCoV-19 vaccination VITT: A challenge. Comment on: Recommendations for the clinical and laboratory diagnosis of VITT against COVID-19: Communication from the ISTH SSC Subcommittee on Platelet Immunology. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2355-2357	15.4	2
105	Search for a practical approach for detection of clopidogrel resistance: Comparison of light transmission aggregometry and INNOVANCE [®] PFA P2Y cartridge and correlation with CYP2C19 variants. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, e189-e191	2.5	2
104	Antithrombotic prophylaxis for surgery-associated venous thromboembolism risk in patients with inherited platelet disorders. The SPATA-DVT Study. <i>Haematologica</i> , 2020 , 105, 1948-1956	6.6	3
103	Flow cytometric analysis of platelet function to improve the recognition of thrombocytopeny. <i>Thrombosis Research</i> , 2020 , 194, 183-189	8.2	2
102	Interference of DOAC stop and DOAC remove in the thrombin generation assay and coagulation assays. <i>Thrombosis Research</i> , 2020 , 192, 96-99	8.2	11
101	Testing for antiphospholipid antibodies: Advances and best practices. <i>International Journal of Laboratory Hematology</i> , 2020 , 42 Suppl 1, 49-58	2.5	11
100	How to Interpret Antiphospholipid Laboratory Tests. <i>Current Rheumatology Reports</i> , 2020 , 22, 38	4.9	12
99	Antiphospholipid antibodies in patients with COVID-19: A relevant observation?. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2191-2201	15.4	87
98	Active von Willebrand Factor in patients with a bleeding diathesis. <i>Thrombosis Update</i> , 2020 , 1, 100001	0.9	
97	In utero exposure to Azathioprine in autoimmune disease. Where do we stand?. <i>Autoimmunity Reviews</i> , 2020 , 19, 102525	13.6	13
96	Direct oral anticoagulant adsorption: Impact on lupus anticoagulant testing-Review of the literature and evaluation on spiked and patient samples. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2003-2017	15.4	16
95	The effect of unfractionated heparin, enoxaparin, and danaparoid on lupus anticoagulant testing: Can activated carbon eliminate false-positive results?. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020 , 4, 161-168	5.1	14
94	Evaluation of the primary biliary cholangitis-related serologic profile in a large cohort of Belgian systemic sclerosis patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 416-423	5.9	5
93	Autosomal dominant macrothrombocytopenia caused by a rare GPIIB variant: The importance of DNA sequencing. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, e98-e100	2.5	
92	Detection of anti-domain I antibodies by chemiluminescence enables the identification of high-risk antiphospholipid syndrome patients: A multicenter multiplatform study. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 463-478	15.4	8
91	Illustrated State-of-the-Art Capsules of the ISTH 2020 Congress. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020 , 4, 680-713	5.1	1
90	Is There an Additional Value in Detecting Anticardiolipin and Anti- β glycoprotein I IgA Antibodies in the Antiphospholipid Syndrome?. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 1557-1568	7	11
89	Guidance from the Scientific and Standardization Committee for lupus anticoagulant/antiphospholipid antibodies of the International Society on Thrombosis and Haemostasis: Update of the guidelines for lupus anticoagulant detection and interpretation. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2020-2020	15.4	57

88	Use of direct oral anticoagulants in patients with thrombotic antiphospholipid syndrome: Guidance from the Scientific and Standardization Committee of the International Society on Thrombosis and Haemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2126-2137	15.4	30
87	The (non-)sense of detecting anti-cardiolipin and anti- β 2-glycoprotein I IgM antibodies in the antiphospholipid syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 169-179	15.4	22
86	Towards standardization of thrombin generation assays: Inventory of thrombin generation methods based on results of an International Society of Thrombosis and Haemostasis Scientific Standardization Committee survey. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1893-1899	15.4	17
85	Lupus anticoagulant detection in anticoagulated patients. Guidance from the Scientific and Standardization Committee for lupus anticoagulant/antiphospholipid antibodies of the International Society on Thrombosis and Haemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1569-1575	15.4	38
84	Evaluation of an automated algorithm for interpretation of lupus anticoagulant testing. <i>International Journal of Laboratory Hematology</i> , 2019 , 41, 412-417	2.5	6
83	Influence of anticardiolipin and anti- β 2 glycoprotein I antibody cutoff values on antiphospholipid syndrome classification. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019 , 3, 515-527	5.1	12
82	Clinical and laboratory practice for lupus anticoagulant testing: An International Society of Thrombosis and Haemostasis Scientific and Standardization Committee survey. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1715-1732	15.4	16
81	Detection of Anti-Cardiolipin and Anti- β 2glycoprotein I Antibodies Differs between Platforms without Influence on Association with Clinical Symptoms. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 797-806	7.6	15
80	Measurement of factor VIII activity of efralotocog alfa with commercially available one-stage clotting and chromogenic assays: Results from the Belgian national External Quality Assessment Scheme. <i>International Journal of Laboratory Hematology</i> , 2019 , 41, e20-e22	2.5	2
79	The impact of repeated freeze-thaw cycles on antiphospholipid antibody titer. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2018 , 2, 366-369	5.1	4
78	Laboratory criteria for antiphospholipid syndrome: communication from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 809-813	15.4	114
77	Pre-analytical stability of coagulation parameters in plasma stored at room temperature. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, 292-303	2.5	13
76	The importance of detecting anti-DFS70 in routine clinical practice: comparison of different care settings. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1090-1099	5.9	15
75	Antiphospholipid syndrome. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 17103	51.1	128
74	Identification of high thrombotic risk triple-positive antiphospholipid syndrome patients is dependent on anti-cardiolipin and anti- β 2glycoprotein I antibody detection assays. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 2016-2023	15.4	32
73	Laboratory criteria for antiphospholipid syndrome: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 2117-2119	15.4	8
72	Thrombomodulin and Endothelial Dysfunction: A Disease-Modifier Shared between Malignant Hypertension and Atypical Hemolytic Uremic Syndrome. <i>Nephron</i> , 2018 , 140, 63-73	3.3	11
71	Primary antiphospholipid syndrome and antiphospholipid syndrome associated to systemic lupus: Are they different entities?. <i>Autoimmunity Reviews</i> , 2018 , 17, 739-745	13.6	15

70	Evaluation of AggreGuide A-100 for monitoring of antiplatelet therapy. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, e113-e116	2.5	2
69	Performance of the preanalytical check module of the Stago STA R Max2 mechanical endpoint detection analyzer for assessing the impact of hemolysis, lipemia, and icterus on aPTT and PT. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, e109-e112	2.5	5
68	Flow Cytometric Analysis of Platelet Function in Patients on Antiplatelet Therapy and Suspected Thrombocytopenia. <i>Blood</i> , 2018 , 132, 1161-1161	2.2	
67	The Isotype of Antiphospholipid Antibodies and Their Associated Risk on Thrombosis and Pregnancy Morbidity; What Are the Odds?. <i>Blood</i> , 2018 , 132, 1220-1220	2.2	
66	A patient with acquired factor X deficiency and metastatic transitional cell carcinoma of the bladder: is there a link between metastasis and factor deficiency in solid tumors?. <i>Annals of Hematology</i> , 2018 , 97, 545-546	3	
65	Comparison between manufacturing sites shows differential adhesion, activation, and GPIb α expression of cryopreserved platelets. <i>Transfusion</i> , 2018 , 58, 2645-2656	2.9	20
64	HIBISCUS: Hydroxychloroquine for the secondary prevention of thrombotic and obstetrical events in primary antiphospholipid syndrome. <i>Autoimmunity Reviews</i> , 2018 , 17, 1153-1168	13.6	43
63	The clinical value of assays detecting antibodies against domain I of β -glycoprotein I in the antiphospholipid syndrome. <i>Autoimmunity Reviews</i> , 2018 , 17, 1210-1218	13.6	14
62	Dilute Russell's viper venom time reagents in lupus anticoagulant testing: a well-considered choice. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 91-101	5.9	21
61	A multicenter study to assess the reproducibility of antiphospholipid antibody results produced by an automated system. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 91-95	15.4	16
60	Clinical and Prognostic Significance of Non-criteria Antiphospholipid Antibody Tests 2017 , 171-187		2
59	Specific Antinuclear Antibody Level Changes after B Cell Depletion Therapy in Systemic Sclerosis Are Associated with Improvement of Skin Thickening. <i>Journal of Rheumatology</i> , 2016 , 43, 247-9	4.1	5
58	A rapid test (STic Expert β) for the diagnosis of heparin-induced thrombocytopenia. <i>British Journal of Haematology</i> , 2016 , 172, 464-5	4.5	3
57	Differences in lupus anticoagulant final conclusion through clotting time or Rosner index for mixing test interpretation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1511-6	5.9	16
56	Investigation of sensitivity for coagulation factor deficiency in APTT and PT: how to perform it?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e169-72	5.9	6
55	Role of anti-domain 1- β glycoprotein I antibodies in the diagnosis and risk stratification of antiphospholipid syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 1779-87	15.4	54
54	Isolated acquired factor VII deficiency: review of the literature. <i>Acta Clinica Belgica</i> , 2016 , 71, 63-70	1.8	12
53	Role of anti-domain 1- β glycoprotein I antibodies in the diagnosis and risk stratification of antiphospholipid syndrome: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 2078-2080	15.4	3

52	Interference of C-reactive protein with clotting times. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e141-5	5.9	15
51	Influence of dabigatran and rivaroxaban on routine coagulation assays. A nationwide Belgian survey. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 154-64	7	60
50	Mixing studies in lupus anticoagulant testing are required at least in some type of samples. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1475-8	15.4	32
49	Influence of platelet clumps on platelet function analyser (PFA)-200□ testing. <i>International Journal of Laboratory Hematology</i> , 2015 , 37, e103-5	2.5	2
48	Where and When To Inject Low Molecular Weight Heparin in Hemodiafiltration? A Cross Over Randomised Trial. <i>PLoS ONE</i> , 2015 , 10, e0128634	3.7	12
47	Influence of vitamin K antagonist treatment on activated partial thromboplastin time. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e47-50	5.9	
46	Lupus anticoagulant-hypoprothrombinemia syndrome: report of two cases and review of the literature. <i>Lupus</i> , 2015 , 24, 736-45	2.6	44
45	Antiphospholipid antibody testing and standardization. <i>International Journal of Laboratory Hematology</i> , 2014 , 36, 352-63	2.5	58
44	Paired analysis of plasma proteins and coagulant capacity after treatment with three methods of pathogen reduction. <i>Transfusion</i> , 2014 , 54, 1321-31	2.9	17
43	Testing for antiphospholipid antibodies with solid phase assays: guidance from the SSC of the ISTH. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 792-5	15.4	118
42	Lymphoplasmacytic lymphoma exposed by haemoptysis and acquired von Willebrand syndrome. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 395-7	1	4
41	Bedside monitoring of anticoagulation in chronic haemodialysis patients treated with tinzaparin. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1092-6	4.3	8
40	Acquired hemophilia: a case report and review of the literature. <i>International Journal of Laboratory Hematology</i> , 2014 , 36, 398-407	2.5	22
39	Automated indirect immunofluorescence microscopy enables the implementation of a quantitative internal quality control system for anti-nuclear antibody (ANA) analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 989-98	5.9	12
38	Automated indirect immunofluorescence antinuclear antibody analysis is a standardized alternative for visual microscope interpretation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1771-9	5.9	37
37	The integration of the detection of systemic sclerosis-associated antibodies in a routine laboratory setting: comparison of different strategies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 2151-60	5.9	9
36	Validation of a new panel of automated chemiluminescence assays for von Willebrand factor antigen and activity in the screening for von Willebrand disease. <i>International Journal of Laboratory Hematology</i> , 2013 , 35, 555-65	2.5	25
35	Fondaparinux as an alternative to vitamin K antagonists in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 3090-5	4.3	6

34	Performance of two new, automated chemiluminescence assay panels for anticardiolipin and anti-beta2-glycoprotein I antibodies in the laboratory diagnosis of the antiphospholipid syndrome. <i>International Journal of Laboratory Hematology</i> , 2012 , 34, 630-40	2.5	34
33	Optimization and diagnostic performance of a single multiparameter lineblot in the serological workup of systemic sclerosis. <i>Journal of Immunological Methods</i> , 2012 , 379, 53-60	2.5	27
32	Standardization of antiphospholipid antibody assays. Where do we stand?. <i>Lupus</i> , 2012 , 21, 718-21	2.6	60
31	Antiphospholipid antibodies: evaluation of the thrombotic risk. <i>Thrombosis Research</i> , 2012 , 130 Suppl 1, S37-40	8.2	37
30	Proteomic analysis in giant axonal neuropathy: new insights into disease mechanisms. <i>Muscle and Nerve</i> , 2012 , 46, 246-56	3.4	10
29	Evaluation of a new set of automated chemiluminescence assays for anticardiolipin and anti-beta2-glycoprotein I antibodies in the laboratory diagnosis of the antiphospholipid syndrome. <i>Thrombosis Research</i> , 2011 , 128, 565-9	8.2	40
28	Anticardiolipin and anti-βglycoprotein-I antibody cut-off values in the diagnosis of antiphospholipid syndrome: more than calculating the in-house 99th percentiles, even for new automated assays. <i>Thrombosis Research</i> , 2011 , 128, 598-600	8.2	22
27	Diagnostic test combinations associated with thrombosis in lupus anticoagulant positive patients. <i>Thrombosis and Haemostasis</i> , 2011 , 105, 736-8	7	17
26	Evaluation of three commercial ELISA kits for anticardiolipin and anti-beta2-glycoprotein I antibodies in the laboratory diagnosis of the antiphospholipid syndrome. <i>International Journal of Laboratory Hematology</i> , 2011 , 33, 97-108	2.5	9
25	Hemocompatibility of siRNA loaded dextran nanogels. <i>Biomaterials</i> , 2011 , 32, 9120-7	15.6	58
24	Optimized alkylated cyclodextrin polysulphates with reduced risks on thromboembolic accidents improve osteoarthritic chondrocyte metabolism. <i>Rheumatology</i> , 2011 , 50, 1226-35	3.9	4
23	Is there an association between complement activation and antiphospholipid antibody-related thrombosis?. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 1279-81	7	23
22	Challenges in the diagnosis of the antiphospholipid syndrome. <i>Clinical Chemistry</i> , 2010 , 56, 930-40	5.5	61
21	Lupus Anticoagulant (LAC) testing in patients with inflammatory status: does C-reactive protein interfere with LAC test results?. <i>Thrombosis Research</i> , 2010 , 125, 102-4	8.2	77
20	Evaluation of commercial normal pooled plasma used in the laboratory diagnosis of lupus anticoagulants. <i>Thrombosis Research</i> , 2010 , 126, 246-9	8.2	2
19	Thrombotic risk assessment in the antiphospholipid syndrome requires more than the quantification of lupus anticoagulants. <i>Blood</i> , 2010 , 115, 870-8	2.2	63
18	No more mixing tests required for integrated assay systems in the laboratory diagnosis of lupus anticoagulants?. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1120-2	15.4	30
17	Lupus anticoagulant: case-based external quality assessment. <i>Journal of Clinical Pathology</i> , 2009 , 62, 731-4	3.9	

16	Laboratory diagnosis of the antiphospholipid syndrome: a plethora of obstacles to overcome. <i>European Journal of Haematology</i> , 2009 , 83, 1-16	3.8	71
15	A clinical-laboratory approach contributing to a rapid and reliable diagnosis of heparin-induced thrombocytopenia: An update. <i>Thrombosis Research</i> , 2009 , 124, 642-3	8.2	7
14	Laboratory detection of the antiphospholipid syndrome via calibrated automated thrombography. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 185-196	7	35
13	Laboratory detection of the antiphospholipid syndrome via calibrated automated thrombography. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 185-96	7	7
12	Is there evidence for persistent or transient positive lupus anticoagulants according to the degree of prolongation of clotting tests?. <i>Thrombosis Research</i> , 2008 , 122, 576-9	8.2	2
11	Evaluation of a new commercial dilute prothrombin time in the diagnosis of lupus anticoagulants. <i>Thrombosis Research</i> , 2008 , 123, 404-11	8.2	7
10	A clinical-laboratory approach contributing to a rapid and reliable diagnosis of heparin-induced thrombocytopenia. <i>Thrombosis Research</i> , 2008 , 123, 137-45	8.2	51
9	Thrombin generation in plasma of healthy adults and children: Chromogenic versus fluorogenic thrombogram analysis. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 600-613	7	45
8	Interpretation of normal plasma mixing studies in the laboratory diagnosis of lupus anticoagulants. <i>Thrombosis Research</i> , 2007 , 119, 369-76	8.2	29
7	Evaluation of a new silica clotting time in the diagnosis of lupus anticoagulants. <i>Thrombosis Research</i> , 2007 , 120, 427-38	8.2	9
6	A functional coagulation test to identify anti-beta2-glycoprotein I dependent lupus anticoagulants. <i>Thrombosis Research</i> , 2007 , 119, 753-9	8.2	14
5	Thrombin generation in plasma of healthy adults and children: chromogenic versus fluorogenic thrombogram analysis. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 600-13	7	7
4	Comparison of a new automated von Willebrand factor activity assay with an aggregation von Willebrand ristocetin cofactor activity assay for the diagnosis of von Willebrand disease. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 353-8	1	25
3	Factor V inhibitor: case report. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 585-7	1	8
2	Evaluation of new commercial enzyme-linked immunosorbent assay kits in the laboratory diagnosis of antiphospholipid syndrome in view of the revised classification criteria of the antiphospholipid syndrome. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 651-9	1	2
1	Reference intervals for a complete blood count determined on different automated haematology analysers: Abx Pentra 120 Retic, Coulter Gen-S, Sysmex SE 9500, Abbott Cell Dyn 4000 and Bayer Advia 120. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002 , 40, 69-73	5.9	59