

Carlos N Elias

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6013531/carlos-n-elias-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

3,929
citations

31
h-index

59
g-index

174
ext. papers

4,543
ext. citations

2.9
avg, IF

5.42
L-index

#	Paper	IF	Citations
159	Surface Characteristics and Microbiological Analysis of a Vat-Photopolymerization Additive-Manufacturing Dental Resin.. <i>Materials</i> , 2022 , 15,	3.5	1
158	Flexural Strength of Vitreous Ceramics Based on Lithium Disilicate and Lithium Silicate Reinforced with Zirconia for CAD/CAM.. <i>International Journal of Biomaterials</i> , 2022 , 2022, 5896511	3.2	1
157	Physical Properties and Color Stainability by Coffee and Red Wine of Opaque and High Translucency Zirconia Dental Ceramics after Hydrothermal Degradation. <i>International Journal of Biomaterials</i> , 2022 , 2022, 1-11	3.2	0
156	Galvanic Corrosion of Ti Dental Implants Coupled to CoCrMo Prosthetic Component. <i>International Journal of Biomaterials</i> , 2021 , 2021, 1313343	3.2	2
155	Comparison of feldspathic veneer surface treatments on ceramic bracket SBS, ARI and surface roughness after different debonding/polishing methods: An in vitro study. <i>International Orthodontics</i> , 2021 , 19, 679-684	0.9	0
154	Performance of Nano-Hydroxyapatite/Beta-Tricalcium Phosphate and Xenogenic Hydroxyapatite on Bone Regeneration in Rat Calvarial Defects: Histomorphometric, Immunohistochemical and Ultrastructural Analysis. <i>International Journal of Nanomedicine</i> , 2021 , 16, 3473-3485	7.3	3
153	Effect of sintering process on microstructure, 4-point flexural strength, and grain size of yttria-stabilized tetragonal zirconia polycrystal for use in monolithic dental restorations. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 824.e1-824.e8	4	3
152	Properties of a bovine collagen type I membrane for guided bone regeneration applications. <i>E-Polymers</i> , 2021 , 21, 210-221	2.7	5
151	In vitro analysis of prosthetic abutment and angulable frictional implant interface adaptation: Mechanical and microbiological study. <i>Journal of Biomechanics</i> , 2021 , 128, 110733	2.9	1
150	Miniscrew-assisted rapid palatal expansion (MARPE): how to achieve greater stability. In vitro study. <i>Dental Press Journal of Orthodontics</i> , 2021 , 26, e211967	1.3	1
149	Adhesion of ceramic tile coating system on concrete block wall. <i>Construction and Building Materials</i> , 2020 , 244, 118278	6.7	5
148	Effect of focal adhesion kinase inhibition on osteoblastic cells grown on titanium with different topographies. <i>Journal of Applied Oral Science</i> , 2020 , 28, e20190156	3.3	7
147	Comparison of the wettability and corrosion resistance of two biomedical Ti alloys free of toxic elements with those of the commercial ASTM F136 (Ti6Al4V) alloy. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 16329-16338	5.5	3
146	Performance of cementitious matrices incorporating concrete floor polishing sludge waste. <i>Construction and Building Materials</i> , 2020 , 265, 120119	6.7	0
145	Participation of integrin β in osteoblast differentiation induced by titanium with nano or microtopography. <i>Journal of Biomedical Materials Research - Part A</i> , 2019 , 107, 1303-1313	5.4	20
144	Influence of heat treatment on torsional resistance and surface roughness of nickel-titanium instruments. <i>International Endodontic Journal</i> , 2019 , 52, 1645-1651	5.4	19
143	A novel hybrid nanoparticle based on Fe ₃ O ₄ /TMAOH/poly(L-co-D,L lactic acid-co-trimethylene carbonate) prepared through the solvent displacement method. <i>Hyperfine Interactions</i> , 2019 , 240, 1	0.8	1

142	Evaluation of the Effect of Air Polishing With Different Abrasive Powders on the Roughness of Implant Abutment Surface: An In Vitro Study. <i>Journal of Oral Implantology</i> , 2019 , 45, 202-206	1.2	4
141	Influence of CAD-CAM milling on the flexural strength of Y-TZP dental ceramics. <i>Ceramics International</i> , 2019 , 45, 10250-10259	5.1	2
140	Oral degradation of Y-TZP ceramics. <i>Ceramics International</i> , 2019 , 45, 9955-9961	5.1	13
139	Modeling of the Influence of Chemical Composition, Sintering Temperature, Density, and Thickness in the Light Transmittance of Four Zirconia Dental Prostheses. <i>Materials</i> , 2019 , 12,	3.5	6
138	Viability and collagen secretion by fibroblasts on titanium surfaces with different acid-etching protocols. <i>International Journal of Implant Dentistry</i> , 2019 , 5, 41	2.8	4
137	Influence of oral pH Environment in the Corrosion Resistance of Cr-Co-Mo alloy Used for Dentistry Prosthetic Components. <i>Materials Research</i> , 2019 , 22,	1.5	1
136	Nanosized hydroxyapatite and tricalcium phosphate composite: Physico-chemical, cytotoxicity, morphological properties and in vivo trial. <i>Scientific Reports</i> , 2019 , 9, 19602	4.9	21
135	Mechanical and clinical properties of titanium and titanium-based alloys (Ti G2, Ti G4 cold worked nanostructured and Ti G5) for biomedical applications. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 1060-1069	5.5	59
134	Dental application 2019 , 237-253		1
133	Torsional Fatigue Resistance of Blue-treated Reciprocating Instruments. <i>Journal of Endodontics</i> , 2018 , 44, 1038-1041	4.7	23
132	Mechanical characteristics of counterfeit Reciproc instruments: a call for attention. <i>International Endodontic Journal</i> , 2018 , 51, 556-563	5.4	7
131	Cyclic and Torsional Fatigue Resistance of XP-endo Shaper and TRUShape Instruments. <i>Journal of Endodontics</i> , 2018 , 44, 168-172	4.7	43
130	Mechanical Properties of Anatomic Finishing Files: XP-Endo Finisher and XP-Clean. <i>Brazilian Dental Journal</i> , 2018 , 29, 208-213	1.9	4
129	Effects of different primers on indirect orthodontic bonding: Shear bond strength, color change, and enamel roughness. <i>Korean Journal of Orthodontics</i> , 2018 , 48, 245-252	1.4	3
128	Physico-chemical and Biological Properties of a New Portland Cement-based Root Repair Material. <i>European Endodontic Journal</i> , 2018 , 3, 38-47	1.5	5
127	Fatigue resistance of endodontic instruments manufactured in NiTi CM Wire and in conventional NiTi alloy with electrochemical treatment. <i>Rgo</i> , 2018 , 66, 111-116	0.7	2
126	Apicoectomy and Scanning Electron Microscopy Analysis of an Implant Infected by Apical (Retrograde) Peri-implantitis: A Case Letter. <i>Journal of Oral Implantology</i> , 2018 , 44, 287-291	1.2	2
125	Development of a novel nano-biomaterial for biomedical applications. <i>Materials Research Express</i> , 2018 , 5, 125014	1.7	1

124	Blue Thermomechanical Treatment Optimizes Fatigue Resistance and Flexibility of the Reciproc Files. <i>Journal of Endodontics</i> , 2017 , 43, 462-466	4.7	133
123	Development of 70/30 Poly-L-DL-Lactic Acid Filaments for 3D Printers (Part 1): Filament Manufacturing and Characterization of Printed Samples for Use as Bioabsorbable Products. <i>Jom</i> , 2017 , 69, 71-77	2.1	1
122	Comparative study of compressive and fatigue strength of dental implants made of nanocrystalline Ti Hard and microcrystalline Ti G4. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2017 , 40, 696-705	3	5
121	Extensiometric analysis of strain in craniofacial bones during implant-supported palatal expansion. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 76, 104-109	4.1	
120	Creep Fracture Mechanisms and Maps in Aisi Type 316 Austenitic Stainless Steels from Distinct Origins. <i>Materials Research</i> , 2017 , 20, 892-898	1.5	2
119	Fracture strength of orthodontic mini-implants. <i>Dental Press Journal of Orthodontics</i> , 2017 , 22, 47-54	1.3	8
118	Influence of acid treatment on surface properties and in vivo performance of Ti6Al4V alloy for biomedical applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2017 , 28, 164	4.5	6
117	Development of 70/30 Poly-L-DL-Lactic Acid Filaments for 3D Printers (Part 2): Mechanical and Surface Properties of Bioabsorbable Printed Plates for Biomedical Applications. <i>Jom</i> , 2017 , 69, 78-83	2.1	1
116	Mechanical Strength and Surface Roughness of Magnesium-Based Metallic Glasses. <i>Jom</i> , 2017 , 69, 1175-1184	2	
115	Primary Stability of Temporary Screws after Dentary and Orthopedic Forces under Static and Dynamic Load Cycles. <i>Metals</i> , 2017 , 7, 80	2.3	
114	In vitro analysis of the microbiological sealing of tapered implants after mechanical cycling. <i>Clinical Oral Investigations</i> , 2016 , 20, 2437-2445	4.2	15
113	Análise da superfície e osseointegração de implantes dentários com superfícies biomiméticas contendo Ca, Mg e F. <i>Revista Materia</i> , 2016 , 21, 196-203	0.8	
112	Surface analysis of 2 orthodontic mini-implants after clinical use. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016 , 150, 89-97	2.1	4
111	Influence of Surface Roughness on the Fatigue Life of Nickel-Titanium Rotary Endodontic Instruments. <i>Journal of Endodontics</i> , 2016 , 42, 965-8	4.7	30
110	Natural Curaua Fiber-Reinforced Composites in Multilayered Ballistic Armor. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 4567-4577	2.3	58
109	Early Osseointegration Events on Neoss® ProActive and Bimodal Implants: A Comparison of Different Surfaces in an Animal Model. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 1060-72 ^{3,9}	3.9	7
108	Mechanical properties, surface morphology and stability of a modified commercially pure high strength titanium alloy for dental implants. <i>Dental Materials</i> , 2015 , 31, e1-e13	5.7	86
107	Clinical evaluation of anodized surface implants submitted to a counter torque of 25´ncm after 60´days of osseointegration: study in humans. <i>Journal of Maxillofacial and Oral Surgery</i> , 2015 , 14, 1-6	0.9	4

106	Stability of smooth and rough mini-implants: clinical and biomechanical evaluation - an in vivostudy. <i>Dental Press Journal of Orthodontics</i> , 2015 , 20, 35-42	1.3	1
105	Efficiency of different protocols for enamel clean-up after bracket debonding: an in vitro study. <i>Dental Press Journal of Orthodontics</i> , 2015 , 20, 78-85	1.3	10
104	Mechanical Performance of Nickel-titanium Archwires. <i>Materials Research</i> , 2015 , 18, 1264-1277	1.5	4
103	Properties and Performance of Ultrafine Grained Titanium for Biomedical Applications. <i>Materials Research</i> , 2015 , 18, 1163-1175	1.5	27
102	Influence of Screw Length and Bone Thickness on the Stability of Temporary Implants. <i>Materials</i> , 2015 , 8, 6558-6569	3.5	5
101	Influence of cortical thickness on the stability of mini-implants with microthreads. <i>Brazilian Oral Research</i> , 2015 , 29,	2.6	6
100	Bending resistance and dynamic and static cyclic fatigue life of Reciproc and WaveOne large instruments. <i>Journal of Endodontics</i> , 2014 , 40, 575-9	4.7	53
99	Influence of Surface Morphology on the Torsion Fracture of NiTi Endodontic Instruments. <i>Journal of Materials Engineering and Performance</i> , 2014 , 23, 2533-2538	1.6	1
98	Mechanical properties of NiTi and CuNiTi wires used in orthodontic treatment. Part 2: Microscopic surface appraisal and metallurgical characteristics. <i>Dental Press Journal of Orthodontics</i> , 2014 , 19, 69-76	1.3	12
97	Integrity of implant surface modifications after insertion. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 97-104	2.8	25
96	Shear bond resistance and enamel surface comparison after the bonding and debonding of ceramic and metallic brackets. <i>Dental Press Journal of Orthodontics</i> , 2014 , 19, 77-85	1.3	13
95	Frictional resistance of self-ligating versus conventional brackets in different bracket-archwire-angle combinations. <i>Journal of Applied Oral Science</i> , 2014 , 22, 228-34	3.3	17
94	Insertion torque versus mechanical resistance of mini-implants inserted in different cortical thickness. <i>Dental Press Journal of Orthodontics</i> , 2014 , 19, 90-4	1.3	2
93	Assessment of exogenous pigmentation in colourless elastic ligatures. <i>Journal of Orthodontics</i> , 2014 , 41, 147-51	1.6	9
92	Degradation and Mechanical Properties of Zirconia 3-Unit Fixed Dental Prostheses Machined on a CAD/CAM System. <i>International Journal of Applied Ceramic Technology</i> , 2014 , 11, 513-523	2	2
91	In Vitro Degradation of Poly-L-DL-Lactic Acid (PLDLLA) after Two Processing Methods. <i>Journal of Biomimetics, Biomaterials and Biomedical Engineering</i> , 2014 , 20, 45-64	0.6	1
90	Fatigue behavior of 3%Y2O3-doped ZrO2 ceramics. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 48-54	5.5	12
89	Nanostructured severe plastic deformation processed titanium for orthodontic mini-implants. <i>Materials Science and Engineering C</i> , 2013 , 33, 4197-202	8.3	38

88	Ultrafine grained titanium for biomedical applications: An overview of performance. <i>Journal of Materials Research and Technology</i> , 2013 , 2, 340-350	5.5	94
87	Fatigue Life of Reciproc and Mtwo instruments subjected to static and dynamic tests. <i>Journal of Endodontics</i> , 2013 , 39, 693-6	4.7	65
86	Influence of the geometry of curved artificial canals on the fracture of rotary nickel-titanium instruments subjected to cyclic fatigue tests. <i>Journal of Endodontics</i> , 2013 , 39, 704-7	4.7	25
85	Cross-section dimensions and mechanical properties of esthetic orthodontic coated archwires. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013 , 143, S85-91	2.1	18
84	Comparison of the mechanical properties of rotary instruments made of conventional nickel-titanium wire, M-wire, or nickel-titanium alloy in R-phase. <i>Journal of Endodontics</i> , 2013 , 39, 516-20	4.7	75
83	Dental implants. <i>International Journal of Biomaterials</i> , 2013 , 2013, 838565	3.2	3
82	Surface morphology changes of acrylic resins during finishing and polishing phases. <i>Dental Press Journal of Orthodontics</i> , 2013 , 18, 26-30	1.3	5
81	Morphological evaluation of the active tip of six types of orthodontic mini-implants. <i>Dental Press Journal of Orthodontics</i> , 2013 , 18, 36-41	1.3	3
80	Superficial morphology and mechanical properties of in vivo aged orthodontic ligatures. <i>Dental Press Journal of Orthodontics</i> , 2013 , 18, 107-12	1.3	8
79	Evaluation of the friction force generated by monocristalyne and policristalyne ceramic brackets in sliding mechanics. <i>Dental Press Journal of Orthodontics</i> , 2013 , 18, 121-7	1.3	8
78	Mechanical properties of NiTi and CuNiTi shape-memory wires used in orthodontic treatment. Part 1: stress-strain tests. <i>Dental Press Journal of Orthodontics</i> , 2013 , 18, 35-42	1.3	13
77	Sliding resistance of polycarbonate self-ligating brackets and stainless steel esthetic archwires. <i>Progress in Orthodontics</i> , 2012 , 13, 148-53	3.4	4
76	Bleaching effects on shear bond strengths of orthodontic brackets. <i>Progress in Orthodontics</i> , 2012 , 13, 23-9	3.4	1
75	Buckling resistance of pathfinding endodontic instruments. <i>Journal of Endodontics</i> , 2012 , 38, 402-4	4.7	14
74	Mechanical behavior of pathfinding endodontic instruments. <i>Journal of Endodontics</i> , 2012 , 38, 1417-21	4.7	28
73	Influence of implant shape, surface morphology, surgical technique and bone quality on the primary stability of dental implants. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 16, 169-80	4.1	91
72	Influence of CAD/CAM Grinding in the Performance of Sintered Dental Zirconia Framework. <i>Materials Science Forum</i> , 2012 , 727-728, 1081-1084	0.4	
71	Anomalous Strain Rate Effect in Ultrafine Grained Titanium. <i>Journal of Materials Research and Technology</i> , 2012 , 1, 200-202	5.5	2

70	Orthodontic implants: concepts for the orthodontic practitioner. <i>International Journal of Dentistry</i> , 2012 , 2012, 549761	1.9	8
69	Preparation of Bioactive Titanium Surfaces via Fluoride and Fibronectin Retention. <i>International Journal of Biomaterials</i> , 2012 , 2012, 290179	3.2	9
68	Zirconia Blocks Properties Used for CAD/CAM Dentistry Restorations. <i>Materials Science Forum</i> , 2012 , 727-728, 804-808	0.4	1
67	Preparation of Biodegradable Poly(L-Lactide) (PLA) Nanoparticles Containing DMSA (Dimercaptosuccinic Acid) as Novel Radiopharmaceutical. <i>Advanced Science Letters</i> , 2012 , 10, 143-145	0.1	2
66	Assessment of surface friction of self-ligating brackets under conditions of angulated traction. <i>Dental Press Journal of Orthodontics</i> , 2012 , 17, 51-56	1.3	2
65	Torsional resistance of retreatment instruments. <i>Journal of Endodontics</i> , 2011 , 37, 1442-5	4.7	15
64	Influence of different manufacturing methods on the cyclic fatigue of rotary nickel-titanium endodontic instruments. <i>Journal of Endodontics</i> , 2011 , 37, 1553-7	4.7	45
63	Influence of curvature location along an artificial canal on cyclic fatigue of a rotary nickel-titanium endodontic instrument. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 111, 792-6		20
62	Torsional properties of pathfinding instruments. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 112, 667-70		12
61	Understanding the shape-memory alloys used in orthodontics. <i>ISRN Dentistry</i> , 2011 , 2011, 132408		20
60	Análise química e morfológica do esmalte dentário humano tratado com laser argônio durante a colagem ortodôntica. <i>Dental Press Journal of Orthodontics</i> , 2011 , 16, 100-107	1.3	1
59	The effects of superficial roughness and design on the primary stability of dental implants. <i>Clinical Implant Dentistry and Related Research</i> , 2011 , 13, 215-23	3.9	88
58	Comparison of some physical properties of finger spreaders made of stainless steel or nickel-titanium alloys. <i>Clinical Oral Investigations</i> , 2011 , 15, 661-5	4.2	3
57	Force extension relaxation of medium force orthodontic latex elastics. <i>Angle Orthodontist</i> , 2011 , 81, 812-9	2.6	16
56	Influence of thermal or chemical degradation on the frictional force of an experimental coated NiTi wire. <i>Angle Orthodontist</i> , 2011 , 81, 484-9	2.6	15
55	A NiTi rotary instrument manufactured by twisting: morphology and mechanical properties 2011 , 1, 21-27		2
54	Influência da secção transversa de fios ortodônticos na fricção superficial de braquetes autoligados. <i>Dental Press Journal of Orthodontics</i> , 2011 , 16, 35.e1-35.e7	1.3	1
53	Extended cyclic fatigue life of F2 ProTaper instruments used in reciprocating movement. <i>International Endodontic Journal</i> , 2010 , 43, 1063-8	5.4	201

52	Titanium dental implant surfaces. <i>Revista Materia</i> , 2010 , 15, 138-142	0.8	13
51	Is it possible to re-use mini-implants for orthodontic anchorage? Results of an in vitro study. <i>Materials Research</i> , 2010 , 13, 521-525	1.5	11
50	Simula3D de movimento ortod3ntico. <i>Dental Press Journal of Orthodontics</i> , 2010 , 15, 98-108	1.3	19
49	An3lise do movimento inicial de molares superiores submetidos a for3as extrabucais: estudo 3D. <i>Dental Press Journal of Orthodontics</i> , 2010 , 15, 37-39	1.3	1
48	Shear bond strengths of orthodontic brackets with a new LED cluster curing light. <i>Journal of Orthodontics</i> , 2010 , 37, 37-42	1.6	5
47	Effects of electropolishing surface treatment on the cyclic fatigue resistance of BioRace nickel-titanium rotary instruments. <i>Journal of Endodontics</i> , 2010 , 36, 1653-7	4.7	66
46	Cyclic fatigue resistance of ProTaper Universal instruments when subjected to static and dynamic tests. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 110, 401-4		22
45	Improving osseointegration of dental implants. <i>Expert Review of Medical Devices</i> , 2010 , 7, 241-56	3.5	102
44	Martensitic transformation of austenitic stainless steel orthodontic wires during intraoral exposure. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 138, 714.e1-5; discussion 714-5	2.1	11
43	Sequential bone healing of immediately loaded mini-implants: histomorphometric and fluorescence analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010 , 137, 80-90	2.1	39
42	Ceramic surface polishing techniques after removal of orthodontic adhesive. <i>Angle Orthodontist</i> , 2009 , 79, 790-5	2.6	8
41	Properties of Y-TZP/Al ₂ O ₃ ceramic nanocomposites obtained by high-energy ball milling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 502, 6-12	5.3	33
40	Mechanical properties and cytotoxicity of 3Y-TZP bioceramics reinforced with Al ₂ O ₃ particles. <i>Ceramics International</i> , 2009 , 35, 709-718	5.1	30
39	Evaluation of esthetic brackets resistance to torsional forces from the archwire. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 42-8	2.1	12
38	Systemic levels of metallic ions released from orthodontic mini-implants. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 522-9	2.1	50
37	Influence of rotational speed on the cyclic fatigue of rotary nickel-titanium endodontic instruments. <i>Journal of Endodontics</i> , 2009 , 35, 1013-6	4.7	64
36	Asymmetric headgear for differential molar movement: a study using finite element analysis. <i>Journal of Orthodontics</i> , 2009 , 36, 145-51	1.6	5
35	Properties of Nanostructured 3Y-TZP Blocks Used for CAD/CAM Dental Restoration. <i>Key Engineering Materials</i> , 2008 , 396-398, 603-606	0.4	1

34	Avaliação do torque para inserção, remoção e fratura de diferentes mini-implantes ortodônticos. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008 , 13, 76-87		8
33	Performance of 3Y-TZP bioceramics under cyclic fatigue loading. <i>Materials Research</i> , 2008 , 11, 89-92	1.5	12
32	Caracterização de mini-implantes utilizados na ancoragem ortodôntica. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008 , 13, 49-56		7
31	A estética no sistema de braquetes autoligáveis. <i>Revista Dental Press De Ortodontia E Ortopedia Facial</i> , 2008 , 13, 97-103		3
30	In vitro degradation of poly-L-D-lactic acid (PLDLA) pellets and powder used as synthetic alloplasts for bone grafting. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 3227-34	4.5	11
29	Biomedical applications of titanium and its alloys. <i>Jom</i> , 2008 , 60, 46-49	2.1	507
28	Mechanical properties of Y-TPZ ceramics obtained by liquid phase sintering using bioglass as additive. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 257-263	5.3	22
27	Relationship between surface properties (roughness, wettability and morphology) of titanium and dental implant removal torque. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2008 , 1, 234-42	4.1	299
26	Sequential bone healing of immediately loaded mini-implants. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 134, 44-52	2.1	38
25	Mechanical testing and finite element analysis of orthodontic teardrop loop. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008 , 133, 188.e9-13	2.1	18
24	The fracture evaluation of NiTi SMA endodontics files. <i>Materials Research</i> , 2007 , 10, 395-398	1.5	2
23	Characterization of ceramic powders used in the inCeram systems to fixed dental Prosthesis. <i>Materials Research</i> , 2007 , 10, 47-51	1.5	4
22	Effect of thermocycling on the tensile and shear bond strengths of three soft liners to a denture base resin. <i>Journal of Applied Oral Science</i> , 2007 , 15, 18-23	3.3	13
21	Titanium alloy mini-implants for orthodontic anchorage: immediate loading and metal ion release. <i>Acta Biomaterialia</i> , 2007 , 3, 331-9	10.8	111
20	Properties of ZrO ₂ /Al ₂ O ₃ composite as a function of isothermal holding time. <i>International Journal of Refractory Metals and Hard Materials</i> , 2007 , 25, 374-379	4.1	42
19	Cyclic fatigue of ProTaper instruments. <i>Journal of Endodontics</i> , 2007 , 33, 55-7	4.7	54
18	Sequential Bone Response to Immediately Loaded Mini-Implants, in vivo Study. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 925, 1		
17	The physical characterization of a thermoplastic polymer for endodontic obturation. <i>Journal of Dentistry</i> , 2006 , 34, 784-9	4.8	103

16	Influence of the coating material on the loosening of dental implant abutment screw joints. <i>Materials Science and Engineering C</i> , 2006 , 26, 1361-1366	8.3	26
15	Effect of argon laser curing on the shear bond strength of metal brackets bonded with light-cured glass ionomer cement. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005 , 128, 740-3; quiz 802	2.1	0
14	In vitro evaluation of frictional forces between archwires and ceramic brackets. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2004 , 125, 56-64	2.1	69
13	Atomic force microscopy analysis of different surface treatments of Ti dental implant surfaces. <i>Applied Surface Science</i> , 2004 , 233, 29-34	6.7	40
12	In vitro cellular response to titanium electrochemically coated with hydroxyapatite compared to titanium with three different levels of surface roughness. <i>Journal of Materials Science: Materials in Medicine</i> , 2003 , 14, 511-9	4.5	31
11	Titanium Dental Implants With Different Morphologies. <i>Surface Engineering</i> , 2002 , 18, 46-49	2.6	9
10	Fungal infection of the radicular dentin. <i>Journal of Endodontics</i> , 2002 , 28, 770-3	4.7	46
9	Transformation of monetite to hydroxyapatite in bioactive coatings on titanium. <i>Surface and Coatings Technology</i> , 2001 , 137, 270-276	4.4	143
8	Bioactivity Assessment of Hydroxyapatite Coatings Produced by Alkali Conversion of Monetite. <i>Key Engineering Materials</i> , 2000 , 192-195, 59-62	0.4	3
7	Scanning electron microscopic investigation of the surface of gutta-percha cones after cutting. <i>Journal of Endodontics</i> , 2000 , 26, 418-20	4.7	5
6	Influence of heat treatment on the yield strength of orthodontic stainless steel wires. <i>Journal of Materials Science Letters</i> , 1993 , 12, 1703-1704		3
5	Effect of ausforming on microstructure and hardness of AISI H-13 tool steel modified with niobium. <i>Materials Science and Technology</i> , 1992 , 8, 785-790	1.5	6
4	Microstructure of a steel perforated by a metallic jet. <i>Materials Characterization</i> , 1992 , 29, 35-38	3.9	
3	The effect of partial substitution of Nb for V on austenite grain size and hardness of a tool steel. <i>Journal of Materials Engineering and Performance</i> , 1992 , 1, 751-754	1.6	7
2	Influence of heat treatment on color and flexibility of nickel-titanium endodontic instruments. <i>Rgo</i> , 1968 ,	0.7	1
1	Mechanical Performance of Different Nickel-Titanium Archwires Used in Dentistry	213-215	