

# Stefanos Leontsinis

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6013967/stefanos-leontsinis-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

364  
papers

13,868  
citations

59  
h-index

94  
g-index

381  
ext. papers

15,571  
ext. citations

4.7  
avg, IF

2.18  
L-index

#	Paper	IF	Citations
364	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
363	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
362	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
361	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
360	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
359	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
358	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
357	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
356	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
355	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
354	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
353	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
352	Luminosity determination in pp collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167
351	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
350	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
349	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
348	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153

347	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
346	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
345	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}}$ ) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
344	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
343	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
342	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
341	Search for charged Higgs bosons decaying via $H \rightarrow \bar{t}t$ events using pp collision data at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112
340	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
339	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
338	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
337	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
336	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
335	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
334	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
333	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
332	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
331	Measurement of the Z/ $\gamma$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
330	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78

329	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
328	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	77
327	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
326	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
325	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
324	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
323	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72
322	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
321	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7$ mbox{~TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
320	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
319	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67
318	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7$ ; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
317	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66
316	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5.4	66
315	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
314	Search for the ( $\overline{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
313	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
312	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63

311	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63
310	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
309	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
308	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
307	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60
306	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	60
305	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
304	A search for ( $\overline{t}$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
303	Search for charged Higgs bosons decaying via $H \rightarrow i\bar{i}$ in fully hadronic final states using pp collision data at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
302	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
301	Precision measurement and interpretation of inclusive $\tau$ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
300	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
299	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55
298	Summary of the searches for squarks and gluinos using ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	55
297	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4.2	54
296	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	54
295	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	54
294	Measurement of $W \rightarrow Z$ production in proton-proton collisions at ( $\sqrt{s}=7\sim 8$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	54

293	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] = 13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
292	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4.2	53
291	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	53
290	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	53
289	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
288	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	52
287	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52
286	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4.2	52
285	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
284	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4.2	51
283	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	51
282	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	50
281	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4.2	50
280	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text] [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4.2	49
279	Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	49
278	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	49
277	Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
276	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48



275	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
274	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb <sup>-1</sup> of ( $\sqrt{s} = 7$ ;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
273	Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
272	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47
271	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
270	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
269	Search for lepton-flavour-violating H -i decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
268	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45
267	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	45
266	Measurement of ZZ production in pp collisions at ( $\sqrt{s}=7$ ) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	45
265	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4.2	45
264	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7$ ;TeV) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
263	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4.2	44
262	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4.2	44
261	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7$ ;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
260	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7$ mTeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
259	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	44
258	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43

257	Measurement of the cross section for top-quark pair production in pp collisions at ( $\sqrt{s} = 7$ ), ( $\text{TeV}$ ) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
256	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4.2	42
255	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4.2	42
254	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 [Interpreted in the phenomenological MSSM]. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
253	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
252	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
251	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ( $\sqrt{s} = 7$ ) TeV proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
250	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41
249	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	40
248	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	40
247	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4.2	39
246	Search for supersymmetry at ( $\sqrt{s} = 8$ ) TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	39
245	A search for ( $\overline{t}$ ) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	39
244	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text] = 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4.2	38
243	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4.2	38
242	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
241	Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
240	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	37



239	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $(\sqrt{s} = 7, \text{TeV})$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	37
238	Limits on the production of the standard model Higgs boson in pp collisions at $(\sqrt{s} = 7)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	37
237	Search for massive colored scalars in four-jet final states in $(\sqrt{s}=7\text{~TeV})$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	37
236	Charged-particle distributions at low transverse momentum in $\sqrt{s}=7\text{~TeV}$ interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4-2	37
235	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	37
234	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	36
233	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=7\text{~TeV}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4-2	35
232	Search for second generation scalar leptoquarks in pp collisions at $(\sqrt{s}=7\text{~TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	35
231	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	34
230	Benford's Law in Astronomy. <i>Journal of Astrophysics and Astronomy</i> , <b>2014</b> , 35, 639-648	1-4	34
229	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	34
228	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $(\sqrt{s} = \{7\}; \text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	34
227	Search for charged Higgs bosons in the $H \rightarrow \tau b$ decay channel in pp collisions at $(\sqrt{s}=8)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	33
226	Measurement of the top quark mass in the $t \rightarrow Wb$ and $t \rightarrow Zq$ channels using $\sqrt{s}=7\text{~TeV}$ ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4-2	32
225	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	31
224	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $(\sqrt{s}=7)$ TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	31
223	Measurement of the production and lepton charge asymmetry of $Z$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4-2	31
222	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=7\text{~TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4-2	31

221	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	31
220	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	31
219	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7$ mathrm{TeV}) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
218	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	31
217	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
216	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	30
215	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	30
214	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s}=900$ ) GeV and ( $\sqrt{s}=7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	30
213	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29
212	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
211	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
210	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
209	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
208	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
207	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
206	Search for single top-quark production via flavour-changing neutral currents at 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
205	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
204	Fiducial, total and differential cross-section measurements of $\gamma$ -channel single top-quark production in collisions at 8TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27

203	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
202	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
201	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
200	Measurement of $\tau_1$ and $\tau_2$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
199	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
198	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
197	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
196	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
195	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
194	Search for top squark pair production in pp collisions at ( $\sqrt{s}=13$ ) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
193	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
192	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
191	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
190	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
189	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
188	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W $\pm$ boson in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
187	Measurement of the differential cross-section of B + meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
186	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24

185	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24
184	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
183	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
182	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
181	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
180	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
179	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
178	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
177	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
176	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
175	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
174	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
173	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
172	Study of hard double-parton scattering in four-jet events in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
171	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
170	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
169	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
168	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20

167	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
166	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
165	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
164	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
163	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
162	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
161	Measurement of the low-mass Drell-Yan differential cross section at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
160	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
159	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
158	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
157	Search for flavour-changing neutral current top quark decays $t \rightarrow b + \nu_{\tau}$ in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
156	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
155	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
154	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ( $\sqrt{s}$ ) = 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18
153	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
152	Search for ( $\overline{t} + \overline{b}$ ) production in the ( $\overline{t} + \overline{b}$ ) decay channel with leptonic ( $\overline{t} + \overline{b}$ ) decays in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	17
151	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
150	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17



149	Measurement of polarization in $\tau$ -decays with the ATLAS detector in collisions at $\sqrt{s}=3.63$ TeV [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
148	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $\sqrt{s}=3.63$ TeV collisions at $\sqrt{s}=3.63$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
147	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=3.63$ TeV collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
146	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=3.63$ TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
145	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
144	Search for the Standard Model Higgs boson decaying into $(\overline{b}b)$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
143	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
142	Measurement of the $(\overline{t}W)$ and $(\overline{t}Z)$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
141	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
140	A measurement of the ratio of the production cross sections for $[W^+W^-]$ and $[W^+Z]$ bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
139	Measurement of the production cross-section of $(\overline{D}S)$ in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
138	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
137	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
136	Search for the Higgs boson produced in association with a boson and decaying to four $\tau$ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
135	Search for flavour-changing neutral current top-quark decays to $[W^+Z]$ in $[W^+Z]$ collision data collected with the ATLAS detector at $\sqrt{s}=3.63$ TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
134	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
133	Determination of spin and parity of the Higgs boson in the $[W^+Z]$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
132	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15



131	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
130	Measurements of $ZS$ and $X(3872)$ production in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
129	Determination of the top-quark pole mass using ( $\overline{t}$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
128	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
127	Search for diphoton events with large missing transverse energy with 36 pb of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
126	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
125	Measurement of the $[Formula: see text]$ and $[Formula: see text]$ production cross sections in multilepton final states using 3.2 fb of $[Formula: see text]$ collisions at $[Formula: see text] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
124	Measurement of the ( $\overline{t}$ ) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
123	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
122	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
121	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
120	Search for charged Higgs bosons through the violation of lepton universality in ( $\overline{t}$ ) events using pp collision data at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
119	Study of (W/Z)H production and Higgs boson couplings using H-iW W* decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
118	A search for $[Formula: see text]$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $[Formula: see text]$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
117	Measurements of top-quark pair differential cross-sections in the $[Formula: see text]$ channel in collisions at $[Formula: see text]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
116	Search for triboson $[Formula: see text]$ production in collisions at $[Formula: see text]$ $[Formula: see text]$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
115	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
114	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13

113	Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
112	Addendum to Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with b-tagged jets in pp collisions at ( $\sqrt{s}$ ) = 7 and 8 ( $\text{TeV}$ ) with the ATLAS detector $\square$ <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
111	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
110	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7;\text{TeV}$ ) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
109	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7\sim\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
108	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
107	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
106	Search for ( $t\bar{t}\overline{\text{H}}$ ) production in the all-jet final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
105	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12
104	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
103	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
102	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
101	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
100	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
99	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
98	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
97	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
96	Measurements of top quark spin observables in ( $t\bar{t}$ ) events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12

95	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
94	Probing the $W$ $t\bar{b}$ vertex structure in $t$ -channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
93	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
92	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
91	Measurement of $W$ and $Z$ production in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
90	Measurements of differential $Z$ boson production cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
89	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
88	Search for $Z$ resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
87	Measurements of the pp $\rightarrow$ $iWZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
86	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in pp collisions at ( $\sqrt{s}=13$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
85	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
84	Measurement of the CP-violating phase $\phi_s$ and the $B^0$ $s$ meson decay width difference with $B^0 \rightarrow \ell^+ \ell^- \mu^+ \mu^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
83	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
82	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
81	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
80	Performance studies of resistive-strip bulk micromegas detectors in view of the ATLAS New Small Wheel upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 937, 125-140	1.2	9
79	Measurement of the $ZZ$ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the $ZZ \rightarrow \ell^+ \ell^- \ell^+ \ell^-$ and ( $ZZ \rightarrow \ell^+ \ell^- \nu \bar{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
78	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of ( $\sqrt{s}=8$ ) TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9

77	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
76	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
75	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
74	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
73	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
72	Measurement of splitting scales in events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
71	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
70	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
69	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
68	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
67	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
66	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
65	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
64	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
63	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7
62	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
61	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2	7
60	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7

59	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
58	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
57	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\nu}\ell$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
56	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4-2	7
55	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4-2	6
54	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4-2	6
53	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	6
52	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	6
51	Top-quark mass measurement in the all-hadronic ( $\overline{t}$ ) decay channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	6
50	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	6
49	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
48	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\overline{\nu}\overline{q}\overline{q}$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
47	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4-2	5
46	Performance studies of a micromegas chamber in the ATLAS environment. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, C03016-C03016	1	5
45	Measurement of four-jet differential cross sections in ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5-4	5
44	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4-2	5
43	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4-2	5
42	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4-2	5



41	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text][[Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4.2	5
40	Measurement of the relative width difference of the ( $\overline{B}^0$ ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
39	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
38	Search for the pair production of light top squarks in the $e^+e^-$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
37	Evidence for (text {W}text {W}) production from double-parton interactions in proton-proton collisions at ( $\sqrt{s} = 13$ ,text {TeV} ). <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
36	Measurement of jet activity in top quark events using the $e^+$ final state with two b-tagged jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
35	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
34	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1		3
33	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1		3
32	Measurements of the ( $\text{pp} \rightarrow \text{ZZ}$ ) production cross section and the ( $\text{Z} \rightarrow 4\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s} = 13$ ,text {TeV} ) <b>2018</b> , 78, 1		3
31	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
30	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector <b>2015</b> , 2015, 1		3
29	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
28	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
27	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4.2	3
26	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	2
25	Measurement of the ( $\overline{t}$ ) production cross-section using ( $e\mu$ ) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
24	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1		2



23	The CMS Phase-1 pixel detector upgrade. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P02027-P02027	1	2
22	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
21	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector <b>2015</b> , 75, 1		1
20	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector <b>2016</b> , 76, 1		1
19	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
18	Observation of the $Z \rightarrow \mu\mu$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2018</b> , 121, 141801	7.4	1
17	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
16	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	0
15	Search for a heavy vector resonance decaying to a $\gamma$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	0
14	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	0
13	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
12	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	0
11	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	0
10	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
9	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
8	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
7	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
6	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0

5	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	o
4	Identification of circles from datapoints using the Legendre transform. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2014</b> , 745, 16-23	1-2	
3	Performance Studies of Micromegas Chambers for the New Small Wheel Upgrade Project. <i>EPJ Web of Conferences</i> , <b>2016</b> , 126, 05007	0-3	
2	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	
1	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	