

Takamitsu Miyaji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6014372/publications.pdf>

Version: 2024-02-01

126
papers

11,360
citations

44069

48
h-index

27406

106
g-index

127
all docs

127
docs citations

127
times ranked

6239
citing authors

#	ARTICLE	IF	CITATIONS
1	The eROSITA Final Equatorial-Depth Survey (eFEDS). <i>Astronomy and Astrophysics</i> , 2022, 661, A3.	5.1	50
2	COSMOS2020: Ubiquitous AGN Activity of Massive Quiescent Galaxies at $0 < z < 5$ Revealed by X-Ray and Radio Stacking. <i>Astrophysical Journal</i> , 2022, 929, 53.	4.5	12
3	gzk-colour-selected star-forming galaxies in the AKARI NEP-Deep Field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 1933-1946.	4.4	0
4	Optically detected galaxy cluster candidates in the AKARI North Ecliptic Pole field based on photometric redshift from the Subaru Hyper Suprime-Cam. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 6063-6080.	4.4	4
5	Environmental effects on AGN activity via extinction-free mid-infrared census. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 507, 3070-3088.	4.4	5
6	The MUSE-Wide survey: Three-dimensional clustering analysis of Lyman- α emitters at $3.3 < z < 6$. <i>Astronomy and Astrophysics</i> , 2021, 653, A136.	5.1	9
7	An active galactic nucleus recognition model based on deep neural network. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 501, 3951-3961.	4.4	11
8	The 16th Data Release of the Sloan Digital Sky Surveys: First Release from the APOGEE-2 Southern Survey and Full Release of eBOSS Spectra. <i>Astrophysical Journal, Supplement Series</i> , 2020, 249, 3.	7.7	826
9	Extinction-free Census of AGNs in the AKARI/IRC North Ecliptic Pole Field from 23-band infrared photometry from Space Telescopes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 499, 4068-4081.	4.4	14
10	Identification of AKARI infrared sources by the Deep HSC Optical Survey: construction of a new band-merged catalogue in the North Ecliptic Pole Wide field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 500, 4078-4094.	4.4	12
11	Search for Optically Dark Infrared Galaxies without Counterparts of Subaru Hyper Suprime-Cam in the AKARI North Ecliptic Pole Wide Survey Field. <i>Astrophysical Journal</i> , 2020, 899, 35.	4.5	27
12	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: source catalogue and properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 487, 4648-4668.	4.4	77
13	Active galactic nucleus selection in the AKARI NEP-Deep field with the fuzzy support vector machine algorithm. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	5
14	The Composite Nature of Dust-obscured Galaxies (DOGs) at $z \sim 1-3$ in the COSMOS Field. II. The AGN Fraction. <i>Astronomical Journal</i> , 2019, 157, 233.	4.7	8
15	Infrared luminosity functions based on 18 mid-infrared bands: revealing cosmic star formation history with AKARI and Hyper Suprime-Cam. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	17
16	X-ray - Infrared relation of AGNs and search for highly obscured accretion in the AKARI NEP Field. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 172-176.	0.0	1
17	Torus Constraints in ANEPD-CXO245: A Compton-thick AGN with Double-peaked Narrow Lines. <i>Astrophysical Journal Letters</i> , 2019, 884, L10.	8.3	7
18	The XMM-Newton wide field survey in the COSMOS field: Clustering dependence of X-ray selected AGN on host galaxy properties. <i>Astronomy and Astrophysics</i> , 2019, 629, A14.	5.1	8

#	ARTICLE	IF	CITATIONS
19	<i>Chandra</i> COSMOS Legacy Survey: Clustering dependence of Type 2 active galactic nuclei on host galaxy properties. <i>Astronomy and Astrophysics</i> , 2019, 632, A88.	5.1	9
20	Spatial clustering and halo occupation distribution modelling of local AGN via cross-correlation measurements with 2MASS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 1773-1786.	4.4	25
21	SMBH accretion properties of radio-selected AGN out to $z \sim 4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 4971-4983.	4.4	14
22	Low-luminosity AGN and X-Ray Binary Populations in COSMOS Star-forming Galaxies. <i>Astrophysical Journal</i> , 2018, 865, 43.	4.5	28
23	AKARI mid-infrared slitless spectroscopic survey of star-forming galaxies at $z < 0.5$. <i>Astronomy and Astrophysics</i> , 2018, 618, A101.	5.1	12
24	ALMA 26 arcmin ² Survey of GOODS-S at One-millimeter (ASAGAO): X-Ray AGN Properties of Millimeter-selected Galaxies. <i>Astrophysical Journal</i> , 2018, 853, 24.	4.5	31
25	X-UDS: The <i>Chandra</i> Legacy Survey of the UKIDSS Ultra Deep Survey Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 236, 48.	7.7	55
26	Survival of the Obscuring Torus in the Most Powerful Active Galactic Nuclei. <i>Astrophysical Journal Letters</i> , 2017, 841, L18.	8.3	39
27	Sloan Digital Sky Survey IV: Mapping the Milky Way, Nearby Galaxies, and the Distant Universe. <i>Astronomical Journal</i> , 2017, 154, 28.	4.7	1,100
28	An Optically Faint Quasar Survey at $z \sim 5$ in the CFHTLS Wide Field: Estimates of the Black Hole Masses and Eddington Ratios. <i>Astrophysical Journal</i> , 2017, 846, 57.	4.5	6
29	THE FMOS-COSMOS SURVEY OF STAR-FORMING GALAXIES AT $z \sim 1.6$. IV. EXCITATION STATE AND CHEMICAL ENRICHMENT OF THE INTERSTELLAR MEDIUM. <i>Astrophysical Journal</i> , 2017, 835, 88.	4.5	96
30	High excitation emission line nebula associated with an ultra-luminous X-ray source at $z = 0.027$ in the AKARI North Ecliptic Pole Deep Field. <i>Astronomy and Astrophysics</i> , 2017, 604, A14.	5.1	5
31	CHANDRA OBSERVATIONS OF THE AKARI NEP DEEP FIELD. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 235-237.	0.0	2
32	OVERVIEW OF NORTH ECLIPTIC POLE DEEP MULTI-WAVELENGTH SURVEY (NEP-DEEP). <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 213-217.	0.0	0
33	AKARI INFRARED CAMERA OBSERVATIONS OF THE 3.3 μm PAH FEATURE IN Swift/BAT AGNs. <i>Publications of the Korean Astronomical Society</i> , 2017, 32, 197-199.	0.0	0
34	THE CHANDRA COSMOS LEGACY SURVEY: CLUSTERING OF X-RAY-SELECTED AGNs AT $2.9 < z < 5.5$ USING PHOTOMETRIC REDSHIFT PROBABILITY DISTRIBUTION FUNCTIONS. <i>Astrophysical Journal</i> , 2016, 832, 70.	4.5	20
35	THE CHANDRA COSMOS-LEGACY SURVEY: SOURCE X-RAY SPECTRAL PROPERTIES. <i>Astrophysical Journal</i> , 2016, 830, 100.	4.5	93
36	THE CHANDRA COSMOS LEGACY SURVEY: OPTICAL/IR IDENTIFICATIONS. <i>Astrophysical Journal</i> , 2016, 817, 34.	4.5	242

#	ARTICLE	IF	CITATIONS
37	THE CHANDRA COSMOS-LEGACY SURVEY: THE $z > 3$ SAMPLE. <i>Astrophysical Journal</i> , 2016, 827, 150.	4.5	35
38	A POPULATION OF INTERMEDIATE-MASS BLACK HOLES IN DWARF STARBURST GALAXIES UP TO REDSHIFT = 1.5. <i>Astrophysical Journal</i> , 2016, 817, 20.	4.5	89
39	THE CHANDRA COSMOS LEGACY SURVEY: OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal</i> , 2016, 819, 62.	4.5	348
40	The $5 \leq 10$ keV AGN luminosity function at $0.01 < z < 4.0$. <i>Astronomy and Astrophysics</i> , 2016, 587, A142.	5.1	35
41	THE QUASAR-LBG TWO-POINT ANGULAR CROSS-CORRELATION FUNCTION AT $z \sim 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015, 809, 138.	4.5	11
42	Dust attenuation up to $\tau \approx 2$ in the AKARI North Ecliptic Pole Deep Field. <i>Astronomy and Astrophysics</i> , 2015, 577, A141.	5.1	33
43	THE SPATIAL CLUSTERING OF ROSAT ALL-SKY SURVEY ACTIVE GALACTIC NUCLEI. IV. MORE MASSIVE BLACK HOLES RESIDE IN MORE MASSIVE DARK MATTER HALOS. <i>Astrophysical Journal</i> , 2015, 815, 21.	4.5	39
44	Chandra survey in the AKARI North Ecliptic Pole Deep Field ≈ 1 . X-ray data, point-like source catalogue, sensitivity maps, and number counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 911-931.	4.4	32
45	DARK MATTER HALO MODELS OF STELLAR MASS-DEPENDENT GALAXY CLUSTERING IN PRIMUS+DEEP2 AT $0.2 < z < 1.2$. <i>Astrophysical Journal</i> , 2015, 807, 152.	4.5	40
46	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015, 804, 104.	4.5	86
47	A variable-density absorption event in NGC 3227 mapped with <i>Suzaku</i> and <i>Swift</i> . <i>Astronomy and Astrophysics</i> , 2015, 584, A82.	5.1	17
48	Clustering Measurements of broad-line AGNs: Review and Future. <i>Acta Polytechnica CTU Proceedings</i> , 2014, 1, 71-78.	0.3	5
49	AKARI infrared camera observations of the $3.3 \mu\text{m}$ PAH feature in <i>Swift</i> /BAT AGNs. <i>Publication of the Astronomical Society of Japan</i> , 2014, 66, .	2.5	10
50	CLUSTERING OF MODERATE LUMINOSITY X-RAY-SELECTED TYPE 1 AND TYPE 2 AGNS AT $z \sim 3$. <i>Astrophysical Journal</i> , 2014, 796, 4.	4.5	48
51	TOWARD THE STANDARD POPULATION SYNTHESIS MODEL OF THE X-RAY BACKGROUND: EVOLUTION OF X-RAY LUMINOSITY AND ABSORPTION FUNCTIONS OF ACTIVE GALACTIC NUCLEI INCLUDING COMPTON-THICK POPULATIONS. <i>Astrophysical Journal</i> , 2014, 786, 104.	4.5	465
52	The incidence of obscuration in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 3550-3567.	4.4	245
53	Polycyclic aromatic hydrocarbon feature deficit of starburst galaxies in the AKARI North Ecliptic Pole Deep field. <i>Astronomy and Astrophysics</i> , 2014, 566, A136.	5.1	21
54	Constraints on black hole fuelling modes from the clustering of X-ray AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 679-688.	4.4	46

#	ARTICLE	IF	CITATIONS
55	CROSS-CORRELATING COSMIC INFRARED AND X-RAY BACKGROUND FLUCTUATIONS: EVIDENCE OF SIGNIFICANT BLACK HOLE POPULATIONS AMONG THE CIB SOURCES. <i>Astrophysical Journal</i> , 2013, 769, 68.	4.5	71
56	Cosmological Evolution of X-ray Selected AGNs and Synthesis of the X-ray Background. <i>Proceedings of the International Astronomical Union</i> , 2013, 9, 125-131.	0.0	0
57	Halo Occupation Distribution of AGNs through Numerical Simulations. <i>Proceedings of the International Astronomical Union</i> , 2013, 9, 335-336.	0.0	0
58	A 2.5-5 μ m spectroscopic study of hard X-ray selected AGNs with AKARI. <i>Proceedings of the International Astronomical Union</i> , 2013, 9, 66-67.	0.0	0
59	Multiwavelength observations of V479 Andromedae: a close compact binary with an identity crisis. <i>Astronomy and Astrophysics</i> , 2013, 553, A28.	5.1	8
60	THE <i>CHANDRA</i> COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. <i>Astrophysical Journal</i> , Supplement Series, 2012, 201, 30.	7.7	200
61	Star Formation and AGN Activity in Galaxies Classified Using the 1.6 μ m Bump and PAH Features at $z = 0.4$. <i>Publication of the Astronomical Society of Japan</i> , 2012, 64, .	2.5	31
62	THE SPATIAL CLUSTERING OF <i>ROSAT</i> ALL-SKY SURVEY ACTIVE GALACTIC NUCLEI. III. EXPANDED SAMPLE AND COMPARISON WITH OPTICAL ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2012, 746, 1.	4.5	84
63	The nature of the unresolved extragalactic cosmic soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 651-663.	4.4	44
64	OCCUPATION OF X-RAY-SELECTED GALAXY GROUPS BY X-RAY ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2012, 758, 47.	4.5	63
65	IDENTIFYING LUMINOUS ACTIVE GALACTIC NUCLEI IN DEEP SURVEYS: REVISED IRAC SELECTION CRITERIA. <i>Astrophysical Journal</i> , 2012, 748, 142.	4.5	500
66	THE BULK OF THE BLACK HOLE GROWTH SINCE $z \approx 1$ OCCURS IN A SECULAR UNIVERSE: NO MAJOR MERGER-AGN CONNECTION. <i>Astrophysical Journal</i> , 2011, 726, 57.	4.5	315
67	THE POPULATION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE <i>CHANDRA</i> -COSMOS SURVEY. <i>Astrophysical Journal</i> , 2011, 741, 91.	4.5	76
68	THE <i>XMM-NEWTON</i> WIDE FIELD SURVEY IN THE COSMOS FIELD: REDSHIFT EVOLUTION OF AGN BIAS AND SUBDOMINANT ROLE OF MERGERS IN TRIGGERING MODERATE-LUMINOSITY AGNs AT REDSHIFTS UP TO 2.2. <i>Astrophysical Journal</i> , 2011, 736, 99.	4.5	118
69	THE SPATIAL CLUSTERING OF <i>ROSAT</i> ALL-SKY SURVEY AGNs. II. HALO OCCUPATION DISTRIBUTION MODELING OF THE CROSS-CORRELATION FUNCTION. <i>Astrophysical Journal</i> , 2011, 726, 83.	4.5	67
70	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 708, 137-157.	4.5	276
71	THE <i>XMM-NEWTON</i> WIDE-FIELD SURVEY IN THE COSMOS FIELD (XMM-COSMOS): DEMOGRAPHY AND MULTI-WAVELENGTH PROPERTIES OF OBSCURED AND UNOBSCURED LUMINOUS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 716, 348-369.	4.5	266
72	The [O III] emission line luminosity function of optically selected type-2 AGN from zCOSMOS ^m . <i>Astronomy and Astrophysics</i> , 2010, 510, A56.	5.1	55

#	ARTICLE	IF	CITATIONS
73	ACTIVE GALACTIC NUCLEI CLUSTERING IN THE LOCAL UNIVERSE: AN UNBIASED PICTURE FROM <i>SWIFT</i> -BAT. <i>Astrophysical Journal Letters</i> , 2010, 716, L209-L213.	8.3	56
74	THE SPATIAL CLUSTERING OF <i>ROSAT</i> ALL-SKY SURVEY AGNs. I. THE CROSS-CORRELATION FUNCTION WITH SDSS LUMINOUS RED GALAXIES. <i>Astrophysical Journal</i> , 2010, 713, 558-572.	4.5	72
75	THE EXTENDED <i>CHANDRA</i> DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	7.7	123
76	The XMM- <i>Newton</i> wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	5.1	230
77	THE <i>CHANDRA</i> SURVEY OF THE COSMOS FIELD. II. SOURCE DETECTION AND PHOTOMETRY. <i>Astrophysical Journal, Supplement Series</i> , 2009, 185, 586-601.	7.7	62
78	CHASING HIGHLY OBSCURED QSOs IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 693, 447-462.	4.5	191
79	THE <i>CHANDRA</i> COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2009, 184, 158-171.	7.7	361
80	The spatial clustering of X-ray selected AGN in the XMM-COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 494, 33-48.	5.1	90
81	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large-scale Structures. <i>Astrophysical Journal</i> , 2008, 675, 1025-1040.	4.5	136
82	The <i>XMM-Newton</i> Wide-field Survey in the COSMOS Field. I. Survey Description. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 29-37.	7.7	263
83	The <i>XMM-Newton</i> Wide-field Survey in the COSMOS Field. V. Angular Clustering of the X-ray Point Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 396-405.	7.7	49
84	The <i>XMM-Newton</i> Wide-field Survey in the COSMOS Field. IV. X-ray Spectral Properties of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 368-382.	7.7	89
85	The <i>XMM-Newton</i> Wide-field Survey in the COSMOS Field. II. X-ray Data and the $\log N$ vs $\log S$ Relations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 341-352.	7.7	136
86	The X-ray Evolution of Early-type Galaxies in the Extended Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2007, 657, 681-699.	4.5	59
87	Chandra Observations of Six QSOs at $z \approx 3$. <i>Astronomical Journal</i> , 2006, 131, 659-665.	4.7	5
88	Spectral Statistics and Local Luminosity Function of a Complete Hard X-Ray Sample of the Brightest Active Galactic Nuclei. <i>Astronomical Journal</i> , 2006, 131, 2843-2858.	4.7	49
89	XMM- <i>Newton</i> View of the Ultraluminous X-ray Sources in M51. <i>Astrophysical Journal</i> , 2005, 635, 198-213.	4.5	34
90	The Extended Chandra Deep Field-South Survey: Chandra Point-source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2005, 161, 21-40.	7.7	244

#	ARTICLE	IF	CITATIONS
91	Beyond the Limit of Deep X-ray Surveys: Galaxies or AGN?. Proceedings of the International Astronomical Union, 2005, 1, 438-441.	0.0	0
92	Integral field spectroscopy of the ultraluminous X-ray source Holmberg II X-1. Astronomy and Astrophysics, 2005, 431, 847-860.	5.1	54
93	Luminosity-dependent evolution of soft X-ray selected AGN. Astronomy and Astrophysics, 2005, 441, 417-434.	5.1	536
94	Cosmological Evolution of the Hard X-Ray AGN Luminosity Function: Formation History of Supermassive Black Holes. Progress of Theoretical Physics Supplement, 2004, 155, 209-216.	0.1	3
95	Galaxies at the detection limits of deep X-ray surveys. Advances in Space Research, 2004, 34, 2486-2491.	2.6	0
96	A Transition to a Low/Soft State in the Ultraluminous Compact X-Ray Source Holmberg II X-1. Astrophysical Journal, 2004, 608, L57-L60.	4.5	60
97	Multiwavelength Properties of the X-Ray Sources in the Groth-Westphal Strip Field. Astronomical Journal, 2004, 127, 3180-3191.	4.7	10
98	COSMOLOGICAL EVOLUTION OF THE HARD X-RAY AGN LUMINOSITY FUNCTION. , 2004, , .		1
99	Galaxies Beyond the Detection Limits of Deep X-Ray surveys. , 2004, , 275-278.		0
100	GALAXIES AT THE LIMIT OF DEEP X-RAY SURVEYS: GALAXIES OR AGN?. , 2004, , .		0
101	X-RAY LUMINOSITY FUNCTIONS OF ACTIVE GALACTIC NUCLEI. , 2004, , .		0
102	Galaxies at the detection limits of deep X-ray surveys. Astrophysics and Space Science, 2003, 284, 961-964.	1.4	0
103	XMM-Newton view of the Hubble Deep Field-North and Groth-Westphal strip regions. Astronomische Nachrichten, 2003, 324, 24-27.	1.2	8
104	The hard X-ray luminosity function from ASCA surveys. Astronomische Nachrichten, 2003, 324, 36-39.	1.2	3
105	Cosmological Evolution of the Hard X-ray Active Galactic Nucleus Luminosity Function and the Origin of the Hard X-ray Background. Astrophysical Journal, 2003, 598, 886-908.	4.5	916
106	Galaxies at the Detection Limits of Deep X-ray Surveys. Symposium - International Astronomical Union, 2003, 214, 246-253.	0.1	0
107	XMM-Newton observation of a distant X-ray selected cluster of galaxies at $z=1.26$ with possible cluster interaction. Astronomy and Astrophysics, 2002, 381, 841-847.	5.1	23
108	Faint-Source Counts from Off-Source Fluctuation Analysis on [ITAL]Chandra[/ITAL] Observations of the Hubble Deep Field "North. Astrophysical Journal, 2002, 564, L5-L8.	4.5	54

#	ARTICLE	IF	CITATIONS
109	The Chandra Deep Field North Survey. IX. Extended X-Ray Sources. <i>Astronomical Journal</i> , 2002, 123, 1163-1178.	4.7	57
110	XMM-Newton observation of the Lockman Hole. <i>Astronomy and Astrophysics</i> , 2001, 365, L45-L50.	5.1	307
111	Soft X-ray AGN luminosity function from ROSAT surveys. <i>Astronomy and Astrophysics</i> , 2001, 369, 49-56.	5.1	97
112	Multiple Components of the Luminous Compact X-Ray Source at the Edge of Holmberg II Observed by [ITAL]ASCA[/ITAL] and [ITAL]ROSAT[/ITAL]. <i>Astronomical Journal</i> , 2001, 121, 3041-3047.	4.7	24
113	Evolution of AGNs and a model of the X-ray back-ground. <i>Advances in Space Research</i> , 2000, 25, 827-832.	2.6	12
114	A Rich Cluster of Galaxies near the Quasar B2 1335+28 at documentclass{aastex} usepackage{amsbsy} usepackage{amsfonts} usepackage{amssymb} usepackage{bm} usepackage{mathrsfs} usepackage{pifont} usepackage{stmaryrd} usepackage{textcomp} usepackage{portland,xspace} usepackage{amsmath,amsxtra} usepackage[OT2,OT1]{fontenc} ewcommandcyr{enewcommandmdefault{wncyr} anewcommandsfdefault{wncyss} anewcommandencodingdefault{OT2} ormalfont selectfont} DeclareTextFontCommand{extcyr}	4.5	24
115	On the relationship between galaxy formation and quasar evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 310, L5-L9.	4.4	105
116	ROSAT HRI observations of Selected Area 57. <i>Astronomische Nachrichten</i> , 1998, 319, 31-31.	1.2	0
117	Sky surveys with <i>ASCA</i> " Deep Sky Survey. <i>Astronomische Nachrichten</i> , 1998, 319, 43-46.	1.2	14
118	The cross-correlation of faint QSOs with the cosmic X-ray background. <i>Astronomische Nachrichten</i> , 1998, 319, 69-69.	1.2	0
119	The cosmic X-ray background spectrum: an ASCA-ROSAT joint analysis. <i>Astronomische Nachrichten</i> , 1998, 319, 70-70.	1.2	0
120	Superclustering at Redshift [CLC][ITAL]z[/ITAL] = 0.54[/CLC]. <i>Astrophysical Journal</i> , 1996, 473, L67-L70.	4.5	33
121	Hard X-Ray Emission from Extragalactic IRAS 12 Micron Sources: Constraints on the Unified Active Galactic Nucleus Model and the Synthesis of the X-Ray Background. <i>Astrophysical Journal</i> , 1995, 455, 480.	4.5	23
122	The cosmic X-ray background-IRAS galaxy correlation and the local X-ray volume emissivity. <i>Astrophysical Journal</i> , 1994, 434, 424.	4.5	27
123	A significant contribution to the cosmic X-ray background from sources associated with nearby galaxies. <i>Nature</i> , 1993, 364, 693-695.	27.8	16
124	Spatially Resolved X-Ray Spectroscopy of the Merging Galaxy Cluster A2256. <i>Astrophysical Journal</i> , 1993, 419, 66.	4.5	12
125	The radio source and bipolar nebosity in the Seyfert galaxy NGC 3516. <i>Astrophysical Journal</i> , 1992, 385, 137.	4.5	30
126	The X-ray flux dipole of active galactic nuclei and the peculiar motion of the Local Group. <i>Astrophysical Journal</i> , 1990, 353, L3.	4.5	13