

Ricardo D OtaÑ-za

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6014740/publications.pdf>

Version: 2024-02-01

11
papers

221
citations

1478505

6
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

184
citing authors

#	ARTICLE	IF	CITATIONS
1	Shrub clumps of the Chilean matorral vegetation: structure and possible maintenance mechanisms. <i>Oecologia</i> , 1984, 62, 405-411.	2.0	151
2	Title is missing!. <i>Journal of Applied Phycology</i> , 2001, 13, 161-171.	2.8	17
3	Biological basis for the management of <i>Ulva nigra</i> ? (<i>Sarcothalia crispata</i> Gigartinales, Rhodophyta) in southern Chile. <i>Hydrobiologia</i> , 1996, 326-327, 245-252.	2.0	15
4	Effect of dissolved calcium on the formation of secondary attachment structures in different types of branches of <i>Chondracanthus chamissoi</i> (Rhodophyta, Gigartinales). <i>Revista De Biología Marina Y Oceanografía</i> , 2011, 46, 263-268.	0.2	7
5	Blades and papillae as likely dispersing propagules in Chilean populations of <i>Mastocarpus</i> sp. (Rhodophyta, Gigartinales). <i>Revista De Biología Marina Y Oceanografía</i> , 2012, 47, 109-119.	0.2	7
6	Fragmentation of thalli and secondary attachment of fragments of the agarophyte <i>Gelidium lingulatum</i> (Rhodophyta, Gelidiales). <i>Journal of Applied Phycology</i> , 2018, 30, 1921-1931.	2.8	7
7	Factors affecting morphological transformation and secondary attachment of apexes of <i>Chondracanthus chamissoi</i> (Rhodophyta, Gigartinales). <i>Journal of Applied Phycology</i> , 2018, 30, 1157-1166.	2.8	6
8	Juveniles generados a partir de esporas no asentadas de <i>Chondracanthus chamissoi</i> (Rhodophyta). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> 2014, 49, 135-140.	0.2	3
9	Seeding of fragments of the agarophyte <i>Gelidium lingulatum</i> (Rhodophyta, Gelidiales) for the repopulation of lower levels of wave-exposed, intertidal rocky shores. <i>Journal of Applied Phycology</i> , 2019, 31, 2133-2143.	2.8	3
10	Morphological variability in a red seaweed: confirmation of co-occurring f. <i>lessonii</i> and f. <i>chauvinii</i> in <i>Chondracanthus chamissoi</i> (Rhodophyta, Gigartinales). <i>Journal of Phycology</i> , 2020, 56, 469-480.	2.3	3
11	Taxonomic position of the two sympatric forms of <i>Chondracanthus chamissoi</i> (f. <i>lessonii</i> and f. <i>chauvinii</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i> <i>Aquatic Research</i> , 2021, 49, 182-187.	0.6	2