

Vassilios Liakopoulos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6015202/vassilios-liakopoulos-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

307
papers

4,277
citations

32
h-index

50
g-index

404
ext. papers

5,375
ext. citations

3.7
avg, IF

5.73
L-index

#	Paper	IF	Citations
307	Patient-centred approaches for the management of unpleasant symptoms in kidney disease.. <i>Nature Reviews Nephrology</i> , 2022 ,	14.9	7
306	Kidney health for all: bridging the gap in kidney health education and literacy.. <i>Kidney International</i> , 2022 , 101, 432-440	9.9	1
305	Epidemiology of Hypertension among Patients on Peritoneal Dialysis Using Standardized Office and Ambulatory Blood Pressure Recordings.. <i>American Journal of Nephrology</i> , 2022 , 1-9	4.6	0
304	Prevalence, recurrence and seasonal variation of hyperkalemia among patients on hemodialysis.. <i>International Urology and Nephrology</i> , 2022 , 1	2.3	0
303	Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. <i>Patient Education and Counseling</i> , 2022 , 105, 243-245	3.1	0
302	Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy.. <i>American Journal of Hypertension</i> , 2022 , 35, 470-477	2.3	0
301	Kidney health for all: bridging the gap in kidney health education and literacy.. <i>Journal of Nephrology</i> , 2022 , 1	4.8	
300	Kidney health for all: Bridging the gap in kidney health education and literacy. <i>Nefrologia</i> , 2022 , 42, 113-121		
299	Reoxygenation induces reactive oxygen species production and ferroptosis in renal tubular epithelial cells by activating aryl hydrocarbon receptor. <i>Molecular Medicine Reports</i> , 2021 , 23,	2.9	3
298	Oxidized LDL Is Associated with eGFR Decline in Proteinuric Diabetic Kidney Disease: A Cohort Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 2968869	6.7	1
297	Oxidized LDL Is Associated with eGFR Decline in Proteinuric Diabetic Kidney Disease: A Cohort Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1-9	6.7	2
296	Vitamin K for the Treatment of Cardiovascular Disease in End-Stage Renal Disease Patients: Is there Hope?. <i>Current Vascular Pharmacology</i> , 2021 , 19, 77-90	3.3	2
295	Pulse Wave Velocity Assessment for Cardiovascular Risk Prognostication in ESKD: Weighting Recent Evidence. <i>Current Vascular Pharmacology</i> , 2021 , 19, 4-11	3.3	4
294	The Role of Indoleamine 2,3-Dioxygenase in Renal Tubular Epithelial Cells Senescence under Anoxia or Reoxygenation. <i>Biomolecules</i> , 2021 , 11,	5.9	2
293	Association between Biomarkers of Oxidative Stress and Inflammation with Cardiac Necrosis and Heart Failure in Non-ST Segment Elevation Myocardial Infarction Patients and Various Degrees of Kidney Function. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 3090120	6.7	1
292	The impact of OSA and CPAP treatment on cell adhesion molecules Night-morning variation. <i>Sleep and Breathing</i> , 2021 , 25, 1301-1307	3.1	1
291	Physical examination for the detection of hypervolemia among patients on chronic dialysis: A diagnostic-test study. <i>Hemodialysis International</i> , 2021 , 25, 391	1.7	0

290	Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. <i>Nefrologia</i> , 2021 , 41, 95-101	0.4	1
289	Age dependence of brachial cuff-based ambulatory PWV in end-stage kidney disease patients undergoing long-term peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2021 , 896860821996927	2.8	
288	Living well with kidney disease by patient and care partner empowerment: kidney health for everyone everywhere. <i>Transplant International</i> , 2021 , 34, 391-397	3	4
287	Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. <i>Clinical and Experimental Nephrology</i> , 2021 , 25, 567-573	2.5	
286	A call to optimize haemodialysis vascular access care in healthcare disrupted by COVID-19 pandemic. <i>Journal of Nephrology</i> , 2021 , 34, 365-368	4.8	0
285	Mutual effect modification between adiponectin and HDL as risk factors of cardiovascular events in Type 2 diabetes individuals: a cohort study. <i>International Urology and Nephrology</i> , 2021 , 53, 2583-2591	2.3	1
284	Anti-PD1 Immunotherapy for Metastatic Renal Cancer Boosted Humoral Immunity In a Hemodialysis Patient. <i>Journal of Immunotherapy</i> , 2021 , 44, 164-166	5	1
283	Thyroid hormone status in patients with impaired kidney function. <i>International Urology and Nephrology</i> , 2021 , 53, 2349-2358	2.3	3
282	Nomenclature in nephrology: preserving RenalPanda NephroPin the glossary of kidney health and disease. <i>Journal of Nephrology</i> , 2021 , 34, 639-648	4.8	2
281	Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021 , 43, 142-149	1.5	0
280	Role of indoleamine 2,3-dioxygenase in ischemia-reperfusion injury of renal tubular epithelial cells. <i>Molecular Medicine Reports</i> , 2021 , 23,	2.9	5
279	On the Increased Event Rate of Urinary Tract Infection and Pneumonia in CKD Patients Treated with Roxadustat for Anemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 1537	12.7	2
278	Mechanisms for Cardiorenal Protection of SGLT-2 Inhibitors. <i>Current Pharmaceutical Design</i> , 2021 , 27, 1043-1050	3.3	2
277	Association of rs11780592 Polymorphism in the Human Soluble Epoxide Hydrolase Gene (EPHX2) with Oxidized LDL and Mortality in Patients with Diabetic Chronic Kidney Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 8817502	6.7	7
276	Oxidized LDL Modifies the Association between Proteinuria and Deterioration of Kidney Function in Proteinuric Diabetic Kidney Disease. <i>Life</i> , 2021 , 11,	3	3
275	The Relation of Clinic and Ambulatory BP with the Risk of Cardiovascular Events and All-Cause Mortality among Patients on Peritoneal Dialysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
274	Kidney Health for Everyone Everywhere - From Prevention to Detection and Equitable Access to Care. <i>Blood Purification</i> , 2021 , 50, 1-8	3.1	4
273	Association between relative fat mass, uric acid, and insulin resistance in children with chronic kidney disease. <i>Pediatric Nephrology</i> , 2021 , 36, 425-434	3.2	3

272	The Effects of Nebivolol and Irbesartan on Ambulatory Aortic Blood Pressure and Arterial Stiffness in Hemodialysis Patients with Intradialytic Hypertension. <i>Blood Purification</i> , 2021 , 50, 73-83	3.1	0
271	APD or CAPD: one glove does not fit all. <i>International Urology and Nephrology</i> , 2021 , 53, 1149-1160	2.3	4
270	Tracking hydration status changes by bioimpedance spectroscopy in children on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2021 , 41, 217-225	2.8	5
269	Living Well with Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. <i>Indian Journal of Nephrology</i> , 2021 , 31, 83-88	0.8	
268	Prognostic Factors of Fatal and Nonfatal Cardiovascular Events in Patients With Type 2 Diabetes: The Role of Renal Function Biomarkers. <i>Clinical Diabetes</i> , 2021 , 39, 188-196	2.9	1
267	Living Well With Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. <i>American Journal of Hypertension</i> , 2021 , 34, 220-225	2.3	0
266	AGREEd on Nutritional Management of Patients with CKD-A Quality Appraisal of the Available Guidelines. <i>Nutrients</i> , 2021 , 13,	6.7	4
265	The Endothelial Glycocalyx as a Target of Ischemia and Reperfusion Injury in Kidney Transplantation-Where Have We Gone So Far?. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
264	Incretin based therapies and SGLT-2 inhibitors in kidney transplant recipients with diabetes: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2021 , 172, 108604	7.4	3
263	Letter to the Editor regarding "Six months vitamin K treatment does not affect systemic arterial calcification or bone mineral density in diabetes mellitus 2". <i>European Journal of Nutrition</i> , 2021 , 60, 1701-1702 ⁰	5.2	
262	Association between insulin growth factor-1, bone mineral density, and frailty phenotype in children with chronic kidney disease. <i>Pediatric Nephrology</i> , 2021 , 36, 1861-1870	3.2	4
261	Association between PCSK9 Levels and Markers of Inflammation, Oxidative Stress, and Endothelial Dysfunction in a Population of Nondialysis Chronic Kidney Disease Patients. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 6677012	6.7	5
260	COVID-19 and the kidney: time to take a closer look. <i>International Urology and Nephrology</i> , 2021 , 1	2.3	2
259	Association Between Secondary Hyperparathyroidism and Body Composition in Pediatric Patients With Moderate and Advanced Chronic Kidney Disease. <i>Frontiers in Pediatrics</i> , 2021 , 9, 702778	3.4	1
258	Oxidative Stress Genes in Diabetes Mellitus Type 2: Association with Diabetic Kidney Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 2531062	6.7	1
257	Unfavorable Effects of Peritoneal Dialysis Solutions on the Peritoneal Membrane: The Role of Oxidative Stress. <i>Biomolecules</i> , 2020 , 10,	5.9	14
256	Vascular Calcification in Chronic Kidney Disease: The Role of Vitamin K- Dependent Matrix Gla Protein. <i>Frontiers in Medicine</i> , 2020 , 7, 154	4.9	14
255	Blood pressure targets in patients with chronic kidney disease: A critical evaluation of clinical-trial evidence and guideline recommendations. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 924-928	2.3	4

254	Prevalence and control of hypertension among patients on haemodialysis. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13292	4.6	1
253	Eating during the Hemodialysis Session: A Practice Improving Nutritional Status or a Risk Factor for Intradialytic Hypotension and Reduced Dialysis Adequacy?. <i>Nutrients</i> , 2020 , 12,	6.7	9
252	Kidney Health for Everyone, Everywhere-from prevention to detection and equitable access to care. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 367-374	4.3	2
251	Kidney health for everyone everywhere - from prevention to detection and equitable access to care. <i>Archivos Argentinos De Pediatria</i> , 2020 , 118, e148	0.7	1
250	Kidney Health for Everyone Everywhere [From prevention to detection and equitable access to care. <i>Nefrologia</i> , 2020 , 40, 133-141	0.4	1
249	Kidney Health for Everyone Everywhere - From prevention to detection and equitable access to care. <i>Nefrologia</i> , 2020 , 40, 133-141	1.5	1
248	Urate crystals trigger B-cell receptor signal transduction and induce B-cell proliferation. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2020 , 31,	1.6	3
247	A unifying model of glucotoxicity in human renal proximal tubular epithelial cells and the effect of the SGLT2 inhibitor dapagliflozin. <i>International Urology and Nephrology</i> , 2020 , 52, 1179-1189	2.3	8
246	Unexpected restoration of an arteriovenous graft function: the significance of vascular access surveillance. <i>CEN Case Reports</i> , 2020 , 9, 291-293	1	
245	Thrombophilia in hemodialysis patients: Transfer to peritoneal dialysis is life saving. <i>Seminars in Dialysis</i> , 2020 , 33, 338-342	2.5	
244	Reoxygenation induces reactive oxygen species production and ferroptosis in renal tubular epithelial cells by activating aryl hydrocarbon receptor. <i>Molecular Medicine Reports</i> , 2020 , 23, 1-1	2.9	4
243	Kidney Health for Everyone Everywhere - From Prevention to Detection and Equitable Access to Care. <i>Indian Journal of Nephrology</i> , 2020 , 30, 63-71	0.8	1
242	Mistimed HS upregulation, Nrf2 activation and antioxidant proteins levels in renal tubular epithelial cells subjected to anoxia and reoxygenation. <i>Biomedical Reports</i> , 2020 , 13, 3	1.8	1
241	Biomarkers of vascular calcification in serum. <i>Advances in Clinical Chemistry</i> , 2020 , 98, 91-147	5.8	12
240	A cohort of fat enough but malnourished hemodialysis patients. <i>Clinical Nutrition</i> , 2020 , 39, 320-321	5.9	
239	In Mixed Lymphocyte Reaction, the Hypoxia-Inducible Factor Prolyl-Hydroxylase Inhibitor Roxadustat Suppresses Cellular and Humoral Alloimmunity. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2020 , 68, 31	4	3
238	Red Blood Cell Distribution Width Is Associated with Deterioration of Renal Function and Cardiovascular Morbidity and Mortality in Patients with Diabetic Kidney Disease. <i>Life</i> , 2020 , 10,	3	6
237	Favorable effects of peritoneal dialysis in patients with refractory heart failure and overhydration. <i>Peritoneal Dialysis International</i> , 2020 , 896860820970097	2.8	3

236	The Association of dp-ucMGP with Cardiovascular Morbidity and Decreased Renal Function in Diabetic Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
235	Expression of Circulating MicroRNAs Linked to Bone Metabolism in Chronic Kidney Disease-Mineral and Bone Disorder. <i>Biomedicines</i> , 2020 , 8,	4.8	3
234	Wave reflections and systemic vascular resistance are stronger determinants of pulse pressure amplification than aortic stiffness in drug-naïve hypertensives. <i>Clinical and Experimental Hypertension</i> , 2020 , 42, 287-293	2.2	2
233	Hypertension in Chronic Kidney Disease: Novel Insights. <i>Current Hypertension Reviews</i> , 2020 , 16, 45-54	2.3	5
232	10-year-long survival in a PD patient with severe calcifying encapsulating peritoneal sclerosis treated with tamoxifen: a case-report. <i>BMC Nephrology</i> , 2020 , 21, 110	2.7	1
231	The H2S-Nrf2-Antioxidant Proteins Axis Protects Renal Tubular Epithelial Cells of the Native Hibernator Syrian Hamster from Reoxygenation-Induced Cell Death. <i>Biology</i> , 2019 , 8,	4.9	6
230	Crystalline silica activates the T-cell and the B-cell antigen receptor complexes and induces T-cell and B-cell proliferation. <i>Autoimmunity</i> , 2019 , 52, 136-143	3	8
229	Attitudes of hemodialysis patients, medical and nursing staff towards patients physical activity. <i>International Urology and Nephrology</i> , 2019 , 51, 1249-1260	2.3	8
228	Indoleamine 2,3-dioxygenase suppresses humoral alloimmunity via pathways that different to those associated with its effects on T cells. <i>Biomedical Reports</i> , 2019 , 1, 1-5	1.8	7
227	Is oxidative stress an issue in peritoneal dialysis?. <i>Seminars in Dialysis</i> , 2019 , 32, 463-466	2.5	30
226	Predictors of Outcomes of Living Kidney Donation: Impact of Sex, Age and Preexistent Hypertension. <i>Transplantation Proceedings</i> , 2019 , 51, 396-404	1.1	3
225	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 393, 1937-1947	40	209
224	Factors that May Protect the Native Hibernator Syrian Hamster Renal Tubular Epithelial Cells from Ferroptosis Due to Warm Anoxia-Reoxygenation. <i>Biology</i> , 2019 , 8,	4.9	9
223	Phosphorus nutritional knowledge among dialysis health care providers and patients: A multicenter observational study. <i>Clinical Nutrition ESPEN</i> , 2019 , 31, 33-37	1.3	3
222	Association of the Inactive Circulating Matrix Gla Protein with Vitamin K Intake, Calcification, Mortality, and Cardiovascular Disease: A Review. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	47
221	Clinic and Home Blood Pressure Monitoring for the Detection of Ambulatory Hypertension Among Patients on Peritoneal Dialysis. <i>Hypertension</i> , 2019 , 74, 998-1004	8.5	5
220	Optimal diastolic blood pressure range in intensive systolic targets: Resolving the controversy between observational and intention-to-treat analyses. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 919-921 ³	2.3	3
219	Dietary Antioxidant Supplements and Uric Acid in Chronic Kidney Disease: A Review. <i>Nutrients</i> , 2019 , 11,	6.7	33

218	Oxidative Stress in the Pathogenesis and Evolution of Chronic Kidney Disease: Untangling Ariadne's Thread. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	93
217	SGLT-2 inhibitors in Diabetic Kidney Disease: What Lies Behind their Renoprotective Properties?. <i>Current Medicinal Chemistry</i> , 2019 , 26, 5564-5578	4.3	3
216	Acute Kidney Injury in the Elderly 2019 , 123-131		
215	Encapsulating Peritoneal Sclerosis: Pathophysiology and Current Treatment Options. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	30
214	Weak within-individual association of blood pressure and pulse wave velocity in hemodialysis is related to adverse outcomes. <i>Journal of Hypertension</i> , 2019 , 37, 2200-2208	1.9	8
213	The association of interdialytic blood pressure variability with cardiovascular events and all-cause mortality in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 515-523	4.3	25
212	The effects of nebivolol and irbesartan on postdialysis and ambulatory blood pressure in patients with intradialytic hypertension: a randomized cross-over study. <i>Journal of Hypertension</i> , 2019 , 37, 432-442	1.9	4
211	Low-dose combination therapy to control sustained ambulatory hypertension-Basic principles and future directions. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 249-251	2.3	
210	Antioxidant Supplementation in Renal Replacement Therapy Patients: Is There Evidence?. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9109473	6.7	39
209	Nebivolol reduces short-term blood pressure variability more potently than irbesartan in patients with intradialytic hypertension. <i>Hypertension Research</i> , 2019 , 42, 1001-1010	4.7	7
208	Assessment and Management of Hypertension among Patients on Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 297-305	6.9	18
207	Oxidative stress in hemodialysis: Causative mechanisms, clinical implications, and possible therapeutic interventions. <i>Seminars in Dialysis</i> , 2019 , 32, 58-71	2.5	59
206	The Importance of Icodextrin Use for Technique and Patient Survival in Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 309	7.4	1
205	Comparison of Glycemic Markers in Chronic Hemodialysis Using Continuous Glucose Monitoring. <i>American Journal of Nephrology</i> , 2018 , 47, 21-29	4.6	15
204	The sirtuin1 gene associates with left ventricular myocardial hypertrophy and remodeling in two chronic kidney disease cohorts: a longitudinal study. <i>Journal of Hypertension</i> , 2018 , 36, 1705-1711	1.9	6
203	Arterial stiffness in end-stage renal disease-pathogenesis, clinical epidemiology, and therapeutic potentials. <i>Hypertension Research</i> , 2018 , 41, 309-319	4.7	12
202	Sleep apnea syndrome, inflammation and oxidative stress in hemodialysis patients. <i>Hemodialysis International</i> , 2018 , 22, 209-216	1.7	5
201	Uric acid increases cellular and humoral alloimmunity in primary human peripheral blood mononuclear cells. <i>Nephrology</i> , 2018 , 23, 610-615	2.2	6

200	Allopurinol protects human glomerular endothelial cells from high glucose-induced reactive oxygen species generation, p53 overexpression and endothelial dysfunction. <i>International Urology and Nephrology</i> , 2018 , 50, 179-186	2.3	22
199	Late-onset Pompe disease in a hemodialysis patient: A first case report. <i>Hemodialysis International</i> , 2018 , 22, E23-E25	1.7	
198	Uric acid and cellular and humoral alloimmunity. <i>Journal of Heart and Lung Transplantation</i> , 2018 , 37, 1388	5.8	
197	SP505EXPLORING THE DIAGNOSTIC ACCURACY OF BP MONITORING TECHNIQUES IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i518-i519	4.3	
196	Icodextrin-associated generalized exfoliative skin rash in a CAPD patient: a case-report. <i>BMC Nephrology</i> , 2018 , 19, 293	2.7	1
195	Cell Death Patterns Due to Warm Ischemia or Reperfusion in Renal Tubular Epithelial Cells Originating from Human, Mouse, or the Native Hibernator Hamster. <i>Biology</i> , 2018 , 7,	4.9	14
194	Screening for renal cell carcinoma in dialysis patients. <i>Kidney International</i> , 2018 , 94, 1238	9.9	5
193	Energy handling in renal tubular epithelial cells of the hamster, a native hibernator, under warm anoxia or reoxygenation. <i>Biomedical Reports</i> , 2018 , 9, 503-510	1.8	3
192	Hemodialysis-related changes in phenotypical features of monocytes. <i>Scientific Reports</i> , 2018 , 8, 13964	4.9	16
191	IDO decreases glycolysis and glutaminolysis by activating GCN2K, while it increases fatty acid oxidation by activating AhR, thus preserving CD4+ T-cell survival and proliferation. <i>International Journal of Molecular Medicine</i> , 2018 , 42, 557-568	4.4	20
190	The contribution of genetic variants of SLC2A1 gene in T2DM and T2DM-nephropathy: association study and meta-analysis. <i>Renal Failure</i> , 2018 , 40, 561-576	2.9	10
189	Oxidative Stress and the Kidney in the Space Environment. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	24
188	A Comparative Study of Short-Term Blood Pressure Variability in Hemodialysis Patients with and without Intradialytic Hypertension. <i>American Journal of Nephrology</i> , 2018 , 48, 295-305	4.6	10
187	Unrecognized juvenile nephropathic cystinosis. <i>Kidney International</i> , 2018 , 94, 1027	9.9	1
186	Xanthine oxidase inhibitors may prevent or slow chronic kidney disease even in the absence of hyperuricemia. <i>Kidney International</i> , 2018 , 94, 830-831	9.9	2
185	Indoleamine 2, 3-dioxygenase Up-regulates Hypoxia-inducible Factor-1 Expression by Degrading L-tryptophan but Not Its Activity in Human Alloreactive T-cells. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2018 , 17, 56-67	1.1	1
184	Accuracy of a Newly-Introduced Oscillometric Device for the Estimation of Arterial Stiffness Indices in Patients on Peritoneal Dialysis: A Preliminary Validation Study. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2018 , 34, 24-31		3
183	Tryptophan depletion under conditions that imitate insulin resistance enhances fatty acid oxidation and induces endothelial dysfunction through reactive oxygen species-dependent and independent pathways. <i>Molecular and Cellular Biochemistry</i> , 2017 , 428, 41-56	4.2	7

182	Preconditioning of primary human renal proximal tubular epithelial cells without tryptophan increases survival under hypoxia by inducing autophagy. <i>International Urology and Nephrology</i> , 2017 , 49, 1297-1307	2.3	9
181	Ambulatory Pulse Wave Velocity Is a Stronger Predictor of Cardiovascular Events and All-Cause Mortality Than Office and Ambulatory Blood Pressure in Hemodialysis Patients. <i>Hypertension</i> , 2017 , 70, 148-157	8.5	65
180	In human cell cultures, everolimus is inferior to tacrolimus in inhibiting cellular alloimmunity, but equally effective as regards humoral alloimmunity. <i>International Urology and Nephrology</i> , 2017 , 49, 1691-1697	2.3	5
179	Bone Quality Assessment as Measured by Trabecular Bone Score in Patients With End-Stage Renal Disease on Dialysis. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 490-497	3.5	20
178	Evaluation of the tolerability and efficacy of sodium polystyrene sulfonate for long-term management of hyperkalemia in patients with chronic kidney disease. <i>International Urology and Nephrology</i> , 2017 , 49, 2217-2221	2.3	15
177	Chronic Kidney Disease and Disproportionally Increased Cardiovascular Damage: Does Oxidative Stress Explain the Burden?. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 9036450	6.7	52
176	Urate crystals directly activate the T-cell receptor complex and induce T-cell proliferation. <i>Biomedical Reports</i> , 2017 , 7, 365-369	1.8	8
175	Blood pressure variability is increasing from the first to the second day of the interdialytic interval in hemodialysis patients. <i>Journal of Hypertension</i> , 2017 , 35, 2517-2526	1.9	18
174	Single-Nephron Glomerular Filtration Rate in Healthy Adults. <i>New England Journal of Medicine</i> , 2017 , 377, 1203-4	59.2	10
173	Quiz: Nine Years of Persistent, Disabling Foot Pain in a Kidney Transplant Recipient. <i>American Journal of Kidney Diseases</i> , 2017 , 70, A13-A15	7.4	1
172	Blood pressure and target-organ damage in hemodialysis: but which blood pressure?. <i>Journal of Hypertension</i> , 2017 , 35, 2552-2553	1.9	1
171	A comparative analysis between proteasome and immunoproteasome inhibition in cellular and humoral alloimmunity. <i>International Immunopharmacology</i> , 2017 , 50, 48-54	5.8	9
170	Peritoneal dialysis-related infections recommendations: 2016 update. What is new?. <i>International Urology and Nephrology</i> , 2017 , 49, 2177-2184	2.3	16
169	Comparison of the effect of the aerobic glycolysis inhibitor dichloroacetate and of the Krebs cycle inhibitor LW6 on cellular and humoral alloimmunity. <i>Biomedical Reports</i> , 2017 , 7, 439-444	1.8	6
168	Oxidative Stress and Acute Kidney Injury in Critical Illness: Pathophysiologic Mechanisms-Biomarkers-Interventions, and Future Perspectives. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 6193694	6.7	73
167	Oxidative Stress in Hemodialysis Patients: A Review of the Literature. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 3081856	6.7	109
166	Oxidative Stress in Patients Undergoing Peritoneal Dialysis: A Current Review of the Literature. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 3494867	6.7	49
165	Mineralocorticoid Antagonists in ESRD: An Overview of Clinical Trial Evidence. <i>Current Vascular Pharmacology</i> , 2017 , 15, 599-606	3.3	11

164	Twenty-four-hour intraocular pressure monitoring in normotensive patients undergoing chronic hemodialysis. <i>European Journal of Ophthalmology</i> , 2016 , 26, 24-9	1.9	3
163	In human alloreactive CD4+ T-cells, dichloroacetate inhibits aerobic glycolysis, induces apoptosis and favors differentiation towards the regulatory T-cell subset instead of effector T-cell subsets. <i>Molecular Medicine Reports</i> , 2016 , 13, 3370-6	2.9	10
162	Hemodialysis patients with intradialytic rise in blood pressure display higher baseline aortic stiffness and negligible drop in augmentation index with dialysis. <i>International Urology and Nephrology</i> , 2016 , 48, 601-8	2.3	9
161	Kynurenine, by activating aryl hydrocarbon receptor, decreases erythropoietin and increases hepcidin production in HepG2 cells: A new mechanism for anemia of inflammation. <i>Experimental Hematology</i> , 2016 , 44, 60-7.e1	3.1	19
160	Restless legs syndrome and mortality in hemodialysis patients. <i>Sleep Medicine</i> , 2016 , 22, 103	4.6	3
159	Proteasome or immunoproteasome inhibitors cause apoptosis in human renal tubular epithelial cells under normoxic and hypoxic conditions. <i>International Urology and Nephrology</i> , 2016 , 48, 907-15	2.3	5
158	Cytochrome c as a Potentially Clinical Useful Marker of Mitochondrial and Cellular Damage. <i>Frontiers in Immunology</i> , 2016 , 7, 279	8.4	74
157	SP112DIURNAL VARIATION OF CENTRAL AORTIC PRESSURE AND AORTIC-TO-BRACHIAL PULSE PRESSURE AMPLIFICATION IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i122-i123	4.3	
156	Indoleamine 2,3-dioxygenase downregulates T-cell receptor complex ζ chain and c-Myc, and reduces proliferation, lactate dehydrogenase levels and mitochondrial glutaminase in human T-cells. <i>Molecular Medicine Reports</i> , 2016 , 13, 925-32	2.9	14
155	Angiogenin is upregulated during the alloreactive immune response and has no effect on the T-cell expansion phase, whereas it affects the contraction phase by inhibiting CD4 T-cell apoptosis. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 3471-3475	2.1	4
154	Differential effects of the two amino acid sensing systems, the GCN2 kinase and the mTOR complex 1, on primary human alloreactive CD4+ T-cells. <i>International Journal of Molecular Medicine</i> , 2016 , 37, 1412-20	4.4	21
153	Indoleamine 2,3-dioxygenase, by degrading L-tryptophan, enhances carnitine palmitoyltransferase activity and fatty acid oxidation, and exerts fatty acid-dependent effects in human alloreactive CD4+ T-cells. <i>International Journal of Molecular Medicine</i> , 2016 , 38, 1605-1613	4.4	15
152	Activation of general control nonderepressible 2 kinase protects human glomerular endothelial cells from harmful high-glucose-induced molecular pathways. <i>International Urology and Nephrology</i> , 2016 , 48, 1731-9	2.3	13
151	Mineralocorticoid Receptor Antagonism for Cardiovascular Protection in End-Stage Renal Disease: New Data But the Controversy Continues. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 197-9	2.3	3
150	Restless legs syndrome does not affect 3-year mortality in hemodialysis patients. <i>Sleep Medicine</i> , 2015 , 16, 1131-8	4.6	23
149	Ambulatory recording of wave reflections and arterial stiffness during intra- and interdialytic periods in patients treated with dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 630-8	6.9	54
148	Intraocular pressure changes during hemodialysis. <i>International Urology and Nephrology</i> , 2015 , 47, 1685-90		11
147	Ambulatory aortic blood pressure, wave reflections and pulse wave velocity are elevated during the third in comparison to the second interdialytic day of the long interval in chronic haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 2046-53	4.3	32

146	Arterial Stiffness: A Novel Risk Factor for Kidney Injury Progression?. <i>American Journal of Hypertension</i> , 2015 , 28, 958-65	2.3	39
145	Malate dehydrogenase-2 inhibitor LW6 promotes metabolic adaptations and reduces proliferation and apoptosis in activated human T-cells. <i>Experimental and Therapeutic Medicine</i> , 2015 , 10, 1959-1966	2.1	14
144	The Use of Calcimimetics for the Treatment of Secondary Hyperparathyroidism: A 10 Year Evidence Review. <i>Seminars in Dialysis</i> , 2015 , 28, 497-507	2.5	20
143	Indoleamine 2,3-dioxygenase depletes tryptophan, activates general control non-derepressible 2 kinase and down-regulates key enzymes involved in fatty acid synthesis in primary human CD4+ T cells. <i>Immunology</i> , 2015 , 146, 292-300	7.8	30
142	Improvements in the Management of Diabetic Nephropathy. <i>Review of Diabetic Studies</i> , 2015 , 12, 119-33,6		50
141	Animal models in peritoneal dialysis. <i>Frontiers in Physiology</i> , 2015 , 6, 244	4.6	8
140	Osteoporosis after renal transplantation. <i>International Urology and Nephrology</i> , 2015 , 47, 503-11	2.3	18
139	Vascular access for hemodialysis: postoperative evaluation and function monitoring. <i>International Urology and Nephrology</i> , 2014 , 46, 403-9	2.3	16
138	VEGF increases the permeability of sheep pleura ex vivo through VEGFR2 stimulation. <i>Cytokine</i> , 2014 , 69, 284-8	4	4
137	Serum copper and ferroportin in monocytes of hemodialysis patients are both decreased but unassociated. <i>International Urology and Nephrology</i> , 2014 , 46, 1825-31	2.3	0
136	Melatonin secretion is impaired in women with preeclampsia and an abnormal circadian blood pressure rhythm. <i>Renal Failure</i> , 2014 , 36, 1001-7	2.9	25
135	Automated Peritoneal Dialysis: An alternative to Continuous Ambulatory or a First Choice Treatment?. <i>BANTAO Journal</i> , 2014 , 12, 77-83		
134	Factors affecting effectiveness of vaccination against hepatitis B virus in hemodialysis patients. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12018-25	5.6	20
133	Sternal instability in a hemodialysis patient with secondary hyperparathyroidism. <i>Hemodialysis International</i> , 2014 , 18, 708-11	1.7	
132	Late onset of clinically apparent central vein stenosis due to previous central venous catheter in a patient with inherited thrombophilia. <i>Hemodialysis International</i> , 2014 , 18, 540-3	1.7	2
131	Evaluation of a novel brachial cuff-based oscillometric method for estimating central systolic pressure in hemodialysis patients. <i>American Journal of Nephrology</i> , 2014 , 40, 242-50	4.6	48
130	Hemodiafiltration does not have additional benefits over hemodialysis on arterial stiffness, wave reflections and central aortic pressures. <i>Blood Purification</i> , 2014 , 37, 18-26	3.1	8
129	Indoleamine 2,3-dioxygenase increases p53 levels in alloreactive human T cells, and both indoleamine 2,3-dioxygenase and p53 suppress glucose uptake, glycolysis and proliferation. <i>International Immunology</i> , 2014 , 26, 673-84	4.9	36

128	Ferroportin in monocytes of hemodialysis patients and its associations with hepcidin, inflammation, markers of iron status and resistance to erythropoietin. <i>International Urology and Nephrology</i> , 2014 , 46, 161-7	2.3	14
127	Damage-associated molecular patterns derived from mitochondria may contribute to the hemodialysis-associated inflammation. <i>International Urology and Nephrology</i> , 2014 , 46, 107-12	2.3	13
126	Can a single inflammatory marker adequately predict resistance to erythropoiesis-stimulating agents in hemodialysis patients?. <i>Hemodialysis International</i> , 2013 , 17, 130-1	1.7	1
125	Serum osteoprotegerin is markedly increased and may contribute to decreased blood T cell count in hemodialysis patients. <i>International Urology and Nephrology</i> , 2013 , 45, 1671-7	2.3	2
124	Inhibition of indoleamine 2,3-dioxygenase not only blocks autoreactive B cell activation, but it also reduces production of antibodies in general: comment on the article by Pigott and Mandik-Nayak. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1951-2		1
123	Dichloroacetate at therapeutic concentration alters glucose metabolism and induces regulatory T-cell differentiation in alloreactive human lymphocytes. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2013 , 24, 271-6	1.6	31
122	Increased plasma angiogenin level is associated and may contribute to decreased T-cell zeta-chain expression in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2013 , 17, 48-54	1.9	2
121	Inhibition of indoleamine 2,3-dioxygenase in mixed lymphocyte reaction affects glucose influx and enzymes involved in aerobic glycolysis and glutaminolysis in alloreactive T-cells. <i>Human Immunology</i> , 2013 , 74, 1501-9	2.3	21
120	Restless legs syndrome in hemodialysis patients: an epidemiologic survey in Greece. <i>Sleep Medicine</i> , 2013 , 14, 1381-6	4.6	34
119	Plasma vascular endothelial growth factor and angiogenin are positively related to erythropoietin dose in hemodialysis patients. <i>Advances in Medical Sciences</i> , 2013 , 58, 143-9	2.8	2
118	The renal endothelium in diabetic nephropathy. <i>Renal Failure</i> , 2013 , 35, 592-9	2.9	39
117	Increased visfatin in hemodialysis patients is associated with decreased demands for recombinant human erythropoietin. <i>Renal Failure</i> , 2013 , 35, 1399-403	2.9	1
116	CD8+ T-cell auto-reactivity is dependent on the expression of the immunoproteasome subunit LMP7 in exposed to lipopolysaccharide antigen presenting cells and epithelial target cells. <i>Autoimmunity</i> , 2013 , 46, 439-45	3	7
115	Endothelin-1 acutely reduces the permeability of visceral sheep peritoneum in vitro through both endothelin-A and endothelin-B receptors. <i>Artificial Organs</i> , 2013 , 37, 308-12	2.6	5
114	Perilipin-1 in hemodialyzed patients: association with history of coronary heart disease and lipid profile. <i>Therapeutic Apheresis and Dialysis</i> , 2012 , 16, 355-60	1.9	1
113	The indoleamine 2,3-dioxygenase inhibitor 1-methyl-tryptophan suppresses mitochondrial function, induces aerobic glycolysis and decreases interleukin-10 production in human lymphocytes. <i>Immunological Investigations</i> , 2012 , 41, 507-20	2.9	17
112	Pharmacological management of hypertensive emergencies and urgencies: focus on newer agents. <i>Expert Opinion on Investigational Drugs</i> , 2012 , 21, 1089-106	5.9	18
111	The kidney in space. <i>International Urology and Nephrology</i> , 2012 , 44, 1893-901	2.3	15

110	Plasma indoleamine 2,3-dioxygenase concentration is increased in hemodialysis patients and may contribute to the pathogenesis of coronary heart disease. <i>Renal Failure</i> , 2012 , 34, 68-72	2.9	15
109	Fibrates: therapeutic potential for diabetic nephropathy?. <i>European Journal of Internal Medicine</i> , 2012 , 23, 309-16	3.9	35
108	Peritoneal dialysis-related infections recommendations: 2010 update. What is new?. <i>International Urology and Nephrology</i> , 2012 , 44, 593-600	2.3	8
107	Decreasing High Failure Rate of Vaccinations in Patients With Chronic Kidney Disease; not Just a Matter of Quantity. <i>Hepatitis Monthly</i> , 2012 , 12, 465-6	1.8	
106	Intermittent intraperitoneal dose of teicoplanin in peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , 2012 , 32, 365-6	2.8	3
105	Toll-like receptors and their role in renal pathologies. <i>Inflammation and Allergy: Drug Targets</i> , 2012 , 11, 464-77		37
104	Renal-limited Lupus-like Nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2337-42	4.3	38
103	Plasma indoleamine 2,3-dioxygenase and arginase type I may contribute to decreased blood T-cell count in hemodialysis patients. <i>Renal Failure</i> , 2012 , 34, 1118-22	2.9	16
102	The peritoneal equilibration test should be included in routine monitoring of peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2012 , 32, 222-3; author reply 223-4	2.8	
101	Inverse association of serum 25-hydroxyvitamin D with markers of inflammation and suppression of osteoclastic activity in hemodialysis patients. <i>Iranian Journal of Kidney Diseases</i> , 2012 , 6, 129-35	0.9	23
100	Plasma angiogenin and vascular endothelial growth factor a among hemodialysis patients. <i>Iranian Journal of Kidney Diseases</i> , 2012 , 6, 209-15	0.9	9
99	Indoleamine 2,3-dioxygenase is increased in hemodialysis patients and affects immune response to hepatitis B vaccination. <i>Vaccine</i> , 2011 , 29, 2242-7	4.1	35
98	Evidence of increased muscle atrophy and impaired quality of life parameters in patients with uremic restless legs syndrome. <i>PLoS ONE</i> , 2011 , 6, e25180	3.7	41
97	Postmortem image analysis of sheep cortical leptomenigeal space and vasculature: theoretical implications on brain surface dialysis. <i>ASAIO Journal</i> , 2011 , 57, 388-94	3.6	
96	Arginase type I as a marker of coronary heart disease in hemodialysis patients. <i>International Urology and Nephrology</i> , 2011 , 43, 1187-94	2.3	12
95	Simultaneous clinical resolution of focal segmental glomerulosclerosis associated with chronic lymphocytic leukaemia treated with fludarabine, cyclophosphamide and rituximab. <i>BMC Nephrology</i> , 2011 , 12, 33	2.7	4
94	Epigenetic mechanisms and kidney diseases. <i>Current Medicinal Chemistry</i> , 2011 , 18, 1733-9	4.3	11
93	Distal renal tubular acidosis (dRTA) and bone histomorphometry. <i>Kidney International</i> , 2011 , 80, 431; author reply 431	9.9	1

92	Like total ghrelin, acylated ghrelin is also lower in HD patients with cardiovascular disease. <i>Kidney International</i> , 2011 , 80, 783; author reply 783-4	9.9	1
91	Familial collapsing focal segmental glomerulosclerosis. <i>Clinical Nephrology</i> , 2011 , 75, 362-8	2.1	17
90	Alpha-tocopherol administration decreases serum urate levels in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2010 , 14, 605-6	1.9	2
89	Non-pharmacological management of periodic limb movements during hemodialysis session in patients with uremic restless legs syndrome. <i>ASAIO Journal</i> , 2010 , 56, 538-42	3.6	28
88	Which is the best way for estimating transferrin saturation?. <i>Renal Failure</i> , 2010 , 32, 1022-3	2.9	15
87	Paricalcitol reduces basal and lipopolysaccharide-induced (LPS) TNF-alpha and IL-8 production by human peripheral blood mononuclear cells. <i>International Urology and Nephrology</i> , 2010 , 42, 181-5	2.3	32
86	Peritoneal dialysis glossary 2009. <i>International Urology and Nephrology</i> , 2010 , 42, 417-23	2.3	7
85	No need for an "expiry date" in chronic peritoneal dialysis to prevent encapsulating peritoneal sclerosis: comments from around the world. <i>International Urology and Nephrology</i> , 2010 , 42, 239	2.3	5
84	Pivotal role of paricalcitol in the treatment of calcific uremic arteriopathy in the presence of a parathyroid adenoma. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 144-7	7.4	9
83	Quality of life score is primarily affected by the mental rather than the physical component in patients with restless legs syndrome. <i>Movement Disorders</i> , 2010 , 25, 135-6; author reply 136-7	7	3
82	Vitamin D receptor activators and response to injury in kidney diseases. <i>Journal of Nephrology</i> , 2010 , 23, 514-24	4.8	8
81	The effect of paricalcitol on osteoprotegerin production by human peripheral blood mononuclear cells. <i>Journal of Rheumatology</i> , 2009 , 36, 856-7	4.1	3
80	Renal physiology in elderly persons with severe immobility syndrome. <i>International Urology and Nephrology</i> , 2009 , 41, 437-41	2.3	14
79	Dexamethasone decreases the transmesothelial electrical resistance of the parietal and visceral pleura. <i>Journal of Physiological Sciences</i> , 2009 , 59, 335-9	2.3	5
78	Decreased CD3+CD16+ natural killer-like T-cell percentage and zeta-chain expression accompany chronic inflammation in haemodialysis patients. <i>Nephrology</i> , 2009 , 14, 471-5	2.2	10
77	The role of hepcidin in iron homeostasis and anemia in hemodialysis patients. <i>Seminars in Dialysis</i> , 2009 , 22, 70-7	2.5	49
76	Acute renal failure: a rare presentation of hypothyroidism. <i>Renal Failure</i> , 2009 , 31, 323-6	2.9	6
75	About the effect of low-molecular-weight heparin on platelet function in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 1063-4	4.3	

74	Patient Selection for Automated Peritoneal Dialysis: For Whom, When?. <i>Peritoneal Dialysis International</i> , 2009 , 29, 102-107	2.8	11
73	Patient selection for automated peritoneal dialysis: for whom, when?. <i>Peritoneal Dialysis International</i> , 2009 , 29 Suppl 2, S102-7	2.8	3
72	Spironolactone increases permeability of visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2009 , 25, 16-9		2
71	Effect of cimetidine on the electrophysiologic profile of isolated visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2009 , 25, 20-3		2
70	The impact of chronic inflammation on bone turnover in hemodialysis patients. <i>Renal Failure</i> , 2008 , 30, 431-7	2.9	16
69	Chronic inflammation and CD16+ natural killer cell zeta-chain downregulation in hemodialysis patients. <i>Blood Purification</i> , 2008 , 26, 317-21	3.1	25
68	Sleep quality and dialysis efficacy affect functional capacity in patients receiving haemodialysis therapy. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2703-4; author reply 2704	4.3	3
67	Clonal relatedness of methicillin-resistant coagulase-negative staphylococci in the haemodialysis unit of a single university centre in Greece. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2599-603	4.3	17
66	Intradialytic aerobic exercise training ameliorates symptoms of restless legs syndrome and improves functional capacity in patients on hemodialysis: a pilot study. <i>ASAIO Journal</i> , 2008 , 54, 185-90	3.6	84
65	Chronic inflammation and T cell zeta-chain downregulation in hemodialysis patients. <i>American Journal of Nephrology</i> , 2008 , 28, 152-7	4.6	29
64	Nocturnal hypertension is associated with an exacerbation of the endothelial damage in preeclampsia. <i>American Journal of Nephrology</i> , 2008 , 28, 424-30	4.6	15
63	Liver fat, visceral adiposity, and sleep disturbances contribute to the development of insulin resistance and glucose intolerance in nondiabetic dialysis patients. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 295, R1721-9	3.2	18
62	Serum levels of adipokine retinol-binding protein-4 in relation to renal function: response to Ziegelmeier et al. <i>Diabetes Care</i> , 2008 , 31, e23; author reply e24	14.6	2
61	Factors affecting quality of sleep in dialysis patients: preliminary polysomnographic evidence. <i>Renal Failure</i> , 2008 , 30, 475-6	2.9	3
60	Psoas abscess in a dialysis patient with dialysis-related amyloidosis. <i>International Urology and Nephrology</i> , 2008 , 40, 543-6	2.3	6
59	A case report of recurrent vascular access thrombosis in a hemodialysis patient reveals combined acquired and inherited thrombophilia. <i>Therapeutic Apheresis and Dialysis</i> , 2008 , 12, 190-2	1.9	11
58	Effect of one-year oral alpha-tocopherol administration on the antioxidant defense system in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2008 , 12, 237-42	1.9	26
57	About the role of prohepcidin as an indicator of iron status in dialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2008 , 12, 421-2	1.9	

56	A case report of osteomyelitis pubis in a hemodialysis patient with diabetes mellitus. <i>Therapeutic Apheresis and Dialysis</i> , 2008 , 12, 409-12	1.9	0
55	Haemodialysis patients with sleep apnoea syndrome experience increased central adiposity and altered muscular composition and functionality. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 336-44	4.3	23
54	Acute renal failure after antibiotic-impregnated bone cement treatment of an infected total knee arthroplasty. <i>Clinical Nephrology</i> , 2008 , 69, 207-12	2.1	71
53	A case of membranous nephropathy associated with Sjögren syndrome, polymyositis and autoimmune hepatitis. <i>Clinical Nephrology</i> , 2008 , 70, 245-50	2.1	28
52	Rapid effect of dexamethasone on the permeability of visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2008 , 24, 2-6		4
51	Polysomnographic evidence of sleep apnoea disorders in lean and overweight haemodialysis patients. <i>Journal of Renal Care</i> , 2007 , 33, 159-64	1.6	4
50	Disturbances of acquired immunity in hemodialysis patients. <i>Seminars in Dialysis</i> , 2007 , 20, 440-51	2.5	223
49	Can serological tests tell us something about latent tuberculosis in hemodialysis patients?. <i>Therapeutic Apheresis and Dialysis</i> , 2007 , 11, 78-9; author reply 80	1.9	1
48	Coronary artery calcification, coronary artery stenosis and hyperphosphatemia in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2007 , 11, 81; author reply 82	1.9	2
47	No effect of serum parathyroid hormone level on antigen presenting cell-dependent T-cell reactivity in hemodialysis patients. <i>International Urology and Nephrology</i> , 2007 , 39, 595-7	2.3	4
46	Corticosteroids and ciclosporin A in idiopathic membranous nephropathy: higher remission rates of nephrotic syndrome and less adverse reactions than after traditional treatment with cytotoxic drugs. <i>American Journal of Nephrology</i> , 2007 , 27, 226-31	4.6	23
45	The diabetic foot in end stage renal disease. <i>Renal Failure</i> , 2007 , 29, 519-28	2.9	22
44	Adrenergic influence on the permeability of sheep diaphragmatic parietal pleura. <i>Respiration</i> , 2007 , 74, 118-20	3.7	9
43	Development of an egg-white bioassay for monitoring biotin levels in urine and serum. <i>Analytical Sciences</i> , 2007 , 23, 593-5	1.7	1
42	Amiloride-sensitive sodium channels on the parietal human peritoneum: evidence by ussing-type chamber experiments. <i>ASAIO Journal</i> , 2007 , 53, 335-8	3.6	17
41	Imaging modalities for renal artery stenosis in suspected renovascular hypertension: prospective intraindividual comparison of color Doppler US, CT angiography, GD-enhanced MR angiography, and digital subtraction angiography. <i>Renal Failure</i> , 2007 , 29, 295-302	2.9	126
40	Thirty-month follow-up of coronary artery calcification in hemodialysis patients: different roles for inflammation and abnormal calcium-phosphorous metabolism?. <i>Renal Failure</i> , 2007 , 29, 623-9	2.9	9
39	Is there any benefit from oral a-tocopherol administration in hemodialysis patients?. <i>Renal Failure</i> , 2007 , 29, 245-6	2.9	

38	mu-Opioid stimulation of isolated parietal sheep peritoneum decreases peritoneal permeability in vitro. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2007 , 23, 34-7		3
37	Effect of endothelin-1 on the transmesothelial resistance of isolated visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2007 , 23, 38-42		2
36	Effect of sodium-potassium pump inhibition by ouabain on the permeability of isolated visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2007 , 23, 43-7		4
35	Acute renal failure in the elderly: particular characteristics. <i>International Urology and Nephrology</i> , 2006 , 38, 787-93	2.3	29
34	Major histocompatibility complex class I restricted T-cell autoreactivity in human peripheral blood mononuclear cells. <i>Cellular Immunology</i> , 2006 , 240, 62-7	4.4	4
33	Gastric antral vascular ectasia (watermelon stomach) in patients with ESRD. <i>American Journal of Kidney Diseases</i> , 2006 , 47, e77-82	7.4	22
32	Can we expect something from prohepcidin measurement in hemodialysis patients?. <i>Blood Purification</i> , 2006 , 24, 538; author reply 539	3.1	0
31	Does hepcidin affect erythropoiesis in hemodialysis patients?. <i>Acta Haematologica</i> , 2006 , 116, 238-44	2.7	28
30	Aortic stiffness in patients undergoing hemodialysis is positively related to antigen presenting cell-dependent T-lymphocyte reactivity. <i>Renal Failure</i> , 2006 , 28, 63-8	2.9	1
29	Tubulointerstitial nephritis and uveitis (TINU) syndrome in a 52-year-old female: a case report and review of the literature. <i>Renal Failure</i> , 2006 , 28, 355-9	2.9	13
28	Adaptation of renal function in heart failure. <i>Renal Failure</i> , 2006 , 28, 527-35	2.9	6
27	Expression of transforming growth factor-beta receptor II mRNA in cyclosporine-induced gingival overgrowth. <i>Transplantation Proceedings</i> , 2006 , 38, 2905-8	1.1	4
26	T-Cell Zeta Chain Expression, Phosphorylation and Degradation and their Role in T-Cell Signal Transduction and Immune Response Regulation in Health And Disease. <i>Current Signal Transduction Therapy</i> , 2006 , 1, 191-208	0.8	8
25	Propyl gallate-induced platelet aggregation in patients with end-stage renal disease: the influence of the haemodialysis procedure. <i>Nephrology</i> , 2006 , 11, 3-8	2.2	6
24	Is there a link between inflammation, plasma resistin levels, and protein malnutrition in hemodialysis patients?. <i>Kidney International</i> , 2006 , 70, 1371-2; author reply 1372	9.9	4
23	Aquaporin-1 and sodium transport in the peritoneal membrane--need for more research?. <i>Kidney International</i> , 2006 , 70, 1663; author reply 1663-4	9.9	2
22	Age and underdialysis as predictors of sleep disorders in peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2006 , 38, 359-60	2.3	6
21	Transtubular potassium concentration gradient: comparison between healthy old people and chronic renal failure patients. <i>International Urology and Nephrology</i> , 2006 , 38, 387-90	2.3	25

20	Inhibition by mercuric chloride of aquaporin-1 in the parietal sheep peritoneum: an electrophysiologic study. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2006 , 22, 7-10		4
19	Gross calcification of the small bowel in a continuous ambulatory peritoneal dialysis patient with sclerosing peritonitis. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2006 , 22, 104-7		3
18	Resistin serum levels are increased but not correlated with insulin resistance in chronic hemodialysis patients. <i>Blood Purification</i> , 2005 , 23, 421-8	3.1	40
17	The value of computed tomography-derived coronary artery calcification score in coronary artery disease detection in asymptomatic hemodialysis patients. <i>Renal Failure</i> , 2005 , 27, 683-8	2.9	14
16	Endothelin-1 plasma levels in hemodialysis treatment--the influence of type 2 diabetes. <i>Renal Failure</i> , 2005 , 27, 515-22	2.9	4
15	Enhancement of the transmesothelial resistance of the parietal sheep peritoneum by epinephrine in vitro: ussing-type chamber experiments. <i>Artificial Organs</i> , 2005 , 29, 919-22	2.6	8
14	The value of serum antilipoarabinomannan antibody detection in the diagnosis of latent tuberculosis in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 706-12	7.4	19
13	Diagnostic discordance for hepatitis C virus infection in hemodialysis: correlations with clinical and laboratory features. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 992-3; author reply 993	7.4	1
12	Hemodialysis Procedure Does Not Affect the Levels of sICAM-1 and sVCAM-1 in Patients with End Stage Renal Disease. <i>Renal Failure</i> , 2005 , 27, 315-321	2.9	4
11	Effect of 1-Year Oral α -Tocopherol Administration on Anticardiolipin Antibodies in Hemodialysis Patients. <i>Renal Failure</i> , 2005 , 27, 193-198	2.9	1
10	Estradiol and leptin as conditional prognostic IVF markers. <i>Reproduction</i> , 2005 , 129, 531-4	3.8	30
9	Serum and follicular fluid leptin levels are correlated with human embryo quality. <i>Reproduction</i> , 2005 , 130, 917-21	3.8	37
8	Fungal Colonization of Peritoneal Catheter with Persistently Sterile Cloudy Effluent, in the Absence of Clinical Findings of Fungal Peritonitis. <i>Peritoneal Dialysis International</i> , 2004 , 24, 81-84	2.8	5
7	Improvement in uremic symptoms after increasing daily dialysate volume in patients on chronic peritoneal dialysis with declining renal function. <i>International Urology and Nephrology</i> , 2004 , 36, 437-43	2.3	23
6	Hepatitis E virus antibodies in hemodialysis patients: an epidemiological survey in central Greece. <i>International Journal of Artificial Organs</i> , 2004 , 27, 842-7	1.9	36
5	Plasma endothelin-1 in hemodialysis treatment - the influence of hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 44 Suppl 1, S43-8	3.1	13
4	Fungal colonization of peritoneal catheter with persistently sterile cloudy effluent, in the absence of clinical findings of fungal peritonitis. <i>Peritoneal Dialysis International</i> , 2004 , 24, 81-4	2.8	4
3	Effect of adrenaline on the electrophysiologic profile of isolated visceral sheep peritoneum. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2004 , 20, 23-6		3

- 2 Renal cell carcinoma in peritoneal dialysis patients. *International Urology and Nephrology*, **2003**, 35, 263-5.3 14
- 1 Fatigue in chronic peritoneal dialysis patients. *International Urology and Nephrology*, **2003**, 35, 535-41 2.3 32