Insung Bae

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6015897/publications.pdf

Version: 2024-02-01

430754 360920 1,657 37 18 35 h-index citations g-index papers 40 40 40 2161 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Printable Ferroelectric PVDF/PMMA Blend Films with Ultralow Roughness for Low Voltage Nonâ€Volatile Polymer Memory. Advanced Functional Materials, 2009, 19, 2812-2818.	7.8	239
2	Non-volatile organic memory with sub-millimetre bending radius. Nature Communications, 2014, 5, 3583.	5.8	196
3	Flexible Nonâ€Volatile Ferroelectric Polymer Memory with Gateâ€Controlled Multilevel Operation. Advanced Materials, 2012, 24, 5910-5914.	11.1	173
4	Nonâ€volatile Ferroelectric Poly(vinylidene fluorideâ€ <i>co</i> â€trifluoroethylene) Memory Based on a Singleâ€Crystalline Triâ€isopropylsilylethynyl Pentacene Fieldâ€Effect Transistor. Advanced Functional Materials, 2009, 19, 1609-1616.	7.8	139
5	Nonvolatile Polymer Memory with Nanoconfinement of Ferroelectric Crystals. Nano Letters, 2011, 11, 138-144.	4.5	122
6	Control of thin ferroelectric polymer films for non-volatile memory applications. IEEE Transactions on Dielectrics and Electrical Insulation, 2010, 17, 1135-1163.	1.8	113
7	High Performance Multiâ€Level Nonâ€Volatile Polymer Memory with Solutionâ€Blended Ferroelectric Polymer/Highâ€ <i>k</i> Insulators for Low Voltage Operation. Advanced Functional Materials, 2013, 23, 5484-5493.	7.8	79
8	Tailored Single Crystals of Triisopropylsilylethynyl Pentacene by Selective Contact Evaporation Printing. Advanced Materials, 2011, 23, 3398-3402.	11.1	67
9	Nonâ€Volatile Ferroelectric Memory with Positionâ€Addressable Polymer Semiconducting Nanowire. Small, 2014, 10, 1976-1984.	5.2	54
10	Extremely Bright Full Color Alternating Current Electroluminescence of Solution-Blended Fluorescent Polymers with Self-Assembled Block Copolymer Micelles. ACS Nano, 2013, 7, 10809-10817.	7.3	50
11	Chemically Cross-Linked Thin Poly(vinylidene fluoride-co-trifluoroethylene) Films for Nonvolatile Ferroelectric Polymer Memory. ACS Applied Materials & Samp; Interfaces, 2011, 3, 582-589.	4.0	43
12	Fabrication of micropatterned ferroelectric gamma poly(vinylidene fluoride) film for non-volatile polymer memory. Journal of Materials Chemistry, 2011, 21, 3619.	6.7	41
13	Wafer-Scale Arrays of Nonvolatile Polymer Memories with Microprinted Semiconducting Small Molecule/Polymer Blends. ACS Applied Materials & Samp; Interfaces, 2013, 5, 10696-10704.	4.0	33
14	Non-volatile memory characteristics of epitaxially grown PVDF-TrFE thin films and their printed micropattern application. Current Applied Physics, 2011, 11, e30-e34.	1.1	27
15	High throughput modification of chemically reduced graphene oxides by a conjugated block copolymer in non-polar medium. Journal of Materials Chemistry, 2012, 22, 25183.	6.7	24
16	Highâ€Temperature Operating Nonâ€volatile Memory of Printable Singleâ€Wall Carbon Nanotubes Selfâ€Assembled with a Conjugate Block Copolymer. Small, 2013, 9, 831-837.	5.2	24
17	Organic ferroelectric field-effect transistor with P(VDF-TrFE)/PMMA blend thin films for non-volatile memory applications. Current Applied Physics, 2010, 10, e54-e57.	1.1	22
18	Nanostructured composite membrane with cross-linked sulfonated poly(arylene ether ketone)/silica for high-performance polymer electrolyte membrane fuel cells under low relative humidity. Journal of Membrane Science, 2018, 549, 567-574.	4.1	20

#	Article	IF	CITATIONS
19	Epitaxially Grown Ferroelectric PVDFâ€TrFE Film on Shapeâ€Tailored Semiconducting Rubrene Single Crystal. Small, 2018, 14, e1704024.	5.2	19
20	In-plane 2-D patterning of microporous layer by inkjet printing for water management of polymer electrolyte fuel cell. Renewable Energy, 2020, 146, 960-967.	4.3	19
21	Engineered Membrane–Electrode Interface for Hydrocarbon-Based Polymer-Electrolyte-Membrane Fuel Cells via Solvent-Vapor-Annealed Deposition. ACS Applied Nano Materials, 2019, 2, 3857-3863.	2.4	17
22	Self-assembled block copolymer micelles with silver–carbon nanotube hybrid fillers for high performance thermal conduction. Nanoscale, 2015, 7, 1888-1895.	2.8	16
23	Asymmetric silica composite polymer electrolyte membrane for water management of fuel cells. Journal of Membrane Science, 2017, 542, 52-59.	4.1	15
24	Compression of Cross-Linked Poly(vinylidene fluoride- <i>co</i> -trifluoro ethylene) Films for Facile Ferroelectric Polarization. ACS Applied Materials & Samp; Interfaces, 2011, 3, 4736-4743.	4.0	14
25	Thin ferroelectric poly(vinylidene fluoride-chlorotrifluoro ethylene) films for thermal history independent non-volatile polymer memory. Organic Electronics, 2012, 13, 491-497.	1.4	14
26	Laser-Induced Nondestructive Patterning of a Thin Ferroelectric Polymer Film with Controlled Crystals using Ge ₈ Sb ₂ Te ₁₁ Alloy Layer for Nonvolatile Memory. ACS Applied Materials & Date (1988) Acc Applied Materials	4.0	13
27	Silica-embedded hydrogel nanofiller for enhancing low humidity proton conduction of a hydrocarbon-based polymer electrolyte membrane. Journal of Membrane Science, 2017, 543, 106-113.	4.1	12
28	Multi-level operation of three-dimensionally stacked non-volatile ferroelectric polymer memory with high-performance hole-injection layer. Organic Electronics, 2019, 75, 105394.	1.4	11
29	Functionalized Soft Nanoporous Materials through Supramolecular Assembly of Endâ€Functionalized Polymer Blends. Chemistry - A European Journal, 2012, 18, 15662-15668.	1.7	10
30	Coassembly of Metal and Titanium Dioxide Nanocrystals Directed by Monolayered Block Copolymer Inverse Micelles for Enhanced Photocatalytic Performance. Chemistry - A European Journal, 2012, 18, 14695-14701.	1.7	9
31	Crosslinked poly(arylene ether ketone) membrane with high anion conductivity and selectivity for non-aqueous redox flow batteries. Journal of Membrane Science, 2021, 620, 118928.	4.1	9
32	Aligned Proton Transport Highway of Hierarchically Structured Proton-Exchange Membranes Constructed via Capillary Force Lithography. ACS Applied Energy Materials, 2022, 5, 6256-6264.	2.5	5
33	Block Copolymer Micelles with Near Infrared Metal Phthalocyanine Dyes for Laser Induced Writing. Macromolecular Rapid Communications, 2010, 31, 1071-1077.	2.0	3
34	Epitaxially grown field-activated electroactive polymers for high performance organic electronics. International Journal of Nanotechnology, 2013, 10, 702.	0.1	3
35	Ferroelectric polymer blends for optoelectronic applications. , 2022, , 113-151.		1
36	Transistors: Flexible Nonâ€Volatile Ferroelectric Polymer Memory with Gateâ€Controlled Multilevel Operation (Adv. Mater. 44/2012). Advanced Materials, 2012, 24, 5904-5904.	11.1	0

3

_ :	#	Article	IF	CITATIONS
	37	Controlled Crystalline Structures of Nafion-Polyvinylidene Fluoride Blends for Proton Exchange Membranes. Porrime, 2020, 44, 572-578.	0.0	0