

# Magdalena Åwiderska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6016595/publications.pdf>

Version: 2024-02-01

34  
papers

555  
citations

623188

14  
h-index

642321

23  
g-index

35  
all docs

35  
docs citations

35  
times ranked

1148  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidative stress biomarkers in the serum and plasma of patients with non-alcoholic fatty liver disease (NAFLD). Can plasma AGE be a marker of NAFLD? Oxidative stress biomarkers in NAFLD patients. Free Radical Research, 2019, 53, 841-850.	1.5	73
2	Review The diagnostics of colorectal cancer. Wspolczesna Onkologia, 2014, 1, 1-6.	0.7	57
3	Effect of psoriasis activity on serum adiponectin and leptin levels. Postepy Dermatologii I Alergologii, 2015, 2, 101-106.	0.4	43
4	Free Radical Production, Inflammation and Apoptosis in Patients Treated With Titanium Mandibular Fixations – An Observational Study. Frontiers in Immunology, 2019, 10, 2662.	2.2	36
5	Hyaluronic acid concentration in liver diseases. Clinical and Experimental Medicine, 2016, 16, 523-528.	1.9	35
6	Plasma and ovarian tissue sphingolipids profiling in patients with advanced ovarian cancer. Gynecologic Oncology, 2017, 147, 139-144.	0.6	35
7	Serum cytochrome c and m30 – neoepitope of cytokeratin – 18 in chronic hepatitis C. Liver International, 2014, 34, 544-550.	1.9	27
8	Serum adiponectin and leptin levels in psoriatic patients according to topical treatment. Journal of Dermatological Treatment, 2015, 26, 134-138.	1.1	21
9	Serum Fatty Acid – Binding Protein 4 is Increased in Patients with Psoriasis. Lipids, 2017, 52, 51-60.	0.7	21
10	The interplay between Th17 and T-regulatory responses as well as adipokines in the progression of non-alcoholic fatty liver disease. Clinical and Experimental Hepatology, 2017, 3, 127-134.	0.6	20
11	Serum irisin levels in patients with psoriasis. Journal of Dermatological Treatment, 2017, 28, 304-308.	1.1	18
12	Activity of alcohol dehydrogenase isoenzymes and aldehyde dehydrogenase in sera of patients with hepatitis C. Archives of Medical Science, 2018, 14, 281-287.	0.4	17
13	High CD163 Expression on Classical Monocytes Is Associated with Immune Control of HBV Infection in Noncirrhotic Patients. Mediators of Inflammation, 2020, 2020, 1-13.	1.4	17
14	Serum YKL-40 as a potential biomarker of inflammation in psoriasis. Journal of Dermatological Treatment, 2018, 29, 19-23.	1.1	15
15	Effect of psoriasis activity and topical treatment on serum lipocalin-2 levels. Journal of Dermatological Treatment, 2017, 28, 136-140.	1.1	14
16	Serum Concentrations of Th17-Associated Interleukins and Autoimmune Phenomena are Associated with the Degree of Liver Damage in Alcoholic Liver Disease. Journal of Gastrointestinal and Liver Diseases, 2020, 26, 269-274.	0.5	11
17	Original article Distribution of HBV genotypes in Poland. Clinical and Experimental Hepatology, 2015, 1, 1-4.	0.6	9
18	Serum Cytokeratin 18 M30 Levels in Chronic Hepatitis B Reflect Both Phase and Histological Activities of Disease. Mediators of Inflammation, 2017, 2017, 1-8.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Liver fatty acid-binding protein might be a predictive marker of clinical response to systemic treatment in psoriasis. <i>Archives of Dermatological Research</i> , 2019, 311, 389-397.	1.1	9
20	The effect of topical treatment and psoriasis severity on serum retinol-binding protein-4 levels. <i>Journal of Dermatological Treatment</i> , 2016, 27, 114-119.	1.1	8
21	Unique Roles of Sphingolipids in Selected Malignant and Nonmalignant Lesions of Female Reproductive System. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	8
22	Changed Profile of Serum Transferrin Isoforms in Liver Diseases. <i>Clinical Laboratory</i> , 2017, 63, 349-354.	0.2	8
23	Adipocyte Fatty Acid Binding Protein as a Novel Marker of Psoriasis and Clinical Response to Acitretin. <i>Lipids</i> , 2019, 54, 445-452.	0.7	6
24	Chronic hepatitis B virus infection is associated with decreased serum 25(OH)D concentration in non-cirrhotic patients. <i>Clinical and Experimental Hepatology</i> , 2019, 5, 75-80.	0.6	6
25	The occurrence of autoantibodies in patients with chronic HCV infection, including patients dialyzed and after kidney transplantation. <i>Clinical and Experimental Hepatology</i> , 2016, 4, 161-166.	0.6	5
26	High serum N-terminal propeptide of procollagen type III concentration is associated with liver diseases. <i>Przegląd Gastroenterologiczny</i> , 2017, 3, 203-207.	0.3	5
27	Clinical Usefulness of the Inhibitory Control Test (ICT) in the Diagnosis of Minimal Hepatic Encephalopathy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3645.	1.2	5
28	Lp-PLA2 as a promising predictor of comorbidities in patients with severe psoriasis. <i>Journal of Dermatological Treatment</i> , 2020, 31, 524-530.	1.1	4
29	Brain-derived neurotrophic factor as a potential diagnostic marker in minimal hepatic encephalopathy. <i>Clinical and Experimental Hepatology</i> , 2021, 7, 117-124.	0.6	4
30	High prevalence of anti-HEV antibodies among patients with immunosuppression and hepatic disorders in eastern Poland. <i>Archives of Medical Science</i> , 2021, 17, 675-681.	0.4	3
31	Blood bioactive sphingolipids in patients with advanced serous epithelial ovarian cancer – mass spectrometry analysis. <i>Archives of Medical Science</i> , 2021, 17, 53-61.	0.4	2
32	Simple non-invasive markers for early diagnosis and determination of the severity of liver diseases. <i>Clinical and Experimental Hepatology</i> , 2016, 4, 149-154.	0.6	1
33	Selected Noninvasive Markers in Diagnosing Liver Diseases. <i>Laboratory Medicine</i> , 2016, 47, 67-72.	0.8	1
34	Serum Alcohol Dehydrogenase and Aldehyde Dehydrogenase Activity in the Course of Hepatitis C. <i>Clinical Laboratory</i> , 2016, 62, 2155-2159.	0.2	1