

# Nianshuang Wang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6017488/nianshuang-wang-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

9,708  
citations

22  
h-index

30  
g-index

30  
ext. papers

12,679  
ext. citations

21.2  
avg, IF

6.96  
L-index

#	Paper	IF	Citations
29	Cryo-EM structure of the 2019-nCoV spike in the prefusion conformation. <i>Science</i> , <b>2020</b> , 367, 1260-1263	33.3	5176
28	Immunogenicity and structures of a rationally designed prefusion MERS-CoV spike antigen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E7348-E7357	11.5	615
27	SARS-CoV-2 mRNA vaccine design enabled by prototype pathogen preparedness. <i>Nature</i> , <b>2020</b> , 586, 567-571	50.4	594
26	Pre-fusion structure of a human coronavirus spike protein. <i>Nature</i> , <b>2016</b> , 531, 118-21	50.4	474
25	Structure of MERS-CoV spike receptor-binding domain complexed with human receptor DPP4. <i>Cell Research</i> , <b>2013</b> , 23, 986-93	24.7	459
24	Structure-based design of prefusion-stabilized SARS-CoV-2 spikes. <i>Science</i> , <b>2020</b> , 369, 1501-1505	33.3	450
23	Broad neutralization of SARS-related viruses by human monoclonal antibodies. <i>Science</i> , <b>2020</b> , 369, 731-736	33.3	376
22	Structural Basis for Potent Neutralization of Betacoronaviruses by Single-Domain Camelid Antibodies. <i>Cell</i> , <b>2020</b> , 181, 1004-1015.e15	56.2	319
21	Stabilized coronavirus spikes are resistant to conformational changes induced by receptor recognition or proteolysis. <i>Scientific Reports</i> , <b>2018</b> , 8, 15701	4.9	259
20	Potent neutralization of MERS-CoV by human neutralizing monoclonal antibodies to the viral spike glycoprotein. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 234ra59	17.5	165
19	Cryo-EM Structure of the 2019-nCoV Spike in the Prefusion Conformation <b>2020</b> ,		143
18	Importance of Neutralizing Monoclonal Antibodies Targeting Multiple Antigenic Sites on the Middle East Respiratory Syndrome Coronavirus Spike Glycoprotein To Avoid Neutralization Escape. <i>Journal of Virology</i> , <b>2018</b> , 92,	6.6	119
17	Prevalent, protective, and convergent IgG recognition of SARS-CoV-2 non-RBD spike epitopes. <i>Science</i> , <b>2021</b> , 372, 1108-1112	33.3	100
16	SARS-CoV-2 mRNA Vaccine Development Enabled by Prototype Pathogen Preparedness <b>2020</b> ,		62
15	Structural basis for the neutralization of MERS-CoV by a human monoclonal antibody MERS-27. <i>Scientific Reports</i> , <b>2015</b> , 5, 13133	4.9	54
14	Structural Definition of a Neutralization-Sensitive Epitope on the MERS-CoV S1-NTD. <i>Cell Reports</i> , <b>2019</b> , 28, 3395-3405.e6	10.6	53
13	Global site-specific analysis of glycoprotein N-glycan processing. <i>Nature Protocols</i> , <b>2018</b> , 13, 1196-1212	18.8	40

12	Identification of residues on human receptor DPP4 critical for MERS-CoV binding and entry. <i>Virology</i> , <b>2014</b> , 471-473, 49-53	3.6	32
11	Prevalent, protective, and convergent IgG recognition of SARS-CoV-2 non-RBD spike epitopes in COVID-19 convalescent plasma <b>2020</b> ,		29
10	Structure-based Design of Prefusion-stabilized SARS-CoV-2 Spikes <b>2020</b> ,		27
9	Cross-reactive coronavirus antibodies with diverse epitope specificities and Fc effector functions. <i>Cell Reports Medicine</i> , <b>2021</b> , 2, 100313	18	24
8	Broad sarbecovirus neutralizing antibodies define a key site of vulnerability on the SARS-CoV-2 spike protein <b>2020</b> ,		18
7	A Combination of Receptor-Binding Domain and N-Terminal Domain Neutralizing Antibodies Limits the Generation of SARS-CoV-2 Spike Neutralization-Escape Mutants. <i>MBio</i> , <b>2021</b> , 12, e0247321	7.8	11
6	A high-throughput inhibition assay to study MERS-CoV antibody interactions using image cytometry. <i>Journal of Virological Methods</i> , <b>2019</b> , 265, 77-83	2.6	8
5	Cross-reactive coronavirus antibodies with diverse epitope specificities and extra-neutralization functions <b>2020</b> ,		7
4	Expression and characterization of SARS-CoV-2 spike proteins. <i>Nature Protocols</i> , <b>2021</b> , 16, 5339-5356	18.8	4
3	Synthetic repertoires derived from convalescent COVID-19 patients enable discovery of SARS-CoV-2 neutralizing antibodies and a novel quaternary binding modality <b>2021</b> ,		4
2	A combination of RBD and NTD neutralizing antibodies limits the generation of SARS-CoV-2 spike neutralization-escape mutants		2
1	Receptor binding and proteolysis do not induce large conformational changes in the SARS-CoV spike		1