
Daniel Golkowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6017856/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brain network integration dynamics are associated with loss and recovery of consciousness induced by sevoflurane. Human Brain Mapping, 2021, 42, 2802-2822.	3.6	29
2	Dynamic Patterns of Global Brain Communication Differentiate Conscious From Unconscious Patients After Severe Brain Injury. Frontiers in Systems Neuroscience, 2021, 15, 625919.	2.5	7
3	COVID-19-associated Large Vessel Stroke in aÂ28-year-old Patient. Clinical Neuroradiology, 2021, 31, 511-514.	1.9	9
4	Changes in Whole Brain Dynamics and Connectivity Patterns during Sevoflurane- and Propofol-induced Unconsciousness Identified by Functional Magnetic Resonance Imaging. Anesthesiology, 2019, 130, 898-911.	2.5	54
5	Relationship of critical dynamics, functional connectivity, and states of consciousness in large-scale human brain networks. NeuroImage, 2019, 188, 228-238.	4.2	73
6	Coherence of <scp>BOLD</scp> signal and electrical activity in the human brain during deep sevoflurane anesthesia. Brain and Behavior, 2017, 7, e00679.	2.2	25
7	Simultaneous EEG–PET–fMRI measurements in disorders of consciousness: an exploratory study on diagnosis and prognosis. Journal of Neurology, 2017, 264, 1986-1995.	3.6	18
8	Neural Correlates of Sevoflurane-induced Unconsciousness Identified by Simultaneous Functional Magnetic Resonance Imaging and Electroencephalography. Anesthesiology, 2016, 125, 861-872.	2.5	118
9	Cortical alterations in a model for absence epilepsy and febrile seizures: In vivo findings in mice carrying a human GABA(A)R gamma2 subunit mutation. Neurobiology of Disease, 2015, 77, 62-70.	4.4	6
10	Spatial signatures of anesthesia-induced burst-suppression differ between primates and rodents. ELife, 0, 11, .	6.0	8