

Zofia Kurmanowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6017900/publications.pdf>

Version: 2024-02-01

29
papers

400
citations

933447

10
h-index

794594

19
g-index

29
all docs

29
docs citations

29
times ranked

666
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of microvascular function in vivo using flow mediated skin fluorescence (FMSF) in patients with obstructive lung diseases: A preliminary study. <i>Microvascular Research</i> , 2020, 127, 103914.	2.5	9
2	The role of bronchoscopy in diagnosis of chronic cough in adults: a retrospective single-center study. <i>Advances in Respiratory Medicine</i> , 2020, 88, 406-411.	1.0	3
3	Epithelial alarmin levels in exhaled breath condensate in patients with idiopathic pulmonary fibrosis: A pilot study. <i>Clinical Respiratory Journal</i> , 2019, 13, 652-656.	1.6	6
4	<p>Overexpression of chitotriosidase and YKL-40 in peripheral blood and sputum of healthy smokers and patients with chronic obstructive pulmonary disease</p>. <i>International Journal of COPD</i> , 2019, Volume 14, 1611-1631.	2.3	12
5	The usefulness of soluble receptor for advanced glycation end-products in the identification of COPD frequent exacerbator phenotype. <i>International Journal of COPD</i> , 2018, Volume 13, 3879-3884.	2.3	5
6	The association between airway eosinophilic inflammation and IL-33 in stable non-atopic COPD. <i>Respiratory Research</i> , 2018, 19, 108.	3.6	40
7	QuantIFERON-TB-GOLD In-Tube in patients with sarcoidosis. <i>Advances in Respiratory Medicine</i> , 2018, 86, 234-239.	1.0	8
8	Epithelial alarmin levels in exhaled breath condensate in patients with idiopathic pulmonary fibrosis. , 2018, , .		0
9	Overexpression of chitotriosidase and YKL-40 in serum and sputum in healthy smokers and patients with chronic obstructive pulmonary disease. , 2018, , .		0
10	The effect of omalizumab on blood eosinophils count in patients with hypersensitivity to non-steroidal anti-inflammatory drugs (NSAID) compare to patients who tolerate NSAIDâ pilot study. , 2018, , .		0
11	Skin condition and its relationship to systemic inflammation in chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2017, Volume 12, 2407-2415.	2.3	7
12	Analysis of changes in expression of IL-4/IL-13/STAT6 pathway and correlation with the selected clinical parameters in patients with atopic asthma. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 195-204.	2.1	23
13	Immunoexpression of TGF-Î²2/Smad and VEGF-A proteins in serum and BAL fluid of sarcoidosis patients. <i>BMC Immunology</i> , 2015, 16, 58.	2.2	15
14	Short-Term Reproducibility of the Inflammatory Phenotype in Different Subgroups of Adult Asthma Cohort. <i>Mediators of Inflammation</i> , 2015, 2015, 1-7.	3.0	6
15	Effectiveness of omalizumab in an asthmatic patient with severe airway and blood eosinophilia. <i>Postepy Dermatologii I Alergologii</i> , 2015, 6, 478-479.	0.9	1
16	Assessment of leptin and resistin levels in patients with chronic obstructive pulmonary disease. <i>Polish Archives of Internal Medicine</i> , 2013, 123, 215-220.	0.4	10
17	Exhaled breath 8-isoprostane as a marker of asthma severity. <i>Archives of Medical Science</i> , 2012, 3, 515-520.	0.9	17
18	Exhaled eicosanoids and biomarkers of oxidative stress in exacerbation of chronic obstructive pulmonary disease. <i>Archives of Medical Science</i> , 2012, 2, 277-285.	0.9	46

#	ARTICLE	IF	CITATIONS
19	Exhaled 8-isoprostane in sarcoidosis: relation to superoxide anion production by bronchoalveolar lavage cells. <i>Inflammation Research</i> , 2010, 59, 1027-1032.	4.0	10
20	Exhaled 8-isoprostane as a prognostic marker in sarcoidosis. A short term follow-up. <i>BMC Pulmonary Medicine</i> , 2010, 10, 23.	2.0	17
21	Rhinosinusitis in COPD: symptoms, mucosal changes, nasal lavage cells and eicosanoids. <i>International Journal of COPD</i> , 2010, 5, 107.	2.3	21
22	Mediators of inflammation in nasal lavage from aspirin intolerant patients after aspirin challenge. <i>Respiratory Medicine</i> , 2010, 104, 1404-1409.	2.9	31
23	Metalloproteinases MMP-9, MMP-2 and their tissue inhibitors TIMP-1, TIMP-2 in peripheral transbronchial lung biopsies of patients with sarcoidosis. <i>Polish Archives of Internal Medicine</i> , 2009, 119, 628-635.	0.4	4
24	Superoxide anion production by bronchoalveolar lavage cells in relation to cellular composition and lung function in sarcoidosis and chronic bronchitis. <i>Polish Archives of Internal Medicine</i> , 2009, 119, 777-784.	0.4	3
25	Superoxide anion production by bronchoalveolar lavage cells in relation to cellular composition and lung function in sarcoidosis and chronic bronchitis. , 2009, 119, 777-84.		3
26	Eicosanoids in Exhaled Breath Condensate and BAL Fluid of Patients With Sarcoidosis. <i>Chest</i> , 2007, 132, 589-596.	0.8	44
27	Concentration of TBA-reactive substances in type II pneumocytes exposed to oxidative stress. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2004, 52, 435-40.	2.3	4
28	Release of hydrogen peroxide by rat type II pneumocytes in the prolonged culture. <i>Toxicology in Vitro</i> , 2000, 14, 85-93.	2.4	19
29	Effect of Paraquat Intoxication and Ambroxol Treatment on Hydrogen Peroxide Production and Lipid Peroxidation in Selected Organs of Rat. , 1996, 16, 501-507.		36